

1999 IPHC Stock Assessment Survey

Reg. Area	Station Number	Date Fished	North		Depth (F)	Skates Hauled*	Halibut (pounds)		Bycatch (numbers)**			
			Latitude	Longitude			Legal	Sublegal	Sablefish	P. Cod	Rockfish	
3B	5001	7/04/99	55° 59.99'	153° 35.98' W	53	7.0	8,728	444	0	0	0	
3B	5002	7/04/99	55° 59.98'	153° 54.11' W	63	6.7	4,421	687	0	0	0	
3B	5003	7/08/99	55° 59.99'	154° 13.09' W	60	7.0	6,806	399	0	30	15	
3B	5004	7/08/99	56° 00.00'	154° 30.09' W	264	7.0	580	0	125	0	0	
3B	5005	7/08/99	55° 59.98'	154° 48.04' W	119	6.8	676	30	83	34	0	
3B	5006	7/14/99	55° 59.63'	155° 05.85' W	31	6.8	568	271	0	209	0	
3B	5007	7/04/99	56° 10.00'	153° 36.24' W	90	7.0	2,876	266	5	64	0	
3B	5008	7/05/99	56° 09.89'	153° 54.69' W	128	6.9	10,220	107	5	0	0	
3B	5009	7/06/99	56° 09.96'	154° 11.12' W	66	6.7	1,214	792	10	67	0	
3B	5010	7/07/99	56° 10.00'	154° 28.98' W	53	7.0	7,040	879	0	0	0	
3B	5011	7/07/99	56° 10.00'	154° 46.99' W	44	7.0	1,447	666	0	50	0	
3B	5012	Unsuccessful Station										
3B	5013	Unsuccessful Station										
3B	5014	8/08/99	56° 10.11'	155° 41.00' W	33	7.0	885	938	0	5	0	
3B	5015	7/06/99	56° 20.04'	153° 50.91' W	49	6.9	1,891	649	0	73	0	
3B	5016	Unsuccessful Station										
3B	5017	7/07/99	56° 20.01'	154° 28.05' W	34	7.0	1,117	395	0	124	0	
3B	5018	8/09/99	56° 20.07'	155° 22.11' W	25	7.0	1,668	1247	0	5	0	
3B	5019	8/10/99	56° 19.95'	155° 40.00' W	39	6.8	2,180	470	0	136	0	
3B	5020	8/10/99	56° 29.87'	155° 20.99' W	29	6.7	1,953	708	0	14	0	
3B	5021	8/10/99	56° 29.93'	155° 38.98' W	62	7.1	3,426	298	0	51	0	
3B	5022	8/19/99	56° 40.08'	155° 02.01' W	23	7.0	4,835	238	0	0	0	
3B	5023	8/19/99	56° 40.09'	155° 20.00' W	56	7.0	1,479	390	0	95	0	
3B	5024	8/18/99	56° 40.00'	155° 38.00' W	131	7.0	1,760	43	15	30	0	
3B	5025	8/18/99	56° 39.98'	155° 56.00' W	160	7.0	1,746	86	75	5	0	
3B	5026	8/21/99	56° 50.06'	154° 24.00' W	33	7.0	3,950	314	0	72	0	
3B	5027	8/21/99	56° 50.02'	154° 42.00' W	32	7.0	1,071	367	0	15	0	
3B	5028	8/19/99	56° 50.04'	154° 60.00' W	42	7.0	2,198	578	0	40	0	
3B	5029	8/22/99	56° 49.96'	155° 19.00' W	124	7.0	2,223	22	50	25	0	
3B	5030	8/18/99	56° 49.91'	155° 37.00' W	151	7.0	1,808	84	35	10	0	
3B	5031	7/30/99	56° 49.95'	155° 54.95' W	164	6.9	1,153	18	64	20	0	
3B	5032	8/21/99	56° 59.75'	154° 40.99' W	23	7.0	1,112	196	0	0	0	
3B	5033	8/22/99	56° 59.99'	154° 59.00' W	60	7.0	552	308	5	65	0	
3B	5034	8/22/99	56° 59.98'	155° 18.01' W	138	7.0	2,371	120	45	35	0	
3B	5035	9/05/99	56° 59.92'	155° 36.00' W	154	7.1	2,237	115	41	30	0	
3B	5036	7/30/99	56° 59.95'	155° 53.99' W	163	7.0	2,151	28	60	30	0	
3B	5037	9/04/99	57° 10.04'	154° 39.48' W	33	7.0	1,362	91	0	0	0	
3B	5038	9/04/99	57° 10.05'	154° 58.00' W	109	7.0	1,900	147	60	30	0	
3B	5039	9/05/99	57° 09.97'	155° 15.87' W	133	6.9	1,547	123	93	44	0	
3B	5040	9/02/99	57° 09.96'	155° 34.98' W	150	7.0	1,364	134	35	40	0	
3B	5041	9/02/99	57° 09.93'	155° 53.00' W	136	7.0	3,426	144	124	35	0	
3B	5042	9/04/99	57° 19.95'	154° 56.99' W	106	7.0	1,436	92	59	114	0	
3B	5043	9/05/99	57° 19.96'	155° 15.07' W	134	7.0	2,147	172	40	45	0	
3B	5044	Unsuccessful Station										
3B	5045	9/02/99	57° 19.70'	155° 52.05' W	63	6.9	3,612	439	0	103	0	
3B	5046	9/01/99	57° 19.96'	156° 10.98' W	75	6.9	2,724	140	0	148	0	
3B	5047	8/31/99	57° 30.36'	155° 14.02' W	142	7.0	2,480	67	70	70	0	
3B	5048	8/31/99	57° 29.84'	155° 33.19' W	165	7.1	2,665	354	10	25	0	
3B	5096	8/20/99	54° 49.96'	157° 33.23' W	228	6.2	125	0	109	0	23	

*Standard skate = 1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

**Bycatch numbers extrapolated from 20-25% sample.

1999 IPHC Stock Assessment Survey

Reg. Area	Station Number	Date Fished	North		Depth (F)	Skates Hauled*	Halibut (pounds)		Bycatch (numbers)**		
			Latitude	Longitude			Legal	Sublegal	Sablefish	P. Cod	Rockfish
3B	5097	6/22/99	54° 50.05'	157° 50.16' W	93	7.0	1,732	338	0	119	0
3B	5098	8/20/99	55° 00.23'	157° 15.16' W	101	7.0	1,453	174	15	30	0
3B	5099	8/20/99	55° 00.38'	157° 32.27' W	50	7.0	4,537	480	0	0	15
3B	5100	6/22/99	55° 00.25'	157° 49.97' W	45	7.0	7,111	366	0	0	10
3B	5101	8/21/99	55° 00.18'	158° 07.08' W	72	7.0	2,283	391	0	125	0
3B	5102	8/17/99	55° 09.88'	156° 22.45' W	282	7.0	28	0	75	0	0
3B	5103	8/17/99	55° 10.09'	156° 39.24' W	281	7.0	0	0	219	0	15
3B	5104	8/17/99	55° 09.78'	156° 57.03' W	87	7.0	1,555	100	10	45	0
3B	5105	8/19/99	55° 09.94'	157° 14.12' W	61	7.0	2,288	792	0	60	0
3B	5106	8/19/99	55° 09.90'	157° 32.71' W	46	7.0	3,015	464	0	0	0
3B	5107	8/19/99	55° 10.12'	157° 47.95' W	43	7.0	2,190	1266	0	50	0
3B	5108	8/21/99	55° 10.18'	158° 07.08' W	57	7.0	3,631	1420	0	15	0
3B	5109	6/23/99	55° 20.09'	156° 39.31' W	62	7.0	6,569	1309	0	0	0
3B	5110	6/23/99	55° 20.23'	156° 56.14' W	50	7.0	3,035	1007	0	20	0
3B	5111	8/18/99	55° 20.36'	157° 14.25' W	48	7.0	1,596	518	0	0	0
3B	5112	8/18/99	55° 20.27'	157° 31.16' W	47	7.0	1,211	1523	0	0	0
3B	5113	8/18/99	55° 20.18'	157° 49.20' W	44	7.0	265	1551	0	0	0
3B	5114	8/21/99	55° 19.61'	158° 05.66' W	60	7.0	4,538	1148	0	5	0
3B	5115	8/28/99	55° 20.17'	158° 24.45' W	81	7.0	1,339	84	20	171	0
3B	5116	6/23/99	55° 30.28'	156° 39.25' W	97	7.0	3,508	426	15	104	10
3B	5117	8/22/99	55° 30.12'	156° 55.28' W	47	7.0	3,954	895	0	0	0
3B	5118	8/22/99	55° 29.91'	157° 13.15' W	47	7.0	3,648	578	0	15	0
3B	5119	8/31/99	55° 30.02'	157° 31.80' W	51	7.0	855	380	0	141	0
3B	5120	8/29/99	55° 29.97'	157° 48.25' W	52	7.0	3,165	373	0	60	0
3B	5121	8/28/99	55° 29.90'	158° 06.16' W	69	7.0	2,698	410	5	45	0
3B	5122	8/28/99	55° 29.94'	158° 24.18' W	79	7.0	3,726	313	10	75	0
3B	5123	8/23/99	55° 40.13'	156° 55.01' W	47	7.0	2,892	489	0	55	0
3B	5124	8/22/99	55° 40.18'	157° 13.96' W	47	7.0	1,880	1501	0	0	0
3B	5125	8/31/99	55° 40.00'	157° 30.05' W	54	7.0	1,799	360	0	20	0
3B	5126	8/29/99	55° 39.93'	157° 48.19' W	72	7.0	1,800	278	10	129	0
3B	5127	8/29/99	55° 39.92'	158° 06.05' W	69	7.0	1,667	169	30	20	0
3B	5128	8/30/99	55° 40.10'	158° 23.00' W	71	7.0	2,083	150	20	5	0
3B	5129	8/30/99	55° 40.16'	158° 40.74' W	50	7.0	1,723	1016	0	0	0
3B	5130	8/23/99	55° 50.06'	157° 12.26' W	55	7.0	3,333	830	0	5	0
3B	5131	7/31/99	55° 50.01'	157° 30.07' W	55	7.0	1,406	261	15	90	0
3B	5132	7/30/99	55° 50.19'	157° 48.25' W	62	7.0	4,191	1129	0	0	0
3B	5133	7/30/99	55° 50.06'	158° 05.42' W	43	7.0	7,255	952	0	0	0
3B	5134	8/30/99	55° 50.21'	158° 23.04' W	60	7.0	4,158	784	10	0	0
3B	5135	7/31/99	56° 00.11'	157° 29.20' W	67	7.0	2,523	610	0	30	0
3B	5136	7/31/99	56° 00.04'	157° 47.35' W	67	7.0	2,837	707	0	30	0
3B	5137	7/30/99	56° 00.16'	158° 05.29' W	48	7.0	2,009	540	0	0	0
3B	5138	7/29/99	56° 10.00'	157° 47.60' W	95	7.0	6,434	75	0	16	0
3B	5139	7/29/99	56° 10.07'	158° 05.25' W	45	7.0	4,129	370	0	0	0
3B	5140	7/29/99	56° 19.95'	158° 03.80' W	36	7.0	5,859	219	0	10	0
3B	5141	6/19/99	54° 30.07'	159° 00.44' W	149	7.0	1,696	99	110	5	0
3B	5142	6/18/99	54° 30.01'	159° 17.16' W	84	7.1	4,192	315	0	213	0
3B	5143	6/18/99	54° 30.08'	159° 34.03' W	64	7.1	8,275	487	0	35	0
3B	5144	6/17/99	54° 29.92'	159° 51.09' W	67	7.1	2,273	745	0	35	0
3B	5145	6/10/99	54° 30.19'	160° 08.79' W	66	7.0	2,765	717	0	151	0

*Standard skate = 1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

**Bycatch numbers extrapolated from 20-25% sample.

2/17/00

1999 IPHC Stock Assessment Survey

Reg. Area	Station Number	Date Fished	North		Depth (F)	Skates Hauled*	Halibut (pounds)		Bycatch (numbers)**		
			Latitude	Longitude			Legal	Sublegal	Sablefish	P. Cod	Rockfish
3B	5146	6/20/99	54° 40.27'	158° 25.31' W	123	7.0	3,212	419	30	66	0
3B	5147	6/20/99	54° 40.14'	158° 41.95' W	57	7.0	6,990	775	0	20	0
3B	5148	6/19/99	54° 39.95'	159° 00.01' W	50	7.1	9,638	665	0	10	0
3B	5149	6/18/99	54° 39.98'	159° 17.06' W	41	7.0	6,405	954	0	45	0
3B	5150	6/17/99	54° 40.05'	159° 34.11' W	33	7.0	3,666	811	0	31	0
3B	5151	6/17/99	54° 39.94'	159° 51.95' W	44	7.0	10,027	654	0	30	0
3B	5152	6/09/99	54° 40.09'	160° 08.53' W	50	7.1	4,667	1490	0	5	0
3B	5153	6/22/99	54° 49.92'	158° 07.18' W	55	7.0	4,505	1027	0	40	0
3B	5154	6/21/99	54° 50.13'	158° 25.23' W	106	7.0	2,114	125	15	151	0
3B	5155	6/21/99	54° 50.21'	158° 42.52' W	54	7.0	4,496	1725	0	0	0
3B	5156	6/21/99	54° 50.09'	159° 00.40' W	39	7.0	2,863	1114	0	0	0
3B	5157	6/09/99	54° 49.99'	159° 52.02' W	31	7.0	3,380	338	0	191	0
3B	5158	6/09/99	54° 49.99'	160° 09.03' W	38	7.1	3,244	414	0	65	0
3B	5159	6/14/99	54° 50.02'	160° 26.16' W	47	7.0	3,018	581	0	149	0
3B	5160	6/03/99	55° 00.21'	158° 24.99' W	113	7.1	6,419	308	25	101	0
3B	5161	6/03/99	55° 00.11'	158° 42.02' W	71	7.0	3,250	648	0	136	0
3B	5162	6/02/99	54° 59.99'	158° 59.08' W	47	7.0	2,734	408	0	141	0
3B	5163	6/01/99	55° 00.03'	159° 16.97' W	21	7.0	2,656	51	0	196	0
3B	5164	6/14/99	54° 59.97'	160° 27.16' W	60	7.0	3,333	1017	0	120	0
3B	5165	6/14/99	55° 00.12'	160° 44.01' W	47	7.0	4,407	513	0	45	0
3B	5166	6/03/99	55° 10.09'	158° 24.33' W	100	7.0	2,491	237	10	70	0
3B	5167	6/02/99	55° 10.06'	158° 42.07' W	114	7.0	3,260	137	15	50	0
3B	5168	6/02/99	55° 09.85'	158° 59.20' W	73	7.0	2,535	913	0	120	0
3B	5169	6/01/99	55° 10.04'	159° 16.98' W	39	7.0	2,122	148	0	137	5
3B	5170	6/04/99	55° 20.12'	158° 41.96' W	107	7.0	3,611	96	10	106	0
3B	5171	6/04/99	55° 19.98'	158° 59.02' W	102	7.0	3,823	168	10	25	0
3B	5172	5/31/99	55° 19.80'	159° 16.94' W	97	7.0	3,405	186	25	35	0
3B	5173	5/31/99	55° 19.84'	159° 34.42' W	76	7.0	2,540	298	0	110	0
3B	5174	5/30/99	55° 20.01'	159° 51.88' W	48	7.0	2,519	512	0	201	0
3B	5175	6/04/99	55° 30.06'	158° 40.88' W	88	7.0	2,303	106	25	56	0
3B	5176	6/05/99	55° 29.72'	158° 58.73' W	58	7.0	2,783	359	0	50	0
3B	5177	6/05/99	55° 29.67'	159° 17.15' W	68	7.0	2,704	752	0	70	0
3B	5178	5/31/99	55° 29.95'	159° 34.20' W	92	7.0	2,473	269	0	120	0
3B	5179	5/30/99	55° 29.81'	159° 51.80' W	92	7.0	3,921	571	0	79	0
3B	5181	6/05/99	55° 40.16'	158° 59.09' W	84	7.0	2,736	285	0	10	0
3B	5182	6/06/99	55° 39.99'	159° 17.06' W	52	7.0	2,877	483	0	73	0
3B	5183	5/30/99	55° 40.04'	159° 51.98' W	70	7.0	3,727	443	0	169	0
3B	5184	6/06/99	55° 49.96'	158° 59.02' W	69	7.0	2,723	271	0	10	0
3B	5185	6/06/99	55° 50.07'	159° 17.14' W	32	7.0	1,348	393	0	118	0
3B	5186	7/10/99	54° 00.02'	163° 15.05' W	47	7.0	2,428	499	0	193	5
3B	5187	7/10/99	54° 00.04'	163° 32.11' W	52	7.0	819	414	0	288	0
3B	5188	7/10/99	54° 00.05'	163° 48.95' W	51	7.0	1,424	722	0	216	0
3B	5189	7/26/99	54° 10.00'	161° 33.92' W	77	7.0	2,681	463	20	55	0
3B	5190	8/09/99	54° 10.00'	161° 51.15' W	45	7.0	9,845	113	0	40	5
3B	5191	7/15/99	54° 10.04'	162° 08.21' W	47	6.8	7,194	823	0	24	5
3B	5192	7/15/99	54° 10.06'	162° 25.06' W	94	7.0	697	266	59	89	5
3B	5193	7/11/99	54° 10.01'	163° 49.94' W	50	7.0	2,624	602	0	158	0
3B	5194	6/10/99	54° 20.04'	160° 08.22' W	169	7.0	2,222	157	100	0	5
3B	5195	6/10/99	54° 20.04'	160° 25.89' W	71	7.0	4,007	704	0	60	0

*Standard skate = 1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

**Bycatch numbers extrapolated from 20-25% sample.

1999 IPHC Stock Assessment Survey

Reg. Area	Station Number	Date Fished	North		Depth (F)	Skates Hauled*	Halibut (pounds)		Bycatch (numbers)**		
			Latitude	Longitude			Legal	Sublegal	Sablefish	P. Cod	Rockfish
3B	5196	6/11/99	54° 20.08'	160° 43.19' W	58	7.0	4,181	705	0	157	0
3B	5197	7/25/99	54° 20.05'	161° 00.19' W	69	7.0	2,678	1145	0	60	0
3B	5198	7/26/99	54° 20.05'	161° 17.29' W	59	7.0	6,037	517	0	60	0
3B	5199	7/26/99	54° 20.06'	161° 34.23' W	78	7.0	4,283	376	0	40	0
3B	5200	8/09/99	54° 20.01'	161° 51.21' W	38	7.0	5,623	281	0	15	0
3B	5201	7/15/99	54° 20.02'	162° 09.21' W	31	7.0	10,356	576	0	0	0
3B	5202	7/14/99	54° 19.93'	163° 16.93' W	25	7.0	8,474	915	0	0	0
3B	5203	7/14/99	54° 19.98'	163° 33.95' W	60	7.0	2,222	409	0	211	0
3B	5204	7/11/99	54° 19.99'	163° 50.99' W	62	7.0	1,950	462	0	261	0
3B	5205	7/11/99	54° 20.12'	164° 09.04' W	51	7.0	1,527	711	0	239	0
3B	5206	6/11/99	54° 30.09'	160° 26.12' W	80	7.1	2,606	586	0	35	0
3B	5207	6/11/99	54° 30.00'	160° 43.08' W	76	7.0	1,503	242	0	10	0
3B	5208	7/25/99	54° 30.01'	161° 00.02' W	71	7.0	1,845	544	5	110	0
3B	5209	7/25/99	54° 29.99'	161° 18.18' W	62	7.0	3,438	499	10	90	0
3B	5210	8/10/99	54° 29.98'	161° 35.05' W	38	7.0	7,072	662	0	20	0
3B	5211	7/27/99	54° 30.06'	161° 52.10' W	77	7.0	3,994	452	0	51	0
3B	5212	7/27/99	54° 30.03'	162° 09.07' W	77	7.0	3,406	329	0	75	0
3B	5213	7/27/99	54° 30.04'	162° 26.25' W	79	7.0	3,652	395	0	115	0
3B	5214	7/14/99	54° 30.05'	163° 17.91' W	43	7.0	3,668	645	0	50	0
3B	5215	7/12/99	54° 30.05'	163° 35.06' W	54	7.0	3,576	1060	0	87	0
3B	5216	7/12/99	54° 30.09'	163° 53.08' W	48	7.0	2,188	735	0	175	0
3B	5217	7/12/99	54° 30.05'	164° 10.22' W	51	7.0	1,314	618	0	306	0
3B	5218	6/12/99	54° 40.03'	160° 26.10' W	56	7.1	3,199	1105	0	162	0
3B	5219	6/12/99	54° 39.86'	160° 43.12' W	52	7.0	3,697	1479	0	0	0
3B	5220	7/16/99	54° 40.00'	161° 01.09' W	51	7.0	3,777	862	0	0	0
3B	5221	8/11/99	54° 40.05'	161° 18.05' W	73	7.0	1,577	218	0	130	0
3B	5222	8/10/99	54° 39.95'	161° 35.19' W	34	6.5	3,741	1257	0	0	0
3B	5223	8/10/99	54° 39.96'	161° 53.28' W	40	7.0	5,321	267	0	60	0
3B	5224	7/13/99	54° 40.05'	162° 44.22' W	44	7.0	1,239	465	0	10	0
3B	5225	6/12/99	54° 49.98'	160° 44.12' W	55	7.0	2,665	771	0	45	0
3B	5226	7/16/99	54° 50.04'	161° 01.24' W	56	7.0	2,079	538	0	10	0
3B	5227	8/08/99	54° 50.05'	161° 18.05' W	60	7.0	2,642	522	0	10	0
3B	5228	8/08/99	54° 50.03'	161° 36.06' W	38	7.0	5,025	353	0	5	5
3B	5229	7/13/99	54° 50.04'	162° 44.91' W	28	7.0	1,964	399	0	5	0
3B	5230	7/13/99	54° 50.02'	163° 02.90' W	46	7.0	2,559	798	0	137	0
3B	5231	6/13/99	54° 59.86'	161° 01.02' W	51	7.0	1,866	506	0	5	0
3B	5232	8/08/99	55° 00.03'	161° 19.12' W	43	7.0	5,327	164	0	141	5
3B	5233	6/13/99	55° 09.94'	161° 02.13' W	51	7.0	4,576	487	0	201	0
3B	5234	7/16/99	55° 19.83'	156° 02.94' W	183	7.0	1,049	19	124	0	25
3B	5235	7/16/99	55° 19.94'	156° 20.98' W	95	7.0	5,220	162	10	35	0
3B	5236	7/15/99	55° 29.84'	155° 45.02' W	119	7.0	568	42	80	45	0
3B	5237	7/16/99	55° 30.05'	156° 02.97' W	111	5.9	1,023	134	24	53	0
3B	5238	7/17/99	55° 30.12'	156° 19.97' W	118	7.0	2,619	111	65	50	0
3B	5239	7/15/99	55° 39.92'	155° 26.00' W	105	6.8	562	298	15	97	5
3B	5240	7/15/99	55° 39.95'	155° 44.00' W	67	6.7	2,951	368	0	82	0
3B	5241	7/17/99	55° 39.92'	156° 01.96' W	125	6.9	2,061	76	59	49	0
3B	5242	7/17/99	55° 39.94'	156° 18.94' W	140	7.0	92	25	65	40	0
3B	5243	7/25/99	55° 39.87'	156° 36.99' W	131	6.9	1,754	154	89	5	0
3B	5244	7/14/99	55° 49.91'	155° 07.00' W	66	6.9	1,359	404	0	69	0

*Standard skate = 1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

**Bycatch numbers extrapolated from 20-25% sample.

1999 IPHC Stock Assessment Survey

Reg. Area	Station Number	Date Fished	North		Depth (F)	Skates Hauled*	Halibut (pounds)		Bycatch (numbers)**			
			Latitude	Longitude			Legal	Sublegal	Sablefish	P. Cod	Rockfish	
3B	5245	Unsuccessful Station										
3B	5246	7/18/99	55° 50.01'	156° 00.96' W	56	7.0	8,323	537	0	80	0	
3B	5247	7/18/99	55° 50.12'	156° 19.00' W	132	6.7	366	0	81	5	0	
3B	5248	7/25/99	55° 49.81'	156° 35.95' W	125	7.0	396	57	80	0	0	
3B	5249	7/25/99	55° 49.97'	156° 53.95' W	71	6.8	1,288	527	0	68	0	
3B	5250	8/08/99	55° 60.00'	155° 42.00' W	25	6.8	814	1739	0	5	0	
3B	5251	7/18/99	55° 59.95'	156° 00.00' W	42	7.0	1,519	230	0	89	0	
3B	5252	7/19/99	55° 59.95'	156° 17.99' W	117	7.0	1,507	44	114	55	0	
3B	5253	7/19/99	55° 59.89'	156° 35.99' W	107	7.0	1,946	260	15	61	0	
3B	5254	7/26/99	55° 59.97'	157° 11.00' W	60	6.9	2,756	665	0	25	0	
3B	5255	Unsuccessful Station										
3B	5256	7/19/99	56° 10.00'	156° 17.00' W	127	7.0	2,245	40	60	129	0	
3B	5257	8/07/99	56° 09.93'	156° 35.00' W	101	7.0	2,058	157	0	35	0	
3B	5258	8/06/99	56° 10.07'	156° 52.98' W	46	7.0	2,089	699	0	0	0	
3B	5259	7/26/99	56° 09.93'	157° 10.99' W	56	6.9	3,896	675	0	30	0	
3B	5260	7/26/99	56° 10.00'	157° 28.95' W	83	7.0	5,076	165	0	30	0	
3B	5261	8/11/99	56° 19.98'	155° 57.99' W	113	6.7	1,591	84	58	0	0	
3B	5262	8/07/99	56° 20.00'	156° 16.00' W	153	7.0	1,248	39	101	0	0	
3B	5263	Unsuccessful Station										
3B	5264	8/06/99	56° 20.09'	156° 51.99' W	67	7.0	2,893	863	0	75	0	
3B	5265	8/06/99	56° 19.98'	157° 10.00' W	92	6.9	2,542	112	0	84	0	
3B	5266	7/27/99	56° 19.92'	157° 28.00' W	36	6.9	4,567	705	0	0	0	
3B	5267	7/27/99	56° 19.91'	157° 46.00' W	38	7.0	3,558	698	0	0	0	
3B	5268	8/11/99	56° 29.91'	155° 56.86' W	134	7.1	1,220	30	48	36	0	
3B	5269	8/11/99	56° 29.86'	156° 15.00' W	141	6.9	1,745	26	74	74	0	
3B	5270	8/05/99	56° 30.11'	156° 32.99' W	106	7.0	4,108	218	5	15	0	
3B	5271	8/05/99	56° 29.93'	156° 51.00' W	51	7.0	2,997	929	0	5	0	
3B	5272	7/27/99	56° 29.96'	157° 27.97' W	82	7.0	6,027	180	0	30	0	
3B	5273	8/17/99	56° 40.02'	156° 14.00' W	116	7.0	3,282	74	65	15	0	
3B	5274	8/05/99	56° 40.05'	156° 31.98' W	85	6.9	3,680	166	0	93	0	
3B	5275	7/29/99	56° 39.99'	156° 50.49' W	51	7.0	4,247	484	0	30	0	
3B	5276	7/29/99	56° 40.00'	157° 09.02' W	74	7.0	2,445	151	0	69	0	
3B	5277	8/17/99	56° 50.05'	156° 12.99' W	107	6.9	3,951	324	15	49	0	
3B	5278	8/17/99	56° 50.04'	156° 32.03' W	51	6.8	3,535	546	0	44	0	
3B	5279	7/29/99	56° 49.99'	156° 50.00' W	59	7.0	5,710	324	0	64	0	
3B	5280	7/30/99	56° 59.95'	156° 13.00' W	85	7.0	3,349	175	0	60	0	

*Standard skate = 1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

**Bycatch numbers extrapolated from 20-25% sample.