

2000 Stock Assessment Survey

Area 3 A

Station Number	Date Fished	North		Depth (F)	Eff Skates Set*	Halibut (pounds)		Bycatch (numbers)**		
		Latitude	Longitude			Legal	Sublegal	Sablefish	P. Cod	Rockfish
4001	6/28	57° 50.00'	137° 13.22' W	160	7.0	683	21	260	0	25
4002	6/28	58° 00.00'	136° 53.83' W	223	7.0	95	0	210	0	50
4003	6/28	58° 00.00'	137° 11.59' W	114	7.0	1,088	37	114	0	35
4004	6/5	58° 00.00'	137° 31.05' W	88	7.0	1,220	313	10	5	40
4005	6/5	58° 00.00'	137° 49.95' W	99	7.0	766	429	50	0	30
4006	6/6	58° 10.03'	136° 55.17' W	106	7.0	1,896	165	120	0	0
4007	6/6	58° 10.00'	137° 11.07' W	65	7.0	2,267	364	0	0	5
4008	6/5	58° 10.00'	137° 29.86' W	76	7.0	790	258	0	0	0
4009	6/5	58° 10.00'	137° 48.89' W	83	7.0	1,030	80	0	0	5
4010	6/22	58° 10.00'	138° 07.96' W	81	7.0	2,423	471	5	0	0
4011	6/22	58° 10.00'	138° 26.92' W	88	7.0	1,333	271	0	0	40
4012	6/22	58° 10.01'	138° 45.96' W	100	7.0	1,443	621	0	0	99
4013	6/6	58° 20.00'	137° 10.12' W	93	7.0	0	35	0	0	15
4014	6/18	58° 20.04'	137° 29.52' W	101	7.0	35	0	0	0	0
4015	6/18	58° 20.00'	137° 48.00' W	95	7.0	113	0	0	0	0
4016	6/25	58° 20.00'	138° 07.16' W	70	7.0	2,420	1,194	0	0	0
4017	6/25	58° 20.00'	138° 26.15' W	71	7.0	2,817	710	0	5	0
4018	6/26	58° 20.00'	138° 46.38' W	65	7.0	2,154	893	0	0	105
4019	6/26	58° 20.00'	139° 05.01' W	61	7.0	1,726	296	0	0	50
4020	6/27	58° 20.00'	139° 24.03' W	147	7.0	2,558	60	74	0	15
4021	6/18	58° 30.00'	137° 28.07' W	39	7.0	58	103	0	0	0
4022	6/18	58° 30.00'	137° 46.45' W	84	7.0	0	0	0	0	0
4023	6/25	58° 30.00'	138° 06.86' W	73	7.0	1,273	105	5	0	15
4024	6/25	58° 30.00'	138° 26.05' W	63	7.0	3,312	1,244	0	5	20
4025	6/26	58° 30.00'	138° 44.84' W	52	7.0	3,534	613	0	0	10
4026	6/26	58° 30.00'	139° 03.87' W	56	7.0	644	891	0	0	0
4027	6/27	58° 30.00'	139° 22.71' W	90	7.0	2,492	467	0	5	60
4028	6/27	58° 30.00'	139° 41.50' W	135	7.0	1,076	38	206	0	0
4029	6/19	58° 40.02'	138° 06.03' W	51	7.0	891	450	0	0	15
4030	6/19	58° 40.00'	138° 24.91' W	73	7.0	1,078	185	0	0	0
4031	6/20	58° 40.00'	138° 43.89' W	55	7.0	3,555	572	0	5	40
4032	6/20	58° 40.00'	139° 03.71' W	80	7.0	2,488	616	0	10	5
4033	6/21	58° 40.00'	139° 22.98' W	136	7.0	1,525	39	250	0	15
4034	6/21	58° 40.00'	139° 42.10' W	101	7.0	1,097	103	35	0	15
4035	7/3	58° 40.00'	140° 00.93' W	103	7.0	3,354	603	0	0	0
4036	6/19	58° 50.02'	138° 05.13' W	28	7.0	64	102	0	0	0
4037	6/19	58° 50.00'	138° 24.17' W	39	7.0	1,453	165	0	0	20
4038	6/20	58° 50.00'	138° 43.84' W	66	7.0	1,775	1,197	0	0	0
4039	6/20	58° 50.00'	139° 02.90' W	103	7.0	237	8	0	0	5
4040	6/21	58° 50.02'	139° 22.06' W	74	7.0	933	35	0	0	10
4041	6/21	58° 50.00'	139° 42.11' W	87	7.0	345	11	0	0	0
4042	7/3	58° 50.00'	140° 01.29' W	93	7.0	1,912	351	5	0	5
4043	7/23	59° 00.00'	138° 24.22' W	34	7.0	0	51	0	0	0
4044	7/23	59° 00.00'	138° 43.19' W	86	7.0	64	0	0	0	0
4045	7/23	59° 00.00'	139° 02.78' W	56	7.0	269	37	0	0	0
4046	7/2	59° 00.00'	139° 22.05' W	59	7.0	274	36	0	0	0
4047	7/2	59° 00.00'	139° 41.16' W	66	7.0	261	20	0	0	0
4048	7/21	59° 10.00'	139° 02.31' W	31	7.0	0	6	0	0	0
4049	7/21	59° 10.00'	139° 21.16' W	54	7.0	216	10	0	0	0
4051	7/3	58° 50.00'	140° 20.14' W	98	7.0	3,053	433	0	0	0
4052	7/4	58° 50.00'	140° 39.91' W	105	7.0	2,586	324	64	0	5

*Standard skate = 1,800' groundline with 16/0 circle hooks spaced every 18' on 24' - 42' gangions.

** Bycatch numbers extrapolated from 20-25 % sample.

Ver. Date 02/01

2000 Stock Assessment Survey

Area 3 A

Station Number	Date Fished	North		Depth (F)	Eff Skates Set*	Halibut (pounds)		Bycatch (numbers)**		
		Latitude	Longitude			Legal	Sublegal	Sablefish	P. Cod	Rockfish
4053	7/2	59° 00.00'	140° 01.17' W	72	7.0	2,926	448	0	0	5
4054	7/6	59° 00.00'	140° 19.92' W	84	7.0	1,502	142	0	0	15
4055	7/4	59° 00.00'	140° 39.06' W	97	7.0	2,031	198	5	0	0
4056	7/4	59° 00.00'	140° 59.09' W	103	7.0	2,891	552	5	20	0
4057	7/21	59° 10.00'	139° 41.33' W	70	7.0	968	437	0	0	0
4058	7/2	59° 10.00'	139° 59.83' W	61	7.0	3,461	748	0	0	0
4059	7/6	59° 10.00'	140° 20.24' W	70	7.0	3,113	292	5	5	0
4060	7/6	59° 10.00'	140° 39.19' W	80	7.0	1,831	195	0	0	0
4061	7/5	59° 10.00'	140° 58.89' W	98	7.0	2,824	283	5	0	0
4062	7/5	59° 10.00'	141° 17.92' W	184	7.0	757	0	175	0	5
4063	7/5	59° 13.00'	141° 37.97' W	123	7.0	1,400	44	158	0	0
4064	7/21	59° 20.00'	139° 39.64' W	84	7.0	64	0	0	0	0
4065	7/22	59° 19.98'	140° 00.05' W	86	7.0	150	14	0	0	0
4066	7/20	59° 20.00'	140° 19.87' W	70	7.0	2,380	423	0	0	0
4067	7/20	59° 20.00'	140° 38.89' W	78	7.0	724	89	15	0	0
4068	7/7	59° 20.00'	140° 58.98' W	87	7.0	1,346	204	15	0	0
4069	7/7	59° 20.00'	141° 18.05' W	179	7.0	1,899	9	160	0	0
4070	7/9	59° 20.00'	141° 38.15' W	102	7.0	905	85	10	0	5
4071	7/9	59° 20.00'	141° 58.17' W	118	7.0	2,232	212	35	0	0
4072	7/22	59° 30.01'	140° 00.59' W	62	7.0	81	46	0	0	0
4073	7/20	59° 30.00'	140° 19.25' W	123	7.0	2,165	17	50	0	25
4074	7/20	59° 30.00'	140° 39.14' W	152	7.0	248	10	65	0	55
4075	7/7	59° 30.00'	140° 58.81' W	160	7.0	1,014	20	45	0	35
4076	7/7	59° 30.00'	141° 18.90' W	90	7.0	0	10	0	0	0
4077	7/9	59° 30.00'	141° 37.73' W	88	7.0	195	9	0	0	0
4078	7/9	59° 30.00'	141° 57.81' W	97	7.0	390	0	0	0	0
4079	7/22	59° 40.00'	139° 59.02' W	76	7.0	584	33	10	15	0
4080	7/18	59° 40.00'	140° 59.39' W	29	7.0	89	27	0	20	0
4081	7/18	59° 40.00'	141° 19.25' W	35	7.0	90	77	0	0	0
4082	7/18	59° 40.00'	141° 38.37' W	51	7.0	67	7	0	0	0
4083	7/10	59° 40.00'	141° 58.03' W	79	7.0	0	0	0	0	0
4084	7/10	59° 40.00'	142° 17.84' W	117	7.0	265	10	30	0	0
4085	7/11	59° 40.00'	142° 37.84' W	207	7.0	720	15	160	0	40
4086	7/11	59° 40.00'	142° 58.06' W	108	7.0	4,269	184	0	5	0
4087	7/11	59° 40.00'	143° 17.19' W	147	7.0	2,123	8	155	0	5
4088	7/12	59° 40.00'	143° 36.74' W	83	7.0	4,984	153	0	0	5
4089	7/13	59° 40.00'	143° 57.12' W	68	7.0	3,303	133	0	0	35
4090	7/13	59° 40.00'	144° 17.55' W	86	7.0	1,062	79	5	0	5
4091	7/13	59° 40.00'	144° 37.38' W	78	7.0	370	0	0	0	0
4092	7/10	59° 50.00'	141° 59.39' W	38	7.0	366	405	0	0	0
4093	7/10	59° 50.00'	142° 18.20' W	48	7.0	3,233	147	0	0	10
4094	7/19	59° 50.00'	142° 38.07' W	88	7.0	991	25	5	0	0
4095	7/19	59° 50.00'	142° 58.19' W	93	7.0	293	0	0	0	0
4096	7/12	59° 50.00'	143° 18.43' W	119	7.0	830	9	20	0	0
4097	7/12	59° 50.00'	143° 38.20' W	151	7.0	343	0	35	0	20
4098	7/12	59° 50.00'	143° 58.14' W	51	7.0	685	139	0	0	0
4099	7/13	59° 50.00'	144° 17.98' W	34	7.0	468	94	0	5	0
4100	7/19	60° 00.00'	142° 39.03' W	42	7.0	1,431	123	0	0	0
4101	7/19	60° 00.00'	142° 59.25' W	61	7.0	368	168	0	0	0
4102	9/2	59° 20.12'	146° 16.00' W	156	7.0	1,831	40	10	0	65
4103	9/1	59° 20.07'	146° 35.00' W	78	7.0	5,618	107	0	0	15

*Standard skate = 1,800' groundline with 16/0 circle hooks spaced every 18' on 24' - 42' gangions.

** Bycatch numbers extrapolated from 20-25 % sample.

Ver. Date 02/01

2000 Stock Assessment Survey

Area 3 A

Station Number	Date Fished	North		Depth (F)	Eff Skates Set*	Halibut (pounds)		Bycatch (numbers)**		
		Latitude	Longitude			Legal	Sublegal	Sablefish	P. Cod	Rockfish
4104	9/1	59° 19.94'	146° 54.98' W	104	7.0	823	37	5	0	0
4105	8/26	59° 20.09'	147° 15.00' W	100	7.0	563	10	10	0	0
4106	9/3	59° 31.04'	145° 16.02' W	65	7.0	3,590	98	0	0	30
4107	9/2	59° 29.90'	145° 55.01' W	92	7.0	3,697	106	0	0	0
4108	9/1	59° 29.99'	146° 34.98' W	51	7.0	934	92	0	0	40
4109	8/29	59° 30.04'	146° 53.98' W	99	7.0	204	0	0	0	0
4110	8/26	59° 30.01'	147° 14.00' W	115	7.0	65	26	30	0	5
4111	7/30	59° 30.41'	147° 34.00' W	60	7.0	2,376	199	0	0	0
4112	9/3	59° 40.09'	145° 34.02' W	58	7.0	11	8	0	0	0
4113	9/3	59° 39.98'	145° 54.00' W	46	7.0	972	250	0	0	0
4114	9/2	59° 40.02'	146° 14.00' W	45	7.0	287	46	0	0	0
4115	8/31	59° 40.06'	146° 34.00' W	46	7.0	1,115	275	0	0	30
4116	8/25	59° 40.08'	146° 53.00' W	60	7.0	26	0	5	0	0
4117	7/30	59° 40.13'	147° 13.02' W	100	7.0	1,714	0	10	0	0
4118	7/30	59° 39.92'	147° 33.02' W	64	7.0	830	11	0	0	0
4119	8/22	59° 50.03'	144° 57.97' W	108	7.0	543	47	20	45	0
4120	8/21	59° 49.92'	145° 53.00' W	56	6.9	274	0	0	0	0
4121	8/31	59° 49.94'	146° 13.02' W	33	7.0	329	55	0	0	0
4122	8/31	59° 49.90'	146° 33.00' W	38	7.0	723	240	0	0	0
4123	8/25	59° 50.08'	146° 53.05' W	42	7.0	733	447	0	0	0
4124	8/25	59° 49.96'	147° 12.98' W	86	7.0	144	9	5	59	0
4125	8/22	59° 59.95'	144° 39.00' W	124	7.0	1,207	8	35	20	0
4126	8/22	59° 60.00'	144° 59.00' W	71	7.0	284	20	0	0	0
4127	8/23	60° 00.06'	145° 18.99' W	65	7.0	272	18	0	0	0
4128	8/21	59° 60.00'	146° 11.97' W	35	7.0	626	34	0	0	0
4129	8/24	60° 00.04'	146° 31.99' W	35	7.0	304	150	0	0	0
4130	8/24	60° 00.03'	146° 51.99' W	79	7.0	120	0	5	0	0
4131	8/24	59° 60.00'	147° 12.00' W	102	7.0	483	30	45	0	0
4132	8/23	60° 10.00'	145° 31.00' W	48	7.0	192	18	0	0	0
4133	8/23	60° 09.98'	145° 51.01' W	59	7.0	75	11	0	0	0
4134	8/21	60° 10.12'	146° 11.00' W	46	7.0	1,097	313	5	5	0
4135	8/13	60° 10.04'	147° 31.02' W	39	7.0	1,595	356	0	20	10
4136	8/13	60° 10.02'	147° 50.99' W	187	7.0	636	68	0	0	30
4137	8/14	60° 19.94'	147° 31.00' W	68	7.0	847	21	0	45	30
4138	8/17	60° 29.98'	146° 28.98' W	34	7.0	981	258	5	0	0
4139	8/17	60° 29.93'	146° 49.00' W	213	7.0	716	0	35	0	25
4140	8/16	60° 29.99'	147° 10.00' W	97	7.0	258	55	15	0	0
4141	8/14	60° 30.02'	147° 30.00' W	104	7.0	225	9	10	0	0
4142	8/14	60° 29.01'	147° 50.02' W	251	7.0	975	10	35	0	20
4143	8/17	60° 39.99'	146° 49.00' W	225	7.0	975	30	69	5	20
4144	8/16	60° 39.96'	147° 09.01' W	133	6.9	1,643	20	44	5	10
4145	8/16	60° 50.03'	147° 07.99' W	133	7.0	1,224	111	30	20	10
4146	8/15	60° 50.03'	148° 10.00' W	172	7.0	827	34	10	5	15
4147	6/23	58° 39.94'	148° 34.02' W	129	7.0	2,999	33	139	15	0
4148	6/23	58° 39.88'	148° 53.05' W	90	7.0	1,145	98	54	35	0
4149	6/24	58° 50.15'	148° 14.99' W	150	5.5	2,974	6	163	0	0
4150	6/25	58° 49.98'	148° 33.98' W	159	6.8	4,216	14	44	0	0
4151	6/25	58° 50.02'	148° 53.01' W	137	6.9	3,793	0	114	5	0
4152	6/22	58° 49.91'	149° 12.00' W	111	7.0	1,417	0	189	15	0
4153	7/9	59° 00.00'	147° 55.02' W	239	6.9	133	0	29	0	15
4154	7/8	59° 00.08'	148° 13.96' W	115	7.0	5,583	105	40	89	0

*Standard skate = 1,800' groundline with 16/0 circle hooks spaced every 18' on 24' - 42' gangions.

** Bycatch numbers extrapolated from 20-25 % sample.

Ver. Date 02/01

2000 Stock Assessment Survey

Area 3 A

Station Number	Date Fished	North		Depth (F)	Eff Skates Set*	Halibut (pounds)		Bycatch (numbers)**		
		Latitude	Longitude			Legal	Sublegal	Sablefish	P. Cod	Rockfish
4155	7/8	58° 59.91'	148° 34.04'	W 132	7.0	631	5	149	0	0
4156	6/26	59° 00.15'	148° 53.11'	W 113	7.0	865	0	88	0	5
4157	6/22	58° 59.99'	149° 12.12'	W 116	7.0	214	30	70	0	0
4158	6/30	58° 59.91'	149° 32.00'	W 125	7.0	129	0	50	0	0
4159	7/10	59° 10.20'	147° 35.03'	W 131	6.9	7,410	87	20	0	5
4160	7/9	59° 10.06'	147° 53.98'	W 110	7.0	709	88	45	0	0
4161	7/12	59° 10.02'	148° 13.98'	W 67	6.9	3,194	381	0	0	78
4162	7/13	59° 09.96'	148° 33.02'	W 84	6.9	1,434	48	10	2	0
4163	7/26	59° 10.12'	148° 53.00'	W 96	7.0	1,738	9	50	0	0
4164	7/26	59° 09.94'	149° 12.02'	W 84	7.0	1,616	39	15	30	5
4165	6/30	59° 09.88'	149° 31.98'	W 86	7.0	498	7	0	0	0
4166	7/1	59° 09.89'	149° 50.99'	W 73	6.9	163	0	10	0	0
4167	7/10	59° 20.01'	147° 34.00'	W 67	6.9	2,986	305	0	0	0
4168	7/11	59° 19.98'	147° 54.02'	W 99	7.0	641	19	15	0	0
4169	7/12	59° 19.98'	148° 13.02'	W 85	7.0	1,477	73	10	0	0
4170	7/27	59° 19.95'	148° 33.00'	W 50	7.0	1,570	109	0	0	105
4171	7/27	59° 19.95'	148° 52.98'	W 91	7.0	2,315	107	0	5	0
4172	7/20	59° 20.02'	149° 11.99'	W 101	7.0	1,435	0	79	20	0
4173	7/20	59° 19.86'	149° 32.02'	W 67	7.0	1,525	113	0	74	0
4174	7/1	59° 20.02'	149° 50.84'	W 102	6.9	312	4	10	0	0
4175	7/2	59° 20.09'	150° 10.98'	W 85	7.0	853	6	0	15	0
4176	7/29	59° 29.95'	147° 53.05'	W 59	7.0	1,101	121	0	20	0
4177	7/28	59° 30.09'	148° 13.02'	W 112	7.0	345	28	105	0	0
4178	7/28	59° 29.94'	148° 33.02'	W 51	7.0	1,655	792	0	0	0
4179	7/19	59° 29.96'	148° 52.02'	W 91	7.0	704	0	15	0	0
4180	7/19	59° 30.04'	149° 11.98'	W 124	7.0	1,443	29	25	45	0
4181	7/3	59° 29.92'	149° 31.98'	W 55	7.0	600	77	0	0	0
4182	7/3	59° 29.98'	149° 51.98'	W 107	7.0	162	10	5	45	0
4183	7/2	59° 30.03'	150° 11.02'	W 54	7.0	1,986	143	0	15	5
4184	7/29	59° 40.03'	147° 53.00'	W 37	7.0	2,420	384	0	0	40
4185	7/22	59° 40.00'	148° 13.12'	W 62	7.0	508	307	15	0	0
4186	7/18	59° 39.45'	148° 32.00'	W 113	7.0	663	0	20	5	10
4187	7/17	59° 40.01'	148° 52.00'	W 96	7.0	166	0	5	0	0
4188	7/4	59° 39.99'	149° 12.00'	W 112	7.0	489	0	40	0	5
4189	7/4	59° 40.03'	149° 31.98'	W 145	6.9	124	9	44	39	0
4190	7/22	59° 49.94'	148° 12.00'	W 53	7.0	197	0	0	0	0
4191	7/18	59° 50.00'	148° 31.98'	W 74	7.0	0	0	0	0	0
4192	7/17	59° 49.92'	148° 52.05'	W 95	7.0	422	0	30	10	0
4193	7/5	59° 49.97'	149° 12.16'	W 81	7.0	858	61	5	5	0
4194	7/5	59° 49.98'	149° 31.92'	W 84	7.0	337	53	20	40	0
4195	9/13	57° 59.99'	149° 12.93'	W 75	6.8	7,201	575	0	0	0
4196	9/14	58° 10.01'	148° 53.74'	W 74	7.0	4,579	1,321	0	15	0
4197	9/13	58° 09.95'	149° 12.90'	W 63	7.0	4,328	889	0	0	45
4198	8/28	58° 10.00'	149° 31.95'	W 58	7.0	1,581	902	0	15	15
4199	8/27	58° 10.00'	149° 51.22'	W 75	6.9	2,985	711	0	10	5
4200	9/10	58° 19.99'	148° 35.05'	W 103	5.5	5,560	210	16	11	0
4202	9/12	58° 19.99'	149° 13.03'	W 84	7.0	6,941	723	0	5	0
4203	8/28	58° 19.99'	149° 31.66'	W 82	6.9	5,290	612	15	15	0
4204	8/25	58° 20.00'	149° 51.18'	W 42	5.8	2,605	1,165	0	0	0
4205	8/20	58° 20.00'	150° 09.88'	W 28	7.0	3,340	1,535	0	0	0
4206	8/20	58° 19.99'	150° 29.00'	W 31	6.9	1,142	1,099	0	0	0

*Standard skate = 1,800' groundline with 16/0 circle hooks spaced every 18' on 24' - 42' gangions.

** Bycatch numbers extrapolated from 20-25 % sample.

Ver. Date 02/01

2000 Stock Assessment Survey

Area 3 A

Station Number	Date Fished	North		Depth (F)	Eff Skates Set*	Halibut (pounds)		Bycatch (numbers)**		
		Latitude	Longitude			Legal	Sublegal	Sablefish	P. Cod	Rockfish
4207	9/9	58° 30.02'	148° 33.99' W	79	6.9	5,553	865	0	0	0
4208	9/9	58° 30.00'	148° 53.12' W	61	6.8	6,190	714	0	0	34
4209	9/1	58° 30.00'	149° 12.77' W	66	7.0	2,859	303	0	40	0
4210	8/3	58° 30.00'	149° 31.87' W	77	6.9	7,441	238	10	29	0
4211	8/25	58° 29.99'	149° 51.02' W	75	6.9	5,110	377	10	25	0
4212	8/21	58° 28.48'	150° 09.73' W	48	7.0	873	1,943	0	0	0
4213	8/19	58° 27.98'	150° 28.89' W	42	6.9	1,870	2,279	0	0	0
4214	8/18	58° 29.99'	150° 46.53' W	55	6.2	2,438	519	0	18	0
4215	8/4	58° 40.09'	149° 13.00' W	74	7.0	3,104	162	89	45	15
4216	8/5	58° 40.09'	149° 32.01' W	75	6.9	1,045	124	127	25	0
4217	8/5	58° 40.00'	149° 50.88' W	83	6.9	2,622	163	59	0	0
4218	8/6	58° 40.00'	150° 10.29' W	68	7.0	2,857	255	30	55	0
4219	8/7	58° 40.00'	150° 29.20' W	110	6.9	533	82	74	15	0
4220	8/7	58° 40.00'	150° 49.02' W	110	7.0	1,734	126	188	6	0
4221	8/18	58° 40.00'	151° 07.62' W	105	6.9	2,442	122	64	39	0
4222	7/28	58° 49.84'	149° 32.00' W	120	7.0	429	0	149	0	10
4223	7/27	58° 49.93'	149° 51.00' W	130	7.0	624	0	238	0	0
4224	7/27	58° 50.05'	150° 10.00' W	87	7.0	1,776	19	109	10	0
4225	7/26	58° 49.89'	150° 30.00' W	91	7.0	1,825	36	54	114	0
4226	7/25	58° 50.02'	150° 49.02' W	94	7.0	1,898	87	45	40	0
4227	7/25	58° 50.09'	151° 08.00' W	79	7.0	897	140	15	5	0
4228	7/24	58° 50.09'	151° 27.99' W	65	7.0	1,401	968	0	10	15
4229	7/14	58° 59.97'	149° 50.91' W	120	7.0	469	0	54	5	0
4230	7/15	58° 59.91'	150° 11.03' W	102	7.0	402	0	50	0	0
4231	7/15	58° 59.98'	150° 29.99' W	65	7.0	2,983	779	0	0	0
4232	7/19	59° 00.05'	150° 49.99' W	87	6.9	2,427	38	5	71	0
4233	7/23	59° 00.00'	151° 09.09' W	78	7.0	3,365	210	0	64	44
4234	7/24	59° 00.06'	151° 28.00' W	70	6.9	2,839	421	5	10	0
4235	7/14	59° 09.97'	150° 11.01' W	67	7.0	648	81	0	10	5
4236	7/17	59° 09.96'	150° 30.01' W	65	7.0	3,065	145	15	0	0
4237	7/18	59° 09.98'	150° 50.01' W	63	7.0	1,207	84	0	70	10
4238	7/19	59° 09.99'	151° 09.00' W	32	7.1	4,266	184	0	0	45
4239	7/17	59° 20.01'	150° 31.01' W	133	6.9	2,816	13	34	132	25
4240	8/20	57° 20.21'	150° 46.09' W	85	6.2	3,931	283	11	39	0
4241	8/21	57° 30.00'	150° 09.13' W	244	7.1	895	9	88	0	77
4242	8/21	57° 29.96'	150° 28.21' W	84	6.7	4,834	264	10	21	0
4243	8/20	57° 29.84'	150° 45.99' W	52	6.7	6,977	1,024	0	0	0
4244	8/22	57° 40.09'	149° 50.06' W	227	6.5	1,795	10	80	0	114
4245	8/22	57° 40.07'	150° 08.99' W	114	6.5	5,029	28	101	0	0
4246	8/23	57° 40.09'	150° 28.10' W	50	6.6	879	2,638	0	0	0
4247	8/23	57° 40.05'	150° 47.09' W	46	6.7	7,722	558	0	0	0
4248	8/24	57° 40.12'	151° 05.07' W	40	6.8	1,251	1,279	0	0	0
4249	8/24	57° 40.09'	151° 24.05' W	35	6.6	1,767	1,818	0	0	0
4250	8/31	57° 50.00'	149° 32.06' W	212	6.8	735	0	73	0	5
4251	8/31	57° 49.96'	149° 50.07' W	139	6.9	3,446	187	25	0	0
4252	9/1	57° 49.98'	150° 08.94' W	107	6.9	5,182	276	15	5	0
4253	9/1	57° 49.98'	150° 27.84' W	49	7.0	6,437	871	0	0	0
4254	9/2	57° 50.02'	150° 46.98' W	45	6.8	2,876	1,540	0	0	0
4255	9/2	57° 50.00'	151° 05.99' W	37	6.9	2,012	1,485	0	0	0
4256	9/3	57° 50.08'	151° 24.01' W	30	7.0	2,003	827	0	0	0
4257	9/3	57° 50.05'	151° 42.98' W	30	6.9	998	460	0	0	0

*Standard skate = 1,800' groundline with 16/0 circle hooks spaced every 18' on 24' - 42' gangions.

** Bycatch numbers extrapolated from 20-25 % sample.

Ver. Date 02/01

2000 Stock Assessment Survey

Area 3 A

Station Number	Date Fished	North		Depth (F)	Eff Skates Set*	Halibut (pounds)		Bycatch (numbers)**		
		Latitude	Longitude			Legal	Sublegal	Sablefish	P. Cod	Rockfish
4258	9/4	57° 50.00'	152° 02.02' W	48	6.9	2,001	445	20	5	0
4259	8/31	57° 59.95'	149° 32.14' W	79	6.8	7,174	608	0	0	0
4260	8/31	57° 59.91'	149° 51.09' W	128	6.8	3,826	146	119	7	0
4261	7/12	58° 00.04'	150° 09.12' W	122	7.0	484	53	109	59	0
4262	9/1	57° 59.97'	150° 27.98' W	88	6.6	3,009	296	41	20	0
4263	9/1	57° 59.91'	150° 47.04' W	70	6.8	1,652	403	32	21	0
4264	9/2	58° 00.01'	151° 06.06' W	44	6.6	4,294	1,346	0	3	0
4265	9/2	58° 00.02'	151° 25.09' W	43	6.8	1,434	1,179	0	35	0
4266	9/4	58° 00.10'	151° 44.02' W	64	7.0	1,840	300	20	84	0
4267	8/30	57° 59.99'	152° 02.93' W	96	7.0	1,842	38	69	40	0
4268	8/30	57° 59.98'	152° 21.78' W	113	6.9	1,209	34	5	49	0
4269	7/11	58° 10.28'	150° 10.07' W	77	7.0	4,354	661	5	10	5
4270	7/11	58° 09.88'	150° 29.02' W	64	7.0	3,022	1,456	0	5	0
4271	7/10	58° 10.23'	150° 48.39' W	60	7.0	2,382	1,087	0	75	0
4272	7/10	58° 10.16'	151° 06.97' W	81	7.0	769	146	54	30	0
4273	7/9	58° 10.08'	151° 24.96' W	92	6.9	1,799	96	39	69	0
4274	9/3	58° 10.07'	151° 44.03' W	32	6.4	3,263	112	0	0	0
4275	7/5	58° 19.95'	150° 47.86' W	36	6.9	531	436	0	0	0
4276	7/4	58° 19.88'	151° 07.03' W	68	7.0	2,003	94	10	20	0
4277	7/9	58° 20.29'	151° 26.14' W	50	6.9	2,141	1,232	0	0	0
4278	7/8	58° 20.34'	151° 45.08' W	33	7.0	4,679	212	0	0	5
4279	7/4	58° 30.14'	151° 06.80' W	60	7.0	644	184	0	40	0
4280	7/3	58° 29.91'	151° 27.09' W	92	7.0	2,255	34	28	42	0
4281	7/8	58° 30.19'	151° 46.08' W	101	7.0	2,813	15	81	61	5
4283	7/2	58° 40.38'	151° 45.93' W	70	7.0	2,980	60	35	5	0
4284	7/1	58° 39.84'	152° 06.05' W	70	7.1	2,865	66	10	10	0
4286	8/11	56° 20.00'	152° 50.16' W	56	7.0	4,947	956	0	15	0
4287	8/7	56° 20.09'	153° 07.85' W	55	7.0	2,665	526	40	35	0
4288	8/6	56° 19.99'	153° 25.54' W	33	7.0	4,346	1,271	0	0	0
4289	8/16	56° 30.00'	152° 15.30' W	133	7.0	3,259	124	50	0	5
4290	8/17	56° 29.99'	152° 33.64' W	141	7.0	3,996	73	59	0	5
4291	8/11	56° 29.92'	152° 51.01' W	27	7.0	6,420	758	0	0	0
4292	8/7	56° 30.14'	153° 08.84' W	41	7.0	3,583	1,084	0	40	0
4293	8/6	56° 30.16'	153° 27.05' W	48	7.0	3,063	783	0	30	0
4294	8/8	56° 29.99'	153° 44.60' W	37	7.0	1,673	88	0	0	0
4295	8/18	56° 40.25'	151° 57.38' W	31	6.9	4,154	1,153	0	0	0
4296	8/17	56° 39.91'	152° 15.21' W	25	7.0	4,016	343	0	0	0
4297	6/16	56° 39.98'	152° 34.20' W	75	7.0	305	11	0	0	0
4298	6/16	56° 40.02'	152° 51.61' W	37	7.0	2,114	1,259	0	0	0
4299	8/10	56° 40.47'	153° 09.89' W	81	7.0	1,779	9	0	5	0
4300	8/10	56° 39.92'	153° 27.81' W	77	7.0	3,650	189	5	45	0
4301	8/8	56° 40.12'	153° 46.19' W	48	7.0	4,031	527	0	18	0
4302	6/13	56° 49.98'	151° 39.95' W	153	7.0	790	29	45	5	10
4303	6/14	56° 49.96'	151° 57.44' W	41	7.0	2,444	963	0	5	0
4305	6/15	56° 50.53'	152° 34.78' W	77	7.0	385	25	0	5	0
4306	8/15	56° 50.02'	152° 53.36' W	33	7.0	2,307	1,550	0	0	0
4307	8/15	56° 50.00'	153° 11.49' W	57	7.0	6,935	607	0	64	0
4308	8/9	56° 49.95'	153° 29.25' W	50	7.0	2,833	144	0	5	0
4309	6/13	56° 59.58'	151° 39.98' W	40	7.0	4,763	785	0	0	0
4310	8/24	57° 00.19'	151° 59.12' W	43	6.9	962	718	0	74	0
4311	8/24	57° 00.61'	152° 17.23' W	40	7.0	1,895	300	0	0	0

*Standard skate = 1,800' groundline with 16/0 circle hooks spaced every 18' on 24' - 42' gangions.

** Bycatch numbers extrapolated from 20-25 % sample.

Ver. Date 02/01

2000 Stock Assessment Survey

Area 3 A

Station Number	Date Fished	North		Depth (F)	Eff Skates Set*	Halibut (pounds)		Bycatch (numbers)**		
		Latitude	Longitude			Legal	Sublegal	Sablefish	P. Cod	Rockfish
4312	8/25	57° 00.48'	152° 35.16' W	84	6.9	1,112	9	78	0	0
4313	8/25	57° 00.56'	152° 54.45' W	59	7.0	1,500	155	15	30	0
4314	8/27	57° 10.07'	151° 04.48' W	197	7.0	1,203	10	74	0	5
4315	8/27	57° 10.04'	151° 22.74' W	67	6.9	4,096	428	0	0	0
4316	8/23	57° 10.06'	151° 41.30' W	40	6.9	2,670	1,720	0	0	0
4317	8/23	57° 09.86'	151° 59.27' W	38	7.0	3,560	488	0	15	0
4318	8/26	57° 09.95'	152° 18.30' W	41	7.0	2,945	787	0	5	0
4319	8/26	57° 10.04'	152° 36.38' W	50	7.0	2,631	210	0	109	0
4320	8/28	57° 19.92'	151° 04.15' W	47	7.0	2,821	875	0	0	0
4321	8/31	57° 20.04'	151° 23.71' W	72	6.9	2,949	327	5	20	0
4322	8/31	57° 20.10'	151° 41.41' W	34	7.0	1,474	651	0	30	0
4323	6/17	57° 19.98'	152° 00.38' W	39	6.8	1,686	111	0	34	0
4324	6/17	57° 20.05'	152° 17.91' W	22	6.9	3,377	172	0	0	0
4325	9/1	57° 29.88'	151° 05.05' W	43	7.0	3,346	1,176	0	0	0
4326	9/1	57° 29.88'	151° 22.99' W	54	6.9	1,320	1,025	0	78	0
4327	9/2	57° 30.14'	151° 42.41' W	57	6.9	1,229	262	29	25	0
4328	6/18	57° 29.97'	152° 00.68' W	26	6.8	4,601	586	0	0	5
4329	9/2	57° 40.00'	151° 42.99' W	35	6.9	1,127	1,071	0	29	0
4330	6/18	57° 39.66'	152° 00.99' W	83	7.0	2,054	94	10	25	0
4332	6/21	57° 40.00'	154° 34.96' W	120	7.0	1,719	64	5	149	5
4333	6/21	57° 40.00'	154° 54.04' W	130	7.0	2,379	18	40	75	0
4335	6/6	57° 50.01'	154° 15.16' W	114	7.0	1,904	368	0	35	0
4336	6/6	57° 50.05'	154° 34.11' W	128	7.0	1,913	192	15	79	0
4338	8/16	58° 00.00'	153° 37.30' W	92	7.0	1,542	152	35	30	0
4339	8/16	58° 00.00'	153° 56.25' W	109	7.0	1,841	284	10	0	5
4341	8/2	58° 10.01'	153° 19.01' W	68	7.0	1,454	470	5	15	0
4342	8/21	58° 10.00'	153° 38.04' W	107	7.0	1,411	81	5	5	0
4344	8/2	58° 20.01'	153° 20.14' W	95	6.8	1,327	85	0	5	10
4345	8/22	58° 20.00'	153° 39.05' W	95	7.0	2,535	185	0	35	0
4347	6/22	58° 30.00'	153° 01.83' W	93	7.0	1,851	219	0	115	0
4348	8/22	58° 30.00'	153° 20.77' W	97	7.0	3,200	274	0	10	0
4351	6/22	58° 40.00'	153° 03.04' W	87	7.1	3,337	389	0	111	0
4352	6/22	58° 40.00'	153° 23.06' W	26	7.1	2,078	360	0	91	0
4355	8/20	58° 50.00'	153° 04.04' W	90	7.1	1,686	312	30	91	0
4356	6/25	58° 59.98'	151° 48.41' W	78	7.0	2,428	373	0	25	0
4357	6/25	59° 00.00'	152° 07.06' W	75	7.0	4,726	848	0	45	0
4358	6/26	58° 60.00'	152° 27.19' W	79	7.0	1,090	111	25	35	0
4359	6/26	58° 60.00'	152° 46.22' W	91	7.0	2,166	144	5	130	0
4361	6/25	59° 09.98'	152° 08.29' W	75	7.0	1,633	709	0	55	0
4362	6/13	59° 10.00'	152° 26.97' W	56	7.0	870	335	0	35	0
4363	6/13	59° 10.00'	152° 47.00' W	75	7.1	1,186	92	0	61	0
4364	6/11	59° 09.99'	153° 06.36' W	46	7.1	1,034	284	0	20	0
4365	6/11	59° 10.00'	153° 25.88' W	22	7.0	688	94	0	85	0
4366	6/12	59° 20.00'	152° 09.19' W	38	7.0	2,287	1,510	0	0	0
4367	6/13	59° 19.99'	152° 28.04' W	40	7.0	1,160	235	0	155	0
4368	6/10	59° 20.00'	152° 48.45' W	43	7.0	934	245	0	30	0
4369	6/10	59° 20.00'	153° 08.29' W	28	7.0	626	265	0	25	0
4370	6/12	59° 30.00'	151° 51.23' W	37	7.0	1,113	139	0	20	0
4372	6/10	59° 30.00'	152° 29.19' W	30	7.1	1,965	374	0	40	0
4373	6/9	59° 30.00'	152° 49.38' W	29	6.8	1,524	266	0	53	0
4374	6/9	59° 39.99'	152° 30.84' W	41	7.0	2,783	187	0	25	0

*Standard skate = 1,800' groundline with 16/0 circle hooks spaced every 18' on 24' - 42' gangions.

** Bycatch numbers extrapolated from 20-25 % sample.

Ver. Date 02/01

2000 Stock Assessment Survey

Area 3 A

Station Number	Date Fished	North		Depth (F)	Eff Skates Set*	Halibut (pounds)		Bycatch (numbers)**		
		Latitude	Longitude			Legal	Sublegal	Sablefish	P. Cod	Rockfish
4375	6/9	59° 49.98'	152° 11.76' W	30	7.0	1,838	656	0	65	0

*Standard skate = 1,800' groundline with 16/0 circle hooks spaced every 18' on 24' - 42' gangions.

** Bycatch numbers extrapolated from 20-25 % sample.

Ver. Date 02/01