

**2006 IPHC Stock Assessment Survey
All Regions**

Station	Region	Date Fished	Latitude	West Longitude	Depth (F)	Skates Hauled ¹	Legal Halibut		Sublegal Halibut		Bycatch (numbers) ³		
							Lbs ²	#s	Lbs ²	#s	Sablefish	P. Cod	Rockfish
1001	Oregon	8/9	42° 00.07'	124° 27.11'	51	5.0	14	1	0	0	5	0	0
1002	Oregon	8/9	42° 10.12'	124° 27.00'	51	5.0	0	0	0	0	0	0	0
1003	Oregon	8/8	42° 20.02'	124° 41.09'	152	5.0	0	0	0	0	60	0	0
1004	Oregon	8/8	42° 29.89'	124° 41.07'	61	5.0	143	5	70	9	0	0	0
1005	Oregon	8/8	42° 40.05'	124° 40.03'	77	5.0	0	0	7	1	15	0	0
1006	Oregon	8/7	42° 49.91'	124° 39.99'	44	5.0	26	2	8	1	0	0	0
1007	Oregon	8/7	42° 50.05'	124° 54.04'	215	5.0	0	0	0	0	60	0	0
1008	Oregon	8/6	42° 59.94'	124° 40.16'	71	5.1	11	1	7	1	5	0	0
1009	Oregon	8/7	42° 59.81'	124° 54.00'	207	5.0	0	0	0	0	25	0	0
1010	Oregon	8/6	43° 10.14'	124° 40.00'	77	5.0	139	7	10	1	5	0	59
1011	Oregon	8/6	43° 20.02'	124° 40.02'	101	5.0	0	0	0	0	15	0	0
1012	Oregon	8/5	43° 30.00'	124° 26.02'	60	5.0	14	1	33	4	0	0	0
1013	Oregon	8/5	43° 30.09'	124° 40.00'	202	5.0	0	0	0	0	50	0	0
1014	Oregon	8/2	43° 39.98'	124° 26.01'	66	5.0	0	0	0	0	15	0	0
1015	Oregon	8/2	43° 40.03'	124° 40.08'	226	5.0	0	0	0	0	85	0	5
1016	Oregon	8/1	43° 50.11'	124° 25.74'	64	5.0	0	0	0	0	0	0	0
1017	Oregon	8/2	43° 50.40'	124° 39.97'	193	5.0	0	0	0	0	60	0	0
1018	Oregon	8/1	44° 00.06'	124° 26.44'	67	5.0	0	0	0	0	0	0	0
1019	Oregon	8/1	44° 00.00'	124° 40.32'	72	5.0	0	0	0	0	70	0	0
1020	Oregon	8/1	44° 00.05'	124° 54.03'	50	5.0	519	18	54	8	0	0	15
1021	Oregon	7/30	44° 10.07'	124° 12.07'	30	5.0	0	0	0	0	0	0	0
1022	Oregon	7/30	44° 09.93'	124° 25.93'	55	5.0	0	0	0	0	0	0	0
1023	Oregon	7/31	44° 09.96'	124° 40.02'	64	5.0	0	0	0	0	59	0	0
1024	Oregon	7/31	44° 09.88'	124° 54.03'	68	5.0	137	6	36	4	0	0	35
1025	Oregon	7/30	44° 20.09'	124° 12.03'	30	5.0	0	0	0	0	0	0	0
1026	Oregon	7/30	44° 19.95'	124° 25.97'	48	5.0	0	0	0	0	0	0	0
1027	Oregon	7/31	44° 19.94'	124° 40.09'	52	5.0	654	28	190	26	0	0	0
1028	Oregon	7/29	44° 29.88'	124° 12.08'	30	5.0	0	0	0	0	0	0	0
1029	Oregon	7/31	44° 29.84'	124° 39.97'	106	5.0	11	1	27	3	95	0	0
1030	Oregon	7/29	44° 40.03'	124° 11.04'	33	5.0	0	0	0	0	0	0	0
1031	Oregon	7/29	44° 39.95'	124° 24.98'	52	5.0	0	0	0	0	0	0	0
1032	Oregon	7/26	44° 40.03'	124° 40.10'	157	5.0	0	0	0	0	30	0	0
1033	Oregon	7/26	44° 40.03'	124° 52.17'	243	5.0	0	0	0	0	85	0	0
1034	Oregon	7/29	44° 49.91'	124° 11.05'	44	5.0	0	0	6	1	0	0	0
1035	Oregon	7/25	44° 50.01'	124° 25.02'	82	5.1	0	0	0	0	86	0	0
1036	Oregon	7/26	44° 50.09'	124° 38.95'	184	5.0	134	6	5	1	5	0	5
1037	Oregon	7/23	44° 59.98'	124° 11.01'	61	5.0	0	0	0	0	25	0	0
1038	Oregon	7/25	44° 59.95'	124° 25.02'	147	5.0	136	8	19	2	85	0	0
1039	Oregon	7/25	45° 00.01'	124° 39.05'	249	5.0	0	0	0	0	55	0	0
1040	Oregon	7/23	45° 10.02'	124° 11.00'	72	5.0	0	0	0	0	15	0	0
1041	Oregon	7/24	45° 09.95'	124° 25.14'	201	5.0	0	0	0	0	65	0	0
1042	Oregon	7/20	45° 19.88'	124° 10.91'	72	5.0	0	0	6	1	10	0	0
1043	Washington	7/20	45° 19.95'	124° 25.05'	198	5.0	0	0	0	0	85	0	5
1044	Washington	7/24	45° 19.95'	124° 39.08'	253	5.0	0	0	0	0	99	0	0
1045	Washington	7/20	45° 29.98'	124° 10.96'	67	5.0	0	0	0	0	10	0	0
1046	Washington	7/20	45° 30.02'	124° 25.09'	113	5.0	61	4	16	2	45	0	0
1047	Washington	7/19	45° 29.96'	124° 39.09'	258	5.0	0	0	0	0	55	0	5
1048	Washington	7/18	45° 39.98'	124° 10.04'	58	5.0	0	0	0	0	0	0	0
1049	Washington	7/18	45° 39.84'	124° 25.10'	92	5.0	0	0	0	0	25	0	0
1050	Washington	7/19	45° 40.01'	124° 39.03'	183	5.0	11	1	15	2	110	0	0
1051	Washington	7/18	45° 50.02'	124° 10.04'	53	5.0	0	0	0	0	0	0	0
1052	Washington	7/18	45° 49.89'	124° 24.99'	82	5.0	0	0	0	0	15	0	0
1053	Washington	7/19	45° 49.99'	124° 39.02'	108	5.0	0	0	0	0	95	0	0
1054	Washington	7/17	45° 59.75'	124° 10.02'	47	5.0	0	0	28	3	0	0	0
1055	Washington	7/17	46° 00.00'	124° 24.04'	76	5.0	14	1	0	0	60	0	0
1056	Washington	7/17	46° 00.06'	124° 39.06'	103	5.0	0	0	0	0	115	0	0
1057	Washington	7/17	46° 09.98'	124° 39.04'	129	5.0	148	6	14	2	150	0	0
1058	Washington	7/16	46° 19.98'	124° 23.98'	63	5.0	31	1	31	4	35	0	0
1059	Washington	7/16	46° 30.02'	124° 24.02'	51	5.0	13	1	30	4	0	0	0

¹ Standard skate =1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights from length-weight tables.

³ Except in 2A, Bycatch numbers extrapolated from 20% subsample.

**2006 IPHC Stock Assessment Survey
All Regions**

Station	Region	Date Fished	Latitude	West Longitude	Depth (F)	Skates Hauled ¹	Legal Halibut		Sublegal Halibut		Bycatch (numbers) ³		
							Lbs ²	#'s	Lbs ²	#'s	Sablefish	P. Cod	Rockfish
1060	Washington	7/16	46° 39.74'	124° 23.60'	44	5.0	0	0	0	0	0	0	0
1061	Washington	7/16	46° 40.03'	124° 38.02'	74	5.0	32	1	32	4	5	0	0
1062	Washington	7/15	46° 50.00'	124° 23.99'	39	5.0	38	2	7	1	0	0	0
1063	Washington	7/15	46° 50.00'	124° 37.06'	64	5.0	0	0	0	0	10	0	0
1064	Washington	7/12	46° 49.95'	124° 52.88'	105	4.9	424	24	79	9	29	0	5
1065	Washington	7/15	46° 59.98'	124° 24.02'	29	5.0	0	0	0	0	0	0	0
1066	Washington	7/15	46° 59.99'	124° 38.04'	51	5.1	0	0	0	0	5	0	0
1067	Washington	7/12	47° 00.04'	124° 53.02'	90	5.0	13	1	0	0	15	0	0
1068	Washington	7/11	47° 09.78'	124° 24.02'	24	5.0	0	0	0	0	0	0	0
1069	Washington	7/11	47° 10.04'	124° 38.10'	47	5.0	0	0	45	7	0	0	0
1070	Washington	7/12	47° 10.07'	124° 53.03'	84	5.0	0	0	21	2	10	0	0
1071	Washington	7/11	47° 20.03'	124° 38.02'	47	5.0	39	2	54	8	0	0	0
1072	Washington	7/10	47° 30.02'	124° 52.94'	99	5.0	150	7	11	1	45	0	5
1073	Washington	7/10	47° 39.98'	124° 37.92'	25	5.0	0	0	5	1	0	0	0
1074	Washington	7/10	47° 39.96'	124° 53.01'	60	5.0	249	11	14	2	0	0	0
1075	Washington	7/9	47° 49.98'	124° 53.02'	52	5.0	229	16	28	4	0	0	0
1076	Washington	6/30	47° 50.36'	125° 08.00'	159	5.0	81	3	0	0	95	0	10
1077	Washington	7/9	47° 59.98'	124° 53.01'	34	5.0	68	4	8	1	0	0	0
1078	Washington	6/30	47° 59.80'	125° 08.02'	78	5.0	331	16	55	6	5	0	0
1079	Washington	7/1	48° 00.09'	125° 37.96'	181	5.0	243	10	9	1	135	0	30
1080	Washington	7/8	48° 09.99'	124° 52.83'	31	5.0	0	0	0	0	0	0	0
1081	Washington	7/8	48° 10.00'	125° 07.96'	71	5.0	29	2	17	2	0	0	0
1082	Washington	7/2	48° 10.05'	125° 23.17'	62	5.0	1,718	118	524	61	0	0	10
1083	Washington	7/1	48° 09.98'	125° 38.03'	93	5.0	890	43	9	1	5	0	0
1084	Washington	7/2	48° 20.04'	125° 23.17'	68	5.0	61	2	0	0	0	0	5
1501	Washington	7/15	46° 45.04'	124° 37.98'	71	3.0	0	0	0	0	5	0	0
1502	Washington	7/12	46° 56.35'	124° 52.99'	88	3.0	84	4	0	0	15	0	0
1503	Washington	7/12	47° 05.00'	124° 53.00'	81	3.0	0	0	0	0	20	0	0
1504	Washington	7/11	47° 09.98'	124° 31.01'	34	3.0	14	1	0	0	0	0	0
1505	Washington	7/10	47° 34.98'	124° 53.09'	69	3.0	0	0	0	0	15	0	0
1506	Washington	7/9	47° 55.00'	124° 53.05'	44	3.0	141	8	65	8	0	0	0
1507	Washington	7/9	48° 04.98'	125° 01.02'	122	3.0	178	7	7	1	40	0	5
1508	Washington	6/30	48° 04.92'	125° 08.04'	69	3.0	699	35	134	17	0	0	5
1509	Washington	6/30	48° 04.96'	125° 16.44'	123	3.0	656	31	102	12	15	0	0
1510	Washington	7/8	48° 10.01'	125° 01.00'	166	3.0	0	0	0	0	15	0	0
1511	Washington	7/8	48° 10.05'	125° 15.70'	97	3.0	495	22	9	1	25	0	5
1512	Washington	7/3	48° 15.07'	125° 08.04'	64	3.0	579	29	55	8	0	0	0
1513	Washington	7/2	48° 14.90'	125° 16.04'	62	2.9	324	20	47	6	0	0	10
1514	Washington	7/2	48° 15.05'	125° 23.02'	61	3.0	304	20	69	9	0	0	5
1515	Washington	7/1	48° 14.89'	125° 30.95'	76	3.0	283	15	11	1	0	0	0
1516	Washington	7/1	48° 14.96'	125° 38.03'	85	3.0	158	9	0	0	10	0	0
1517	Washington	7/4	48° 20.00'	124° 52.89'	120	3.0	40	1	0	0	10	0	0
1518	Washington	7/4	48° 19.99'	125° 01.01'	119	3.0	0	0	0	0	50	0	0
1519	Washington	7/3	48° 20.09'	125° 08.00'	73	3.0	60	2	0	0	5	0	0
1520	Washington	7/3	48° 19.88'	125° 16.02'	102	3.0	20	1	0	0	0	0	0
1521	Washington	7/4	48° 24.98'	124° 52.92'	153	3.0	22	1	0	0	60	0	0
1522	Washington	7/4	48° 25.02'	125° 01.08'	121	3.0	0	0	0	0	0	0	0
1523	Washington	7/3	48° 24.98'	125° 08.04'	67	3.0	0	0	0	0	0	0	0
1524	Washington	7/3	48° 25.04'	125° 15.98'	91	3.0	0	0	0	0	0	0	0
1525	Washington	7/4	48° 30.01'	124° 53.03'	49	3.0	0	0	0	0	0	0	0
2001	Vancouver	5/30	48° 20.00'	125° 38.10'	75	6.0	0	0	0	0	0	0	0
2002	Vancouver	5/30	48° 20.27'	125° 52.88'	170	5.1	73	3	16	2	26	0	1
2003	Vancouver	5/29	48° 30.02'	125° 23.28'	77	6.0	18	1	9	1	0	0	0
2004	Vancouver	5/30	48° 29.99'	125° 37.97'	57	6.0	303	20	136	16	0	0	0
2005	Vancouver	5/30	48° 30.00'	125° 52.92'	56	6.1	866	47	88	10	0	0	28
2006	Vancouver	5/31	48° 30.01'	126° 07.87'	108	6.0	130	6	15	2	1	0	0
2007	Vancouver	5/29	48° 40.00'	125° 07.06'	33	6.1	529	25	35	4	0	0	35
2008	Vancouver	5/29	48° 40.00'	125° 23.06'	33	6.0	690	36	189	25	0	1	13
2009	Vancouver	5/31	48° 39.99'	125° 38.06'	66	6.1	15	1	8	1	0	0	0

¹ Standard skate =1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights from length-weight tables.

³ Except in 2A, Bycatch numbers extrapolated from 20% subsample.

2006 IPHC Stock Assessment Survey All Regions

3 of 24

Station	Region	Date Fished	Latitude	West Longitude	Depth (F)	Skates Hauled ¹	Legal Halibut		Sublegal Halibut		Bycatch (numbers) ³		
							Lbs ²	#s	Lbs ²	#s	Sablefish	P. Cod	Rockfish
2010	Vancouver	5/31	48° 39.99'	125° 53.11'	39	6.0	75	4	119	14	0	0	0
2011	Vancouver	5/31	48° 40.00'	126° 08.12'	78	6.0	14	1	0	0	0	0	0
2012	Vancouver	6/1	48° 50.02'	125° 37.08'	24	6.0	1,047	37	44	5	0	0	22
2013	Vancouver	6/1	48° 50.01'	125° 53.32'	32	6.0	964	39	45	5	0	0	29
2014	Vancouver	6/1	48° 49.98'	126° 07.99'	58	6.1	0	0	14	2	0	0	0
2015	Vancouver	6/3	48° 49.98'	126° 22.88'	98	6.0	78	2	8	1	8	0	5
2016	Vancouver	6/1	48° 59.98'	126° 08.11'	37	6.0	376	17	47	6	0	0	6
2017	Vancouver	6/3	49° 00.00'	126° 22.97'	75	6.0	83	5	38	4	1	0	0
2018	Vancouver	6/3	49° 00.02'	126° 37.98'	123	6.0	108	4	10	1	18	0	1
2019	Vancouver	6/6	49° 10.00'	126° 23.02'	47	6.0	14	1	24	4	0	0	0
2020	Vancouver	6/6	49° 10.00'	126° 37.98'	67	6.0	102	5	31	4	0	0	8
2021	Vancouver	6/2	49° 10.00'	126° 53.02'	96	6.0	41	3	34	4	1	0	0
2023	Vancouver	6/6	49° 20.01'	126° 22.96'	21	5.9	247	13	56	7	0	0	0
2024	Vancouver	6/6	49° 20.01'	126° 38.09'	38	6.0	1,108	31	10	1	0	0	49
2025	Vancouver	6/2	49° 20.00'	126° 53.02'	76	6.0	54	4	41	5	0	0	0
2026	Vancouver	6/2	49° 20.00'	127° 08.98'	101	6.1	234	10	7	1	6	0	1
2027	Vancouver	6/7	49° 30.02'	126° 38.02'	22	6.0	459	16	8	1	0	0	0
2028	Vancouver	6/7	49° 30.00'	126° 52.93'	49	6.0	72	4	236	31	0	0	0
2029	Vancouver	6/7	49° 30.02'	127° 08.92'	79	6.0	80	6	86	10	0	0	0
2030	Vancouver	6/7	49° 40.00'	127° 09.06'	62	6.0	42	2	76	9	0	0	0
2031	Vancouver	6/8	49° 40.00'	127° 23.41'	105	6.0	329	6	0	0	7	0	8
2032	Vancouver	6/8	49° 50.00'	127° 23.99'	41	6.0	1,107	58	703	87	0	0	0
2033	Vancouver	6/8	49° 49.98'	127° 39.74'	90	6.0	0	0	15	2	1	0	12
2034	Vancouver	6/8	49° 59.98'	127° 40.10'	47	6.0	290	21	586	75	0	0	3
2035	Vancouver	6/9	50° 19.98'	128° 11.00'	86	6.0	153	7	17	2	0	0	13
2037	Vancouver	6/9	50° 30.00'	128° 26.80'	100	6.0	192	6	65	7	9	0	29
2038	Vancouver	6/9	50° 39.99'	128° 27.95'	46	6.0	397	24	401	53	0	0	15
2039	Vancouver	6/10	50° 40.00'	128° 43.89'	102	6.0	17	1	9	1	0	0	2
2040	Vancouver	6/11	50° 50.06'	128° 28.30'	29	6.0	1,468	55	292	37	0	0	4
2041	Vancouver	6/11	51° 00.00'	127° 57.18'	61	6.0	0	0	8	1	0	0	0
2042	Vancouver	6/11	51° 00.00'	128° 13.09'	55	6.0	66	5	176	22	8	0	4
2043	Vancouver	6/14	51° 10.02'	127° 56.12'	68	6.0	86	7	97	12	0	0	0
2044	Goose Is.	6/10	50° 50.00'	129° 00.03'	46	6.0	1,382	44	296	44	0	0	8
2045	Goose Is.	6/10	50° 49.98'	129° 15.97'	66	6.0	1,264	42	372	51	0	0	48
2046	Goose Is.	6/11	50° 59.99'	128° 28.16'	50	6.0	234	14	251	35	0	0	3
2047	Goose Is.	6/19	51° 00.00'	128° 43.99'	36	6.0	178	9	206	27	0	0	1
2048	Goose Is.	6/19	51° 00.00'	128° 59.94'	44	6.0	12	1	125	17	0	0	0
2049	Goose Is.	6/18	51° 00.00'	129° 15.98'	87	6.0	160	8	239	34	37	2	1
2050	Goose Is.	6/18	50° 59.99'	129° 32.00'	131	6.0	300	10	0	0	12	0	87
2051	Goose Is.	6/14	51° 10.01'	128° 12.08'	53	6.0	144	4	48	6	0	0	13
2052	Goose Is.	6/14	51° 10.01'	128° 28.01'	104	6.0	0	0	15	2	0	0	1
2053	Goose Is.	6/19	51° 09.99'	128° 44.14'	54	6.0	44	4	672	95	0	0	0
2054	Goose Is.	6/19	51° 09.99'	129° 00.06'	74	6.1	199	14	434	57	4	1	1
2055	Goose Is.	6/18	51° 10.00'	129° 16.01'	147	6.0	248	14	66	9	127	0	3
2056	Goose Is.	6/18	51° 10.01'	129° 31.98'	156	6.0	102	5	24	3	96	0	4
2057	Goose Is.	6/14	51° 19.98'	127° 55.03'	76	6.0	86	2	82	11	0	0	9
2058	Goose Is.	6/15	51° 20.00'	128° 11.05'	46	6.0	82	5	119	18	0	0	0
2059	Goose Is.	6/27	51° 20.00'	128° 27.11'	81	6.0	106	7	82	11	4	0	3
2060	Goose Is.	6/27	51° 20.00'	128° 43.03'	112	6.0	68	5	51	7	54	0	11
2061	Goose Is.	6/16	51° 20.00'	128° 59.16'	134	6.0	128	6	52	6	62	0	17
2062	Goose Is.	6/17	51° 19.99'	129° 15.05'	129	6.0	231	18	175	22	26	0	11
2063	Goose Is.	6/17	51° 20.02'	129° 31.09'	112	6.0	187	11	151	18	44	0	3
2064	Goose Is.	6/22	51° 19.98'	129° 46.97'	131	6.0	29	2	36	5	82	0	9
2065	Goose Is.	6/15	51° 29.99'	128° 11.02'	45	6.0	529	21	175	24	0	0	67
2066	Goose Is.	6/27	51° 29.94'	128° 27.19'	102	6.0	49	4	22	3	36	0	21
2067	Goose Is.	6/16	51° 29.98'	128° 42.88'	51	6.0	11	1	41	6	0	1	0
2068	Goose Is.	6/16	51° 30.00'	128° 59.09'	25	6.0	232	9	67	7	0	0	0
2069	Goose Is.	6/17	51° 30.02'	129° 14.91'	27	6.0	454	17	150	22	0	0	4
2070	Goose Is.	6/17	51° 30.01'	129° 30.89'	55	6.0	860	29	223	29	0	0	18

¹ Standard skate =1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights from length-weight tables.

³ Except in 2A, Bycatch numbers extrapolated from 20% subsample.

2006 IPHC Stock Assessment Survey All Regions

4 of 24

Station	Region	Date Fished	Latitude	West Longitude	Depth (F)	Skates Hauled ¹	Legal Halibut		Sublegal Halibut		Bycatch (numbers) ³		
							Lbs ²	#s	Lbs ²	#s	Sablefish	P. Cod	Rockfish
2071	Goose Is.	6/22	51° 30.00'	129° 46.91'	91	6.0	685	37	156	21	20	1	79
2072	Goose Is.	6/22	51° 30.02'	130° 02.96'	153	6.0	410	19	26	3	57	0	26
2073	Goose Is.	6/26	51° 40.02'	128° 26.03'	77	6.0	368	22	208	28	2	5	0
2074	Goose Is.	6/25	51° 40.00'	128° 59.05'	25	6.0	80	6	69	8	0	0	0
2075	Goose Is.	6/25	51° 39.99'	129° 15.09'	30	6.0	188	13	209	26	0	0	0
2076	Goose Is.	6/23	51° 40.00'	129° 31.06'	52	6.0	11	1	44	7	0	0	0
2077	Goose Is.	6/23	51° 40.02'	129° 47.12'	144	6.0	83	2	0	0	61	0	14
2078	Goose Is.	6/26	51° 50.00'	128° 25.92'	78	6.1	114	8	132	17	19	0	20
2079	Goose Is.	6/26	51° 49.99'	128° 42.07'	55	6.0	179	14	888	119	0	0	0
2080	Goose Is.	6/25	51° 49.99'	128° 57.99'	44	6.0	539	36	542	72	0	0	14
2081	Goose Is.	6/25	51° 49.99'	129° 14.05'	66	6.1	172	13	192	26	0	1	2
2082	Goose Is.	6/23	51° 49.99'	129° 30.94'	138	6.1	182	6	22	3	37	0	18
2083	Goose Is.	6/24	52° 00.01'	128° 41.98'	88	6.1	49	3	139	18	7	0	43
2084	Goose Is.	6/24	52° 00.00'	128° 57.89'	72	6.0	224	14	702	91	0	0	2
2085	Goose Is.	6/24	51° 59.98'	129° 13.91'	96	6.0	48	3	90	11	10	0	0
2086	Goose Is.	6/24	52° 09.98'	128° 40.91'	120	6.0	128	6	46	5	8	0	89
2087	St. James	6/3	51° 40.11'	130° 02.96'	194	6.0	234	9	80	10	112	0	4
2088	St. James	6/3	51° 40.31'	130° 19.00'	138	6.0	292	14	22	3	28	0	73
2090	St. James	6/3	51° 50.30'	130° 02.96'	99	5.8	794	38	138	17	10	2	72
2091	St. James	6/3	51° 49.89'	130° 19.05'	118	5.9	1,594	54	107	13	18	0	39
2092	St. James	6/4	51° 50.76'	130° 32.99'	151	6.0	1,088	68	504	64	8	1	3
2093	St. James	6/4	51° 50.40'	130° 51.85'	99	6.0	1,787	37	69	9	2	0	106
2094	St. James	6/2	52° 00.08'	129° 30.02'	113	5.9	819	27	91	10	84	0	60
2095	St. James	6/2	51° 59.75'	129° 46.98'	62	5.8	1,300	33	351	51	0	0	71
2096	St. James	6/5	52° 00.39'	130° 03.02'	77	5.9	77	5	419	67	0	0	0
2097	St. James	6/5	52° 00.33'	130° 18.96'	193	5.9	316	8	0	0	141	0	7
2098	St. James	6/4	51° 59.78'	130° 34.99'	140	6.0	596	16	44	5	17	0	3
2099	St. James	6/4	52° 00.01'	130° 52.01'	106	6.0	81	4	47	7	0	0	3
2100	St. James	5/31	52° 10.25'	128° 57.00'	88	5.4	352	17	74	9	0	1	86
2101	St. James	5/31	52° 10.04'	129° 14.00'	94	5.9	124	5	54	7	14	0	2
2102	St. James	6/1	52° 09.59'	129° 30.00'	116	5.9	591	15	32	4	33	1	50
2103	St. James	6/1	52° 09.70'	129° 46.00'	113	6.0	429	13	8	1	1	0	52
2104	St. James	6/5	52° 10.30'	130° 02.98'	88	5.9	164	10	251	32	0	3	2
2105	St. James	6/14	52° 10.28'	130° 18.98'	220	6.0	57	1	23	3	140	0	21
2106	St. James	6/15	52° 10.18'	130° 35.06'	106	5.9	331	14	42	5	11	2	41
2107	St. James	6/15	52° 10.12'	130° 52.00'	122	6.0	1,508	66	184	21	18	0	1
2108	St. James	5/31	52° 19.77'	129° 13.00'	84	6.0	356	25	303	36	1	1	56
2109	St. James	6/1	52° 19.91'	129° 30.00'	96	5.9	465	21	72	9	2	2	51
2110	St. James	6/1	52° 20.01'	129° 46.10'	115	6.0	616	26	172	20	0	1	11
2111	St. James	6/14	52° 19.98'	130° 03.00'	126	5.9	298	9	38	5	0	0	11
2112	St. James	6/14	52° 20.12'	130° 19.02'	193	5.9	283	6	0	0	136	0	12
2113	St. James	6/17	52° 19.84'	130° 35.00'	93	6.0	278	10	37	4	0	0	11
2114	St. James	6/15	52° 20.16'	130° 52.04'	79	6.0	178	10	139	19	1	1	0
2115	St. James	6/12	52° 29.80'	129° 32.00'	55	5.9	452	21	398	54	0	0	18
2116	St. James	6/12	52° 30.18'	129° 45.99'	97	6.0	1,284	56	160	18	4	3	16
2117	St. James	6/13	52° 30.26'	130° 02.00'	148	5.9	214	7	45	7	31	0	41
2118	St. James	6/13	52° 29.80'	130° 19.00'	141	6.0	535	17	16	2	62	1	13
2119	St. James	6/17	52° 29.67'	130° 35.02'	66	6.0	774	33	144	17	0	0	76
2120	St. James	6/17	52° 29.95'	130° 52.00'	60	6.0	134	5	65	9	0	0	7
2121	St. James	6/12	52° 39.75'	129° 46.00'	103	6.0	316	9	57	6	15	2	61
2122	St. James	6/13	52° 40.28'	130° 02.00'	145	6.0	405	13	6	1	93	1	11
2123	St. James	6/13	52° 39.70'	130° 19.02'	121	5.9	83	5	39	5	34	2	23
2124	St. James	6/18	52° 40.32'	130° 35.01'	79	6.0	1,207	43	75	10	0	0	64
2125	St. James	6/18	52° 49.80'	130° 02.00'	142	6.0	66	3	12	2	96	0	21
2126	St. James	6/18	52° 50.16'	130° 19.00'	116	6.0	223	9	29	4	37	0	45
2127	St. James	6/6	53° 00.00'	129° 44.69'	124	6.0	232	13	110	16	44	0	19
2128	St. James	6/6	53° 00.17'	130° 02.02'	99	6.0	168	5	56	6	2	0	23
2129	Charlotte	7/11	52° 29.81'	131° 08.00'	46	6.0	824	40	231	29	0	0	12
2130	Charlotte	7/11	52° 30.09'	131° 25.00'	84	6.0	199	11	43	5	2	0	14

¹ Standard skate =1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights from length-weight tables.

³ Except in 2A, Bycatch numbers extrapolated from 20% subsample.

2006 IPHC Stock Assessment Survey All Regions

5 of 24

Station	Region	Date Fished	Latitude	West Longitude	Depth (F)	Skates Hauled ¹	Legal Halibut		Sublegal Halibut		Bycatch (numbers) ³		
							Lbs ²	#s	Lbs ²	#s	Sablefish	P. Cod	Rockfish
2131	Charlotte	7/12	52° 39.88'	130° 52.00'	52	6.0	557	22	450	60	0	0	3
2132	Charlotte	7/11	52° 39.87'	131° 08.00'	37	6.0	691	38	346	45	0	0	1
2133	Charlotte	7/12	52° 49.89'	130° 35.00'	61	6.0	63	4	88	10	0	1	9
2134	Charlotte	7/12	52° 49.83'	130° 52.00'	27	6.0	202	11	152	20	0	0	0
2135	Charlotte	7/13	52° 59.91'	130° 18.00'	113	6.0	82	4	10	1	31	0	34
2136	Charlotte	7/13	52° 59.91'	130° 35.00'	49	6.0	140	10	295	39	0	1	0
2137	Charlotte	7/13	53° 09.83'	130° 18.00'	87	6.0	357	11	28	4	0	3	30
2138	Charlotte	7/14	53° 09.88'	130° 35.00'	102	6.0	250	12	10	1	7	0	21
2139	Charlotte	7/14	53° 09.91'	130° 52.00'	58	6.0	48	4	78	10	0	2	0
2140	Charlotte	7/13	53° 19.59'	130° 18.00'	57	6.0	638	27	240	30	0	0	11
2141	Charlotte	7/14	53° 19.87'	130° 35.00'	42	5.9	125	10	187	23	0	0	53
2142	Charlotte	7/14	53° 19.96'	130° 52.00'	75	6.0	401	23	173	20	1	9	18
2143	Charlotte	7/18	53° 19.85'	132° 49.00'	76	6.0	586	21	315	47	0	0	79
2144	Charlotte	7/18	53° 20.13'	133° 06.00'	126	6.0	278	12	0	0	13	0	16
2145	Charlotte	7/10	53° 29.91'	130° 52.00'	49	6.0	63	5	135	17	1	10	0
2146	Charlotte	7/18	53° 30.03'	133° 06.00'	221	6.0	583	21	8	1	46	0	128
2147	Charlotte	7/10	53° 40.02'	130° 34.99'	16	5.9	270	15	74	10	0	0	0
2148	Charlotte	7/10	53° 39.95'	130° 52.00'	25	6.0	259	14	208	29	0	2	0
2149	Charlotte	7/18	53° 40.11'	133° 07.00'	79	6.0	478	28	536	70	0	0	29
2150	Charlotte	7/10	53° 49.85'	130° 52.00'	47	6.0	275	19	613	79	1	56	0
2151	Charlotte	7/21	54° 00.14'	133° 25.00'	41	6.0	1,371	57	316	39	0	0	30
2152	Charlotte	7/15	54° 10.07'	130° 35.00'	62	6.0	176	8	19	2	5	1	4
2153	Charlotte	7/22	54° 10.20'	132° 00.01'	39	5.8	11	1	179	26	0	0	0
2154	Charlotte	7/20	54° 10.08'	132° 17.00'	49	5.8	0	0	32	5	0	0	0
2155	Charlotte	7/20	54° 10.00'	132° 34.00'	45	6.0	95	6	312	47	0	4	12
2156	Charlotte	7/19	54° 10.08'	133° 09.00'	39	6.0	443	15	200	26	0	0	31
2157	Charlotte	7/21	54° 10.06'	133° 26.00'	213	6.0	27	2	68	9	34	0	16
2158	Charlotte	7/15	54° 20.10'	130° 35.00'	50	6.0	175	11	115	16	4	4	5
2159	Charlotte	7/9	54° 19.87'	131° 09.00'	33	6.0	69	4	379	52	0	4	0
2160	Charlotte	7/9	54° 20.12'	131° 26.00'	94	6.0	26	2	52	8	43	3	23
2161	Charlotte	7/22	54° 20.15'	131° 43.00'	102	6.0	179	10	119	15	34	2	19
2162	Charlotte	7/22	54° 19.93'	132° 01.01'	131	6.0	205	7	11	2	90	0	19
2163	Charlotte	7/20	54° 20.00'	132° 18.00'	122	6.0	534	25	71	9	53	4	26
2164	Charlotte	7/20	54° 19.91'	132° 35.00'	144	6.0	121	9	69	8	79	0	39
2165	Charlotte	7/19	54° 19.82'	132° 52.00'	209	5.9	673	20	34	4	121	0	35
2166	Charlotte	7/19	54° 20.16'	133° 09.00'	249	6.0	180	6	40	6	113	0	44
2167	Charlotte	7/21	54° 20.16'	133° 26.01'	118	6.0	1,637	49	175	21	7	1	104
2168	Charlotte	7/21	54° 20.04'	133° 43.00'	133	6.0	753	28	241	32	11	0	4
2169	Charlotte	7/15	54° 29.98'	130° 35.00'	63	6.0	292	10	45	6	49	1	1
2170	Charlotte	7/9	54° 30.08'	131° 09.00'	74	6.0	251	14	232	29	26	11	1
2171	Charlotte	7/9	54° 30.02'	131° 26.00'	62	6.0	614	24	272	36	4	6	32
2172	Charlotte	7/22	54° 30.16'	131° 44.00'	185	5.9	269	10	10	1	108	0	3
3001	Ketchikan	7/30	54° 29.98'	132° 01.00'	143	6.0	338	12	23	3	40	0	40
3002	Ketchikan	7/30	54° 29.96'	132° 18.00'	196	5.2	51	1	19	2	43	0	9
3003	Ketchikan	8/7	54° 30.00'	132° 35.26'	203	6.0	137	5	14	2	95	0	15
3005	Ketchikan	8/6	54° 30.00'	133° 09.70'	108	5.9	355	12	36	5	0	0	74
3006	Ketchikan	8/6	54° 30.00'	133° 26.80'	161	5.8	479	14	64	8	87	5	5
3007	Ketchikan	8/6	54° 30.00'	133° 44.10'	136	5.9	3,615	82	22	3	25	0	5
3008	Ketchikan	7/31	54° 40.05'	130° 50.01'	156	5.9	534	15	7	1	83	0	5
3009	Ketchikan	7/31	54° 39.94'	131° 08.06'	117	6.0	108	4	28	4	54	0	20
3010	Ketchikan	7/31	54° 39.98'	131° 25.00'	113	5.9	500	22	59	7	93	0	5
3011	Ketchikan	7/29	54° 39.95'	131° 42.00'	228	6.0	237	9	0	0	58	0	0
3012	Ketchikan	7/30	54° 39.77'	131° 58.99'	101	6.0	489	17	110	12	15	20	15
3013	Ketchikan	7/30	54° 39.93'	132° 17.01'	60	6.0	534	25	342	45	0	5	29
3014	Ketchikan	8/7	54° 40.00'	132° 33.95'	97	5.9	773	31	55	7	15	10	34
3015	Ketchikan	8/6	54° 39.89'	132° 51.00'	74	5.9	1,445	46	285	34	0	5	0
3016	Ketchikan	8/4	54° 40.00'	133° 09.00'	128	6.0	1,163	40	76	10	43	0	31
3017	Ketchikan	8/4	54° 39.80'	133° 26.01'	162	5.9	1,934	46	35	4	78	5	44
3018	Ketchikan	8/3	54° 40.02'	133° 43.00'	131	6.0	2,066	55	36	5	40	0	25

¹ Standard skate =1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights from length-weight tables.

³ Except in 2A, Bycatch numbers extrapolated from 20% subsample.

2006 IPHC Stock Assessment Survey All Regions

6 of 24

Station	Region	Date Fished	Latitude	West Longitude	Depth (F)	Skates Hauled ¹	Legal Halibut		Sublegal Halibut		Bycatch (numbers) ³		
							Lbs ²	#s	Lbs ²	#s	Sablefish	P. Cod	Rockfish
3019	Ketchikan	8/3	54° 40.07'	134° 00.00'	120	5.9	956	25	55	7	34	15	15
3020	Ketchikan	7/31	54° 50.00'	131° 07.00'	130	6.0	706	26	57	7	50	0	5
3021	Ketchikan	7/29	54° 49.95'	131° 42.00'	242	6.0	209	7	13	2	114	0	20
3022	Ketchikan	8/7	54° 50.00'	132° 34.00'	174	5.8	465	14	10	2	121	0	5
3023	Ketchikan	8/4	54° 50.03'	133° 09.00'	117	6.0	1,942	58	132	15	5	10	25
3024	Ketchikan	8/4	54° 49.98'	133° 26.00'	67	5.9	632	37	346	44	0	0	10
3025	Ketchikan	8/3	54° 49.92'	133° 43.00'	76	5.9	3,334	92	127	14	0	0	49
3026	Ketchikan	8/3	54° 49.89'	134° 01.00'	104	5.8	1,239	36	44	5	24	0	68
3027	Ketchikan	8/1	55° 00.05'	131° 06.00'	135	6.0	409	13	61	8	84	5	0
3028	Ketchikan	7/29	54° 59.85'	131° 41.00'	116	5.9	444	20	40	5	118	0	29
3029	Ketchikan	8/5	55° 00.02'	133° 26.03'	51	5.9	924	42	231	31	0	0	34
3030	Ketchikan	8/5	55° 00.00'	133° 42.76'	57	5.9	1,145	51	442	63	0	0	0
3031	Ketchikan	8/1	55° 10.04'	131° 06.00'	98	5.9	349	13	34	4	5	0	19
3032	Ketchikan	7/29	55° 09.90'	131° 41.00'	71	6.0	159	5	35	5	0	0	20
3033	Ketchikan	7/26	55° 09.91'	131° 55.99'	176	6.0	639	28	67	9	20	0	30
3034	Ketchikan	8/5	55° 10.00'	133° 26.21'	44	5.8	1,146	47	46	5	0	0	82
3035	Ketchikan	7/26	55° 19.93'	131° 58.00'	238	6.0	94	3	0	0	50	0	0
3036	Ketchikan	7/26	55° 28.67'	131° 58.00'	187	5.9	166	6	13	2	15	0	15
3037	Ketchikan	7/28	55° 39.97'	132° 15.00'	220	6.0	546	20	21	3	74	0	40
3038	Ketchikan	7/28	55° 44.95'	132° 27.00'	155	5.9	505	12	38	6	39	0	39
3039	Ketchikan	7/28	55° 49.66'	132° 15.00'	101	6.0	673	23	60	8	5	10	10
3040	Ketchikan	7/27	55° 59.93'	132° 32.00'	113	6.0	1,227	45	101	14	20	0	15
3041	Ketchikan	7/27	56° 00.98'	132° 45.00'	198	5.9	980	32	0	0	49	0	10
3042	Ketchikan	7/27	56° 11.00'	132° 50.00'	70	5.9	501	13	60	8	0	0	15
3043	Ommaney	7/3	55° 00.00'	134° 01.26'	82	6.0	2,308	101	740	91	0	5	5
3044	Ommaney	7/3	55° 00.00'	134° 17.81'	115	6.0	884	55	457	57	5	0	15
3045	Ommaney	7/3	55° 10.00'	133° 43.43'	85	6.0	859	62	993	127	0	0	0
3046	Ommaney	7/3	55° 10.01'	134° 00.34'	89	6.0	990	64	806	100	0	0	0
3047	Ommaney	7/4	55° 20.00'	133° 47.36'	49	6.0	679	42	917	140	0	0	0
3048	Ommaney	7/4	55° 20.00'	134° 01.22'	64	6.0	483	36	1,079	155	0	0	0
3049	Ommaney	7/5	55° 20.00'	134° 19.62'	102	6.0	521	22	91	12	15	0	95
3050	Ommaney	7/5	55° 20.00'	134° 36.50'	110	6.0	1,933	72	258	31	15	10	65
3051	Ommaney	7/4	55° 30.00'	134° 01.14'	50	6.0	1,149	40	741	100	0	0	69
3052	Ommaney	7/4	55° 30.00'	134° 18.69'	91	6.0	414	23	157	22	0	0	0
3053	Ommaney	7/5	55° 30.01'	134° 37.52'	111	6.0	2,275	104	527	70	60	0	0
3054	Ommaney	7/5	55° 30.00'	134° 53.25'	159	6.0	941	41	169	21	80	0	10
3055	Ommaney	7/11	55° 40.00'	134° 00.66'	98	6.0	524	29	181	22	0	5	30
3056	Ommaney	7/10	55° 40.00'	134° 19.23'	112	6.0	1,783	77	176	24	25	0	20
3057	Ommaney	7/10	55° 40.00'	134° 36.91'	109	6.0	1,207	52	320	41	30	0	5
3058	Ommaney	7/10	55° 40.00'	134° 54.48'	106	6.0	2,454	83	358	46	25	5	80
3059	Ommaney	7/9	55° 50.00'	133° 25.89'	32	6.0	520	17	8	1	0	0	10
3060	Ommaney	7/9	55° 49.82'	133° 44.00'	77	6.0	721	15	81	9	10	5	65
3061	Ommaney	7/11	55° 50.00'	134° 02.14'	144	6.0	642	28	68	9	40	5	20
3062	Ommaney	7/10	55° 50.01'	134° 36.45'	72	6.0	1,028	23	77	10	0	0	60
3063	Ommaney	7/6	55° 50.00'	134° 55.11'	101	6.0	850	19	128	21	10	0	30
3064	Ommaney	7/6	55° 50.00'	135° 12.82'	127	6.0	640	27	132	18	35	0	54
3065	Ommaney	7/9	55° 55.00'	133° 34.67'	43	6.0	847	38	541	68	0	15	5
3066	Ommaney	7/11	56° 00.00'	134° 02.16'	54	6.0	839	34	609	93	0	5	0
3067	Ommaney	7/2	56° 00.00'	134° 20.33'	49	5.9	1,260	42	355	52	0	5	103
3068	Ommaney	7/2	56° 00.00'	134° 38.21'	204	6.0	1,561	44	54	7	175	5	15
3069	Ommaney	7/6	56° 00.00'	134° 55.30'	194	6.0	316	9	50	7	153	0	69
3070	Ommaney	7/6	56° 00.00'	135° 12.59'	199	6.0	376	14	52	6	110	0	5
3071	Ommaney	7/12	56° 10.00'	133° 44.10'	164	6.0	886	26	19	2	25	10	10
3072	Ommaney	7/1	56° 09.80'	134° 20.00'	69	6.0	974	53	404	54	0	0	25
3073	Ommaney	7/2	56° 09.39'	134° 38.02'	154	6.0	1,877	57	274	36	105	10	5
3074	Ommaney	7/8	56° 10.00'	134° 56.14'	99	6.0	2,170	100	568	74	45	5	5
3075	Ommaney	7/8	56° 10.00'	135° 13.84'	151	6.0	1,041	35	105	13	50	0	0
3076	Ommaney	7/12	56° 20.00'	133° 44.08'	88	6.0	1,071	33	32	4	15	0	0
3077	Ommaney	7/1	56° 19.95'	134° 20.00'	85	6.0	985	28	120	16	5	10	0

¹ Standard skate =1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights from length-weight tables.

³ Except in 2A, Bycatch numbers extrapolated from 20% subsample.

2006 IPHC Stock Assessment Survey All Regions

7 of 24

Station	Region	Date Fished	Latitude	West Longitude	Depth (F)	Skates Hauled ¹	Legal Halibut		Sublegal Halibut		Bycatch (numbers) ³		
							Lbs ²	#s	Lbs ²	#s	Sablefish	P. Cod	Rockfish
3078	Ommaney	7/8	56° 20.00'	134° 56.67'	57	6.0	571	19	115	15	10	0	35
3079	Ommaney	6/28	56° 20.00'	135° 14.49'	87	6.0	889	38	280	39	5	30	20
3080	Ommaney	6/28	56° 20.00'	135° 32.28'	109	6.0	1,093	36	107	13	60	0	0
3081	Ommaney	7/12	56° 28.97'	133° 44.02'	54	6.0	712	23	123	19	5	30	10
3082	Ommaney	7/1	56° 29.81'	134° 20.00'	60	6.0	582	33	840	122	0	0	5
3083	Sitka	6/28	56° 30.00'	135° 14.92'	60	6.0	753	41	640	95	0	0	30
3084	Sitka	6/28	56° 30.00'	135° 33.42'	85	6.0	924	26	172	21	0	10	75
3085	Sitka	6/27	56° 40.00'	135° 16.12'	25	6.0	1,173	29	74	9	0	0	40
3086	Sitka	6/27	56° 40.00'	135° 34.12'	73	6.0	469	20	306	48	0	0	35
3087	Sitka	6/27	56° 40.00'	135° 52.17'	129	6.0	2,039	93	232	27	45	10	10
3088	Sitka	5/29	56° 50.00'	132° 50.12'	111	6.0	465	22	231	34	0	0	0
3089	Sitka	6/27	56° 50.00'	135° 51.72'	100	6.0	228	11	117	15	35	5	40
3090	Sitka	5/29	56° 57.01'	132° 58.23'	74	6.0	568	36	663	96	0	5	0
3091	Sitka	5/30	57° 00.00'	134° 20.51'	185	6.0	714	35	263	36	150	0	5
3092	Sitka	6/26	57° 00.00'	136° 00.23'	54	6.0	564	18	262	40	0	0	70
3093	Sitka	5/29	57° 03.00'	133° 04.73'	77	6.0	434	20	172	24	0	25	0
3094	Sitka	5/30	57° 10.01'	133° 45.06'	177	6.0	1,775	87	429	58	55	5	25
3095	Sitka	5/30	57° 10.00'	134° 02.91'	157	6.0	1,197	52	436	61	75	5	5
3096	Sitka	5/31	57° 09.99'	134° 39.92'	176	6.0	601	18	126	21	20	0	10
3097	Sitka	6/26	57° 10.00'	135° 54.07'	38	6.0	533	10	152	21	0	0	35
3098	Sitka	6/26	57° 10.00'	136° 11.74'	114	6.0	742	31	55	6	65	5	5
3099	Sitka	6/1	57° 20.00'	133° 26.09'	75	6.0	53	1	19	4	5	0	0
3100	Sitka	6/1	57° 20.00'	133° 44.94'	191	6.0	1,456	72	372	48	20	10	25
3101	Sitka	5/31	57° 20.08'	134° 35.99'	161	6.0	1,068	46	392	56	25	0	45
3102	Sitka	6/25	57° 19.74'	135° 55.00'	43	6.0	391	11	92	13	0	0	15
3103	Sitka	6/25	57° 20.00'	136° 12.92'	93	6.0	837	36	200	32	35	0	75
3104	Sitka	6/1	57° 30.00'	133° 44.97'	123	6.0	880	41	135	18	6	0	0
3105	Sitka	5/31	57° 30.91'	134° 38.00'	146	6.0	436	24	173	26	45	5	35
3106	Sitka	6/25	57° 30.00'	136° 13.77'	51	6.0	65	5	209	36	0	0	15
3107	Sitka	6/2	57° 40.00'	133° 45.19'	178	6.0	1,712	96	550	70	0	5	0
3108	Sitka	6/17	57° 40.00'	136° 33.25'	90	6.0	1,033	59	498	64	0	0	45
3109	Sitka	6/2	57° 50.00'	133° 53.95'	181	6.0	88	5	28	5	0	0	0
3110	Sitka	6/17	57° 50.01'	136° 34.31'	55	6.0	745	29	657	88	0	0	25
3111	Sitka	6/17	57° 50.00'	136° 52.91'	194	6.0	33	2	8	1	79	0	30
3112	Sitka	6/2	58° 00.03'	134° 04.00'	121	6.0	92	5	33	4	0	0	5
3113	Sitka	6/23	58° 00.00'	136° 40.13'	55	6.0	1,610	53	398	51	0	5	45
3114	Sitka	6/18	58° 10.01'	135° 01.52'	102	6.0	445	14	131	20	0	10	10
3115	Sitka	6/18	58° 10.00'	135° 20.38'	95	6.0	301	16	277	35	5	0	0
3116	Sitka	6/23	58° 10.00'	136° 36.20'	119	6.0	1,338	31	36	4	85	10	10
3117	Sitka	6/3	58° 12.00'	134° 23.96'	40	6.0	34	2	18	4	0	0	0
3118	Sitka	6/3	58° 13.91'	134° 41.04'	41	6.0	143	1	0	0	0	0	0
3119	Sitka	6/18	58° 15.00'	135° 40.20'	57	6.0	868	41	699	115	0	5	0
3120	Sitka	6/23	58° 15.04'	136° 26.07'	107	6.0	923	21	133	19	10	15	0
3121	Sitka	6/3	58° 19.92'	134° 43.03'	41	6.0	61	1	0	0	0	0	0
3122	Sitka	6/19	58° 19.92'	135° 02.59'	201	6.0	499	15	8	1	50	0	0
3123	Sitka	6/19	58° 30.03'	135° 01.97'	143	6.0	618	29	350	47	5	0	0
3124	Sitka	6/19	58° 40.02'	135° 03.38'	158	6.0	270	15	93	11	10	0	0
4001	Fairweather	6/17	57° 50.00'	137° 12.97'	166	6.0	462	14	0	0	185	0	65
4002	Fairweather	6/24	58° 00.00'	136° 54.42'	225	6.0	35	2	7	1	215	0	15
4003	Fairweather	6/24	58° 00.00'	137° 12.00'	108	6.0	1,268	57	76	11	55	0	10
4004	Fairweather	6/6	58° 00.00'	137° 30.24'	87	6.0	1,794	49	111	15	20	0	30
4005	Fairweather	6/6	58° 00.00'	137° 49.93'	98	6.0	972	38	183	23	0	0	20
4006	Fairweather	6/24	58° 10.00'	136° 55.22'	106	6.0	687	25	29	4	119	0	5
4007	Fairweather	6/24	58° 09.99'	137° 11.21'	65	6.0	1,613	49	141	20	0	0	5
4008	Fairweather	6/6	58° 10.00'	137° 30.09'	77	6.0	54	3	64	9	0	0	0
4009	Fairweather	6/6	58° 10.00'	137° 49.01'	84	6.0	153	4	10	1	0	0	0
4010	Fairweather	6/7	58° 10.00'	138° 07.99'	80	6.0	225	9	15	2	0	0	0
4011	Fairweather	6/15	58° 10.00'	138° 27.04'	88	6.0	1,987	72	123	15	0	0	15
4012	Fairweather	6/15	58° 10.00'	138° 46.00'	100	6.0	3,119	107	551	73	0	0	30

¹ Standard skate =1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights from length-weight tables.

³ Except in 2A, Bycatch numbers extrapolated from 20% subsample.

2006 IPHC Stock Assessment Survey All Regions

8 of 24

Station	Region	Date Fished	Latitude	West Longitude	Depth (F)	Skates Hauled ¹	Legal Halibut		Sublegal Halibut		Bycatch (numbers) ³		
							Lbs ²	#s	Lbs ²	#s	Sablefish	P. Cod	Rockfish
4013	Fairweather	6/5	58° 20.00'	137° 10.16'	90	6.0	0	0	0	0	0	0	0
4014	Fairweather	6/5	58° 20.00'	137° 29.09'	100	6.0	0	0	0	0	0	0	0
4015	Fairweather	6/7	58° 20.00'	137° 48.50'	93	6.0	76	2	0	0	0	0	0
4016	Fairweather	6/7	58° 20.00'	138° 07.40'	70	6.0	250	11	35	4	0	0	0
4017	Fairweather	6/7	58° 20.01'	138° 25.90'	70	6.0	84	2	0	0	0	0	0
4018	Fairweather	6/15	58° 20.00'	138° 46.76'	65	6.0	1,499	41	350	55	0	0	25
4019	Fairweather	6/15	58° 20.00'	139° 04.80'	59	6.0	2,184	78	218	29	0	0	35
4020	Fairweather	6/8	58° 20.00'	139° 24.31'	147	6.0	2,879	97	10	1	30	0	0
4021	Fairweather	6/5	58° 30.00'	137° 28.48'	40	6.0	34	1	38	7	0	0	0
4022	Fairweather	6/5	58° 30.01'	137° 46.61'	84	6.0	20	1	0	0	0	0	0
4023	Fairweather	6/16	58° 30.00'	138° 07.43'	71	6.0	294	5	11	1	0	0	0
4024	Fairweather	6/16	58° 30.00'	138° 25.64'	63	6.0	61	3	0	0	0	0	0
4025	Fairweather	6/8	58° 30.00'	138° 44.56'	51	6.0	399	11	25	3	0	0	10
4026	Fairweather	6/8	58° 30.00'	139° 03.27'	55	6.0	293	12	37	5	0	0	0
4027	Fairweather	6/8	58° 30.00'	139° 22.76'	89	6.0	2,640	107	407	54	0	0	15
4028	Fairweather	6/9	58° 30.00'	139° 41.37'	135	6.0	829	42	30	5	65	0	0
4029	Fairweather	6/16	58° 40.00'	138° 05.81'	51	6.0	468	9	0	0	0	0	5
4030	Fairweather	6/16	58° 40.00'	138° 24.81'	73	6.0	0	0	0	0	0	0	0
4031	Fairweather	6/10	58° 40.00'	138° 44.02'	53	6.0	567	7	0	0	0	0	0
4032	Fairweather	6/10	58° 40.00'	139° 03.76'	77	6.0	72	3	0	0	0	0	0
4033	Fairweather	6/9	58° 40.01'	139° 23.06'	136	6.0	648	20	0	0	15	0	0
4034	Fairweather	6/9	58° 40.00'	139° 42.45'	102	6.0	424	13	55	6	5	0	0
4035	Fairweather	6/9	58° 40.02'	140° 01.14'	103	6.0	2,317	76	440	58	0	0	0
4036	Fairweather	6/14	58° 50.00'	138° 06.13'	30	6.0	0	0	0	0	0	0	0
4037	Fairweather	6/14	58° 50.00'	138° 24.20'	38	6.0	373	11	11	1	0	0	0
4038	Fairweather	6/10	58° 50.00'	138° 43.80'	65	6.0	24	1	0	0	0	0	0
4039	Fairweather	6/10	58° 50.00'	139° 03.17'	102	6.0	24	1	0	0	0	0	0
4040	Fairweather	6/11	58° 50.00'	139° 22.86'	74	6.0	305	6	47	5	0	0	0
4041	Fairweather	6/11	58° 50.00'	139° 42.33'	87	6.0	94	3	8	1	0	0	0
4042	Fairweather	6/11	58° 50.00'	140° 01.42'	93	6.0	387	13	86	10	0	0	10
4043	Fairweather	6/14	59° 00.00'	138° 23.30'	34	6.0	346	17	154	21	0	0	0
4044	Fairweather	6/14	59° 00.00'	138° 42.97'	85	6.0	15	1	0	0	0	0	0
4045	Fairweather	6/13	59° 00.00'	139° 01.85'	56	6.0	17	1	14	2	0	0	0
4046	Fairweather	6/13	59° 00.00'	139° 22.29'	59	6.0	135	2	0	0	0	0	0
4047	Fairweather	6/11	59° 00.00'	139° 40.50'	65	6.0	554	16	83	9	0	0	0
4048	Fairweather	6/13	59° 10.00'	139° 02.56'	30	6.0	31	2	24	3	0	0	0
4049	Fairweather	6/13	59° 10.00'	139° 20.95'	52	6.0	0	0	0	0	0	0	0
4051	Yakutat	8/23	58° 50.09'	140° 19.36'	99	6.0	958	27	217	26	10	0	0
4052	Yakutat	8/22	58° 50.09'	140° 39.83'	104	6.1	1,573	49	432	60	76	0	0
4053	Yakutat	8/23	58° 59.85'	140° 01.56'	72	6.0	2,221	84	550	71	0	5	10
4054	Yakutat	8/23	58° 59.74'	140° 19.45'	84	6.0	761	30	398	51	0	0	10
4055	Yakutat	8/22	58° 59.49'	140° 39.97'	98	6.0	1,664	50	618	81	10	0	5
4056	Yakutat	8/22	59° 00.09'	140° 58.22'	104	6.1	3,107	91	370	53	10	0	0
4057	Yakutat	6/5	59° 10.18'	139° 40.50'	72	6.1	202	10	61	7	0	0	0
4058	Yakutat	6/5	59° 09.97'	139° 59.81'	63	6.1	350	11	10	1	0	0	0
4059	Yakutat	6/6	59° 10.19'	140° 20.11'	71	6.1	1,291	37	221	30	0	0	0
4060	Yakutat	6/7	59° 10.23'	140° 39.23'	82	6.0	448	25	154	19	0	0	0
4061	Yakutat	8/21	59° 09.93'	140° 59.52'	97	6.1	3,321	85	422	54	20	0	0
4062	Yakutat	8/21	59° 10.09'	141° 16.96'	186	6.0	346	8	11	2	75	0	5
4063	Yakutat	8/20	59° 09.96'	141° 38.22'	117	6.0	2,987	111	126	18	70	0	0
4064	Yakutat	6/5	59° 19.84'	139° 40.33'	87	6.0	93	3	7	1	0	0	0
4065	Yakutat	6/6	59° 19.73'	139° 59.42'	85	6.0	284	6	9	1	0	0	0
4066	Yakutat	6/6	59° 19.73'	140° 19.56'	69	6.1	344	4	14	2	0	0	0
4067	Yakutat	6/7	59° 20.00'	140° 38.91'	77	6.1	74	1	0	0	0	0	0
4068	Yakutat	6/7	59° 19.86'	140° 58.79'	86	6.1	429	15	96	12	0	0	0
4069	Yakutat	8/21	59° 19.45'	141° 18.48'	185	6.0	835	19	25	3	175	0	15
4070	Yakutat	8/20	59° 19.76'	141° 38.41'	102	6.0	825	27	144	18	5	0	0
4071	Yakutat	8/20	59° 20.21'	141° 57.64'	113	6.1	1,762	61	247	34	25	0	5
4072	Yakutat	6/10	59° 30.01'	140° 00.10'	64	6.1	91	4	80	10	0	0	0

¹ Standard skate =1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights from length-weight tables.

³ Except in 2A, Bycatch numbers extrapolated from 20% subsample.

**2006 IPHC Stock Assessment Survey
All Regions**

Station	Region	Date Fished	Latitude	West Longitude	Depth (F)	Skates Hauled ¹	Legal Halibut		Sublegal Halibut		Bycatch (numbers) ³		
							Lbs ²	#s	Lbs ²	#s	Sablefish	P. Cod	Rockfish
4073	Yakutat	6/10	59° 30.09'	140° 19.57'	123	6.1	247	4	0	0	5	0	0
4074	Yakutat	6/9	59° 30.06'	140° 38.92'	150	6.1	253	8	0	0	0	0	0
4075	Yakutat	6/9	59° 30.02'	140° 59.05'	159	6.0	343	8	11	1	20	0	5
4076	Yakutat	6/8	59° 30.20'	141° 19.68'	88	6.1	104	5	0	0	0	0	0
4077	Yakutat	8/19	59° 30.02'	141° 37.44'	87	6.1	49	2	10	1	0	0	0
4078	Yakutat	8/19	59° 30.42'	141° 57.72'	96	6.0	63	3	21	2	0	0	0
4079	Yakutat	6/10	59° 40.25'	140° 00.03'	70	6.1	947	31	80	9	5	15	0
4080	Yakutat	6/9	59° 39.88'	140° 58.96'	29	6.1	267	7	37	6	0	10	0
4081	Yakutat	6/8	59° 40.12'	141° 19.35'	34	6.1	365	9	68	9	0	25	0
4082	Yakutat	6/8	59° 39.76'	141° 37.72'	51	6.0	393	11	8	1	0	0	0
4083	Yakutat	8/19	59° 39.48'	141° 57.15'	79	6.0	77	3	0	0	5	0	0
4084	Yakutat	6/13	59° 40.31'	142° 18.43'	116	6.0	574	12	25	3	0	0	0
4085	Yakutat	6/15	59° 39.91'	142° 38.29'	213	6.0	755	22	8	1	207	0	10
4086	Yakutat	6/15	59° 40.03'	142° 58.00'	111	6.1	2,886	112	107	14	10	0	0
4087	Yakutat	6/16	59° 39.78'	143° 16.51'	145	6.0	2,806	76	18	3	85	5	25
4088	Yakutat	6/17	59° 40.03'	143° 36.93'	78	6.0	2,150	51	44	5	0	0	35
4089	Yakutat	6/17	59° 39.97'	143° 57.01'	70	6.0	1,870	57	105	16	0	0	5
4090	Yakutat	6/24	59° 40.10'	144° 17.05'	86	6.0	1,559	54	55	7	0	0	0
4091	Yakutat	6/24	59° 39.99'	144° 36.56'	78	6.0	289	7	0	0	0	0	0
4092	Yakutat	6/13	59° 49.61'	141° 59.30'	39	6.0	88	4	44	6	0	0	0
4093	Yakutat	6/13	59° 49.91'	142° 17.88'	48	6.0	834	24	88	12	0	0	5
4094	Yakutat	6/14	59° 49.95'	142° 38.16'	91	6.0	591	15	19	2	0	0	0
4095	Yakutat	6/15	59° 49.53'	142° 56.45'	96	6.0	74	2	0	0	0	0	0
4096	Yakutat	6/16	59° 49.91'	143° 18.23'	123	6.0	556	16	0	0	5	0	5
4097	Yakutat	6/16	59° 49.89'	143° 37.71'	153	6.0	1,409	28	0	0	116	0	45
4098	Yakutat	6/17	59° 49.84'	143° 57.62'	52	6.1	261	7	26	3	0	0	0
4099	Yakutat	6/24	59° 49.73'	144° 17.76'	35	6.0	503	17	135	20	0	25	0
4100	Yakutat	6/14	59° 59.73'	142° 38.81'	44	6.0	2,305	44	25	4	0	0	5
4101	Yakutat	6/14	59° 59.78'	142° 58.56'	62	6.0	128	3	19	2	0	0	0
4102	PWS	6/22	59° 20.14'	146° 15.69'	146	6.0	904	28	58	7	25	0	55
4103	PWS	6/22	59° 20.23'	146° 35.42'	77	6.1	1,075	39	30	4	0	0	0
4104	PWS	8/13	59° 19.95'	146° 54.93'	105	6.1	167	6	8	1	5	0	0
4105	PWS	8/12	59° 20.23'	147° 15.37'	101	6.1	277	8	7	1	5	0	0
4106	PWS	6/23	59° 30.20'	145° 16.09'	68	6.0	4,124	115	201	27	0	0	185
4107	PWS	6/23	59° 30.36'	145° 54.45'	103	6.0	2,278	96	113	14	0	10	0
4108	PWS	6/22	59° 29.72'	146° 35.16'	47	6.0	1,041	34	186	24	0	0	5
4109	PWS	8/13	59° 29.87'	146° 54.19'	104	6.0	22	1	0	0	0	0	0
4110	PWS	8/12	59° 29.80'	147° 14.46'	117	6.0	189	8	40	4	20	0	5
4111	PWS	8/12	59° 29.88'	147° 33.90'	63	6.0	134	5	22	3	0	0	0
4112	PWS	8/16	59° 39.99'	145° 34.04'	56	6.1	220	10	6	1	0	0	0
4113	PWS	8/16	59° 40.70'	145° 54.15'	41	6.0	1,489	62	279	30	0	0	30
4114	PWS	8/15	59° 40.38'	146° 14.46'	45	6.0	1,682	63	484	71	0	0	0
4115	PWS	8/15	59° 40.05'	146° 34.11'	46	6.0	1,638	51	441	63	0	0	20
4116	PWS	8/13	59° 39.30'	146° 52.98'	61	6.0	18	1	0	0	0	0	0
4117	PWS	7/8	59° 40.50'	147° 13.54'	89	6.0	163	8	10	1	15	0	0
4118	PWS	7/8	59° 40.26'	147° 33.09'	63	6.1	648	22	47	5	0	0	0
4119	PWS	6/25	59° 50.41'	144° 59.05'	107	6.0	421	7	0	0	0	10	0
4120	PWS	8/16	59° 50.02'	145° 54.41'	55	6.0	0	0	0	0	0	0	0
4121	PWS	8/15	59° 50.26'	146° 13.88'	32	6.0	1,095	44	122	14	0	0	5
4122	PWS	8/15	59° 49.85'	146° 33.83'	38	6.1	1,257	27	118	17	0	0	0
4123	PWS	8/14	59° 50.06'	146° 53.25'	43	6.1	441	19	194	27	0	0	0
4124	PWS	7/8	59° 50.14'	147° 13.48'	71	6.0	111	7	36	5	0	0	0
4125	PWS	6/25	59° 59.78'	144° 39.13'	124	6.1	28	1	0	0	20	15	0
4126	PWS	6/25	59° 59.97'	144° 58.98'	80	6.1	28	1	0	0	0	0	0
4127	PWS	6/26	59° 59.94'	145° 19.07'	65	6.0	27	2	34	4	0	0	0
4128	PWS	6/27	60° 00.03'	146° 12.21'	33	6.0	2,902	98	547	72	0	0	0
4129	PWS	6/27	60° 00.03'	146° 31.85'	35	6.1	321	17	732	116	0	0	0
4130	PWS	8/14	59° 59.98'	146° 52.36'	77	6.0	75	2	0	0	0	0	0
4131	PWS	8/14	59° 59.58'	147° 12.39'	100	6.0	221	5	18	3	5	0	0

¹ Standard skate =1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights from length-weight tables.

³ Except in 2A, Bycatch numbers extrapolated from 20% subsample.

2006 IPHC Stock Assessment Survey All Regions

10 of 24

Station	Region	Date Fished	Latitude	West Longitude	Depth (F)	Skates Hauled ¹	Legal Halibut		Sublegal Halibut		Bycatch (numbers) ³		
							Lbs ²	#s	Lbs ²	#s	Sablefish	P. Cod	Rockfish
4132	PWS	6/26	60° 10.01'	145° 31.34'	47	6.0	11	1	22	3	0	0	0
4133	PWS	6/26	60° 09.97'	145° 50.81'	58	6.0	52	4	27	3	0	0	0
4134	PWS	6/27	60° 10.12'	146° 11.38'	44	6.0	510	32	459	73	0	15	0
4135	PWS	7/6	60° 10.22'	147° 30.85'	34	6.0	757	39	526	75	0	21	10
4136	PWS	7/6	60° 09.88'	147° 50.58'	184	6.0	1,050	49	227	28	5	5	20
4137	PWS	7/6	60° 19.84'	147° 30.81'	60	6.0	1,227	55	197	24	0	85	20
4138	PWS	7/3	60° 30.22'	146° 29.40'	41	6.0	1,003	43	358	50	0	0	0
4139	PWS	7/3	60° 29.86'	146° 48.77'	217	6.0	304	9	0	0	30	0	0
4140	PWS	7/7	60° 30.05'	147° 09.83'	92	6.0	628	24	123	14	0	20	0
4141	PWS	7/7	60° 29.84'	147° 29.76'	104	6.0	276	16	31	4	5	50	5
4142	PWS	7/5	60° 29.11'	147° 50.13'	254	6.0	899	36	59	7	79	0	10
4143	PWS	7/4	60° 39.82'	146° 49.10'	229	6.0	569	25	9	1	37	0	0
4144	PWS	7/4	60° 40.13'	147° 09.00'	131	6.0	908	47	142	16	10	15	5
4145	PWS	7/4	60° 49.88'	147° 08.19'	161	6.0	1,103	54	197	23	15	10	5
4146	PWS	7/5	60° 49.20'	148° 09.73'	104	6.1	1,043	33	63	8	0	51	56
4147	Seward	7/17	58° 40.14'	148° 34.23'	130	6.0	1,614	59	87	11	185	0	5
4148	Seward	7/17	58° 40.31'	148° 53.30'	94	6.0	2,036	94	213	24	94	54	0
4149	Seward	7/27	58° 49.84'	148° 15.20'	149	6.0	3,437	128	165	21	95	0	35
4150	Seward	7/27	58° 49.88'	148° 33.75'	160	6.0	601	19	13	2	140	0	5
4151	Seward	7/17	58° 50.20'	148° 52.97'	140	6.0	1,911	63	20	2	145	0	0
4152	Seward	7/17	58° 50.05'	149° 11.67'	111	6.0	433	16	0	0	210	10	0
4153	Seward	7/27	59° 00.23'	147° 55.45'	213	6.0	259	8	0	0	114	0	10
4154	Seward	7/27	58° 59.88'	148° 14.08'	119	6.0	3,076	107	91	11	70	60	20
4155	Seward	7/28	59° 00.12'	148° 33.59'	134	6.0	1,236	33	16	3	154	0	5
4156	Seward	8/2	59° 00.09'	148° 53.00'	117	6.0	458	13	0	0	59	0	0
4157	Seward	7/16	58° 59.96'	149° 12.08'	115	6.0	175	7	20	2	110	0	0
4158	Seward	7/16	59° 00.00'	149° 31.92'	128	6.0	330	17	0	0	90	0	0
4159	Seward	7/26	59° 10.15'	147° 35.76'	126	6.0	3,598	134	54	7	45	0	5
4160	Seward	7/26	59° 10.05'	147° 54.39'	110	6.0	2,108	83	25	3	35	0	0
4161	Seward	7/28	59° 09.98'	148° 14.12'	67	6.0	4,179	160	225	31	0	0	34
4162	Seward	7/28	59° 10.19'	148° 32.38'	83	6.0	5,002	205	213	25	50	5	0
4163	Seward	8/2	59° 10.07'	148° 53.17'	98	6.0	124	5	9	1	0	0	0
4164	Seward	8/2	59° 09.95'	149° 12.20'	84	6.0	1,777	52	21	2	30	50	0
4165	Seward	7/16	59° 10.23'	149° 31.77'	85	6.0	794	28	125	16	5	0	0
4166	Seward	7/16	59° 09.94'	149° 50.88'	74	6.0	359	13	54	8	10	5	0
4167	Seward	7/26	59° 19.76'	147° 34.05'	69	6.0	1,710	51	187	25	0	0	10
4168	Seward	7/26	59° 19.98'	147° 53.68'	101	6.0	535	19	5	1	10	0	0
4169	Seward	7/28	59° 20.19'	148° 12.43'	86	6.0	1,278	49	16	2	20	0	0
4170	Seward	7/18	59° 20.08'	148° 32.99'	51	6.0	2,740	107	290	32	0	0	60
4171	Seward	7/18	59° 20.04'	148° 53.48'	93	6.0	448	20	15	2	5	5	0
4172	Seward	8/1	59° 20.09'	149° 11.61'	103	6.0	1,388	59	25	3	95	0	0
4173	Seward	8/1	59° 19.90'	149° 31.84'	68	6.0	2,629	123	431	55	0	25	0
4174	Seward	8/7	59° 20.14'	149° 51.36'	104	6.0	1,036	44	5	1	24	6	0
4175	Seward	8/7	59° 20.12'	150° 11.19'	86	6.0	1,072	38	13	2	10	15	0
4176	Seward	7/23	59° 29.95'	147° 53.46'	62	6.0	498	22	229	32	0	0	0
4177	Seward	7/23	59° 30.03'	148° 12.74'	114	6.0	427	13	24	4	30	0	0
4178	Seward	7/18	59° 29.94'	148° 32.91'	54	6.0	442	19	1,341	196	0	0	0
4179	Seward	7/18	59° 29.97'	148° 52.41'	94	6.0	94	4	0	0	0	0	0
4180	Seward	8/1	59° 30.14'	149° 12.02'	125	6.0	926	26	27	3	114	25	0
4181	Seward	8/1	59° 29.81'	149° 32.01'	57	6.0	777	40	256	35	0	5	0
4182	Seward	8/7	59° 29.80'	149° 52.11'	112	6.0	643	26	50	6	60	130	0
4183	Seward	8/7	59° 30.10'	150° 10.91'	66	6.0	725	29	114	13	0	0	5
4184	Seward	7/23	59° 39.84'	147° 53.45'	37	6.0	3,906	96	212	26	0	5	20
4185	Seward	7/19	59° 40.05'	148° 13.31'	73	6.0	471	23	241	29	15	0	0
4186	Seward	7/19	59° 39.91'	148° 32.05'	116	6.0	65	4	8	1	32	5	5
4187	Seward	7/22	59° 40.04'	148° 52.36'	98	6.0	285	11	0	0	0	0	0
4188	Seward	7/31	59° 40.13'	149° 12.07'	115	6.0	627	15	0	0	139	15	0
4189	Seward	7/31	59° 40.04'	149° 31.76'	151	6.0	320	13	18	2	20	25	0
4190	Seward	7/19	59° 50.03'	148° 12.03'	46	6.0	724	32	256	42	0	0	0

¹ Standard skate =1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights from length-weight tables.

³ Except in 2A, Bycatch numbers extrapolated from 20% subsample.

2006 IPHC Stock Assessment Survey All Regions

11 of 24

Station	Region	Date Fished	Latitude	West Longitude	Depth (F)	Skates Hauled ¹	Legal Halibut		Sublegal Halibut		Bycatch (numbers) ³		
							Lbs ²	#s	Lbs ²	#s	Sablefish	P. Cod	Rockfish
4191	Seward	7/22	59° 49.90'	148° 32.09'	72	6.0	231	12	26	3	5	0	0
4192	Seward	7/22	59° 50.01'	148° 52.46'	91	6.0	329	10	9	1	40	0	0
4193	Seward	7/31	59° 49.78'	149° 11.96'	77	6.0	123	7	27	3	0	0	0
4194	Seward	7/31	59° 49.98'	149° 31.71'	94	6.0	565	19	74	9	25	35	0
4195	Gore Pt.	6/7	58° 00.03'	149° 13.02'	75	6.0	7,787	337	394	49	0	0	5
4196	Gore Pt.	6/25	58° 10.00'	148° 53.67'	73	6.0	4,855	217	290	37	15	75	10
4197	Gore Pt.	6/25	58° 10.00'	149° 13.11'	62	6.0	3,164	158	1,065	137	0	0	15
4198	Gore Pt.	6/26	58° 09.99'	149° 31.99'	59	6.0	1,687	104	1,236	162	0	0	0
4199	Gore Pt.	6/26	58° 09.98'	149° 51.02'	78	6.0	2,068	131	1,124	141	5	0	10
4200	Gore Pt.	6/23	58° 20.01'	148° 34.98'	104	6.0	2,391	106	184	23	130	20	0
4201	Gore Pt.	6/24	58° 20.00'	148° 54.36'	68	6.0	2,555	125	506	74	0	15	0
4202	Gore Pt.	6/24	58° 19.98'	149° 13.01'	84	6.0	5,168	311	304	36	5	55	0
4203	Gore Pt.	6/26	58° 20.00'	149° 31.89'	82	6.0	1,650	103	210	25	0	25	0
4204	Gore Pt.	7/4	58° 20.01'	149° 51.22'	42	6.0	2,240	156	1,780	208	0	0	0
4205	Gore Pt.	7/2	58° 20.01'	150° 10.04'	29	6.0	2,670	145	1,458	186	0	0	0
4206	Gore Pt.	7/2	58° 20.03'	150° 29.15'	31	6.0	726	48	455	61	5	0	0
4207	Gore Pt.	6/23	58° 30.00'	148° 34.01'	71	6.0	5,584	215	421	58	0	0	0
4208	Gore Pt.	6/23	58° 29.99'	148° 53.20'	61	6.0	2,945	131	968	133	0	5	30
4209	Gore Pt.	6/24	58° 30.02'	149° 13.00'	67	6.0	2,264	109	303	45	0	60	0
4210	Gore Pt.	6/22	58° 29.95'	149° 32.02'	77	6.0	665	35	201	28	0	185	0
4211	Gore Pt.	7/4	58° 30.00'	149° 50.97'	76	6.0	1,933	133	696	83	10	125	0
4212	Gore Pt.	7/4	58° 29.98'	150° 09.91'	50	6.0	1,277	89	1,345	157	0	5	0
4213	Gore Pt.	7/10	58° 29.96'	150° 29.00'	46	6.0	915	60	957	144	0	0	0
4214	Gore Pt.	7/12	58° 29.87'	150° 48.02'	55	6.1	2,176	126	616	70	0	5	0
4215	Gore Pt.	6/22	58° 40.01'	149° 13.01'	74	6.0	450	20	152	23	20	140	20
4216	Gore Pt.	6/22	58° 39.98'	149° 32.24'	73	6.0	1,464	79	172	24	35	120	0
4217	Gore Pt.	7/5	58° 39.92'	149° 51.00'	82	6.0	1,320	80	306	36	15	145	0
4218	Gore Pt.	7/10	58° 40.00'	150° 09.69'	68	6.0	3,183	143	310	39	0	115	0
4219	Gore Pt.	7/10	58° 40.00'	150° 28.87'	109	6.0	294	16	97	11	60	35	0
4220	Gore Pt.	7/11	58° 40.00'	150° 48.69'	111	6.0	399	23	75	9	90	20	0
4221	Gore Pt.	7/1	58° 39.98'	151° 07.97'	105	6.0	1,455	65	239	28	50	79	0
4222	Gore Pt.	7/5	58° 50.02'	149° 31.91'	122	6.0	775	40	49	7	97	5	0
4223	Gore Pt.	7/5	58° 50.01'	149° 50.90'	131	6.0	1,740	84	45	5	119	5	0
4224	Gore Pt.	7/9	58° 50.00'	150° 10.01'	88	6.0	1,529	68	148	18	60	80	5
4225	Gore Pt.	7/11	58° 49.93'	150° 30.04'	91	6.0	999	44	101	12	95	35	0
4226	Gore Pt.	7/11	58° 49.95'	150° 49.01'	93	6.0	1,251	67	103	12	55	55	0
4227	Gore Pt.	7/1	58° 49.96'	151° 07.73'	79	6.0	1,997	110	424	55	20	86	0
4228	Gore Pt.	6/16	58° 49.94'	151° 28.00'	65	6.0	863	54	698	101	0	10	5
4229	Gore Pt.	6/21	59° 00.01'	149° 51.02'	123	6.0	247	10	5	1	145	0	0
4230	Gore Pt.	7/9	59° 00.05'	150° 11.00'	102	6.0	912	41	63	8	50	5	0
4231	Gore Pt.	6/30	59° 00.02'	150° 29.99'	66	6.0	1,001	56	596	78	0	20	0
4232	Gore Pt.	6/30	58° 59.99'	150° 49.74'	89	6.0	1,511	71	305	38	35	45	0
4233	Gore Pt.	6/16	59° 00.02'	151° 09.05'	85	6.0	1,502	64	99	11	10	20	0
4234	Gore Pt.	6/16	58° 59.99'	151° 27.98'	71	6.0	4,195	172	260	36	0	20	0
4235	Gore Pt.	7/9	59° 09.94'	150° 10.98'	67	6.0	628	17	125	17	0	20	5
4236	Gore Pt.	6/30	59° 10.03'	150° 29.98'	69	6.0	2,126	78	184	24	25	101	0
4237	Gore Pt.	6/17	59° 09.99'	150° 49.66'	71	6.0	1,583	86	346	43	0	75	15
4238	Gore Pt.	6/17	59° 09.98'	151° 09.32'	32	6.0	970	35	201	25	0	0	15
4239	Gore Pt.	6/17	59° 19.98'	150° 30.27'	113	6.0	1,739	69	52	6	25	190	55
4240	Portlock	7/25	57° 19.89'	150° 46.02'	87	6.0	2,749	149	338	38	30	25	0
4241	Portlock	6/6	57° 30.06'	150° 09.04'	242	5.0	618	33	0	0	160	0	5
4242	Portlock	7/25	57° 30.09'	150° 28.01'	84	6.0	1,566	88	317	37	25	30	0
4243	Portlock	7/25	57° 29.95'	150° 46.03'	52	6.0	2,782	134	1,000	123	0	0	0
4244	Portlock	6/5	57° 39.98'	149° 51.61'	186	6.0	2,091	106	29	3	74	0	74
4245	Portlock	6/6	57° 39.98'	150° 09.23'	115	6.0	2,970	170	292	39	15	15	5
4246	Portlock	7/24	57° 39.99'	150° 28.13'	51	6.0	1,398	72	735	96	0	0	0
4247	Portlock	7/24	57° 40.00'	150° 46.93'	46	6.0	3,205	151	1,286	167	0	0	0
4248	Portlock	7/24	57° 39.95'	151° 04.99'	41	6.0	2,771	164	1,129	130	0	0	0
4249	Portlock	7/22	57° 39.80'	151° 24.00'	35	6.0	1,404	79	458	54	0	0	0

¹ Standard skate =1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights from length-weight tables.

³ Except in 2A, Bycatch numbers extrapolated from 20% subsample.

**2006 IPHC Stock Assessment Survey
All Regions**

Station	Region	Date Fished	Latitude	West Longitude	Depth (F)	Skates Hauled ¹	Legal Halibut		Sublegal Halibut		Bycatch (numbers) ³		
							Lbs ²	#s	Lbs ²	#s	Sablefish	P. Cod	Rockfish
4250	Portlock	6/7	57° 49.97'	149° 32.00'	204	6.0	2,787	122	0	0	0	180	10
4251	Portlock	6/8	57° 50.01'	149° 49.93'	140	6.0	1,492	80	301	38	40	0	0
4252	Portlock	6/6	57° 49.91'	150° 09.06'	108	6.0	1,995	112	127	16	0	60	0
4253	Portlock	7/14	57° 49.79'	150° 28.02'	49	6.0	6,802	276	558	66	0	0	5
4254	Portlock	7/14	57° 49.92'	150° 47.00'	46	6.1	2,514	99	204	24	0	5	0
4255	Portlock	7/21	57° 49.98'	151° 06.02'	38	6.0	1,541	91	983	121	0	0	0
4256	Portlock	7/22	57° 49.86'	151° 24.01'	29	6.0	1,441	72	556	63	0	0	0
4257	Portlock	7/22	57° 50.03'	151° 42.98'	29	6.0	784	55	1,480	178	0	0	0
4258	Portlock	7/15	57° 49.97'	152° 02.01'	50	6.0	1,274	68	627	74	0	45	0
4259	Portlock	6/7	57° 59.97'	149° 32.16'	81	6.0	4,047	194	356	47	0	0	0
4260	Portlock	6/8	57° 59.97'	149° 51.06'	126	6.0	3,899	163	101	14	40	99	0
4261	Portlock	7/3	58° 00.10'	150° 09.00'	124	6.0	728	38	284	32	105	15	0
4262	Portlock	7/3	57° 59.81'	150° 27.99'	90	6.0	423	26	156	19	69	30	0
4263	Portlock	7/14	58° 00.06'	150° 47.00'	72	6.1	1,886	83	184	22	40	86	0
4264	Portlock	7/21	57° 59.91'	151° 06.01'	44	6.0	1,900	86	977	124	0	5	0
4265	Portlock	7/21	57° 59.92'	151° 25.01'	42	6.0	474	20	129	17	0	40	0
4266	Portlock	6/12	58° 00.01'	151° 44.00'	64	6.0	902	51	314	39	0	155	0
4267	Portlock	6/12	58° 00.00'	152° 02.73'	95	6.0	1,457	56	70	8	0	180	0
4268	Portlock	6/12	58° 00.00'	152° 21.92'	116	6.0	1,462	69	150	21	0	174	0
4269	Portlock	7/2	58° 10.06'	150° 10.00'	80	6.0	2,731	148	1,440	175	0	20	10
4270	Portlock	7/3	58° 10.03'	150° 28.84'	63	6.0	2,014	91	806	98	0	66	0
4271	Portlock	7/13	58° 10.00'	150° 47.86'	60	6.0	1,825	127	1,209	145	0	50	0
4272	Portlock	7/13	58° 09.88'	151° 06.98'	81	6.0	464	27	160	19	71	35	0
4273	Portlock	6/13	58° 09.95'	151° 25.00'	90	6.0	960	41	90	10	10	150	0
4274	Portlock	6/13	58° 09.97'	151° 40.98'	36	6.0	1,115	88	1,605	215	0	20	0
4275	Portlock	7/12	58° 19.44'	150° 47.97'	35	6.0	1,047	76	1,018	128	0	0	0
4276	Portlock	7/13	58° 20.01'	151° 06.99'	70	6.0	2,322	142	482	58	0	85	0
4277	Portlock	6/13	58° 19.99'	151° 25.89'	38	6.0	3,631	264	1,442	162	0	20	0
4278	Portlock	6/14	58° 20.05'	151° 45.11'	30	6.0	1,106	44	150	21	0	0	0
4279	Portlock	7/12	58° 29.78'	151° 07.00'	57	6.0	709	49	524	74	0	50	0
4280	Portlock	6/14	58° 30.03'	151° 26.69'	93	6.0	1,278	54	56	6	30	165	0
4281	Portlock	6/14	58° 30.16'	151° 46.02'	99	6.0	1,897	89	106	11	75	70	0
4282	Portlock	7/1	58° 40.01'	151° 26.93'	102	6.0	2,413	115	212	25	86	30	0
4283	Portlock	6/15	58° 40.01'	151° 45.98'	72	6.0	1,968	94	274	34	10	110	0
4284	Portlock	6/15	58° 39.98'	152° 05.88'	72	6.0	2,450	152	578	70	0	15	0
4285	Portlock	6/15	58° 49.03'	152° 05.80'	60	6.0	2,722	143	435	55	0	15	5
4286	Albatross	6/26	56° 19.93'	152° 50.43'	59	6.0	5,283	257	488	61	0	5	0
4287	Albatross	6/27	56° 20.08'	153° 07.74'	48	6.0	2,188	113	415	45	0	10	0
4288	Albatross	6/27	56° 20.05'	153° 25.84'	33	6.0	4,122	201	742	91	0	0	0
4289	Albatross	6/21	56° 29.91'	152° 15.15'	127	6.0	2,616	142	141	17	60	0	5
4290	Albatross	6/26	56° 29.94'	152° 33.17'	148	6.0	3,372	175	161	18	50	5	5
4291	Albatross	6/22	56° 30.00'	152° 51.37'	29	6.0	2,522	133	1,194	146	0	0	0
4292	Albatross	6/23	56° 30.02'	153° 09.18'	39	6.0	1,408	76	737	96	0	0	0
4293	Albatross	6/23	56° 30.04'	153° 27.48'	49	6.0	1,612	95	737	89	0	5	0
4294	Albatross	6/27	56° 29.98'	153° 45.52'	32	6.0	2,802	109	327	40	0	0	0
4295	Albatross	6/21	56° 39.99'	151° 57.09'	33	6.0	3,934	184	856	103	0	0	0
4296	Albatross	6/21	56° 39.94'	152° 15.44'	26	6.0	3,886	185	1,127	132	0	0	0
4297	Albatross	6/26	56° 39.86'	152° 33.68'	79	6.0	964	50	152	21	45	5	0
4298	Albatross	6/22	56° 40.05'	152° 52.27'	38	6.0	2,570	153	886	108	0	0	0
4299	Albatross	6/23	56° 40.25'	153° 10.21'	83	6.0	1,267	49	114	12	0	20	0
4300	Albatross	6/23	56° 40.05'	153° 28.51'	81	6.0	3,012	137	372	44	0	25	0
4301	Albatross	6/25	56° 40.03'	153° 46.14'	40	6.0	1,781	75	512	62	0	5	0
4302	Albatross	6/20	56° 49.97'	151° 40.18'	158	6.0	374	22	76	9	151	0	5
4303	Albatross	6/20	56° 49.92'	151° 58.08'	43	6.0	2,095	97	1,244	149	0	0	0
4304	Albatross	7/4	56° 49.98'	152° 16.21'	53	6.0	1,825	121	1,397	167	0	0	0
4305	Albatross	7/4	56° 50.00'	152° 34.95'	76	6.0	1,032	65	342	38	0	0	0
4306	Albatross	6/22	56° 49.94'	152° 53.08'	34	6.0	1,662	88	774	100	0	0	0
4307	Albatross	6/25	56° 50.02'	153° 11.77'	64	6.0	4,366	200	410	48	0	5	0
4308	Albatross	6/25	56° 50.11'	153° 29.30'	53	6.0	1,541	79	416	51	0	0	0

¹ Standard skate =1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights from length-weight tables.

³ Except in 2A, Bycatch numbers extrapolated from 20% subsample.

**2006 IPHC Stock Assessment Survey
All Regions**

Station	Region	Date Fished	Latitude	West Longitude	Depth (F)	Skates Hauled ¹	Legal Halibut		Sublegal Halibut		Bycatch (numbers) ³		
							Lbs ²	#s	Lbs ²	#s	Sablefish	P. Cod	Rockfish
4309	Albatross	6/20	56° 59.41'	151° 39.72'	42	6.0	6,382	285	811	100	0	0	5
4310	Albatross	7/4	56° 59.88'	151° 58.80'	45	6.0	930	61	1,192	144	0	5	0
4311	Albatross	7/4	57° 00.00'	152° 17.13'	41	6.0	2,778	129	1,078	135	0	0	0
4312	Albatross	6/28	56° 59.97'	152° 34.79'	86	6.0	1,332	69	207	24	5	0	0
4313	Albatross	6/28	57° 00.05'	152° 53.98'	63	6.0	2,449	125	349	46	10	10	0
4314	Albatross	7/3	57° 09.88'	151° 09.50'	68	6.0	2,057	113	318	42	0	10	0
4315	Albatross	7/3	57° 10.06'	151° 22.09'	71	6.0	5,200	276	359	42	0	5	0
4316	Albatross	7/3	57° 09.89'	151° 40.77'	41	6.0	1,588	78	1,085	138	0	5	0
4317	Albatross	7/5	57° 09.97'	151° 59.07'	38	6.0	2,437	125	858	105	0	5	0
4318	Albatross	6/28	57° 10.01'	152° 18.13'	43	6.0	1,107	68	1,065	142	0	0	0
4319	Albatross	6/24	57° 10.20'	152° 35.88'	53	6.0	1,515	100	434	53	0	15	0
4320	Albatross	7/2	57° 19.74'	151° 03.71'	51	6.0	5,083	263	737	84	0	10	0
4321	Albatross	7/2	57° 19.87'	151° 22.95'	74	6.0	2,744	179	413	47	50	15	0
4322	Albatross	7/3	57° 20.15'	151° 41.02'	34	6.0	2,042	103	972	121	0	5	0
4323	Albatross	7/5	57° 19.83'	152° 00.14'	41	6.0	1,845	133	1,146	131	0	10	0
4324	Albatross	7/5	57° 19.99'	152° 18.35'	22	6.0	2,536	96	173	19	0	0	0
4325	Albatross	7/2	57° 30.02'	151° 05.22'	45	6.0	4,738	169	832	97	0	0	0
4326	Albatross	7/2	57° 28.98'	151° 23.11'	51	6.0	1,643	95	577	70	5	5	0
4327	Albatross	6/29	57° 29.83'	151° 42.24'	57	6.0	1,765	107	520	60	0	65	0
4328	Albatross	6/29	57° 29.91'	152° 01.10'	27	6.0	3,516	121	597	65	0	0	0
4329	Albatross	6/29	57° 39.89'	151° 41.42'	36	6.0	1,198	84	1,407	158	0	0	0
4330	Albatross	6/29	57° 39.96'	152° 01.01'	93	6.0	3,293	157	198	22	5	45	0
4331	Shelikof	6/15	57° 29.84'	154° 55.35'	126	6.0	1,003	52	115	13	10	5	0
4332	Shelikof	6/15	57° 39.94'	154° 34.77'	122	6.0	973	58	239	29	5	79	0
4333	Shelikof	6/15	57° 39.89'	154° 53.96'	130	6.0	1,573	74	100	11	10	20	0
4334	Shelikof	6/14	57° 39.84'	155° 13.52'	163	6.0	1,441	76	220	25	15	0	0
4335	Shelikof	6/13	57° 50.12'	154° 14.69'	112	6.0	2,059	116	293	34	0	10	0
4336	Shelikof	6/14	57° 49.99'	154° 34.12'	128	6.0	1,140	51	74	9	5	10	0
4337	Shelikof	6/14	57° 49.95'	154° 53.23'	160	6.0	980	46	147	17	10	0	0
4338	Shelikof	6/12	58° 00.08'	153° 35.48'	93	6.0	2,253	117	571	71	0	15	0
4339	Shelikof	6/13	57° 59.94'	153° 56.22'	110	6.0	783	41	136	17	0	15	0
4340	Shelikof	6/13	57° 59.92'	154° 14.14'	128	6.0	859	48	207	23	10	10	0
4341	Shelikof	6/12	58° 10.07'	153° 18.90'	59	6.0	836	55	815	108	0	25	0
4342	Shelikof	6/12	58° 09.95'	153° 38.07'	107	6.0	2,067	94	64	8	0	45	0
4343	Shelikof	6/16	58° 10.08'	153° 57.06'	117	6.0	1,212	69	247	28	0	20	0
4344	Shelikof	6/17	58° 20.05'	153° 20.09'	96	6.0	1,935	93	232	26	15	45	0
4345	Shelikof	6/16	58° 19.96'	153° 39.12'	97	6.0	1,794	80	230	27	0	60	0
4346	Shelikof	6/16	58° 19.94'	153° 58.28'	47	6.0	2,642	101	240	31	0	74	0
4347	Shelikof	6/17	58° 30.02'	153° 02.18'	94	6.0	1,868	96	244	26	10	10	0
4348	Shelikof	6/17	58° 29.95'	153° 20.86'	99	6.0	2,345	112	383	47	0	10	0
4349	Shelikof	6/16	58° 29.93'	153° 41.44'	53	6.0	1,271	50	54	7	0	60	0
4350	Shelikof	8/6	58° 40.16'	152° 44.05'	107	6.0	348	17	64	7	5	30	0
4351	Shelikof	6/17	58° 39.91'	153° 02.95'	88	6.0	3,547	167	168	19	0	65	0
4352	Shelikof	7/6	58° 39.98'	153° 23.21'	25	6.0	2,251	77	383	59	0	0	0
4353	Shelikof	8/6	58° 49.86'	152° 25.41'	90	6.0	1,109	29	10	2	25	79	0
4354	Shelikof	7/6	58° 49.97'	152° 44.84'	104	6.0	995	49	114	14	5	25	0
4355	Shelikof	7/6	58° 49.95'	153° 04.13'	91	6.0	1,356	47	212	24	0	0	0
4356	Shelikof	6/7	58° 59.88'	151° 47.63'	71	6.0	1,821	111	558	69	0	15	0
4357	Shelikof	6/7	59° 00.05'	152° 06.33'	80	6.0	3,027	180	692	84	0	10	0
4358	Shelikof	8/6	58° 59.91'	152° 26.74'	79	6.0	674	30	68	9	20	35	0
4359	Shelikof	8/5	58° 59.95'	152° 46.05'	91	6.0	475	17	24	3	0	99	0
4360	Shelikof	6/6	58° 59.92'	153° 05.02'	83	6.0	1,266	52	98	12	0	35	0
4361	Shelikof	6/7	59° 10.04'	152° 08.05'	77	6.0	2,246	124	841	106	0	0	0
4362	Shelikof	8/5	59° 09.98'	152° 27.20'	55	6.0	536	34	693	98	0	30	0
4363	Shelikof	8/5	59° 09.93'	152° 47.27'	75	6.0	1,845	79	135	16	0	20	0
4364	Shelikof	6/6	59° 10.05'	153° 06.12'	47	6.0	481	15	67	8	0	85	0
4365	Shelikof	6/6	59° 09.95'	153° 25.79'	22	6.0	874	37	119	14	0	145	0
4366	Shelikof	6/2	59° 19.88'	152° 08.88'	40	6.0	1,348	80	1,515	196	0	0	0
4367	Shelikof	8/5	59° 19.86'	152° 27.83'	39	6.0	941	47	672	82	0	0	0

¹ Standard skate =1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights from length-weight tables.

³ Except in 2A, Bycatch numbers extrapolated from 20% subsample.

**2006 IPHC Stock Assessment Survey
All Regions**

Station	Region	Date Fished	Latitude	West Longitude	Depth (F)	Skates Hauled ¹	Legal Halibut		Sublegal Halibut		Bycatch (numbers) ³		
							Lbs ²	#s	Lbs ²	#s	Sablefish	P. Cod	Rockfish
4368	Shelikof	6/5	59° 20.12'	152° 47.93'	43	6.0	115	8	76	13	0	10	0
4369	Shelikof	6/5	59° 20.04'	153° 08.03'	28	6.0	263	14	115	14	0	168	0
4370	Shelikof	6/2	59° 29.50'	151° 50.05'	42	6.0	1,054	51	371	48	0	5	0
4371	Shelikof	6/2	59° 29.59'	152° 08.68'	25	6.0	873	62	1,148	149	0	20	0
4372	Shelikof	6/3	59° 30.09'	152° 29.36'	32	6.0	807	45	1,044	144	0	20	0
4373	Shelikof	6/5	59° 29.84'	152° 49.14'	28	6.0	676	32	119	14	0	110	0
4374	Shelikof	6/3	59° 40.00'	152° 30.74'	44	6.0	1,718	75	147	18	0	94	0
4375	Shelikof	6/3	59° 50.09'	152° 10.84'	28	6.0	875	61	1,389	177	0	0	0
5001	Trinity	7/6	56° 00.00'	153° 36.21'	52	6.0	1,328	67	355	52	0	0	0
5002	Trinity	7/5	56° 00.00'	153° 53.81'	67	6.0	1,065	57	382	54	0	20	0
5003	Trinity	7/5	56° 00.00'	154° 12.86'	60	6.0	1,827	93	254	33	0	0	10
5004	Trinity	6/3	56° 00.10'	154° 29.95'	250	6.0	1,407	78	81	8	70	0	10
5005	Trinity	6/5	56° 00.00'	154° 48.15'	119	6.0	1,171	82	347	40	5	5	0
5006	Trinity	6/5	56° 00.02'	155° 06.47'	32	5.9	223	14	399	57	0	225	0
5007	Trinity	7/6	56° 10.00'	153° 36.09'	87	6.0	1,545	103	537	61	0	5	0
5008	Trinity	7/6	56° 10.00'	153° 53.09'	124	6.0	2,454	154	114	13	30	0	5
5009	Trinity	7/5	56° 10.00'	154° 11.04'	65	6.0	1,305	88	791	102	0	25	0
5010	Trinity	6/3	56° 10.23'	154° 28.71'	51	6.1	2,056	114	874	110	0	0	0
5011	Trinity	6/5	56° 10.00'	154° 47.15'	42	6.1	587	39	601	82	0	10	0
5013	Trinity	7/13	56° 09.98'	155° 22.80'	20	3.4	555	35	359	47	0	0	0
5014	Trinity	7/13	56° 10.00'	155° 40.80'	34	6.0	480	26	801	126	0	5	0
5015	Trinity	6/2	56° 20.00'	153° 50.45'	48	6.0	1,128	79	946	122	0	0	0
5016	Trinity	6/2	56° 20.01'	154° 10.30'	51	6.1	1,138	62	815	100	0	0	0
5017	Trinity	6/3	56° 19.98'	154° 27.84'	35	6.0	778	44	434	57	0	30	0
5019	Trinity	7/22	56° 20.00'	155° 40.03'	39	6.1	398	20	709	123	0	116	0
5020	Trinity	7/22	56° 30.00'	155° 21.07'	28	6.1	427	26	747	99	0	0	0
5021	Trinity	7/22	56° 30.00'	155° 38.88'	62	6.0	2,204	125	346	43	15	150	0
5022	Trinity	6/12	56° 40.01'	155° 01.80'	21	6.0	1,091	49	286	36	0	0	0
5023	Trinity	6/13	56° 39.98'	155° 20.09'	53	6.0	582	25	155	21	0	45	0
5024	Trinity	6/13	56° 40.00'	155° 38.08'	131	6.0	954	49	189	24	15	25	0
5025	Trinity	7/21	56° 40.00'	155° 56.02'	158	6.0	885	51	74	8	70	0	0
5026	Trinity	7/16	56° 50.00'	154° 23.87'	33	6.0	596	26	259	37	0	80	0
5027	Trinity	7/16	56° 50.00'	154° 42.00'	26	6.1	534	26	497	65	0	15	0
5028	Trinity	6/12	56° 50.00'	154° 59.98'	41	6.0	1,234	58	559	79	0	99	0
5029	Trinity	6/12	56° 50.00'	155° 18.62'	126	6.0	1,301	71	192	22	5	5	0
5030	Trinity	6/13	56° 49.99'	155° 37.51'	152	6.0	1,034	60	211	25	15	10	0
5031	Trinity	6/25	56° 50.00'	155° 54.65'	165	6.0	782	39	97	11	55	0	0
5032	Trinity	6/6	57° 00.00'	154° 41.34'	23	6.0	690	35	243	34	0	0	0
5034	Trinity	6/6	57° 00.00'	155° 18.00'	138	6.0	1,227	76	253	28	5	0	0
5035	Trinity	6/25	57° 00.00'	155° 35.89'	153	6.0	1,410	76	206	25	45	0	0
5036	Trinity	6/25	57° 00.00'	155° 53.95'	161	6.0	932	42	54	6	35	80	0
5037	Trinity	6/7	57° 10.00'	154° 40.17'	32	5.7	1,148	51	589	81	0	6	0
5039	Trinity	7/25	57° 10.00'	155° 15.92'	135	6.0	911	53	65	7	20	0	0
5040	Trinity	7/25	57° 09.99'	155° 35.09'	150	6.0	1,087	65	201	23	20	0	0
5041	Trinity	6/16	57° 10.00'	155° 55.10'	146	6.0	626	32	144	17	35	5	0
5042	Trinity	6/26	57° 20.00'	154° 57.02'	107	6.0	334	19	51	6	10	105	0
5043	Trinity	6/26	57° 20.00'	155° 15.02'	135	6.0	932	49	117	15	10	5	0
5044	Trinity	7/25	57° 19.95'	155° 34.17'	154	5.9	890	48	204	23	20	0	0
5045	Trinity	6/16	57° 19.98'	155° 51.90'	57	6.0	1,053	54	538	71	0	60	0
5047	Trinity	6/17	57° 30.00'	155° 13.91'	141	6.0	1,079	51	216	25	10	5	0
5048	Trinity	6/17	57° 30.00'	155° 32.89'	165	6.1	1,016	60	362	43	15	0	0
5096	Chignik	8/8	54° 50.00'	157° 32.81'	226	6.0	0	0	0	0	54	0	0
5097	Chignik	8/1	54° 50.00'	157° 50.23'	89	6.0	489	32	138	17	40	5	0
5099	Chignik	8/8	54° 59.99'	157° 31.53'	54	6.0	2,995	166	476	60	0	20	10
5100	Chignik	8/1	54° 59.97'	157° 50.05'	45	6.0	3,901	160	645	82	0	0	35
5101	Chignik	7/31	55° 00.01'	158° 07.38'	74	5.9	492	33	454	66	0	25	0
5102	Chignik	8/18	55° 10.00'	156° 22.19'	275	6.0	0	0	0	0	50	0	0
5103	Chignik	8/18	55° 10.00'	156° 38.82'	289	5.9	0	0	0	0	206	0	0
5104	Chignik	8/23	55° 10.00'	156° 57.09'	83	6.0	573	37	144	16	89	59	0

¹ Standard skate =1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights from length-weight tables.

³ Except in 2A, Bycatch numbers extrapolated from 20% subsample.

**2006 IPHC Stock Assessment Survey
All Regions**

Station	Region	Date Fished	Latitude	West Longitude	Depth (F)	Skates Hauled ¹	Legal Halibut		Sublegal Halibut		Bycatch (numbers) ³		
							Lbs ²	#s	Lbs ²	#s	Sablefish	P. Cod	Rockfish
5105	Chignik	8/23	55° 09.91'	157° 13.97'	62	6.0	1,044	62	496	60	0	94	0
5106	Chignik	8/9	55° 09.96'	157° 32.01'	46	5.9	3,051	141	1,112	142	0	0	0
5107	Chignik	8/2	55° 10.03'	157° 49.01'	43	6.0	807	44	989	139	0	0	0
5108	Chignik	8/2	55° 10.03'	158° 07.01'	57	6.0	1,873	115	870	113	0	45	0
5109	Chignik	8/18	55° 19.89'	156° 39.50'	66	6.0	1,367	80	772	105	0	119	0
5110	Chignik	8/23	55° 20.16'	156° 56.01'	50	5.9	986	67	885	126	0	29	0
5111	Chignik	8/9	55° 19.82'	157° 14.02'	49	6.0	797	52	1,187	148	0	25	0
5112	Chignik	8/9	55° 19.94'	157° 31.00'	47	6.0	969	49	556	75	0	5	0
5113	Chignik	8/2	55° 19.94'	157° 49.05'	44	6.0	946	58	1,355	183	0	25	0
5114	Chignik	8/2	55° 19.92'	158° 05.98'	59	6.0	787	49	747	101	5	84	0
5115	Chignik	8/7	55° 19.82'	158° 24.00'	80	6.0	1,349	83	292	34	64	40	0
5116	Chignik	8/17	55° 30.00'	156° 37.95'	101	6.0	361	21	122	13	163	30	0
5117	Chignik	8/17	55° 30.00'	156° 55.00'	48	6.0	2,092	135	865	117	0	45	10
5118	Chignik	8/27	55° 29.91'	157° 12.97'	49	6.0	1,495	74	451	56	0	15	0
5119	Chignik	8/27	55° 29.99'	157° 30.94'	51	6.0	1,978	118	792	98	0	25	0
5120	Chignik	8/22	55° 30.05'	157° 48.00'	53	5.9	676	42	654	83	0	118	0
5121	Chignik	8/22	55° 29.91'	158° 05.99'	70	6.0	960	67	596	71	0	20	0
5122	Chignik	8/21	55° 29.97'	158° 23.99'	79	6.0	371	19	80	9	45	0	0
5123	Chignik	8/17	55° 40.00'	156° 54.94'	48	6.0	433	27	436	64	0	70	0
5124	Chignik	8/16	55° 40.06'	157° 13.00'	47	6.0	723	27	805	120	0	0	0
5125	Chignik	8/27	55° 39.91'	157° 29.98'	55	6.0	1,039	73	1,146	145	0	40	0
5126	Chignik	8/22	55° 40.00'	157° 48.17'	73	6.0	653	41	430	50	20	84	0
5127	Chignik	8/26	55° 40.00'	158° 06.11'	70	6.0	1,805	113	673	83	10	45	0
5128	Chignik	8/26	55° 39.95'	158° 23.02'	72	6.0	370	22	306	37	10	94	0
5129	Chignik	8/21	55° 40.00'	158° 41.25'	49	6.0	1,426	59	831	124	0	0	0
5130	Chignik	8/16	55° 50.05'	157° 11.98'	56	6.0	608	46	692	85	0	129	0
5131	Chignik	8/16	55° 50.00'	157° 29.86'	55	5.9	111	9	376	53	0	59	0
5132	Chignik	8/13	55° 49.83'	157° 48.00'	65	6.0	516	37	830	112	0	30	0
5133	Chignik	8/25	55° 50.00'	158° 04.93'	43	6.0	1,459	59	897	127	0	0	0
5134	Chignik	8/25	55° 50.01'	158° 22.88'	58	6.0	1,038	56	418	61	0	5	0
5135	Chignik	8/15	55° 59.89'	157° 29.00'	61	6.0	528	27	364	52	0	25	0
5136	Chignik	8/13	55° 59.86'	157° 46.98'	68	6.0	176	12	185	22	0	5	0
5137	Chignik	8/13	56° 00.00'	158° 05.09'	50	6.0	1,420	50	485	71	0	0	0
5138	Chignik	8/15	56° 09.98'	157° 46.97'	77	6.0	3,270	104	99	12	0	144	0
5139	Chignik	8/14	56° 09.99'	158° 04.97'	35	6.0	772	26	258	37	0	15	0
5140	Chignik	8/14	56° 19.98'	158° 04.05'	32	6.0	756	35	293	43	0	15	0
5141	Shumagin	7/24	54° 29.80'	159° 00.04'	160	6.0	276	18	28	3	60	0	25
5142	Shumagin	7/24	54° 29.98'	159° 16.98'	81	6.0	179	12	131	21	5	135	0
5143	Shumagin	7/23	54° 29.99'	159° 34.22'	61	6.0	2,779	160	382	46	0	0	15
5144	Shumagin	7/21	54° 30.10'	159° 51.02'	64	6.0	185	12	478	85	0	64	0
5145	Shumagin	7/21	54° 30.13'	160° 08.96'	65	6.0	480	30	625	83	0	35	0
5146	Shumagin	7/25	54° 40.00'	158° 25.16'	114	6.0	1,027	57	57	6	99	45	0
5147	Shumagin	7/25	54° 40.01'	158° 41.70'	57	5.9	816	53	559	75	0	88	0
5148	Shumagin	7/24	54° 39.96'	159° 00.36'	49	6.0	1,730	98	337	46	0	188	5
5149	Shumagin	7/23	54° 39.99'	159° 16.79'	39	6.0	1,125	54	591	81	0	79	5
5150	Shumagin	7/22	54° 39.98'	159° 34.01'	34	5.9	812	42	438	58	0	64	5
5151	Shumagin	7/22	54° 40.01'	159° 52.11'	41	6.0	2,609	102	551	71	0	129	5
5152	Shumagin	7/21	54° 39.98'	160° 09.00'	49	6.0	2,214	119	599	84	0	119	0
5153	Shumagin	8/1	54° 50.01'	158° 07.01'	57	6.0	856	53	398	55	0	54	5
5154	Shumagin	7/25	54° 49.91'	158° 24.99'	110	6.0	399	20	70	9	218	5	0
5155	Shumagin	7/26	54° 50.03'	158° 42.08'	54	6.0	758	45	616	108	0	50	0
5156	Shumagin	7/26	54° 49.99'	158° 59.88'	40	5.9	562	27	411	75	0	20	0
5157	Shumagin	7/22	54° 49.80'	159° 52.01'	30	6.0	314	16	747	130	0	20	0
5158	Shumagin	7/18	54° 50.00'	160° 09.07'	38	6.0	1,827	84	1,094	161	0	15	0
5159	Shumagin	7/18	54° 50.00'	160° 26.00'	47	6.0	687	44	580	80	0	114	0
5160	Shumagin	7/31	55° 00.01'	158° 25.24'	114	6.0	534	30	115	16	168	0	0
5161	Shumagin	7/26	54° 59.94'	158° 42.03'	70	6.0	1,406	75	385	48	25	124	0
5162	Shumagin	7/26	55° 00.00'	158° 58.81'	45	6.0	835	47	617	90	0	10	0
5163	Shumagin	8/6	54° 59.45'	159° 16.09'	26	6.0	1,470	38	100	16	0	25	0

¹ Standard skate =1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights from length-weight tables.

³ Except in 2A, Bycatch numbers extrapolated from 20% subsample.

**2006 IPHC Stock Assessment Survey
All Regions**

Station	Region	Date Fished	Latitude	West Longitude	Depth (F)	Skates Hauled ¹	Legal Halibut		Sublegal Halibut		Bycatch (numbers) ³		
							Lbs ²	#s	Lbs ²	#s	Sablefish	P. Cod	Rockfish
5164	Shumagin	7/17	55° 00.00'	160° 26.95'	61	6.0	1,934	130	1,095	139	0	45	0
5165	Shumagin	7/18	54° 59.97'	160° 43.71'	50	6.0	2,492	112	835	122	0	25	15
5166	Shumagin	8/7	55° 09.96'	158° 24.19'	100	5.9	1,016	58	148	16	59	20	0
5167	Shumagin	8/7	55° 09.96'	158° 42.16'	112	6.0	309	14	25	3	134	0	0
5168	Shumagin	8/6	55° 10.00'	158° 59.14'	79	6.0	2,357	146	604	74	0	5	0
5169	Shumagin	8/6	55° 09.86'	159° 16.97'	38	6.0	1,375	103	580	73	0	35	0
5170	Shumagin	8/10	55° 20.00'	158° 42.05'	104	6.0	657	29	37	4	99	0	0
5171	Shumagin	8/5	55° 19.98'	158° 59.22'	102	6.0	465	22	47	5	25	0	0
5172	Shumagin	8/5	55° 19.93'	159° 17.04'	97	6.0	526	31	24	3	64	0	0
5173	Shumagin	7/29	55° 20.00'	159° 33.97'	77	5.9	810	52	227	25	0	15	0
5174	Shumagin	7/29	55° 20.02'	159° 51.77'	44	6.0	839	37	205	28	0	30	0
5175	Shumagin	8/10	55° 29.65'	158° 41.19'	88	6.0	1,006	42	60	7	20	0	0
5176	Shumagin	8/10	55° 30.00'	158° 59.02'	59	5.9	540	36	907	126	0	0	0
5177	Shumagin	8/5	55° 30.36'	159° 16.96'	66	6.0	798	41	496	68	0	140	0
5178	Shumagin	7/29	55° 29.88'	159° 34.03'	92	5.9	528	22	51	6	0	34	0
5179	Shumagin	7/28	55° 30.07'	159° 52.00'	91	6.0	724	32	16	3	0	0	0
5181	Shumagin	8/21	55° 40.00'	158° 59.17'	83	6.0	1,104	64	131	14	59	5	0
5182	Shumagin	8/3	55° 40.00'	159° 16.98'	58	6.0	548	22	279	41	0	54	0
5183	Shumagin	7/28	55° 39.95'	159° 51.99'	70	5.9	1,390	57	163	20	0	69	0
5184	Shumagin	8/3	55° 50.10'	158° 58.97'	68	6.0	1,783	85	514	69	0	74	0
5185	Shumagin	8/3	55° 49.90'	159° 16.98'	31	5.9	1,015	33	330	48	0	15	0
5186	Sanak	8/6	54° 00.09'	163° 16.22'	45	6.0	896	58	681	93	0	135	0
5187	Sanak	8/6	54° 00.08'	163° 32.95'	52	6.0	124	9	103	16	0	75	0
5188	Sanak	8/6	54° 00.04'	163° 48.81'	50	6.1	77	5	207	32	0	112	0
5189	Sanak	7/26	54° 10.04'	161° 34.17'	71	6.0	204	13	177	29	30	15	0
5190	Sanak	7/31	54° 10.12'	161° 51.33'	42	6.1	2,059	103	394	49	0	136	15
5191	Sanak	7/31	54° 10.11'	162° 08.15'	45	6.1	2,039	104	422	56	0	66	40
5192	Sanak	7/31	54° 10.23'	162° 25.12'	78	6.0	131	10	230	30	69	25	5
5193	Sanak	8/5	54° 10.01'	163° 49.48'	47	6.0	560	38	798	104	0	135	0
5194	Sanak	7/23	54° 19.99'	160° 08.11'	150	6.1	380	26	256	32	15	132	0
5195	Sanak	7/23	54° 20.26'	160° 25.73'	67	6.0	334	25	318	42	0	76	0
5196	Sanak	7/24	54° 20.31'	160° 43.13'	57	6.1	1,072	68	454	57	0	202	0
5197	Sanak	7/24	54° 20.04'	160° 59.80'	68	6.0	546	37	439	66	0	84	0
5198	Sanak	7/25	54° 20.19'	161° 17.35'	68	6.1	576	35	460	68	0	71	0
5199	Sanak	7/26	54° 20.06'	161° 34.07'	78	6.0	277	21	274	35	35	25	0
5200	Sanak	7/26	54° 20.01'	161° 50.58'	39	6.0	1,837	92	933	131	0	80	5
5201	Sanak	8/1	54° 20.00'	162° 09.44'	31	6.0	1,147	58	517	67	0	25	0
5202	Sanak	8/3	54° 20.32'	163° 16.55'	25	6.0	2,232	109	434	47	0	100	0
5203	Sanak	8/3	54° 20.27'	163° 33.05'	60	6.1	326	23	277	37	5	222	0
5204	Sanak	8/5	54° 19.91'	163° 50.91'	60	6.1	989	58	779	96	0	165	0
5205	Sanak	8/5	54° 20.23'	164° 08.81'	51	6.0	339	23	441	64	0	90	0
5206	Sanak	7/23	54° 29.91'	160° 25.85'	80	6.0	694	50	915	110	0	10	0
5207	Sanak	7/24	54° 29.86'	160° 42.24'	76	6.0	193	10	124	17	0	125	0
5208	Sanak	7/25	54° 29.55'	161° 00.56'	71	6.0	190	9	302	48	10	65	0
5209	Sanak	7/25	54° 29.84'	161° 17.48'	67	6.0	485	34	529	72	0	56	0
5210	Sanak	7/27	54° 29.87'	161° 35.26'	36	6.1	867	41	775	118	0	66	0
5211	Sanak	7/27	54° 29.87'	161° 52.12'	76	6.1	1,056	61	567	74	0	15	0
5212	Sanak	8/1	54° 29.98'	162° 09.29'	77	6.0	931	46	142	18	0	182	0
5213	Sanak	8/1	54° 30.02'	162° 25.91'	79	6.0	1,235	65	331	45	0	15	5
5214	Sanak	8/3	54° 30.18'	163° 18.22'	39	6.0	835	51	461	63	0	115	0
5215	Sanak	8/4	54° 30.23'	163° 34.93'	49	6.0	731	49	722	95	0	75	0
5216	Sanak	8/4	54° 29.96'	163° 53.41'	51	6.1	591	44	1,116	152	0	45	0
5217	Sanak	8/4	54° 30.08'	164° 09.34'	50	6.0	566	43	500	66	0	130	0
5218	Sanak	7/22	54° 40.24'	160° 26.36'	54	6.1	874	59	833	122	0	81	0
5219	Sanak	7/22	54° 40.38'	160° 43.25'	51	6.1	1,360	82	690	97	0	136	0
5220	Sanak	7/21	54° 40.56'	161° 01.50'	45	6.1	2,187	129	943	119	0	51	0
5221	Sanak	7/21	54° 40.19'	161° 17.52'	69	6.0	1,169	69	759	105	0	20	0
5222	Sanak	7/14	54° 40.19'	161° 34.97'	32	6.0	1,486	59	390	58	0	5	10
5223	Sanak	7/27	54° 39.64'	161° 53.17'	42	6.0	1,178	48	605	87	0	45	15

¹ Standard skate =1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights from length-weight tables.

³ Except in 2A, Bycatch numbers extrapolated from 20% subsample.

2006 IPHC Stock Assessment Survey All Regions

17 of 24

Station	Region	Date Fished	Latitude	West Longitude	Depth (F)	Skates Hauled ¹	Legal Halibut		Sublegal Halibut		Bycatch (numbers) ³		
							Lbs ²	#s	Lbs ²	#s	Sablefish	P. Cod	Rockfish
5224	Sanak	8/2	54° 39.80'	162° 44.22'	44	6.1	406	26	310	43	0	45	0
5225	Sanak	7/22	54° 49.88'	160° 43.55'	54	6.0	576	43	961	136	0	35	0
5226	Sanak	7/21	54° 49.86'	161° 01.00'	56	6.1	460	29	875	124	0	61	0
5227	Sanak	7/14	54° 49.89'	161° 17.64'	54	6.0	2,271	83	595	79	0	35	0
5228	Sanak	7/14	54° 49.57'	161° 35.67'	40	6.0	2,112	65	542	84	0	10	10
5229	Sanak	8/2	54° 49.88'	162° 44.72'	30	6.1	750	36	516	70	0	61	0
5230	Sanak	8/2	54° 50.05'	163° 03.17'	42	6.0	946	56	574	73	0	175	0
5231	Sanak	7/13	55° 00.21'	161° 01.23'	54	6.0	1,893	95	669	91	0	50	0
5232	Sanak	7/13	54° 59.75'	161° 18.79'	50	6.1	1,770	64	615	82	0	5	0
5233	Sanak	7/13	55° 09.51'	161° 01.88'	76	6.0	842	43	421	54	0	115	0
5235	Semidi	7/3	55° 20.00'	156° 21.31'	94	6.0	2,131	125	399	47	20	40	0
5236	Semidi	7/4	55° 30.00'	155° 45.10'	120	6.0	1,140	71	337	40	74	20	0
5237	Semidi	7/3	55° 30.00'	156° 02.89'	111	6.0	1,018	61	443	51	35	30	0
5238	Semidi	7/2	55° 30.00'	156° 20.03'	119	6.0	1,029	51	141	17	168	20	0
5239	Semidi	7/1	55° 40.00'	155° 26.24'	98	6.0	972	65	668	75	20	59	5
5240	Semidi	7/4	55° 40.01'	155° 44.13'	69	6.0	1,940	123	836	104	0	50	0
5241	Semidi	7/4	55° 40.00'	156° 02.19'	128	6.1	2,955	175	155	17	51	30	0
5242	Semidi	7/2	55° 40.00'	156° 19.07'	140	6.1	1,341	72	85	11	76	0	0
5243	Semidi	7/2	55° 40.00'	156° 37.28'	132	6.0	1,089	58	158	19	119	10	0
5244	Semidi	7/1	55° 50.00'	155° 07.10'	65	6.0	1,879	115	775	103	0	0	0
5245	Semidi	7/1	55° 50.00'	155° 25.11'	26	6.0	424	21	867	126	0	75	0
5246	Semidi	6/21	55° 50.00'	156° 00.88'	57	6.0	2,011	101	840	109	0	35	0
5247	Semidi	6/22	55° 50.00'	156° 18.71'	131	6.0	959	49	103	12	85	0	0
5248	Semidi	7/12	55° 50.00'	156° 36.22'	123	6.1	1,158	57	71	8	86	0	0
5249	Semidi	7/12	55° 50.00'	156° 54.02'	73	6.0	1,349	85	557	67	0	99	0
5250	Semidi	6/21	56° 00.00'	155° 41.91'	24	5.9	604	31	873	129	0	83	0
5251	Semidi	6/21	56° 00.00'	155° 59.92'	42	6.0	613	34	412	66	0	114	0
5252	Semidi	6/22	56° 00.00'	156° 17.82'	115	6.0	1,094	54	50	6	60	55	5
5253	Semidi	6/22	56° 00.00'	156° 33.01'	105	6.0	2,643	140	263	31	5	145	0
5254	Semidi	7/12	56° 00.01'	157° 11.04'	62	6.0	603	35	708	92	0	15	0
5255	Semidi	6/23	56° 10.00'	155° 58.99'	114	6.0	1,490	88	353	43	10	80	0
5256	Semidi	6/23	56° 10.00'	156° 17.20'	126	6.0	718	31	33	4	104	153	0
5257	Semidi	6/23	56° 10.00'	156° 35.24'	100	6.0	802	46	221	28	0	100	0
5258	Semidi	7/9	56° 10.00'	156° 53.04'	43	6.1	987	39	347	49	0	0	0
5259	Semidi	7/11	56° 10.00'	157° 11.16'	56	6.0	1,442	53	478	60	0	25	0
5260	Semidi	7/11	56° 10.00'	157° 29.13'	84	6.0	823	46	210	24	0	0	0
5262	Semidi	7/23	56° 19.99'	156° 16.00'	153	6.0	1,043	50	24	3	115	0	0
5263	Semidi	7/23	56° 20.00'	156° 34.02'	100	5.9	1,759	89	144	16	93	0	5
5264	Semidi	7/9	56° 20.00'	156° 51.94'	62	6.0	1,339	69	428	57	0	158	0
5265	Semidi	7/11	56° 20.00'	157° 10.21'	92	6.0	1,539	76	256	28	0	0	0
5266	Semidi	6/24	56° 20.00'	157° 28.00'	38	6.0	1,352	55	371	56	0	0	0
5267	Semidi	6/24	56° 20.00'	157° 45.72'	27	6.0	1,653	59	390	53	0	5	0
5268	Semidi	7/21	56° 30.00'	155° 56.98'	134	6.1	833	39	44	5	45	0	0
5269	Semidi	7/24	56° 30.00'	156° 15.02'	143	6.0	695	33	9	1	124	0	0
5270	Semidi	7/29	56° 29.96'	156° 33.14'	106	6.0	1,549	86	259	31	40	100	0
5271	Semidi	7/9	56° 29.99'	156° 51.23'	52	6.0	613	34	450	70	0	20	0
5272	Semidi	6/24	56° 30.00'	157° 28.11'	85	6.0	978	49	186	23	0	80	0
5273	Semidi	7/21	56° 40.00'	156° 14.19'	115	6.0	1,729	97	125	15	50	15	0
5274	Semidi	7/29	56° 40.00'	156° 32.14'	84	6.1	1,765	94	398	52	5	76	0
5275	Semidi	6/14	56° 40.00'	156° 50.91'	57	6.0	1,489	64	515	72	0	35	0
5276	Semidi	6/14	56° 39.98'	157° 09.11'	69	6.1	768	38	203	27	0	96	0
5277	Semidi	6/15	56° 50.00'	156° 13.41'	106	6.0	1,891	95	368	44	5	54	0
5278	Semidi	6/15	56° 50.00'	156° 32.10'	62	6.0	1,266	54	282	40	0	50	0
5279	Semidi	6/14	56° 50.00'	156° 50.00'	58	6.0	3,065	133	261	37	0	50	0
5280	Semidi	6/15	57° 00.00'	156° 12.96'	83	6.0	1,553	72	345	44	0	30	0
6001	Unalaska	6/6	52° 30.08'	169° 41.37'	133	6.0	290	21	112	13	0	144	0
6002	Unalaska	6/6	52° 30.12'	169° 58.05'	131	6.0	894	42	167	25	0	29	0
6003	Unalaska	6/5	52° 29.81'	170° 46.10'	94	6.0	1,199	57	372	53	0	49	0
6004	Unalaska	6/7	52° 40.25'	169° 09.78'	57	6.0	1,675	74	393	56	0	110	0

¹ Standard skate =1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights from length-weight tables.

³ Except in 2A, Bycatch numbers extrapolated from 20% subsample.

**2006 IPHC Stock Assessment Survey
All Regions**

Station	Region	Date Fished	Latitude	West Longitude	Depth (F)	Skates Hauled ¹	Legal Halibut		Sublegal Halibut		Bycatch (numbers) ³		
							Lbs ²	#s	Lbs ²	#s	Sablefish	P. Cod	Rockfish
6005	Unalaska	6/7	52° 39.95'	169° 25.09'	105	6.0	1,095	53	364	47	0	49	5
6006	Unalaska	6/7	52° 40.30'	169° 45.58'	41	4.0	828	36	107	15	0	174	0
6007	Unalaska	6/6	52° 39.95'	169° 58.05'	155	6.0	736	22	22	4	35	15	0
6008	Unalaska	6/5	52° 40.11'	170° 48.52'	53	6.1	430	20	249	43	0	152	0
6009	Unalaska	6/4	52° 43.02'	171° 22.38'	91	6.0	1,752	86	466	58	0	10	0
6010	Unalaska	6/13	52° 50.05'	168° 36.05'	53	6.0	1,405	68	223	28	0	165	0
6011	Unalaska	6/13	52° 50.39'	168° 52.32'	31	6.0	967	26	132	23	0	170	0
6012	Unalaska	6/3	52° 49.97'	170° 16.03'	86	6.1	2,572	126	178	22	0	247	0
6013	Unalaska	6/4	52° 50.12'	171° 21.01'	100	6.0	1,219	54	295	43	0	5	0
6014	Unalaska	6/4	52° 49.28'	171° 34.93'	137	6.0	2,696	145	137	16	0	10	0
6015	Unalaska	6/14	53° 00.20'	167° 28.95'	100	6.1	16	1	234	34	20	40	0
6016	Unalaska	6/14	53° 00.18'	167° 45.52'	54	6.1	427	30	321	45	0	141	0
6017	Unalaska	6/12	53° 00.20'	168° 02.07'	66	6.0	46	4	159	22	0	65	0
6018	Unalaska	6/12	53° 00.25'	168° 17.12'	49	6.0	665	40	387	59	0	94	0
6019	Unalaska	6/2	53° 00.34'	169° 08.98'	184	6.0	193	9	19	3	0	118	5
6020	Unalaska	6/3	53° 00.08'	169° 59.02'	64	6.0	263	12	167	29	0	270	0
6021	Unalaska	6/3	53° 00.16'	170° 15.76'	102	6.0	2,421	123	158	20	0	285	0
6022	Unalaska	6/16	53° 10.12'	166° 56.64'	108	6.0	0	0	55	8	25	30	0
6023	Unalaska	6/15	53° 10.09'	167° 11.47'	61	6.0	272	19	254	34	0	89	0
6024	Unalaska	6/15	53° 10.02'	167° 29.26'	50	6.0	253	18	292	44	0	104	0
6025	Unalaska	6/14	53° 10.00'	167° 46.18'	42	6.0	546	26	369	50	0	146	0
6026	Unalaska	6/12	53° 10.19'	168° 02.12'	34	6.0	135	7	145	24	0	90	0
6027	Unalaska	6/1	53° 10.39'	168° 52.70'	111	6.0	33	2	6	1	0	101	0
6028	Unalaska	6/2	53° 10.08'	169° 42.66'	154	6.0	5,843	198	101	12	15	64	5
6029	Unalaska	6/20	53° 20.07'	166° 05.22'	257	6.0	73	5	0	0	30	0	5
6030	Unalaska	6/20	53° 20.04'	166° 21.92'	134	6.0	42	3	60	8	65	0	0
6031	Unalaska	6/16	53° 20.10'	166° 38.25'	73	6.0	41	3	140	22	0	60	0
6032	Unalaska	6/16	53° 20.03'	166° 54.99'	51	6.0	510	29	421	60	0	50	0
6033	Unalaska	6/15	53° 20.05'	167° 12.24'	40	6.0	259	12	306	54	0	0	0
6034	Unalaska	6/1	53° 20.29'	168° 36.00'	46	6.0	884	20	163	26	0	230	0
6035	Unalaska	6/21	53° 30.04'	165° 48.51'	109	6.0	52	4	71	10	50	15	10
6036	Unalaska	6/21	53° 30.07'	166° 03.77'	73	6.1	87	7	166	26	0	40	0
6037	Unalaska	6/20	53° 29.96'	166° 21.11'	64	6.1	303	21	184	28	0	25	0
6038	Unalaska	6/11	53° 30.07'	167° 28.02'	44	6.0	721	25	60	8	0	119	0
6039	Unalaska	6/28	53° 40.05'	164° 37.77'	191	5.5	172	11	19	2	67	0	5
6040	Unalaska	6/22	53° 40.08'	164° 55.19'	180	6.0	74	5	46	5	45	0	15
6041	Unalaska	6/22	53° 40.08'	165° 13.07'	191	6.1	54	4	43	5	30	0	0
6042	Unalaska	6/23	53° 40.04'	165° 30.21'	84	6.0	158	11	233	34	0	55	0
6043	Unalaska	6/23	53° 40.02'	165° 47.00'	68	6.0	98	7	274	37	0	35	0
6044	Unalaska	6/21	53° 40.09'	166° 04.24'	47	6.0	279	18	493	79	0	50	0
6045	Unalaska	6/11	53° 40.05'	167° 11.92'	38	5.9	956	25	39	6	0	181	0
6046	Unalaska	6/11	53° 40.08'	167° 27.88'	211	6.0	1,693	66	121	14	52	62	16
6047	Unalaska	6/29	53° 50.01'	163° 48.44'	49	6.0	1,111	60	523	69	0	81	30
6048	Unalaska	6/29	53° 50.01'	164° 04.97'	43	6.0	805	49	270	40	0	173	5
6049	Unalaska	6/28	53° 50.02'	164° 22.16'	47	6.0	610	36	376	57	0	99	0
6050	Unalaska	6/28	53° 50.02'	164° 39.13'	54	6.0	321	24	312	45	0	105	0
6051	Unalaska	6/24	53° 50.04'	164° 56.67'	62	6.0	12	1	200	32	0	76	0
6052	Unalaska	6/22	53° 50.07'	165° 12.11'	56	6.0	140	11	428	66	0	69	0
6053	Unalaska	6/23	53° 50.03'	165° 29.43'	51	6.1	39	3	439	71	0	97	0
6054	Unalaska	6/27	53° 50.08'	165° 46.08'	41	6.0	60	5	248	41	0	159	0
6055	Unalaska	6/19	53° 50.06'	166° 03.13'	40	6.0	1,171	40	336	66	0	30	0
6056	Unalaska	6/19	53° 50.07'	166° 19.97'	147	5.9	179	9	46	6	0	54	10
6057	Unalaska	6/29	54° 00.07'	164° 05.82'	41	6.1	248	14	333	39	0	187	0
6058	Unalaska	6/30	54° 00.10'	164° 22.84'	56	6.0	192	14	253	34	0	130	0
6059	Unalaska	7/1	54° 00.05'	164° 39.77'	53	6.0	537	37	536	72	0	125	0
6060	Unalaska	6/24	53° 59.98'	164° 57.22'	43	6.0	291	14	311	55	0	60	0
6061	Unalaska	6/24	54° 00.11'	165° 12.15'	40	6.1	952	53	262	33	0	111	0
6062	Unalaska	6/27	54° 00.01'	165° 29.32'	40	6.0	542	36	515	68	0	86	0
6063	Unalaska	6/27	54° 00.02'	165° 46.28'	49	6.0	999	42	227	34	0	45	0

¹ Standard skate =1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights from length-weight tables.

³ Except in 2A, Bycatch numbers extrapolated from 20% subsample.

2006 IPHC Stock Assessment Survey All Regions

19 of 24

Station	Region	Date Fished	Latitude	West Longitude	Depth (F)	Skates Hauled ¹	Legal Halibut		Sublegal Halibut		Bycatch (numbers) ³		
							Lbs ²	#s	Lbs ²	#s	Sablefish	P. Cod	Rockfish
6064	Unalaska	6/30	54° 10.04'	164° 06.83'	38	6.0	230	14	131	21	0	85	0
6065	Unalaska	6/30	54° 10.07'	164° 24.64'	49	6.1	246	18	437	72	0	20	0
6066	Unalaska	7/1	54° 10.11'	164° 40.98'	38	6.0	600	34	239	39	0	105	0
7001	4A Edge	8/27	54° 30.10'	165° 43.99'	205	6.1	58	3	223	29	15	0	0
7002	4A Edge	8/25	54° 29.98'	166° 18.98'	271	6.0	1,325	48	0	0	25	0	0
7003	4A Edge	8/25	54° 30.00'	166° 36.13'	264	6.0	1,145	44	21	2	75	0	0
7004	4A Edge	8/24	54° 30.00'	166° 53.10'	261	6.0	597	23	0	0	35	0	5
7006	4A Edge	8/27	54° 40.12'	165° 26.00'	111	6.0	0	0	33	7	0	55	0
7007	4A Edge	8/27	54° 40.05'	165° 43.00'	181	6.0	66	5	71	10	0	0	0
7008	4A Edge	8/26	54° 40.00'	166° 01.00'	179	6.0	0	0	16	2	0	0	0
7009	4A Edge	8/25	54° 39.97'	166° 18.00'	176	6.0	377	15	17	2	0	0	0
7010	4A Edge	8/25	54° 39.99'	166° 34.94'	185	6.0	152	8	0	0	0	0	0
7011	4A Edge	8/24	54° 39.99'	166° 53.15'	208	6.0	608	31	20	2	0	0	0
7012	4A Edge	8/22	54° 40.02'	167° 10.00'	248	6.0	220	9	0	0	5	0	0
7013	4A Edge	8/27	54° 50.03'	165° 24.99'	82	6.0	22	2	51	8	0	25	0
7014	4A Edge	8/26	54° 50.00'	165° 43.12'	84	6.0	14	1	194	36	0	50	0
7015	4A Edge	8/26	54° 50.00'	166° 00.02'	85	6.0	107	5	73	11	0	5	0
7016	4A Edge	8/26	54° 49.99'	166° 17.99'	89	6.0	92	4	7	1	0	15	0
7017	4A Edge	8/24	54° 50.00'	166° 35.01'	107	6.0	64	3	0	0	0	20	0
7018	4A Edge	8/24	54° 50.00'	166° 51.80'	144	6.0	320	12	18	2	0	5	0
7019	4A Edge	8/22	54° 50.02'	167° 10.00'	193	6.0	377	18	0	0	0	0	0
7021	4A Edge	8/23	55° 00.02'	166° 34.01'	79	6.0	143	8	5	1	0	5	0
7022	4A Edge	8/22	54° 59.99'	166° 52.13'	83	6.0	166	7	18	2	0	10	0
7023	4A Edge	8/22	54° 59.97'	167° 09.00'	95	6.0	34	2	14	2	0	5	0
7024	4A Edge	8/14	55° 00.00'	167° 27.14'	162	5.8	430	19	16	2	0	53	0
7025	4A Edge	8/23	55° 10.00'	166° 33.89'	76	6.0	253	13	27	3	0	35	0
7026	4A Edge	8/23	55° 10.00'	166° 51.02'	79	6.1	405	19	60	8	0	86	0
7027	4A Edge	8/23	55° 10.00'	167° 08.83'	81	6.0	146	6	28	3	0	30	0
7028	4A Edge	8/14	55° 10.24'	167° 26.00'	87	6.0	82	4	25	3	0	129	0
7029	4A Edge	8/14	55° 10.04'	167° 44.00'	166	6.0	222	10	6	1	0	40	0
7030	4A Edge	8/14	55° 20.02'	167° 43.98'	89	6.0	36	2	29	4	0	111	0
7031	4A Edge	8/15	55° 20.00'	168° 01.20'	202	6.0	352	20	7	1	5	5	5
7032	4A Edge	8/15	55° 30.00'	168° 00.84'	77	6.0	32	1	58	7	0	230	0
7033	4A Edge	8/15	55° 30.00'	168° 18.80'	134	6.0	0	0	0	0	0	105	0
7034	4A Edge	8/16	55° 40.00'	168° 37.06'	78	6.0	116	3	0	0	0	80	0
7035	4A Edge	8/16	55° 50.00'	168° 37.07'	78	6.0	449	17	37	5	0	130	0
7036	4A Edge	8/16	55° 50.00'	168° 51.84'	145	6.1	173	7	42	6	0	56	0
7037	4A Edge	8/17	55° 59.98'	168° 19.11'	86	6.0	128	4	70	9	0	30	0
7038	4A Edge	8/16	56° 00.00'	168° 37.05'	136	6.0	26	1	0	0	0	35	0
7039	4A Edge	8/19	55° 59.98'	169° 48.00'	182	6.0	414	18	7	1	5	35	30
7040	4A Edge	8/20	55° 59.99'	170° 05.99'	99	6.0	432	20	46	5	0	69	0
7041	4A Edge	8/17	56° 10.00'	168° 01.13'	78	6.0	0	0	16	3	0	185	0
7042	4A Edge	8/17	56° 10.00'	168° 18.96'	88	6.0	60	3	85	13	0	15	0
7043	4A Edge	8/18	56° 09.88'	168° 37.00'	179	6.0	523	21	10	1	5	90	0
7044	4A Edge	8/18	56° 10.04'	168° 55.02'	143	6.0	58	4	7	1	0	75	0
7045	4A Edge	8/19	56° 10.13'	169° 30.99'	268	6.0	2,234	58	0	0	5	0	5
7046	4A Edge	8/20	56° 10.02'	170° 41.99'	80	6.0	60	3	23	3	0	155	0
7047	4A Edge	8/17	56° 20.00'	168° 01.22'	76	6.0	11	1	12	2	0	260	0
7048	4A Edge	8/18	56° 20.02'	168° 19.00'	84	6.0	0	0	22	4	0	55	0
7049	4A Edge	8/19	56° 20.02'	169° 12.99'	73	6.0	54	2	100	15	0	20	0
9205	St. George	8/15	55° 19.91'	166° 58.01'	76	5.0	172	12	57	7	0	80	0
9215	St. George	8/14	56° 19.98'	168° 52.09'	70	5.0	0	0	13	2	0	170	0
9217	St. George	8/10	56° 20.02'	170° 41.02'	66	5.1	187	7	45	6	0	112	0
9501	St. George	8/12	56° 20.05'	169° 28.01'	81	5.0	27	1	95	14	0	56	0
6067	Adak	6/9	51° 10.00'	179° 00.23'	220	6.0	1,807	65	35	4	30	0	20
6069	Adak	6/7	51° 30.00'	176° 51.96'	194	3.7	1,256	47	0	0	8	8	12
6070	Adak	6/8	51° 29.67'	178° 28.99'	112	6.0	2,526	113	265	32	0	115	0
6071	Adak	6/9	51° 30.00'	178° 45.20'	129	6.0	359	20	92	13	45	60	10
6072	Adak	6/5	51° 39.77'	175° 48.02'	266	3.0	124	4	0	0	8	0	0

¹ Standard skate =1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights from length-weight tables.

³ Except in 2A, Bycatch numbers extrapolated from 20% subsample.

**2006 IPHC Stock Assessment Survey
All Regions**

Station	Region	Date Fished	Latitude	West Longitude	Depth (F)	Skates Hauled ¹	Legal Halibut		Sublegal Halibut		Bycatch (numbers) ³		
							Lbs ²	#s	Lbs ²	#s	Sablefish	P. Cod	Rockfish
6073	Adak	6/5	51° 40.00'	176° 03.96'	158	6.0	1,174	61	43	5	0	40	5
6074	Adak	6/5	51° 40.01'	176° 20.05'	82	6.1	530	19	15	3	0	10	0
6075	Adak	6/7	51° 40.00'	177° 09.11'	63	6.1	286	11	56	9	0	111	5
6076	Adak	6/7	51° 40.00'	177° 24.92'	71	6.0	476	22	54	7	0	144	0
6077	Adak	6/8	51° 39.90'	178° 13.00'	36	6.0	463	18	55	7	0	272	0
6078	Adak	6/8	51° 39.57'	178° 29.02'	213	6.0	793	28	30	3	80	30	45
6079	Adak	6/3	51° 49.90'	174° 27.00'	122	6.1	380	22	118	15	0	20	0
6080	Adak	6/3	51° 50.00'	174° 43.12'	116	6.1	365	17	106	12	0	10	0
6081	Adak	6/4	51° 50.02'	175° 00.07'	115	6.1	494	24	16	2	0	5	0
6082	Adak	6/4	51° 50.01'	175° 16.18'	105	6.1	301	11	24	3	0	5	0
6083	Adak	6/4	51° 50.02'	175° 32.08'	91	6.1	97	5	69	10	0	10	0
6084	Adak	6/5	51° 50.00'	175° 47.67'	67	6.0	75	4	100	19	0	30	0
6085	Adak	6/2	52° 00.00'	173° 21.86'	40	6.1	276	9	49	7	0	399	0
6086	Adak	6/2	52° 00.00'	173° 37.80'	43	6.1	307	9	47	8	0	197	0
6087	Adak	6/2	52° 00.00'	173° 53.60'	44	6.1	439	9	55	10	0	131	0
6088	Adak	6/3	52° 00.00'	174° 10.95'	53	6.0	36	2	101	22	0	30	0
6089	Adak	6/3	52° 00.00'	174° 26.89'	40	6.0	92	4	15	3	0	115	0
6090	Adak	6/4	52° 00.00'	174° 58.95'	36	6.1	191	8	30	5	0	111	0
6091	Adak	6/13	52° 00.01'	176° 21.20'	80	6.0	227	11	30	4	0	55	0
6092	Adak	6/10	51° 59.96'	-179° 26.98'	48	6.0	240	3	0	0	0	10	0
6093	Adak	6/1	52° 10.00'	172° 48.75'	77	6.0	993	37	43	6	0	265	0
6094	Adak	6/1	52° 10.01'	173° 05.18'	46	6.1	240	8	47	7	0	303	0
6095	Adak	6/1	52° 10.00'	173° 20.87'	51	6.0	563	20	67	9	0	15	0
6096	Adak	5/31	52° 09.99'	173° 53.73'	46	6.1	243	15	138	22	0	121	0
6097	Adak	5/30	52° 10.00'	174° 43.11'	59	6.1	338	14	73	11	0	30	0
6098	Adak	5/30	52° 10.00'	174° 59.25'	64	6.0	210	7	90	18	0	12	0
6099	Adak	5/30	52° 10.00'	175° 15.25'	123	6.0	608	31	33	4	0	99	0
6100	Adak	6/13	52° 10.00'	175° 47.65'	180	6.1	878	38	0	0	5	66	51
6101	Adak	6/10	52° 09.91'	-179° 28.00'	156	6.0	1,542	44	0	0	0	0	0
6102	Adak	6/11	52° 09.83'	179° 42.01'	161	6.1	789	21	0	0	0	0	0
6103	Adak	6/10	52° 09.98'	-179° 43.99'	50	6.1	454	10	48	6	0	15	0
6104	Adak	6/11	52° 09.79'	179° 58.02'	54	6.1	101	2	0	0	0	5	0
6105	Adak	5/31	52° 20.02'	173° 53.01'	60	6.0	256	18	286	45	0	50	0
6106	Adak	6/11	52° 20.00'	179° 41.01'	165	6.0	221	5	0	0	5	0	0
6107	Adak	6/10	52° 19.98'	-179° 44.98'	73	6.1	926	36	7	1	0	10	0
6108	Adak	6/11	52° 20.00'	179° 57.00'	68	6.1	265	9	0	0	0	10	0
6109	Adak	5/31	52° 29.69'	173° 36.98'	221	6.1	179	6	0	0	56	0	0
6110	Adak	6/12	52° 29.98'	179° 41.17'	52	6.1	341	8	0	0	0	121	5
6111	Adak	6/12	52° 29.98'	-179° 46.14'	227	6.1	0	0	0	0	10	0	10
6112	Adak	6/12	52° 40.00'	179° 24.61'	61	6.0	1,066	12	0	0	0	260	5
6113	Attu	9/6	51° 20.01'	-179° 06.85'	50	6.1	578	12	0	0	0	192	0
6114	Attu	9/5	51° 29.96'	-178° 36.04'	120	6.0	133	5	0	0	0	0	10
6115	Attu	9/6	51° 28.12'	-178° 52.03'	54	6.0	617	14	12	3	0	160	5
6116	Attu	9/2	51° 40.25'	-175° 38.99'	86	6.0	0	0	0	0	0	0	0
6117	Attu	9/5	51° 39.99'	-178° 04.27'	169	6.0	112	2	0	0	0	0	45
6118	Attu	9/5	51° 39.80'	-178° 20.74'	86	6.0	541	26	72	11	0	5	0
6119	Attu	9/2	51° 49.95'	-175° 38.98'	55	6.0	68	1	0	0	0	0	0
6120	Attu	9/2	51° 49.88'	-175° 55.94'	65	6.0	0	0	0	0	0	0	0
6121	Attu	9/4	51° 50.05'	-177° 32.95'	56	6.0	81	1	7	1	0	35	15
6122	Attu	9/4	51° 49.97'	-177° 48.95'	61	5.8	884	31	17	3	0	39	0
6123	Attu	9/8	51° 49.70'	-178° 21.03'	93	6.0	283	8	6	1	0	15	15
6124	Attu	9/1	52° 00.01'	-175° 55.86'	66	6.0	120	3	0	0	0	0	0
6125	Attu	9/3	51° 59.99'	-176° 45.04'	51	6.0	209	6	39	5	0	115	0
6126	Attu	9/3	51° 59.99'	-177° 16.77'	57	6.0	502	9	0	0	0	50	0
6127	Attu	9/4	51° 59.90'	-177° 49.89'	62	5.8	165	7	153	24	0	68	0
6128	Attu	9/8	52° 00.00'	-178° 21.78'	55	5.9	85	2	8	1	0	25	0
6129	Attu	8/24	52° 10.02'	-173° 45.96'	79	6.0	427	20	30	4	0	240	15
6130	Attu	9/1	52° 10.10'	-175° 07.00'	94	6.0	81	1	0	0	0	0	0
6131	Attu	9/1	52° 10.03'	-175° 22.78'	194	6.0	182	3	0	0	5	0	5

¹ Standard skate =1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights from length-weight tables.

³ Except in 2A, Bycatch numbers extrapolated from 20% subsample.

**2006 IPHC Stock Assessment Survey
All Regions**

Station	Region	Date Fished	Latitude	West Longitude	Depth (F)	Skates Hauled ¹	Legal Halibut		Sublegal Halibut		Bycatch (numbers) ³		
							Lbs ²	#s	Lbs ²	#s	Sablefish	P. Cod	Rockfish
6132	Attu	8/24	52° 20.00'	-173° 28.85'	42	6.0	933	24	30	4	0	210	0
6133	Attu	8/24	52° 17.49'	-173° 44.83'	40	6.0	998	34	34	4	0	183	0
6134	Attu	8/24	52° 20.00'	-174° 02.14'	76	6.0	249	11	16	2	0	50	5
6135	Attu	8/25	52° 20.00'	-174° 18.00'	112	6.0	1,051	40	37	4	0	74	0
6137	Attu	8/21	52° 30.02'	-172° 55.99'	161	6.0	18	1	0	0	0	0	45
6138	Attu	8/22	52° 30.02'	-173° 11.99'	62	6.0	1,086	36	90	12	0	54	0
6139	Attu	8/22	52° 29.88'	-173° 29.00'	84	6.0	1,799	42	0	0	0	15	0
6140	Attu	8/23	52° 30.01'	-174° 01.99'	68	5.8	640	29	20	2	0	53	0
6141	Attu	8/25	52° 30.00'	-174° 18.01'	63	6.0	110	4	0	0	0	35	0
6142	Attu	8/26	52° 30.16'	-174° 34.01'	184	6.0	285	10	0	0	0	0	10
6143	Attu	8/26	52° 30.00'	-174° 51.23'	131	5.9	1,465	63	41	4	0	15	0
6144	Attu	8/21	52° 40.01'	-172° 54.98'	66	6.0	1,906	55	84	10	0	65	0
6145	Attu	8/22	52° 40.00'	-173° 12.01'	55	6.0	1,211	33	33	5	0	50	0
6146	Attu	8/22	52° 40.00'	-173° 28.00'	48	6.0	1,960	79	73	9	0	64	0
6147	Attu	8/23	52° 40.12'	-173° 45.02'	56	6.0	822	24	33	4	0	5	0
6148	Attu	8/23	52° 40.00'	-174° 01.06'	40	5.9	444	16	41	7	0	0	0
6149	Attu	8/25	52° 39.90'	-174° 18.01'	24	6.0	269	17	20	3	0	5	10
6150	Attu	8/19	52° 50.14'	-172° 04.98'	133	6.0	2,010	123	214	23	0	25	25
6151	Attu	8/19	52° 49.83'	-172° 22.00'	173	6.0	34	1	0	0	0	0	15
6152	Attu	8/21	52° 50.02'	-172° 38.12'	55	6.0	1,856	66	53	6	0	129	0
6153	Attu	8/23	52° 50.00'	-173° 44.96'	67	6.0	900	29	0	0	0	50	0
6154	Attu	8/20	53° 00.16'	-170° 58.00'	273	6.0	0	0	0	0	0	0	10
6155	Attu	8/19	52° 59.90'	-172° 21.24'	99	6.0	1,263	50	0	0	0	40	10
6156	Attu	8/20	53° 10.11'	-170° 57.44'	64	5.8	224	4	0	0	0	0	0
6157	Attu	8/20	53° 20.16'	-170° 39.01'	214	6.0	0	0	0	0	5	0	15
9216	St. George	8/14	56° 29.98'	168° 51.98'	57	5.0	127	6	21	3	0	190	0
9218	St. George	8/10	56° 29.94'	170° 41.32'	65	5.1	12	1	60	9	0	136	0
9305	St. Paul	8/23	57° 20.18'	168° 58.68'	38	5.1	11	1	0	0	0	111	0
9306	St. Paul	8/23	57° 30.05'	168° 59.01'	38	5.1	99	2	0	0	0	30	0
9307	St. Paul	8/25	57° 20.04'	170° 51.11'	45	5.1	384	12	84	13	0	71	0
9308	St. Paul	8/25	57° 30.07'	170° 51.09'	45	5.1	267	14	48	8	0	128	0
9502	St. George	8/12	56° 24.99'	169° 19.93'	61	5.0	351	22	287	38	0	100	0
9503	St. George	8/12	56° 25.01'	169° 37.98'	53	5.0	109	5	74	10	0	168	0
9504	St. George	8/14	56° 30.07'	169° 13.98'	51	5.1	28	2	17	3	0	121	0
9505	St. George	8/11	56° 29.99'	169° 30.10'	43	3.8	326	14	48	7	0	176	0
9506	St. George	8/11	56° 29.99'	169° 48.99'	47	5.0	81	5	79	14	0	75	0
9507	St. George	8/13	56° 35.01'	169° 22.00'	29	5.0	1,473	62	146	19	0	66	0
9508	St. George	8/13	56° 40.00'	169° 11.95'	38	5.0	54	2	46	6	0	165	0
9509	St. George	8/13	56° 39.99'	169° 29.86'	43	5.0	414	14	101	16	0	55	0
9510	St. George	8/11	56° 39.93'	169° 48.00'	42	5.0	277	15	81	15	0	170	0
9511	St. Paul	8/27	57° 00.00'	170° 10.00'	37	5.0	43	2	51	7	0	15	0
9512	St. Paul	8/27	56° 59.99'	170° 29.20'	42	5.1	546	22	103	15	0	46	0
9513	St. Paul	8/27	57° 05.00'	170° 03.00'	32	5.1	67	3	14	3	0	5	0
9514	St. Paul	8/26	57° 05.07'	170° 37.88'	40	5.1	733	28	65	8	0	71	0
9515	St. Paul	8/26	57° 10.02'	170° 28.87'	30	5.1	272	16	179	25	0	10	0
9516	St. Paul	8/26	57° 15.00'	170° 20.14'	11	5.1	603	19	14	2	0	35	0
9517	St. Paul	8/25	57° 15.07'	170° 40.06'	39	5.1	212	13	109	18	0	20	0
9518	St. Paul	8/24	57° 20.32'	169° 54.97'	32	5.1	149	5	34	5	0	143	0
9519	St. Paul	8/24	57° 20.16'	170° 12.87'	29	5.1	160	9	50	8	0	0	0
9520	St. Paul	8/24	57° 20.07'	170° 29.88'	35	5.1	82	4	83	14	0	15	0
7050	4D Edge	6/28	56° 20.55'	171° 19.17'	80	6.0	158	7	14	2	0	170	0
7051	4D Edge	6/28	56° 30.69'	171° 37.16'	78	6.1	0	0	0	0	0	293	0
7052	4D Edge	6/28	56° 30.69'	171° 55.23'	136	6.0	102	3	15	2	0	40	0
7053	4D Edge	6/27	56° 41.31'	173° 05.97'	83	6.0	0	0	0	0	0	74	0
7054	4D Edge	6/27	56° 50.05'	173° 25.71'	256	6.0	67	3	17	2	20	0	5
7055	4D Edge	6/27	57° 00.81'	173° 25.04'	98	6.0	19	1	0	0	0	68	0
7056	4D Edge	6/26	57° 00.52'	173° 43.80'	262	6.0	0	0	0	0	10	0	5
7057	4D Edge	6/26	57° 10.16'	173° 43.81'	83	6.0	0	0	29	3	0	70	0
7058	4D Edge	6/26	57° 20.24'	173° 43.16'	76	6.0	81	4	19	3	0	69	0

¹ Standard skate =1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights from length-weight tables.

³ Except in 2A, Bycatch numbers extrapolated from 20% subsample.

**2006 IPHC Stock Assessment Survey
All Regions**

Station	Region	Date Fished	Latitude	West Longitude	Depth (F)	Skates Hauled ¹	Legal Halibut		Sublegal Halibut		Bycatch (numbers) ³		
							Lbs ²	#s	Lbs ²	#s	Sablefish	P. Cod	Rockfish
7059	4D Edge	6/24	57° 40.05'	173° 43.98'	74	6.0	13	1	66	12	0	129	0
7060	4D Edge	6/24	57° 50.77'	173° 43.17'	80	6.0	74	4	55	8	0	88	0
7061	4D Edge	6/19	58° 20.37'	174° 19.96'	105	6.0	230	12	98	13	0	85	0
7062	4D Edge	6/19	58° 19.99'	175° 16.98'	191	6.0	1,836	93	146	17	0	0	0
7063	4D Edge	6/23	58° 29.96'	174° 19.81'	77	6.0	213	8	20	3	0	47	0
7064	4D Edge	6/22	58° 30.88'	175° 18.78'	98	6.0	333	16	34	5	0	80	0
7065	4D Edge	6/21	58° 30.63'	175° 37.39'	92	6.0	56	3	32	4	0	119	0
7067	4D Edge	6/23	58° 40.10'	174° 20.63'	91	6.0	197	9	26	3	0	10	0
7068	4D Edge	6/23	58° 40.00'	174° 38.73'	112	6.0	709	24	73	9	0	20	0
7069	4D Edge	6/22	58° 39.99'	174° 59.17'	117	6.0	321	15	61	9	0	30	0
7070	4D Edge	6/22	58° 40.07'	175° 17.95'	126	6.0	357	15	86	13	0	35	0
7071	4D Edge	6/21	58° 40.05'	175° 56.16'	76	6.0	28	2	26	4	0	345	0
7072	4D Edge	6/21	58° 40.84'	176° 16.82'	75	6.0	33	2	29	4	0	130	0
7073	4D Edge	6/20	58° 40.05'	177° 13.19'	79	5.6	134	6	0	0	0	303	14
7074	4D Edge	6/20	58° 49.94'	177° 32.96'	75	6.0	40	3	18	2	0	200	0
7075	4D Edge	6/20	58° 50.05'	177° 53.14'	217	6.0	746	20	0	0	5	0	10
7076	4D Edge	6/4	58° 59.88'	177° 53.76'	76	6.0	441	19	66	9	0	205	0
7077	4D Edge	6/4	59° 00.02'	178° 12.70'	111	6.0	416	19	46	8	0	225	0
7078	4D Edge	6/10	59° 10.04'	176° 55.82'	80	6.0	367	15	10	1	0	74	0
7079	4D Edge	6/10	59° 10.01'	177° 15.98'	83	6.0	451	22	28	3	0	175	0
7080	4D Edge	6/11	59° 10.02'	177° 35.02'	92	6.0	24	2	37	5	0	195	0
7081	4D Edge	6/11	59° 09.99'	177° 55.37'	100	6.0	65	3	13	2	0	213	0
7082	4D Edge	6/4	59° 09.99'	178° 14.00'	76	6.0	92	4	21	3	0	220	0
7083	4D Edge	6/9	59° 20.07'	176° 56.80'	80	6.0	1,072	33	78	9	0	255	0
7084	4D Edge	6/10	59° 20.05'	177° 16.84'	87	6.0	856	42	49	6	0	205	0
7085	4D Edge	6/11	59° 20.05'	177° 35.86'	144	5.9	90	4	73	13	0	5	0
7086	4D Edge	6/9	59° 29.88'	176° 37.85'	78	6.0	162	7	22	4	0	195	0
7087	4D Edge	6/9	59° 29.95'	176° 57.89'	84	6.0	457	21	54	7	0	230	0
7088	4D Edge	6/8	59° 29.95'	177° 17.96'	86	6.0	736	23	14	2	0	187	0
7089	4D Edge	6/7	59° 29.98'	177° 37.12'	129	6.0	49	3	30	5	0	30	0
7090	4D Edge	6/7	59° 29.99'	177° 57.06'	216	6.0	2,982	122	122	14	0	0	0
7091	4D Edge	6/6	59° 29.98'	178° 16.85'	143	6.0	671	27	110	14	0	50	0
7092	4D Edge	6/8	59° 39.95'	176° 58.97'	85	6.0	197	10	7	1	0	235	0
7093	4D Edge	6/8	59° 40.03'	177° 18.83'	114	6.0	104	3	21	3	0	90	0
7094	4D Edge	6/7	59° 40.00'	177° 39.03'	129	6.0	538	11	9	1	0	5	0
7095	4D Edge	6/6	59° 40.06'	177° 57.67'	92	6.0	112	3	28	5	0	35	0
7096	4D Edge	6/6	59° 40.00'	178° 17.82'	91	6.0	181	8	44	6	0	165	0
7097	4D Edge	6/5	59° 49.98'	177° 58.74'	80	6.0	101	4	14	2	0	100	0
7098	4D Edge	6/5	59° 50.01'	178° 18.78'	79	6.0	43	2	7	1	0	65	0
7099	4D Edge	6/5	59° 50.01'	178° 38.89'	83	6.0	53	3	4	1	0	188	0
9309	St. Paul	8/11	57° 20.29'	172° 43.07'	64	5.1	74	4	18	3	0	138	0
9310	St. Paul	8/11	57° 30.05'	172° 43.08'	65	5.0	12	1	20	3	0	165	0
9317	St. Paul	8/14	58° 19.89'	169° 07.17'	36	5.1	0	0	0	0	0	51	0
9318	St. Paul	8/14	58° 29.95'	169° 07.18'	35	5.1	0	0	0	0	0	25	0
9319	St. Paul	8/13	58° 20.24'	171° 00.61'	45	5.1	42	1	0	0	0	138	0
9320	St. Paul	8/13	58° 30.06'	171° 01.32'	45	5.1	0	0	0	0	0	56	0
9321	St. Paul	8/12	58° 20.04'	172° 56.11'	59	5.0	34	2	17	2	0	135	0
9322	St. Paul	8/12	58° 30.06'	172° 56.20'	60	5.1	0	0	17	2	0	120	0
9401	St. Matthew	7/5	59° 19.99'	169° 13.98'	27	5.0	0	0	8	1	0	85	0
9402	St. Matthew	7/5	59° 30.02'	169° 13.95'	26	5.0	82	2	0	0	0	90	0
9403	St. Matthew	7/13	59° 20.03'	171° 10.95'	41	5.0	0	0	0	0	0	0	0
9404	St. Matthew	7/13	59° 30.06'	171° 10.97'	40	5.0	0	0	0	0	0	0	0
9405	St. Matthew	7/14	59° 20.02'	173° 09.02'	55	5.0	228	9	13	2	0	213	0
9406	St. Matthew	7/14	59° 30.05'	173° 09.00'	54	5.0	158	6	11	1	0	215	0
9407	St. Matthew	7/15	59° 20.02'	175° 06.00'	73	4.9	55	3	69	8	0	139	0
9408	St. Matthew	7/15	59° 30.05'	175° 06.00'	72	5.0	122	4	27	3	0	163	0
9409	St. Matthew	7/16	59° 20.01'	177° 04.27'	83	5.0	598	30	15	2	0	146	0
9410	St. Matthew	7/16	59° 30.07'	177° 04.21'	83	5.0	1,179	49	112	15	0	78	0
9413	St. Matthew	8/9	60° 20.14'	169° 19.89'	23	5.0	0	0	0	0	0	75	0

¹ Standard skate =1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights from length-weight tables.

³ Except in 2A, Bycatch numbers extrapolated from 20% subsample.

2006 IPHC Stock Assessment Survey All Regions

23 of 24

Station	Region	Date Fished	Latitude	West Longitude	Depth (F)	Skates Hauled ¹	Legal Halibut		Sublegal Halibut		Bycatch (numbers) ³		
							Lbs ²	#s	Lbs ²	#s	Sablefish	P. Cod	Rockfish
9414	St. Matthew	8/9	60° 30.10'	169° 20.75'	22	5.1	40	2	0	0	0	101	0
9415	St. Matthew	8/8	60° 19.89'	171° 21.68'	36	5.0	0	0	0	0	0	0	0
9416	St. Matthew	8/8	60° 30.01'	171° 21.55'	35	5.0	0	0	0	0	0	0	0
9417	St. Matthew	7/23	60° 19.98'	173° 24.01'	34	4.9	0	0	0	0	0	53	0
9418	St. Matthew	7/23	60° 29.99'	173° 23.96'	32	4.9	0	0	0	0	0	158	0
9419	St. Matthew	7/18	60° 20.00'	175° 23.01'	61	5.0	273	3	5	1	0	198	0
9420	St. Matthew	7/18	60° 29.95'	175° 22.98'	60	5.0	56	3	21	3	0	175	0
9421	St. Matthew	7/17	60° 19.87'	177° 22.98'	81	4.9	0	0	5	1	0	180	0
9422	St. Matthew	7/17	60° 29.96'	177° 23.01'	84	5.0	91	2	5	1	0	173	0
9423	St. Matthew	7/21	61° 20.05'	171° 29.99'	30	5.0	0	0	0	0	0	5	0
9424	St. Matthew	7/21	61° 29.93'	171° 30.55'	29	4.9	0	0	0	0	0	5	0
9425	St. Matthew	7/20	61° 20.02'	173° 35.02'	40	5.0	0	0	0	0	0	0	0
9426	St. Matthew	7/20	61° 29.95'	173° 35.02'	40	5.0	0	0	0	0	0	0	0
9427	St. Matthew	7/19	61° 20.02'	175° 39.78'	54	4.9	0	0	0	0	0	0	0
9428	St. Matthew	7/19	61° 30.01'	175° 40.23'	52	5.0	0	0	0	0	0	5	0
9521	St. Matthew	8/7	60° 09.50'	172° 19.50'	31	5.1	612	13	6	1	0	162	0
9522	St. Matthew	8/6	60° 10.09'	172° 41.02'	29	5.0	226	5	0	0	0	135	0
9523	St. Matthew	8/7	60° 19.88'	172° 05.53'	31	4.9	0	0	0	0	0	0	0
9524	St. Matthew	8/6	60° 19.83'	172° 43.50'	11	4.9	1,215	48	52	6	0	0	0
9525	St. Matthew	8/6	60° 19.78'	173° 03.75'	28	5.0	147	3	10	1	0	110	0
9526	St. Matthew	7/22	60° 30.03'	172° 25.98'	30	5.0	0	0	0	0	0	45	0
9527	St. Matthew	7/22	60° 30.00'	172° 45.03'	19	5.0	1,268	32	0	0	0	15	0
9528	St. Matthew	7/23	60° 29.95'	173° 07.14'	12	4.9	1,109	29	61	8	0	0	0
9530	St. Matthew	7/22	60° 39.95'	172° 46.98'	23	5.0	375	11	21	3	0	173	0
9214	St. George	8/7	56° 29.89'	167° 02.00'	57	5.0	158	9	69	10	0	150	0
9219	St. George	8/25	57° 19.98'	159° 40.02'	30	5.0	226	11	30	4	0	10	0
9220	St. George	8/25	57° 30.01'	159° 40.02'	28	5.0	97	3	27	3	0	30	0
9225	St. George	8/24	58° 19.95'	159° 33.00'	12	5.0	0	0	0	0	0	0	0
9226	St. George	8/24	58° 30.00'	159° 32.89'	10	5.0	0	0	5	1	0	0	0
9227	St. George	8/21	58° 20.09'	161° 24.02'	17	5.0	197	11	14	2	0	15	0
9228	St. George	8/21	58° 30.03'	161° 23.99'	10	5.0	228	8	56	8	0	0	0
9302	St. Paul	8/5	57° 30.02'	165° 14.14'	35	5.0	28	2	0	0	0	25	0
9303	St. Paul	8/22	57° 20.21'	167° 07.23'	38	5.1	123	6	6	1	0	41	0
9304	St. Paul	8/22	57° 30.04'	167° 07.20'	38	5.0	67	5	0	0	0	25	0
9311	St. Paul	8/19	58° 20.09'	163° 22.09'	18	5.1	0	0	0	0	0	0	0
9312	St. Paul	8/19	58° 30.31'	163° 22.27'	17	5.0	0	0	7	1	0	0	0
9313	St. Paul	8/20	58° 20.04'	165° 17.16'	24	5.1	0	0	33	5	0	30	0
9314	St. Paul	8/20	58° 30.19'	165° 17.24'	22	5.1	61	2	4	1	0	5	0
9315	St. Paul	8/21	58° 20.02'	167° 10.99'	27	5.1	21	1	7	1	0	66	0
9316	St. Paul	8/21	58° 30.07'	167° 10.86'	24	5.1	165	4	5	1	0	56	0
9323	St. Paul	8/17	59° 20.09'	165° 19.33'	10	5.1	11	1	0	0	0	0	0
9324	St. Paul	8/17	59° 30.08'	165° 19.10'	8	5.1	28	1	0	0	0	0	0
9325	St. Paul	8/15	59° 20.12'	167° 16.09'	16	5.1	15	1	15	2	0	0	0
9326	St. Paul	8/15	59° 30.14'	167° 16.06'	15	5.1	75	2	4	1	0	20	0
9411	St. Matthew	7/6	60° 20.00'	167° 17.94'	16	5.0	87	6	0	0	0	79	0
9412	St. Matthew	7/6	60° 29.98'	167° 17.76'	12	5.0	46	2	0	0	0	25	0
9201	St. George	8/2	55° 19.98'	163° 24.99'	28	5.0	31	1	43	5	0	0	0
9202	St. George	8/2	55° 29.98'	163° 25.01'	37	5.0	0	0	19	4	0	25	0
9203	St. George	8/16	55° 20.00'	165° 10.27'	60	5.0	91	6	77	10	0	5	0
9204	St. George	8/16	55° 29.89'	165° 10.00'	59	5.0	86	3	0	0	0	0	0
9206	St. George	8/15	55° 29.92'	166° 58.02'	74	5.0	238	12	0	0	0	40	0
9207	St. George	8/19	56° 19.99'	161° 36.98'	35	5.0	18	1	3	1	0	5	0
9208	St. George	8/19	56° 30.01'	161° 37.00'	43	5.0	0	0	15	2	0	65	0
9209	St. George	8/3	56° 20.00'	163° 23.80'	46	5.1	11	1	7	1	0	51	0
9210	St. George	8/3	56° 30.00'	163° 24.00'	44	5.0	34	1	20	3	0	65	0
9211	St. George	8/6	56° 20.05'	165° 12.00'	46	5.0	138	9	90	12	0	70	0
9212	St. George	8/6	56° 30.00'	165° 11.98'	44	5.0	40	3	56	8	0	15	0
9213	St. George	8/7	56° 20.01'	167° 02.14'	62	5.0	41	2	35	5	0	40	0
9221	St. George	8/20	57° 20.00'	161° 31.98'	31	5.0	22	1	43	7	0	5	0

¹ Standard skate =1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights from length-weight tables.

³ Except in 2A, Bycatch numbers extrapolated from 20% subsample.

2006 IPHC Stock Assessment Survey All Regions

Station	Region	Date Fished	Latitude	West Longitude	Depth (F)	Skates Hauled ¹	Legal Halibut		Sublegal Halibut		Bycatch (numbers) ³		
							Lbs ²	#'s	Lbs ²	#'s	Sablefish	P. Cod	Rockfish
9222	St. George	8/20	57° 30.01'	161° 31.98'	27	5.0	47	2	22	4	0	20	0
9223	St. George	8/4	57° 20.03'	163° 23.09'	28	5.0	18	1	70	11	0	20	0
9224	St. George	8/4	57° 30.04'	163° 23.00'	26	5.0	159	6	48	7	0	30	0
9301	St. Paul	8/5	57° 20.05'	165° 14.00'	36	5.0	0	0	0	0	0	15	0
1361 Total Effective Stations							1,082,502	49,497	281,691	37,144	20,661	44,363	8,326

¹ Standard skate =1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights from length-weight tables.

³ Except in 2A, Bycatch numbers extrapolated from 20% subsample.