

2009 IPHC Stock Assessment Survey

Area 2B

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Set ¹	Legal Halibut		Sublegal Halibut		Bycatch (numbers)		
						Lbs. ²	#'s	Lbs. ²	#'s	Sablefish	P. Cod	Rockfish
2001	5/28	48° 19.77'	-125° 38.00'	76	7.0	510	31	246	31	0	1	2
2002	5/29	48° 20.34'	-125° 53.00'	158	7.0	296	15	27	3	114	0	20
2003	5/28	48° 30.05'	-125° 23.00'	78	7.0	27	2	10	1	0	0	0
2004	5/28	48° 30.00'	-125° 37.92'	56	7.0	36	3	23	3	0	0	0
2005	5/29	48° 30.00'	-125° 53.03'	57	7.0	311	16	87	12	0	0	49
2006	5/29	48° 30.00'	-126° 07.14'	107	7.0	1,232	66	460	53	65	0	19
2007	5/30	48° 40.02'	-125° 07.07'	33	7.0	451	22	51	6	0	0	24
2008	5/30	48° 40.00'	-125° 22.16'	38	7.0	231	11	16	2	0	0	3
2009	5/30	48° 40.02'	-125° 38.32'	62	7.0	14	1	72	9	0	0	0
2010	6/3	48° 39.98'	-125° 52.93'	39	7.0	95	6	168	21	0	0	0
2011	6/6	48° 40.01'	-126° 08.09'	77	7.0	131	9	195	25	19	0	1
2012	6/3	48° 50.19'	-125° 37.02'	26	7.0	1,018	37	54	6	0	0	14
2013	6/3	48° 50.18'	-125° 52.98'	31	7.0	521	24	45	6	0	0	17
2014	6/6	48° 50.00'	-126° 08.02'	58	7.0	77	4	43	5	0	0	0
2015	6/6	48° 50.00'	-126° 22.88'	98	7.0	203	9	366	45	75	0	4
2016	6/2	49° 00.00'	-126° 08.08'	38	7.0	422	26	319	39	0	0	0
2017	6/2	49° 00.00'	-126° 23.03'	76	7.0	54	4	81	10	2	0	0
2018	6/2	49° 00.01'	-126° 37.90'	125	7.0	508	31	451	55	70	0	10
2019	5/31	49° 10.50'	-126° 22.10'	43	6.8	37	2	96	12	0	0	0
2020	5/31	49° 10.02'	-126° 37.65'	66	7.0	281	18	181	22	0	0	3
2021	6/1	49° 10.05'	-126° 52.99'	96	7.0	143	9	85	11	5	0	0
2023	5/31	49° 20.00'	-126° 23.07'	22	6.9	455	21	129	16	0	0	0
2024	5/31	49° 19.99'	-126° 38.60'	43	6.9	1,056	37	130	17	0	0	38
2025	6/1	49° 20.15'	-126° 53.03'	77	7.0	124	7	128	17	1	0	0
2026	6/7	49° 20.00'	-127° 09.25'	106	7.0	904	45	424	49	89	1	9
2027	6/1	49° 29.55'	-126° 38.00'	23	7.0	825	34	113	13	0	0	2
2028	6/1	49° 29.91'	-126° 53.00'	50	7.0	55	4	328	41	0	1	1
2029	6/7	49° 30.00'	-127° 09.52'	80	7.0	237	16	488	59	8	0	1
2030	6/7	49° 40.00'	-127° 09.29'	63	7.0	107	7	225	30	4	0	0
2031	6/8	49° 40.51'	-127° 24.02'	89	7.0	1,108	57	771	96	51	0	11
2032	6/8	49° 50.00'	-127° 24.09'	42	7.0	557	33	451	57	0	0	0
2033	6/8	49° 50.00'	-127° 39.75'	91	7.0	727	35	470	61	1	0	33
2034	6/8	49° 59.98'	-127° 39.88'	46	7.0	305	16	597	75	0	0	1
2035	6/9	50° 20.17'	-128° 11.00'	88	7.0	762	30	272	33	2	1	111
2037	6/9	50° 30.73'	-128° 27.00'	102	7.0	671	35	270	35	71	4	74
2038	6/17	50° 40.00'	-128° 28.29'	50	7.0	320	13	402	52	0	1	33
2039	6/17	50° 40.00'	-128° 44.17'	105	7.0	142	8	92	12	1	0	16
2040	6/17	50° 50.08'	-128° 28.01'	36	7.0	461	20	193	26	1	1	6
2041	6/15	51° 00.00'	-127° 56.88'	63	7.0	182	9	135	17	2	0	0
2042	6/15	50° 59.98'	-128° 13.01'	56	7.0	326	19	296	36	2	2	22
2043	6/15	51° 10.04'	-127° 56.00'	69	7.0	737	44	519	64	1	0	0
2044	6/18	50° 50.00'	-128° 59.88'	47	7.0	760	20	178	22	0	0	34
2045	6/18	50° 50.12'	-129° 16.00'	67	7.0	2,291	60	331	40	0	0	59
2046	6/16	51° 00.23'	-128° 28.00'	53	7.0	458	22	439	58	0	0	0
2047	6/10	51° 00.00'	-128° 44.31'	36	6.9	830	32	213	29	0	0	1
2048	6/18	51° 00.00'	-129° 00.28'	46	7.0	93	3	38	5	0	0	0
2049	6/18	51° 00.00'	-129° 15.33'	86	7.0	179	8	342	41	4	2	1
2050	6/19	51° 00.00'	-129° 31.51'	131	7.0	234	9	67	8	9	0	26
2051	6/16	51° 09.77'	-128° 11.99'	58	7.0	286	9	9	1	2	0	8
2052	6/16	51° 10.29'	-128° 27.99'	107	7.0	332	20	230	25	9	0	2

¹ Standard skate = 1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights are calculated from length-weight tables.

2009 IPHC Stock Assessment Survey

Area 2B

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Set ¹	Legal Halibut		Sublegal Halibut		Bycatch (numbers)		
						Lbs. ²	#'s	Lbs. ²	#'s	Sablefish	P. Cod	Rockfish
2053	6/10	51° 10.00'	-128° 44.05'	53	7.0	245	19	825	109	0	1	0
2054	6/10	51° 10.00'	-129° 00.21'	73	7.0	632	40	737	101	8	1	1
2055	6/19	51° 10.00'	-129° 15.96'	146	7.0	594	34	251	31	149	0	15
2056	6/19	51° 10.00'	-129° 32.09'	155	4.5	224	15	121	15	53	0	0
2057	6/12	51° 19.84'	-127° 54.89'	71	7.0	413	14	227	30	0	1	1
2058	6/12	51° 20.00'	-128° 10.96'	47	7.0	55	4	190	27	0	0	0
2059	6/11	51° 20.00'	-128° 27.00'	82	7.0	64	5	147	19	7	0	0
2060	6/11	51° 20.00'	-128° 42.88'	115	7.1	124	8	23	3	3	0	2
2061	6/21	51° 20.00'	-128° 58.80'	135	7.0	529	33	385	44	87	0	13
2062	6/21	51° 19.99'	-129° 14.55'	128	7.0	187	13	370	42	40	0	39
2063	6/20	51° 20.00'	-129° 31.26'	112	7.0	400	24	278	33	25	0	14
2064	7/20	51° 20.00'	-129° 46.96'	132	7.0	199	7	54	6	5	0	9
2065	6/12	51° 30.09'	-128° 11.00'	45	7.0	968	41	277	38	0	0	44
2066	6/11	51° 30.00'	-128° 26.89'	103	7.0	543	26	42	5	3	1	4
2067	6/11	51° 29.99'	-128° 43.02'	47	7.0	113	8	195	24	0	0	0
2068	6/21	51° 30.00'	-128° 59.28'	24	6.8	495	24	236	27	0	0	0
2069	6/20	51° 30.25'	-129° 16.00'	26	7.0	2,346	99	276	33	0	0	26
2070	6/20	51° 30.14'	-129° 30.98'	53	7.0	1,631	65	377	44	0	0	110
2071	7/20	51° 30.00'	-129° 46.91'	91	7.0	872	35	85	10	24	0	98
2072	7/20	51° 30.00'	-130° 03.46'	153	7.0	807	29	9	1	69	0	71
2073	6/25	51° 40.00'	-128° 25.88'	79	6.9	336	21	103	11	14	1	16
2074	7/1	51° 39.98'	-128° 58.99'	28	7.0	230	16	136	17	0	0	0
2075	6/30	51° 40.00'	-129° 15.88'	30	7.0	274	16	269	34	0	0	0
2076	6/30	51° 40.00'	-129° 30.84'	53	7.0	566	38	472	55	0	0	7
2077	7/5	51° 40.00'	-129° 46.93'	142	7.0	382	18	27	4	47	0	24
2078	6/25	51° 49.94'	-128° 26.00'	90	7.0	548	28	203	26	1	0	44
2079	6/25	51° 50.00'	-128° 41.99'	60	7.0	325	26	1,659	217	0	0	0
2080	7/1	51° 50.00'	-128° 57.92'	45	7.0	518	36	685	85	0	0	21
2081	7/1	51° 50.01'	-129° 14.05'	67	6.9	315	24	136	15	0	0	1
2082	6/30	51° 50.00'	-129° 30.97'	139	7.0	631	29	107	13	28	0	47
2083	6/28	51° 59.89'	-128° 42.00'	90	6.9	408	23	82	10	0	0	77
2084	6/28	51° 59.98'	-128° 58.01'	81	7.0	945	56	274	31	2	1	2
2085	6/26	52° 00.00'	-129° 14.25'	99	7.0	37	2	27	3	6	0	32
2086	6/28	52° 10.07'	-128° 41.00'	123	7.0	828	26	6	1	8	0	108
2087	7/5	51° 40.00'	-130° 03.32'	192	6.9	587	15	52	6	115	0	24
2088	7/19	51° 40.01'	-130° 18.48'	140	7.0	1,134	40	65	8	43	0	71
2089	7/5	51° 49.97'	-129° 46.73'	143	7.0	275	10	47	7	24	0	18
2090	7/6	51° 50.01'	-130° 03.57'	99	7.0	1,299	44	57	6	20	0	102
2091	7/19	51° 50.00'	-130° 18.73'	117	7.0	1,207	41	239	29	33	0	74
2092	7/19	51° 50.00'	-130° 35.10'	161	7.0	767	28	69	9	92	0	26
2093	7/18	51° 50.16'	-130° 52.00'	102	5.5	857	28	104	12	14	0	126
2094	6/29	52° 00.00'	-129° 30.12'	113	7.0	451	20	48	5	66	0	61
2095	7/6	52° 00.26'	-129° 46.95'	62	7.0	932	41	1,059	147	0	0	36
2096	7/6	51° 59.99'	-130° 03.12'	77	7.0	1,113	57	665	83	0	2	4
2097	7/17	51° 59.93'	-130° 19.00'	194	7.0	233	3	8	1	62	0	6
2098	7/18	52° 00.06'	-130° 34.98'	135	7.0	653	22	61	8	69	1	13
2099	7/18	51° 59.86'	-130° 52.02'	107	7.0	471	14	69	9	0	0	11
2100	6/26	52° 10.00'	-128° 57.12'	90	7.0	514	25	53	6	0	0	45
2101	6/26	52° 09.99'	-129° 14.26'	96	7.0	136	6	51	6	6	1	9
2102	6/29	52° 10.00'	-129° 30.16'	116	7.0	203	5	25	3	8	0	34

¹ Standard skate = 1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights are calculated from length-weight tables.

2009 IPHC Stock Assessment Survey

Area 2B

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Set ¹	Legal Halibut		Sublegal Halibut		Bycatch (numbers)		
						Lbs. ²	#'s	Lbs. ²	#'s	Sablefish	P. Cod	Rockfish
2103	6/29	52° 10.00'	-129° 45.96'	114	6.9	191	9	12	2	2	0	111
2104	7/7	52° 10.00'	-130° 02.95'	94	7.0	395	22	428	50	0	1	7
2105	7/17	52° 10.33'	-130° 19.01'	218	7.0	90	2	0	0	160	0	8
2106	7/17	52° 09.99'	-130° 35.00'	106	7.0	1,100	37	137	16	7	1	35
2107	7/16	52° 10.00'	-130° 52.06'	123	7.0	933	44	209	23	11	0	11
2108	7/9	52° 19.84'	-129° 12.98'	83	7.0	1,995	116	382	46	0	4	16
2109	7/9	52° 19.96'	-129° 30.00'	96	7.0	912	28	101	12	2	1	28
2110	7/7	52° 20.00'	-129° 45.97'	115	7.0	834	32	34	4	0	0	166
2111	7/7	52° 20.00'	-130° 02.83'	124	7.0	275	16	68	8	2	1	25
2112	7/10	52° 20.12'	-130° 19.00'	194	7.0	353	11	0	0	81	0	7
2113	7/10	52° 20.06'	-130° 34.99'	91	7.0	555	20	46	6	0	0	7
2114	7/16	52° 20.06'	-130° 52.00'	80	7.0	366	16	115	14	2	0	0
2115	7/9	52° 30.02'	-129° 32.19'	50	7.0	1,266	41	363	45	0	0	27
2116	7/8	52° 30.00'	-129° 46.05'	99	7.0	1,943	62	39	4	38	5	38
2117	7/8	52° 30.00'	-130° 01.92'	147	7.0	1,643	47	32	4	26	0	54
2118	7/10	52° 29.95'	-130° 19.00'	140	7.0	1,339	42	13	2	31	2	12
2119	7/10	52° 29.74'	-130° 35.00'	66	7.0	1,021	40	175	20	0	0	71
2120	7/16	52° 29.61'	-130° 52.00'	58	7.0	679	19	272	32	0	0	32
2121	7/8	52° 40.00'	-129° 46.11'	103	7.0	929	28	20	3	7	2	17
2122	7/8	52° 40.00'	-130° 01.73'	145	7.0	561	16	8	1	49	0	24
2123	7/15	52° 39.97'	-130° 19.00'	123	7.0	855	25	7	1	26	0	73
2124	7/15	52° 40.00'	-130° 34.88'	79	7.0	1,022	39	90	10	7	0	45
2125	7/14	52° 50.00'	-130° 01.96'	141	7.0	379	14	14	2	99	0	21
2126	7/15	52° 50.00'	-130° 18.93'	115	7.0	449	15	16	2	7	0	44
2127	7/14	53° 00.00'	-129° 45.22'	125	7.0	264	14	72	10	41	1	84
2128	7/14	53° 00.21'	-130° 02.00'	98	7.0	523	19	54	6	9	1	70
2129	6/28	52° 29.98'	-131° 07.77'	49	7.0	806	35	258	32	0	1	23
2130	6/28	52° 30.33'	-131° 24.77'	104	7.0	526	25	61	7	5	1	6
2131	6/29	52° 39.74'	-130° 52.01'	53	7.0	230	12	16	2	0	0	1
2132	6/28	52° 40.03'	-131° 07.73'	40	7.0	573	27	206	24	0	0	3
2133	6/29	52° 49.87'	-130° 35.56'	63	7.0	302	17	102	12	0	3	0
2134	6/29	52° 48.50'	-130° 52.61'	29	7.1	993	27	79	9	0	0	0
2135	6/30	52° 59.81'	-130° 17.91'	115	7.0	521	22	0	0	54	0	47
2136	6/30	52° 59.83'	-130° 34.77'	51	7.0	61	5	87	11	0	0	0
2137	6/30	53° 10.18'	-130° 17.80'	80	7.1	454	14	135	18	3	0	33
2138	7/1	53° 10.09'	-130° 34.90'	104	7.0	197	11	25	3	4	0	6
2139	7/2	53° 10.01'	-130° 51.78'	58	7.1	186	11	36	4	0	0	1
2140	7/1	53° 19.80'	-130° 17.99'	58	7.1	411	21	91	11	10	10	4
2141	7/1	53° 19.99'	-130° 35.08'	61	7.0	1,011	59	584	72	2	1	21
2142	7/2	53° 19.84'	-130° 52.30'	72	7.0	1,220	65	80	9	1	2	1
2143	7/7	53° 19.93'	-132° 48.94'	74	7.1	1,293	36	328	45	0	0	24
2144	7/8	53° 20.74'	-133° 05.35'	116	7.0	3,332	88	82	10	28	0	15
2145	7/2	53° 29.82'	-130° 51.98'	52	7.0	292	20	281	35	1	2	0
2146	7/8	53° 30.20'	-133° 05.86'	199	7.1	439	17	41	5	73	0	170
2147	7/3	53° 39.73'	-130° 35.32'	22	7.0	282	17	107	13	0	0	0
2148	7/3	53° 39.78'	-130° 51.95'	24	7.0	484	25	580	79	0	0	1
2149	7/9	53° 40.28'	-133° 06.60'	78	7.1	1,129	45	917	111	0	0	46
2150	7/3	53° 49.82'	-130° 52.01'	49	7.1	774	50	475	57	4	1	0
2151	7/9	53° 59.45'	-133° 26.10'	42	7.0	1,994	66	155	19	0	0	61
2152	7/18	54° 09.99'	-130° 34.93'	59	7.1	163	10	39	5	3	0	0

¹ Standard skate = 1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights are calculated from length-weight tables.

2009 IPHC Stock Assessment Survey

Area 2B

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Set ¹	Legal Halibut		Sublegal Halibut		Bycatch (numbers)		
						Lbs. ²	#'s	Lbs. ²	#'s	Sablefish	P. Cod	Rockfish
2153	7/15	54° 10.12'	-132° 00.04'	39	7.0	242	20	1,229	172	0	1	0
2154	7/15	54° 09.92'	-132° 16.95'	49	7.1	129	9	478	62	0	2	1
2155	7/14	54° 10.03'	-132° 33.64'	46	7.1	167	9	552	81	0	2	0
2156	7/11	54° 10.08'	-133° 09.07'	34	7.1	773	31	200	25	0	0	73
2157	7/10	54° 10.05'	-133° 26.21'	217	7.0	146	7	20	3	89	0	124
2158	7/18	54° 20.27'	-130° 34.73'	50	7.0	240	8	150	19	1	1	21
2159	7/17	54° 19.93'	-131° 08.85'	35	7.0	336	22	995	122	0	6	0
2160	7/17	54° 19.76'	-131° 26.18'	91	7.1	303	23	720	89	16	2	59
2161	7/16	54° 19.86'	-131° 42.75'	100	7.1	454	30	405	50	5	1	17
2162	7/15	54° 20.08'	-132° 00.80'	135	7.1	897	28	86	10	112	0	42
2163	7/14	54° 19.84'	-132° 18.14'	119	7.0	1,576	63	148	20	40	7	36
2164	7/14	54° 20.09'	-132° 34.51'	144	7.0	717	29	71	8	77	3	110
2165	7/11	54° 20.20'	-132° 51.88'	212	7.1	856	37	107	13	164	0	25
2166	7/11	54° 20.12'	-133° 09.15'	253	7.1	1,346	39	86	11	139	0	54
2167	7/9	54° 19.91'	-133° 26.21'	121	7.1	682	30	373	46	18	0	103
2168	7/10	54° 19.91'	-133° 42.84'	134	7.1	1,243	63	639	77	10	1	5
2169	7/18	54° 29.94'	-130° 34.97'	62	7.0	184	9	86	11	3	0	1
2170	7/17	54° 29.90'	-131° 08.90'	74	7.0	450	30	321	37	7	3	1
2171	7/16	54° 29.88'	-131° 25.85'	58	7.0	2,053	87	532	64	4	1	41
2172	7/16	54° 30.07'	-131° 43.63'	186	7.1	272	11	60	7	108	0	15
170 Total Effective 2B Stations					Totals	102,353	4,404	38,049	4,764	3,327	94	4,365

¹ Standard skate =1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights are calculated from length-weight tables.