

2010 IPHC Stock Assessment Survey

Area 2C

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Set ¹	Legal Halibut		Sublegal Halibut		Bycatch (numbers) ³		
						Lbs. ²	#'s	Lbs. ²	#'s	Sablefish	P. Cod	Rockfish
3001	6/6	54° 30.00'	-132° 01.03'	150	8.0	1,237	52	153	18	109	0	20
3002	6/5	54° 30.03'	-132° 18.05'	197	8.0	311	14	38	5	109	0	20
3003	6/5	54° 29.98'	-132° 34.86'	208	8.0	273	14	84	10	144	0	30
3005	6/4	54° 29.98'	-133° 10.13'	111	8.0	583	23	216	25	0	0	149
3006	6/4	54° 29.99'	-133° 26.94'	164	8.0	269	10	102	13	15	0	5
3007	6/9	54° 29.95'	-133° 44.02'	139	8.0	2,454	80	589	73	20	5	5
3008	7/7	54° 39.99'	-130° 50.08'	161	8.0	536	20	42	5	90	5	10
3009	7/7	54° 39.98'	-131° 08.10'	109	8.0	776	33	254	29	25	10	5
3010	7/7	54° 40.02'	-131° 25.20'	121	7.9	480	28	199	22	29	0	5
3011	6/6	54° 39.95'	-131° 41.86'	227	8.0	217	15	35	4	94	5	20
3012	6/6	54° 40.03'	-131° 59.17'	103	8.0	462	22	271	32	0	15	50
3013	6/5	54° 40.00'	-132° 16.88'	59	8.0	1,007	47	753	92	0	25	25
3014	6/1	54° 39.97'	-132° 34.18'	93	7.8	727	32	136	16	0	19	63
3015	6/1	54° 39.98'	-132° 51.20'	75	8.0	604	25	121	15	0	15	40
3016	6/3	54° 40.03'	-133° 08.68'	122	8.0	548	15	108	15	5	10	35
3017	6/4	54° 40.01'	-133° 25.91'	168	8.0	1,830	69	466	57	65	5	35
3018	6/9	54° 39.97'	-133° 42.99'	133	8.0	1,033	39	313	42	5	5	10
3019	6/9	54° 39.95'	-134° 00.37'	121	8.0	1,571	75	603	74	0	5	0
3020	7/8	54° 49.84'	-131° 07.08'	133	8.0	843	37	134	15	25	0	0
3021	7/6	54° 49.97'	-131° 41.63'	220	8.0	215	11	89	10	99	0	0
3022	6/1	54° 49.95'	-132° 33.86'	171	3.6	369	14	58	8	27	0	31
3023	6/3	54° 50.02'	-133° 09.15'	109	8.0	880	35	146	18	0	20	30
3024	6/3	54° 49.98'	-133° 25.96'	65	8.0	269	21	1,266	176	0	5	15
3025	6/29	54° 50.01'	-133° 43.19'	74	8.0	1,672	109	1,974	249	0	0	40
3026	6/30	54° 49.99'	-134° 01.03'	105	8.0	518	20	267	33	35	5	35
3027	7/8	54° 59.95'	-131° 06.13'	129	8.0	924	36	60	8	25	0	10
3028	7/6	54° 59.95'	-131° 41.32'	145	8.0	457	26	200	23	69	5	59
3029	6/29	55° 00.00'	-133° 25.98'	51	8.0	1,373	55	736	102	0	0	94
3030	6/29	54° 59.97'	-133° 42.89'	57	8.0	1,367	70	2,018	270	0	0	0
3031	7/8	55° 09.96'	-131° 06.02'	98	6.2	342	15	89	11	0	0	35
3032	7/6	55° 10.02'	-131° 41.12'	54	8.0	836	33	218	26	5	20	25
3033	7/5	55° 10.26'	-131° 56.02'	171	8.0	967	38	66	8	79	0	79
3034	6/28	55° 10.02'	-133° 25.99'	44	8.0	1,307	30	40	5	0	0	144
3035	7/5	55° 19.95'	-131° 57.77'	221	8.0	47	2	0	0	45	0	5
3036	7/5	55° 29.02'	-131° 57.98'	155	8.0	425	17	106	13	50	5	40
3037	7/4	55° 40.15'	-132° 15.13'	225	8.0	310	8	8	1	84	0	50
3038	7/4	55° 44.94'	-132° 26.98'	137	8.0	447	14	64	8	70	15	65
3039	7/4	55° 49.98'	-132° 14.83'	118	8.0	423	18	88	10	25	25	40
3040	7/3	56° 00.00'	-132° 32.24'	119	8.0	673	32	178	21	15	5	5
3041	7/3	56° 01.09'	-132° 45.25'	193	8.0	83	4	11	1	45	0	15
3042	7/3	56° 10.92'	-132° 49.88'	93	8.0	726	23	62	9	15	10	25
3043	6/30	55° 00.00'	-134° 01.01'	82	8.0	1,284	47	285	38	0	5	90
3044	6/30	55° 00.00'	-134° 17.92'	116	8.0	1,533	54	70	8	20	0	0
3045	6/28	55° 10.06'	-133° 43.44'	85	8.0	369	28	481	61	0	15	0
3046	6/28	55° 10.02'	-134° 01.05'	93	8.0	1,345	87	530	67	0	0	15
3047	6/27	55° 19.98'	-133° 44.05'	39	8.0	443	28	1,297	181	0	0	5
3048	6/27	55° 20.00'	-134° 01.20'	64	8.0	956	55	1,602	218	0	0	0
3049	6/17	55° 19.99'	-134° 18.87'	101	8.0	1,342	63	381	48	10	5	94
3050	6/17	55° 20.00'	-134° 35.73'	110	8.0	1,817	102	860	98	0	0	30

¹ Standard skate = 1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights are calculated from length-weight tables.

³ Bycatch numbers extrapolated from 20% subsample.

2010 IPHC Stock Assessment Survey

Area 2C

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Set ¹	Legal Halibut		Sublegal Halibut		Bycatch (numbers) ³		
						Lbs. ²	#'s	Lbs. ²	#'s	Sablefish	P. Cod	Rockfish
3051	6/27	55° 30.01'	-134° 00.94'	49	8.0	1,064	49	1,448	203	0	0	10
3052	6/17	55° 29.97'	-134° 19.11'	92	8.0	344	18	167	22	10	20	30
3053	6/18	55° 30.02'	-134° 36.57'	111	8.0	364	14	99	12	35	0	0
3054	6/18	55° 29.99'	-134° 54.02'	159	8.0	1,761	87	339	42	70	0	10
3055	6/26	55° 39.98'	-134° 00.89'	101	8.0	1,248	45	104	13	25	0	55
3056	6/26	55° 40.01'	-134° 18.66'	113	8.0	657	26	41	5	0	0	0
3057	6/19	55° 39.95'	-134° 37.16'	112	8.0	978	37	72	9	0	10	0
3058	6/18	55° 39.95'	-134° 54.99'	109	8.0	1,715	71	350	43	0	25	111
3059	6/10	55° 50.03'	-133° 25.96'	34	8.0	320	14	29	4	0	10	64
3060	6/11	55° 50.07'	-133° 43.97'	74	8.1	353	15	34	5	5	5	45
3061	6/26	55° 50.01'	-134° 02.18'	150	8.0	1,138	45	26	4	45	0	25
3062	6/19	55° 50.00'	-134° 37.16'	80	8.0	175	8	36	6	10	5	45
3063	6/19	55° 49.98'	-134° 55.00'	102	8.0	672	25	97	15	20	5	0
3064	6/20	55° 50.00'	-135° 12.90'	144	8.0	563	23	160	19	0	69	35
3065	6/11	55° 55.03'	-133° 35.14'	39	8.0	437	24	43	5	0	5	45
3066	6/13	55° 59.99'	-134° 02.09'	62	8.0	1,219	43	275	35	0	25	10
3067	6/13	55° 59.97'	-134° 19.91'	50	8.0	1,367	42	226	30	5	0	74
3068	6/13	55° 59.94'	-134° 38.34'	203	8.0	3,842	143	430	54	160	0	20
3069	6/20	56° 00.00'	-134° 55.08'	197	8.0	999	30	16	2	0	175	55
3070	6/20	56° 00.03'	-135° 12.73'	205	8.0	1,511	57	65	8	168	0	30
3071	6/12	56° 09.88'	-133° 43.95'	176	8.0	705	36	260	31	0	15	0
3072	6/22	56° 09.88'	-134° 20.01'	72	8.0	760	36	239	31	0	10	30
3073	6/21	56° 09.93'	-134° 38.04'	150	8.0	2,011	67	240	28	50	5	20
3074	6/21	56° 10.03'	-134° 56.13'	101	8.0	1,788	88	878	114	40	20	5
3075	6/14	56° 09.98'	-135° 13.97'	154	8.0	921	40	93	12	84	0	5
3076	6/12	56° 19.88'	-133° 43.78'	88	8.0	914	28	76	9	30	10	0
3077	6/22	56° 20.08'	-134° 20.03'	85	8.0	1,110	43	210	30	45	20	25
3078	6/21	56° 19.92'	-134° 56.38'	58	8.0	1,095	53	255	36	0	0	64
3079	6/14	56° 19.97'	-135° 14.00'	85	8.0	968	40	276	35	10	20	64
3080	6/14	56° 20.00'	-135° 31.92'	108	8.0	1,213	53	404	54	55	5	0
3081	6/12	56° 28.90'	-133° 43.80'	47	8.0	519	20	284	38	0	10	5
3082	6/22	56° 30.06'	-134° 20.05'	57	8.0	1,223	68	1,125	140	0	0	25
3083	7/29	56° 30.00'	-135° 14.99'	61	8.0	786	35	366	51	0	10	15
3084	7/29	56° 30.01'	-135° 33.05'	86	8.0	659	17	43	5	0	0	180
3085	7/29	56° 39.95'	-135° 15.00'	24	8.0	214	6	10	1	0	0	35
3086	7/28	56° 40.00'	-135° 34.16'	74	8.0	1,398	45	132	17	0	0	64
3087	7/28	56° 40.00'	-135° 51.97'	131	8.0	689	33	79	8	40	5	10
3088	5/31	56° 49.99'	-132° 49.59'	115	7.9	984	47	143	19	5	0	0
3089	7/28	56° 50.00'	-135° 51.75'	103	8.0	532	29	120	15	10	10	15
3090	5/31	56° 57.00'	-132° 57.77'	73	8.0	863	49	705	96	15	5	0
3091	6/1	57° 00.00'	-134° 21.20'	190	8.0	754	29	178	24	222	0	10
3092	7/27	57° 00.00'	-135° 59.83'	54	8.0	506	18	295	38	0	0	85
3093	5/31	57° 03.00'	-133° 04.90'	79	8.0	589	25	146	17	0	5	5
3094	6/1	57° 10.00'	-133° 44.86'	181	8.0	393	14	76	11	0	0	5
3095	6/1	57° 10.00'	-134° 03.26'	159	8.0	1,517	82	583	76	50	25	10
3096	6/2	57° 10.03'	-134° 39.88'	149	8.0	609	15	20	3	5	20	25
3097	7/27	57° 10.00'	-135° 53.98'	40	8.0	196	11	250	36	0	0	45
3098	7/27	57° 10.00'	-136° 11.93'	118	8.0	706	38	222	26	15	0	10
3099	6/3	57° 20.00'	-133° 25.87'	77	8.0	326	8	62	8	0	0	0

¹ Standard skate = 1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights are calculated from length-weight tables.

³ Bycatch numbers extrapolated from 20% subsample.

2010 IPHC Stock Assessment Survey

Area 2C

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Set ¹	Legal Halibut		Sublegal Halibut		Bycatch (numbers) ³		
						Lbs. ²	#'s	Lbs. ²	#'s	Sablefish	P. Cod	Rockfish
3100	6/3	57° 20.00'	-133° 44.98'	196	8.0	726	35	135	17	74	5	10
3101	6/2	57° 20.01'	-134° 36.12'	179	8.0	546	21	133	16	25	5	40
3102	7/26	57° 19.92'	-135° 55.00'	50	8.0	1,034	31	114	16	0	20	30
3103	7/26	57° 20.00'	-136° 12.95'	95	8.0	1,044	43	369	47	0	5	54
3104	6/3	57° 29.99'	-133° 44.83'	131	8.0	1,497	69	366	46	35	0	5
3105	6/2	57° 31.13'	-134° 37.98'	129	8.0	353	18	210	29	25	30	25
3106	7/26	57° 30.01'	-136° 14.21'	55	8.0	630	28	545	73	0	0	5
3107	6/4	57° 39.98'	-133° 44.81'	182	8.0	907	61	479	60	0	0	0
3108	7/25	57° 40.00'	-136° 33.09'	90	8.0	832	47	349	44	0	0	10
3109	6/4	57° 49.95'	-133° 54.00'	185	8.0	364	18	59	7	0	0	5
3110	7/25	57° 50.00'	-136° 34.25'	54	8.0	2,775	126	729	90	0	0	45
3111	7/25	57° 50.01'	-136° 52.89'	199	8.0	212	10	78	8	104	0	20
3112	6/4	58° 00.08'	-134° 03.95'	124	8.0	132	6	9	1	0	0	0
3113	6/10	58° 00.03'	-136° 40.12'	61	8.0	522	32	606	79	0	15	30
3114	6/9	58° 10.01'	-135° 01.59'	126	8.0	877	29	242	32	15	60	25
3115	6/9	58° 10.00'	-135° 19.92'	95	8.0	401	17	250	32	5	5	20
3116	6/10	58° 09.96'	-136° 36.31'	127	5.0	596	20	96	12	55	15	45
3117	6/5	58° 12.01'	-134° 24.27'	39	8.0	117	1	0	0	0	0	0
3118	6/5	58° 13.99'	-134° 41.03'	44	8.0	120	2	0	0	0	0	0
3119	6/9	58° 15.01'	-135° 39.91'	56	8.0	1,140	41	1,008	154	0	15	0
3120	6/10	58° 14.97'	-136° 26.14'	113	5.0	1,194	31	395	59	15	35	0
3121	6/5	58° 20.05'	-134° 43.02'	41	8.0	152	2	0	0	0	0	0
3122	6/8	58° 19.98'	-135° 02.08'	304	8.0	200	8	19	2	110	0	0
3123	6/8	58° 30.11'	-135° 02.08'	161	8.0	1,006	60	578	74	50	10	30
3124	6/8	58° 40.11'	-135° 02.93'	156	8.0	760	51	412	51	5	0	0
123 Total Effective 2C Stations					Totals	103,294	4,441	36,877	4,785	3,194	1,030	3,417

¹ Standard skate = 1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights are calculated from length-weight tables.

³ Bycatch numbers extrapolated from 20% subsample.