

2011 IPHC Stock Assessment Survey Area 2C

1 of 3

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Set ¹	O32 Halibut		U32 Halibut		Bycatch (numbers) ³		
						Lbs. ²	#'s	Lbs. ²	#'s	Sablefish	P. Cod	Rockfish
3001	8/7	54° 30.00'	-132° 01.02'	151	6.0	1,047	43	50	6	110	0	45
3002	8/7	54° 30.00'	-132° 17.75'	195	5.9	394	13	25	3	83	0	25
3003	8/6	54° 30.00'	-132° 35.09'	207	6.0	716	19	37	5	60	0	15
3005	8/14	54° 30.32'	-133° 10.00'	99	5.9	1,022	27	5	1	0	0	127
3006	8/14	54° 30.20'	-133° 27.00'	166	6.0	1,208	34	23	3	25	0	5
3007	8/14	54° 29.91'	-133° 44.00'	138	6.0	1,428	54	213	26	30	0	5
3008	8/5	54° 40.12'	-130° 50.00'	157	6.0	289	11	10	1	45	0	5
3009	8/5	54° 39.89'	-131° 08.00'	118	6.0	444	23	56	6	75	0	15
3010	8/5	54° 40.00'	-131° 25.34'	126	6.0	275	16	25	3	91	5	15
3011	8/10	54° 40.15'	-131° 42.00'	221	6.0	183	8	11	1	55	0	0
3012	8/7	54° 40.00'	-131° 59.48'	97	6.0	947	44	55	6	5	15	50
3013	8/7	54° 40.00'	-132° 16.70'	59	6.0	1,658	67	383	48	0	50	10
3014	8/6	54° 40.00'	-132° 34.20'	97	6.0	1,916	57	185	23	30	10	40
3015	8/6	54° 40.00'	-132° 50.88'	74	6.0	1,508	33	157	22	0	10	50
3016	8/11	54° 40.00'	-133° 09.19'	120	6.0	1,091	34	77	11	0	25	74
3017	8/11	54° 40.00'	-133° 26.19'	165	6.0	418	9	20	2	20	5	45
3018	8/13	54° 40.00'	-133° 43.11'	128	6.0	784	28	27	4	50	10	5
3019	8/13	54° 40.00'	-134° 00.24'	121	6.0	1,242	43	125	14	94	15	25
3020	8/4	54° 49.92'	-131° 07.00'	134	6.0	649	21	8	1	54	0	0
3021	8/10	54° 50.00'	-131° 41.77'	227	6.0	184	9	49	5	91	0	30
3022	8/6	54° 49.77'	-132° 34.00'	174	6.0	510	15	0	0	85	0	0
3023	8/11	54° 50.00'	-133° 08.73'	104	6.0	1,271	48	56	7	0	25	15
3024	8/11	54° 50.09'	-133° 26.00'	67	6.0	284	16	306	43	0	10	0
3025	8/13	54° 50.00'	-133° 43.10'	73	5.9	4,662	130	359	43	0	10	54
3026	8/13	54° 50.00'	-134° 01.20'	104	6.0	815	29	80	10	40	0	59
3027	8/4	54° 59.81'	-131° 06.00'	134	6.1	896	33	56	7	61	0	0
3028	8/10	54° 59.94'	-131° 41.00'	117	6.0	519	30	106	12	79	5	20
3029	8/12	55° 00.00'	-133° 26.14'	48	6.0	980	62	937	122	0	0	25
3030	8/12	55° 00.00'	-133° 43.11'	56	6.0	722	24	859	124	0	0	0
3031	8/4	55° 09.94'	-131° 06.00'	94	6.0	627	29	44	5	0	10	10
3032	8/3	55° 09.86'	-131° 41.00'	71	6.0	216	10	30	4	0	0	20
3033	8/3	55° 09.89'	-131° 56.00'	178	6.0	771	34	108	12	25	0	10
3034	8/12	55° 10.00'	-133° 26.11'	37	6.0	1,057	30	82	9	0	5	30
3035	8/3	55° 19.89'	-131° 58.00'	225	6.0	0	0	0	0	50	0	5
3036	8/3	55° 28.73'	-131° 58.03'	170	6.0	347	11	33	4	45	5	40
3037	8/2	55° 40.00'	-132° 15.00'	218	6.0	164	7	23	3	60	0	30
3038	8/2	55° 44.85'	-132° 27.00'	135	6.0	217	7	86	11	25	5	35
3039	8/2	55° 49.97'	-132° 15.00'	117	6.0	500	14	37	5	15	5	0
3040	8/1	56° 00.07'	-132° 32.00'	111	6.0	440	20	38	4	15	5	15
3041	8/1	56° 01.08'	-132° 44.80'	197	6.0	160	7	0	0	50	0	0
3042	8/1	56° 11.14'	-132° 50.00'	70	6.0	343	12	70	9	10	5	15
3043	7/2	54° 59.98'	-134° 00.84'	81	6.0	1,237	68	346	43	0	0	35
3044	7/2	54° 59.97'	-134° 17.88'	116	6.0	1,375	69	228	26	0	0	0
3045	7/1	55° 10.00'	-133° 43.12'	86	6.0	658	46	502	59	5	5	0
3046	7/2	55° 10.02'	-134° 01.08'	93	6.1	2,132	129	462	56	0	5	10
3047	7/1	55° 19.99'	-133° 44.09'	39	6.0	637	23	537	75	0	0	5
3048	7/1	55° 20.06'	-134° 01.38'	65	6.0	286	24	1,215	167	0	0	0
3049	6/30	55° 19.99'	-134° 19.04'	101	6.0	914	41	164	20	25	0	55
3050	6/30	55° 19.98'	-134° 35.97'	111	6.1	1,588	85	302	38	45	0	25
3051	6/29	55° 30.01'	-134° 00.96'	50	6.0	1,286	50	584	78	0	0	15

¹ Standard skate =1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights are calculated from length-weight tables.

³ Bycatch numbers extrapolated from 20% subsample.

**2011 IPHC Stock Assessment Survey
Area 2C**

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Set ¹	O32 Halibut		U32 Halibut		Bycatch (numbers) ³		
						Lbs. ²	#s	Lbs. ²	#s	Sablefish	P. Cod	Rockfish
3052	6/30	55° 30.02'	-134° 19.26'	92	6.0	535	32	211	24	0	5	0
3053	6/15	55° 30.01'	-134° 37.07'	111	6.0	869	38	135	16	69	0	0
3054	6/15	55° 29.98'	-134° 54.01'	158	6.0	1,133	63	264	34	54	0	0
3055	6/29	55° 39.99'	-134° 01.03'	104	6.0	1,065	51	119	15	0	5	40
3056	6/29	55° 39.99'	-134° 19.11'	114	6.0	428	17	59	7	5	0	0
3057	6/15	55° 39.99'	-134° 36.91'	111	6.0	971	39	25	4	5	0	5
3058	6/15	55° 40.00'	-134° 55.00'	108	6.0	1,172	45	158	20	82	0	60
3059	6/28	55° 50.00'	-133° 25.97'	35	6.0	1,021	50	74	8	0	20	10
3060	6/28	55° 49.99'	-133° 44.01'	64	6.0	867	26	47	6	0	0	25
3061	6/28	55° 49.99'	-134° 01.88'	147	6.0	554	23	38	4	15	5	0
3062	6/24	55° 50.00'	-134° 37.03'	80	6.0	303	8	40	6	10	5	35
3063	6/16	55° 50.00'	-134° 55.23'	107	6.0	411	12	48	6	0	10	15
3064	6/16	55° 49.99'	-135° 13.10'	102	6.0	860	36	125	16	60	0	75
3065	6/28	55° 54.97'	-133° 35.02'	38	6.0	884	43	167	20	0	0	49
3066	6/24	55° 59.99'	-134° 02.02'	56	6.0	1,050	53	424	50	0	5	0
3067	6/24	56° 00.00'	-134° 19.95'	46	6.1	1,221	30	206	29	0	10	35
3068	6/17	56° 00.01'	-134° 38.36'	207	6.0	1,748	56	137	16	130	0	15
3069	6/16	55° 59.99'	-134° 55.06'	195	6.0	624	16	15	2	139	0	59
3070	6/16	56° 00.00'	-135° 13.19'	199	6.1	1,691	49	7	1	121	0	51
3071	6/25	56° 09.96'	-133° 44.00'	154	5.9	457	21	49	7	39	10	0
3072	6/23	56° 10.07'	-134° 19.99'	71	6.0	1,049	44	385	48	0	25	15
3073	6/17	56° 09.88'	-134° 38.14'	135	6.0	683	25	73	10	60	25	35
3074	6/17	56° 10.02'	-134° 55.75'	100	6.0	329	18	235	30	40	20	5
3075	6/18	56° 10.00'	-135° 13.93'	155	6.0	323	18	70	10	64	15	5
3076	6/25	56° 19.96'	-133° 44.12'	103	6.0	906	29	34	4	15	25	30
3077	6/23	56° 20.07'	-134° 19.99'	81	6.0	607	20	109	19	5	55	5
3078	6/18	56° 20.00'	-134° 56.12'	56	6.0	944	23	124	20	0	0	20
3079	6/18	56° 20.00'	-135° 14.18'	87	6.0	626	26	166	21	5	5	15
3080	6/19	56° 20.02'	-135° 32.16'	110	6.0	636	26	78	11	74	0	0
3081	6/25	56° 29.02'	-133° 44.03'	55	6.0	1,001	33	220	27	0	10	0
3082	6/23	56° 30.09'	-134° 19.96'	53	6.0	1,188	56	622	80	0	0	15
3083	6/19	56° 30.00'	-135° 14.99'	59	6.0	772	33	218	29	0	0	15
3084	6/19	56° 30.00'	-135° 32.89'	85	6.1	472	17	111	16	0	5	126
3085	6/11	56° 40.00'	-135° 15.33'	22	6.0	814	19	20	2	0	0	15
3086	6/11	56° 40.00'	-135° 33.87'	73	6.0	1,624	44	249	39	0	0	40
3087	6/11	56° 40.00'	-135° 51.73'	131	6.0	1,347	64	122	14	60	5	5
3088	5/29	56° 50.00'	-132° 50.00'	111	5.9	388	17	116	16	0	0	0
3089	6/11	56° 50.00'	-135° 52.00'	102	6.0	177	12	83	12	0	0	0
3090	5/29	56° 56.99'	-132° 58.06'	72	6.0	1,114	53	393	51	0	10	0
3091	5/30	56° 59.98'	-134° 21.15'	189	6.0	706	35	205	27	115	10	15
3092	6/10	57° 00.00'	-135° 59.85'	56	6.0	665	30	351	50	0	0	5
3093	5/29	57° 03.00'	-133° 05.08'	77	6.0	416	21	72	13	0	5	0
3094	5/30	57° 10.01'	-133° 44.73'	177	5.0	489	27	119	15	13	4	4
3095	5/30	57° 10.00'	-134° 02.72'	159	6.0	858	37	182	24	25	30	0
3096	6/22	57° 10.04'	-134° 39.97'	193	6.0	231	8	13	3	0	10	65
3097	6/10	57° 10.00'	-135° 54.08'	39	6.0	271	10	126	19	0	0	30
3098	6/10	57° 10.00'	-136° 11.91'	115	6.0	245	11	74	10	10	0	5
3099	5/31	57° 20.00'	-133° 26.23'	75	6.0	262	4	42	6	0	0	0
3100	5/31	57° 20.01'	-133° 45.12'	197	6.0	1,348	65	59	7	45	5	20
3101	6/22	57° 20.02'	-134° 35.98'	173	6.1	574	24	87	11	40	15	35

¹ Standard skate =1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights are calculated from length-weight tables.

³ Bycatch numbers extrapolated from 20% subsample.

**2011 IPHC Stock Assessment Survey
Area 2C**

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Set ¹	O32 Halibut		U32 Halibut		Bycatch (numbers) ³		
						Lbs. ²	#'s	Lbs. ²	#'s	Sablefish	P. Cod	Rockfish
3102	6/9	57° 19.95'	-135° 55.02'	51	6.0	438	11	72	10	0	35	15
3103	6/9	57° 20.00'	-136° 12.82'	96	6.0	596	28	190	25	0	5	20
3104	5/31	57° 30.00'	-133° 44.89'	123	6.0	1,815	88	249	33	5	30	5
3105	6/22	57° 30.98'	-134° 38.25'	170	6.0	276	18	200	26	74	20	20
3106	6/9	57° 30.00'	-136° 14.12'	53	5.9	536	20	383	57	0	20	10
3107	6/1	57° 39.95'	-133° 45.00'	182	6.0	1,117	73	350	40	0	0	0
3108	6/8	57° 40.00'	-136° 32.89'	89	6.0	938	54	305	38	0	0	5
3109	6/1	57° 50.02'	-133° 54.05'	178	6.0	201	10	48	6	0	0	5
3110	6/8	57° 49.98'	-136° 34.05'	53	6.0	424	24	291	43	0	0	10
3111	6/8	57° 50.00'	-136° 52.91'	205	6.0	71	5	32	4	45	0	40
3112	6/1	58° 00.03'	-134° 04.04'	119	6.0	218	5	0	0	0	0	0
3113	6/7	58° 00.01'	-136° 39.99'	55	6.0	763	33	486	63	0	0	25
3114	6/6	58° 10.00'	-135° 01.25'	118	6.0	558	22	131	19	34	54	25
3115	6/6	58° 10.00'	-135° 20.11'	94	6.0	241	11	177	25	0	69	5
3116	6/7	58° 10.01'	-136° 36.31'	119	6.0	1,492	40	34	4	40	40	55
3117	6/2	58° 12.00'	-134° 23.92'	40	5.9	231	5	11	1	0	0	0
3118	6/2	58° 14.04'	-134° 40.72'	41	6.0	158	3	5	1	0	0	0
3119	6/6	58° 15.00'	-135° 40.16'	57	6.0	488	24	419	68	0	54	0
3120	6/7	58° 15.00'	-136° 26.06'	99	5.2	1,361	37	159	23	0	43	0
3121	6/2	58° 20.05'	-134° 42.95'	39	6.0	110	3	0	0	0	10	0
3122	6/3	58° 19.89'	-135° 01.87'	286	6.0	489	16	47	6	130	0	10
3123	6/3	58° 29.91'	-135° 01.97'	156	6.0	1,469	74	442	57	25	0	15
3124	6/3	58° 40.00'	-135° 03.09'	160	6.0	1,135	65	268	31	5	0	0
123 Total Effective 2C Stations					Totals	97,071	3,922	20,590	2,702	3,211	977	2,374

¹ Standard skate =1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights are calculated from length-weight tables.

³ Bycatch numbers extrapolated from 20% subsample.