

2011 IPHC Stock Assessment Survey Area 3B

1 of 5

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Set ¹	O32 Halibut		U32 Halibut		Bycatch (numbers) ³		
						Lbs. ²	#'s	Lbs. ²	#'s	Sablefish	P. Cod	Rockfish
5001	5/31	55° 59.95'	-153° 36.46'	52	6.0	942	60	785	106	0	0	0
5002	5/31	56° 00.15'	-153° 54.02'	67	6.0	515	32	391	58	0	35	0
5003	6/1	55° 59.80'	-154° 13.01'	61	6.0	1,256	76	587	73	0	85	5
5004	6/1	56° 00.01'	-154° 29.58'	263	6.0	189	11	42	5	25	0	0
5005	6/2	56° 00.01'	-154° 47.56'	123	6.0	79	6	114	16	10	10	0
5006	6/2	55° 59.98'	-155° 05.96'	34	6.0	136	10	414	78	0	100	0
5007	5/31	56° 09.99'	-153° 36.17'	86	6.0	130	10	322	43	0	20	0
5008	5/31	56° 10.00'	-153° 53.00'	123	6.0	874	62	368	44	10	10	0
5009	6/1	56° 10.03'	-154° 11.00'	65	6.0	281	21	713	95	0	5	0
5010	6/1	56° 09.90'	-154° 28.98'	51	6.0	525	38	970	136	0	30	0
5011	6/2	56° 10.05'	-154° 47.02'	45	6.0	486	36	811	112	0	55	0
5014	6/6	56° 09.99'	-155° 41.32'	35	6.0	61	3	117	21	0	195	0
5015	5/30	56° 19.93'	-153° 51.01'	48	6.0	661	39	955	132	0	45	0
5016	5/30	56° 20.00'	-154° 10.23'	50	6.0	387	26	468	65	0	80	0
5017	5/30	56° 20.02'	-154° 28.16'	33	6.0	251	17	334	46	0	44	0
5018	6/6	56° 19.96'	-155° 21.81'	27	6.0	97	6	382	58	0	130	0
5019	6/6	56° 20.00'	-155° 40.03'	40	6.0	591	22	127	24	0	170	0
5020	6/5	56° 30.00'	-155° 20.87'	31	6.0	158	9	272	44	0	165	0
5021	6/5	56° 29.94'	-155° 39.00'	63	6.0	1,058	69	495	60	0	150	0
5022	6/5	56° 39.99'	-155° 02.42'	24	6.0	584	34	425	59	0	163	0
5023	6/5	56° 40.02'	-155° 20.34'	55	6.0	627	38	411	55	0	104	0
5024	7/29	56° 40.00'	-155° 38.13'	132	6.0	628	35	211	24	20	0	0
5025	7/29	56° 39.98'	-155° 55.99'	161	6.0	144	10	70	8	59	54	0
5026	6/3	56° 50.07'	-154° 24.02'	34	6.1	190	10	210	30	0	207	0
5027	6/3	56° 50.02'	-154° 42.02'	26	6.0	229	14	384	53	0	165	0
5028	6/4	56° 50.03'	-155° 00.00'	43	6.0	875	53	457	69	0	90	0
5029	6/4	56° 50.00'	-155° 19.59'	128	6.0	1,037	63	181	21	40	45	0
5030	7/29	56° 50.16'	-155° 37.02'	154	6.0	374	21	64	8	35	60	0
5031	7/29	56° 49.92'	-155° 55.00'	166	6.0	230	14	19	3	163	59	0
5032	6/3	57° 00.00'	-154° 41.03'	22	6.0	360	22	343	51	0	134	0
5033	6/4	57° 00.08'	-154° 59.00'	62	6.0	333	24	502	70	0	60	0
5034	6/4	57° 00.00'	-155° 18.13'	140	6.0	501	32	167	19	25	5	0
5035	7/30	57° 00.00'	-155° 36.00'	156	6.0	165	10	27	3	84	59	0
5036	7/30	57° 00.00'	-155° 54.00'	163	6.0	335	13	7	1	104	74	0
5037	8/2	57° 10.08'	-154° 40.00'	35	5.9	471	24	634	95	0	20	0
5038	8/2	57° 10.15'	-154° 58.00'	111	6.0	483	31	329	44	59	50	5
5039	8/1	57° 09.93'	-155° 15.97'	137	6.0	537	28	144	18	45	74	0
5040	7/30	57° 10.05'	-155° 34.99'	152	6.0	173	11	33	4	59	40	0
5041	7/30	57° 10.00'	-155° 53.25'	141	6.0	717	31	60	8	74	40	0
5042	8/1	57° 20.01'	-154° 57.22'	108	6.0	187	9	40	5	29	93	0
5043	8/1	57° 19.83'	-155° 14.98'	137	6.0	594	30	93	11	50	59	0
5044	7/31	57° 20.00'	-155° 34.00'	157	5.9	268	17	84	10	64	29	0
5045	7/31	57° 19.99'	-155° 52.00'	57	6.0	716	40	689	93	0	153	0
5046	7/31	57° 20.00'	-156° 10.93'	105	6.0	22	2	70	8	0	193	0
5047	8/1	57° 30.00'	-155° 13.89'	143	6.0	333	16	77	10	40	104	0
5048	7/31	57° 29.98'	-155° 33.00'	168	6.0	245	16	155	19	75	90	0
5096	7/22	54° 50.27'	-157° 33.00'	165	6.0	24	2	44	6	130	0	10
5097	7/22	54° 49.96'	-157° 49.84'	92	6.0	92	7	428	62	10	20	5
5098	7/23	55° 00.14'	-157° 15.39'	100	6.0	0	0	172	26	45	50	0
5099	7/22	54° 59.81'	-157° 33.28'	55	6.0	1,000	66	922	120	0	70	5

¹ Standard skate =1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights are calculated from length-weight tables.

³ Bycatch numbers extrapolated from 20% subsample.

**2011 IPHC Stock Assessment Survey
Area 3B**

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Set ¹	O32 Halibut		U32 Halibut		Bycatch (numbers) ³		
						Lbs. ²	#'s	Lbs. ²	#'s	Sablefish	P. Cod	Rockfish
5100	7/27	54° 59.95'	-157° 50.70'	44	6.0	671	38	650	86	0	139	10
5101	7/27	54° 59.85'	-158° 06.72'	71	6.0	135	8	371	61	0	30	0
5102	7/15	55° 10.33'	-156° 22.30'	217	6.0	1,465	102	538	63	120	15	5
5104	7/24	55° 10.16'	-156° 57.52'	82	5.9	78	6	417	56	10	245	0
5105	7/23	55° 10.12'	-157° 13.97'	61	6.0	103	8	1,023	171	0	89	5
5106	7/23	55° 09.63'	-157° 31.67'	47	6.0	1,201	64	1,194	161	0	64	0
5107	7/28	55° 10.00'	-157° 48.86'	42	6.0	464	29	601	96	0	270	0
5108	7/27	55° 09.52'	-158° 06.46'	56	6.0	426	28	483	67	0	110	0
5109	7/14	55° 20.57'	-156° 39.48'	59	6.0	455	33	817	108	0	130	0
5110	7/24	55° 19.84'	-156° 55.83'	50	5.9	234	16	709	107	0	132	0
5111	7/24	55° 19.71'	-157° 12.23'	49	6.0	138	9	667	108	0	188	0
5112	7/28	55° 19.90'	-157° 31.27'	46	6.0	401	22	705	122	0	130	0
5113	7/28	55° 19.64'	-157° 49.62'	43	6.0	316	19	968	173	0	64	10
5114	7/26	55° 20.07'	-158° 06.22'	58	6.0	353	23	783	125	0	55	0
5115	7/26	55° 19.80'	-158° 24.12'	81	6.0	186	13	376	53	25	69	0
5116	7/14	55° 29.36'	-156° 38.41'	94	6.0	223	17	359	45	165	60	0
5117	7/14	55° 29.63'	-156° 54.70'	49	6.0	815	47	628	81	0	178	0
5118	7/25	55° 30.07'	-157° 14.29'	48	6.0	91	7	194	28	0	360	0
5119	7/25	55° 29.96'	-157° 29.84'	51	6.0	283	15	513	90	0	94	0
5120	7/25	55° 29.88'	-157° 46.70'	54	6.0	78	5	518	87	0	74	0
5121	7/10	55° 30.05'	-158° 05.99'	71	6.0	253	19	496	65	20	75	5
5122	7/26	55° 29.76'	-158° 23.69'	79	6.0	352	23	429	60	39	54	5
5123	7/18	55° 39.76'	-156° 54.96'	49	6.0	58	4	553	89	0	228	0
5124	7/9	55° 39.92'	-157° 12.72'	46	6.0	60	5	570	97	0	180	0
5125	7/9	55° 39.91'	-157° 29.97'	55	6.0	185	14	483	67	0	160	0
5126	7/10	55° 39.92'	-157° 48.03'	73	6.0	427	30	574	78	5	130	0
5127	7/10	55° 39.81'	-158° 05.69'	70	6.0	499	35	722	92	0	155	0
5128	7/19	55° 39.94'	-158° 22.88'	72	6.0	341	28	1,287	176	15	60	0
5129	7/19	55° 39.48'	-158° 40.77'	51	6.0	259	17	971	161	0	145	0
5130	7/18	55° 49.57'	-157° 11.52'	53	6.0	556	38	916	132	0	354	0
5131	7/9	55° 49.92'	-157° 30.12'	56	6.0	132	9	615	96	0	110	0
5132	8/2	55° 49.72'	-157° 48.47'	70	6.0	460	35	934	128	0	80	0
5133	8/2	55° 50.04'	-158° 04.46'	44	6.0	634	37	502	69	0	245	0
5134	7/19	55° 49.92'	-158° 23.28'	59	6.0	1,005	66	882	124	0	125	0
5135	8/1	56° 00.12'	-157° 29.03'	63	6.0	529	33	1,265	166	0	103	0
5136	8/1	55° 59.98'	-157° 46.85'	67	6.0	203	16	733	106	0	125	0
5137	8/2	55° 59.77'	-158° 05.07'	48	6.0	828	34	451	73	0	100	0
5138	8/4	56° 10.36'	-157° 47.63'	90	6.0	519	31	363	44	0	90	5
5139	8/4	56° 10.27'	-158° 04.83'	52	6.0	343	15	409	62	0	45	15
5140	8/4	56° 19.95'	-158° 03.64'	30	6.0	898	31	131	20	0	109	0
5141	6/15	54° 30.37'	-158° 59.96'	143	6.0	62	5	164	21	85	5	10
5142	6/14	54° 30.00'	-159° 17.20'	78	6.0	100	8	405	55	0	160	0
5143	6/14	54° 30.05'	-159° 34.45'	61	6.0	1,007	64	466	58	0	190	5
5144	6/13	54° 30.02'	-159° 51.28'	64	6.0	67	5	182	28	0	20	0
5145	6/13	54° 30.09'	-160° 09.08'	65	6.0	393	31	492	67	0	30	0
5146	6/16	54° 40.01'	-158° 25.32'	112	6.0	595	40	402	47	65	35	10
5147	6/15	54° 40.02'	-158° 42.16'	56	6.0	1,003	67	492	60	0	230	15
5148	6/15	54° 39.94'	-159° 00.05'	49	6.1	1,075	73	510	63	0	192	0
5149	6/14	54° 40.00'	-159° 16.93'	39	6.0	713	32	407	61	0	139	0
5150	6/14	54° 40.36'	-159° 34.04'	33	6.0	421	21	287	39	0	150	0

¹ Standard skate =1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights are calculated from length-weight tables.

³ Bycatch numbers extrapolated from 20% subsample.

2011 IPHC Stock Assessment Survey Area 3B

3 of 5

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Set ¹	O32 Halibut		U32 Halibut		Bycatch (numbers) ³		
						Lbs. ²	#s	Lbs. ²	#s	Sablefish	P. Cod	Rockfish
5151	6/13	54° 39.97'	-159° 52.19'	41	6.0	683	29	250	36	0	240	0
5152	6/10	54° 40.22'	-160° 09.01'	49	6.0	701	43	523	71	0	173	0
5153	6/16	54° 49.92'	-158° 08.39'	74	6.0	300	20	870	120	20	80	0
5154	6/16	54° 49.92'	-158° 25.25'	110	6.0	352	25	310	42	90	15	0
5155	6/9	54° 50.29'	-158° 42.13'	54	6.0	534	32	218	34	0	265	0
5156	6/9	54° 50.28'	-159° 00.10'	39	6.0	300	17	377	63	0	51	0
5157	6/10	54° 50.02'	-159° 52.34'	31	6.1	249	9	72	10	0	187	0
5158	6/10	54° 49.97'	-160° 09.10'	37	6.1	250	10	196	32	0	212	0
5159	5/29	54° 50.16'	-160° 26.46'	46	6.0	279	19	493	77	0	76	0
5160	6/8	54° 59.91'	-158° 24.94'	113	6.0	434	29	238	30	109	0	0
5161	6/8	54° 59.97'	-158° 41.81'	70	6.0	469	27	602	86	0	79	5
5162	6/9	55° 00.14'	-158° 59.18'	46	6.1	204	13	204	30	0	136	0
5163	6/7	54° 59.71'	-159° 16.81'	22	6.0	554	22	109	16	0	168	0
5164	5/29	55° 00.05'	-160° 27.86'	67	6.0	249	17	254	33	0	30	0
5165	5/29	55° 00.05'	-160° 43.70'	51	6.0	396	19	348	53	0	119	0
5166	6/8	55° 09.92'	-158° 24.29'	99	6.0	414	28	429	54	5	10	0
5167	6/8	55° 09.93'	-158° 41.73'	113	6.0	718	35	133	16	64	0	0
5168	6/7	55° 09.58'	-158° 58.33'	75	6.0	843	55	879	119	0	60	0
5169	6/7	55° 09.94'	-159° 17.09'	39	6.1	230	8	182	25	0	217	0
5170	6/6	55° 19.98'	-158° 42.20'	102	6.0	325	18	135	17	20	10	0
5171	6/6	55° 19.83'	-158° 59.16'	102	6.0	761	40	124	16	5	0	0
5172	5/30	55° 19.98'	-159° 16.92'	96	6.0	669	40	311	39	0	5	0
5173	5/30	55° 20.01'	-159° 34.31'	75	6.0	647	44	733	98	0	45	0
5174	5/30	55° 20.05'	-159° 51.91'	45	6.0	302	16	167	24	0	45	0
5175	6/6	55° 30.00'	-158° 41.43'	89	6.0	157	8	65	9	0	0	0
5176	6/2	55° 30.14'	-158° 59.29'	59	6.0	142	10	435	74	0	20	0
5177	6/2	55° 30.14'	-159° 17.26'	59	6.0	303	18	420	58	0	70	0
5178	6/1	55° 30.01'	-159° 34.55'	92	6.1	360	22	202	27	0	106	0
5179	6/1	55° 29.92'	-159° 50.66'	91	6.0	882	52	377	47	0	60	0
5181	6/5	55° 40.13'	-158° 59.07'	84	6.0	445	23	238	28	0	95	0
5182	6/2	55° 39.69'	-159° 17.04'	55	6.0	354	17	339	47	0	155	0
5183	6/1	55° 40.06'	-159° 52.32'	70	6.0	1,073	53	381	50	0	54	0
5184	6/5	55° 49.62'	-158° 59.07'	69	6.0	802	46	322	39	0	110	0
5185	6/5	55° 50.03'	-159° 16.82'	69	6.1	204	13	198	26	0	222	0
5186	6/23	54° 00.00'	-163° 14.71'	47	6.1	282	22	677	93	0	217	15
5187	6/23	54° 00.00'	-163° 32.09'	55	6.0	0	0	243	39	0	149	0
5188	6/23	54° 00.00'	-163° 49.09'	52	6.0	35	3	284	43	0	150	0
5189	6/14	54° 10.00'	-161° 34.05'	73	6.0	125	10	521	78	0	153	10
5190	6/14	54° 10.02'	-161° 51.04'	47	6.0	2,915	190	902	103	0	45	5
5191	6/15	54° 10.00'	-162° 08.05'	47	6.0	1,205	72	985	125	0	134	5
5192	6/15	54° 10.01'	-162° 24.98'	95	6.0	45	4	271	39	25	55	15
5193	6/23	54° 10.00'	-163° 50.06'	50	6.0	119	9	426	65	0	133	0
5194	6/12	54° 19.98'	-160° 08.04'	181	6.0	59	5	112	16	45	0	10
5195	6/12	54° 20.00'	-160° 26.15'	70	6.0	224	15	519	75	0	50	0
5196	6/13	54° 19.99'	-160° 42.98'	59	6.0	685	49	696	83	0	200	40
5197	6/13	54° 20.02'	-161° 00.02'	72	6.0	737	57	1,136	151	0	79	0
5198	6/14	54° 20.00'	-161° 17.09'	60	6.0	1,223	80	867	114	0	110	0
5199	6/14	54° 20.00'	-161° 34.02'	80	6.0	434	31	776	108	5	110	0
5200	6/15	54° 19.99'	-161° 51.36'	40	6.0	1,100	63	565	74	0	170	10
5201	6/15	54° 19.99'	-162° 09.23'	32	6.0	1,215	58	765	111	0	60	0

¹ Standard skate =1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights are calculated from length-weight tables.

³ Bycatch numbers extrapolated from 20% subsample.

**2011 IPHC Stock Assessment Survey
Area 3B**

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Set ¹	O32 Halibut		U32 Halibut		Bycatch (numbers) ³		
						Lbs. ²	#'s	Lbs. ²	#'s	Sablefish	P. Cod	Rockfish
5202	6/25	54° 20.00'	-163° 17.32'	27	6.0	1,535	69	359	44	0	75	0
5203	6/25	54° 20.39'	-163° 34.00'	61	6.0	524	37	568	79	0	165	0
5204	6/26	54° 20.00'	-163° 51.11'	62	6.0	159	13	472	63	0	125	0
5205	6/26	54° 20.00'	-164° 09.44'	50	6.0	422	27	493	74	0	105	0
5206	6/12	54° 30.09'	-160° 26.02'	82	6.0	532	40	693	92	15	95	0
5207	6/13	54° 29.98'	-160° 43.14'	77	6.0	440	31	737	106	5	120	0
5208	6/13	54° 30.00'	-161° 00.02'	73	6.0	378	28	978	144	0	35	0
5209	6/18	54° 29.96'	-161° 18.00'	69	6.0	320	25	664	103	0	50	0
5210	6/17	54° 29.98'	-161° 35.00'	37	6.0	1,012	61	917	137	0	15	0
5211	6/17	54° 30.16'	-161° 52.04'	80	6.0	495	33	301	43	0	20	0
5212	6/16	54° 30.01'	-162° 09.17'	80	6.0	743	48	676	90	0	99	0
5213	6/16	54° 29.99'	-162° 26.01'	81	6.0	737	46	829	113	0	95	0
5214	6/25	54° 30.00'	-163° 17.87'	40	6.1	540	34	955	148	0	51	0
5215	6/25	54° 29.99'	-163° 34.86'	52	6.0	120	8	924	162	0	25	0
5216	6/26	54° 30.00'	-163° 53.27'	51	6.0	452	33	881	137	0	15	0
5217	6/26	54° 30.00'	-164° 09.77'	52	6.0	332	24	784	116	0	95	0
5218	6/12	54° 40.00'	-160° 26.26'	57	6.0	554	35	981	147	0	79	0
5219	6/11	54° 40.00'	-160° 43.14'	53	6.0	678	41	606	80	0	210	0
5220	6/11	54° 40.00'	-161° 00.96'	52	6.0	587	35	855	128	0	60	0
5221	6/18	54° 39.97'	-161° 18.01'	77	6.0	415	25	755	106	0	20	0
5222	6/17	54° 39.92'	-161° 34.99'	36	6.0	724	45	1,004	148	0	20	30
5223	6/17	54° 40.09'	-161° 53.03'	34	6.0	1,686	80	655	95	0	10	0
5224	6/22	54° 40.09'	-162° 44.00'	49	6.0	314	17	220	33	0	5	0
5225	6/11	54° 50.00'	-160° 44.16'	57	6.0	428	32	1,189	168	0	89	0
5226	6/11	54° 50.09'	-161° 01.01'	58	6.0	599	38	835	118	0	15	0
5227	6/10	54° 50.14'	-161° 18.00'	58	6.0	666	39	766	110	0	10	0
5228	6/18	54° 50.00'	-161° 36.04'	44	6.0	1,035	47	615	89	0	50	0
5229	6/22	54° 50.01'	-162° 45.83'	26	6.0	324	21	487	72	0	15	0
5230	6/22	54° 49.99'	-163° 02.97'	45	6.0	574	34	302	39	0	134	0
5231	6/10	55° 00.01'	-161° 01.23'	57	6.0	468	31	488	72	0	45	0
5232	6/10	55° 00.00'	-161° 19.02'	49	6.0	743	42	817	113	0	55	0
5233	6/10	55° 10.06'	-161° 01.99'	75	6.0	269	13	367	51	0	118	0
5234	7/16	55° 20.61'	-156° 03.11'	134	6.0	476	27	115	13	208	0	0
5235	7/15	55° 20.05'	-156° 20.29'	95	6.0	584	38	330	38	5	70	0
5236	7/1	55° 29.99'	-155° 45.08'	120	6.0	145	10	93	12	160	60	15
5237	7/16	55° 29.68'	-156° 03.06'	111	6.0	67	5	154	22	65	105	0
5238	7/16	55° 30.17'	-156° 19.86'	119	5.9	460	30	216	27	118	15	0
5239	6/30	55° 39.98'	-155° 26.34'	99	6.0	134	9	425	59	5	95	5
5240	7/1	55° 39.83'	-155° 43.91'	70	6.0	289	21	402	53	0	170	0
5241	7/1	55° 39.99'	-156° 01.98'	122	6.0	537	39	484	59	45	60	0
5242	7/17	55° 40.00'	-156° 19.48'	141	6.0	462	21	75	9	110	5	0
5243	7/17	55° 40.14'	-156° 36.39'	131	6.0	373	24	90	13	140	40	0
5244	6/30	55° 49.99'	-155° 07.14'	64	6.0	605	42	663	86	0	85	0
5245	6/30	55° 49.88'	-155° 24.91'	26	6.0	25	2	334	52	0	195	0
5246	7/4	55° 50.06'	-156° 01.22'	58	6.0	609	47	875	109	0	55	0
5247	7/5	55° 49.98'	-156° 18.96'	132	6.0	0	0	96	14	50	10	0
5248	7/17	55° 49.51'	-156° 36.28'	124	6.0	142	12	118	14	84	10	0
5249	7/18	55° 49.60'	-156° 54.05'	68	6.0	117	9	1,010	142	10	168	0
5250	7/4	56° 00.14'	-155° 41.95'	26	6.0	171	9	279	44	0	135	0
5251	7/4	55° 59.75'	-155° 59.49'	42	6.0	492	37	708	103	0	75	0

¹ Standard skate =1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights are calculated from length-weight tables.

³ Bycatch numbers extrapolated from 20% subsample.

2011 IPHC Stock Assessment Survey Area 3B

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Set ¹	O32 Halibut		U32 Halibut		Bycatch (numbers) ³		
						Lbs. ²	#'s	Lbs. ²	#'s	Sablefish	P. Cod	Rockfish
5252	7/5	56° 00.05'	-156° 18.37'	117	6.0	64	5	126	16	135	85	0
5253	7/5	55° 59.99'	-156° 35.69'	108	6.0	308	21	271	37	15	160	0
5254	7/8	56° 00.52'	-157° 11.06'	63	6.0	213	15	561	84	0	80	0
5255	8/8	56° 10.21'	-155° 59.27'	119	6.0	506	36	390	46	20	130	0
5256	7/6	56° 10.22'	-156° 17.34'	129	6.0	222	14	130	16	90	60	0
5257	7/6	56° 10.42'	-156° 34.91'	103	6.0	205	13	391	54	10	55	0
5258	7/8	56° 10.27'	-156° 53.31'	44	6.0	521	18	388	60	0	190	0
5259	7/8	56° 09.76'	-157° 11.04'	52	6.0	544	29	446	66	0	200	0
5260	8/1	56° 09.84'	-157° 29.16'	87	6.0	908	48	343	45	0	198	0
5261	8/8	56° 19.91'	-155° 57.98'	114	6.0	334	19	108	13	60	25	0
5262	8/8	56° 19.85'	-156° 15.90'	154	6.0	53	4	12	2	60	5	0
5263	7/6	56° 20.02'	-156° 34.00'	101	6.0	841	55	518	65	65	100	0
5264	7/31	56° 20.36'	-156° 52.17'	64	6.0	901	54	830	114	0	85	0
5265	7/31	56° 20.03'	-157° 09.90'	93	6.0	954	49	337	42	0	74	0
5266	8/5	56° 20.11'	-157° 28.21'	38	6.0	317	20	517	73	0	0	0
5267	8/5	56° 19.93'	-157° 45.49'	29	6.0	241	12	328	48	0	190	0
5268	8/9	56° 30.20'	-155° 57.55'	136	6.0	235	15	14	2	80	30	0
5269	8/9	56° 30.14'	-156° 15.15'	141	6.0	276	15	4	1	90	45	0
5270	8/9	56° 29.98'	-156° 32.75'	107	6.0	436	27	78	10	30	10	0
5271	7/31	56° 30.11'	-156° 51.19'	54	6.0	810	29	457	66	0	100	0
5272	8/5	56° 29.91'	-157° 28.16'	87	6.0	1,144	62	363	47	0	114	5
5273	8/11	56° 40.11'	-156° 14.52'	112	6.0	540	27	36	4	225	55	0
5274	8/11	56° 40.34'	-156° 31.92'	81	6.0	1,040	56	585	75	0	91	5
5275	8/10	56° 39.94'	-156° 51.33'	56	6.0	623	37	696	99	0	95	0
5276	8/10	56° 39.68'	-157° 08.98'	88	6.0	584	27	124	14	0	90	0
5277	8/12	56° 49.67'	-156° 13.13'	105	6.0	989	49	125	15	70	135	0
5278	8/11	56° 50.09'	-156° 32.16'	59	6.0	658	30	613	79	0	110	5
5279	8/10	56° 49.94'	-156° 49.67'	63	6.0	812	46	443	58	0	89	0
5280	8/12	57° 00.03'	-156° 13.67'	84	6.0	650	41	352	43	0	160	0
229 Total Effective 3B Stations					Totals	109,655	6,583	104,827	14,767	4,161	21,176	309

¹ Standard skate =1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights are calculated from length-weight tables.

³ Bycatch numbers extrapolated from 20% subsample.