

2013 IPHC Stock Assessment Survey

Area 3B

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Set ¹	O32 Halibut		U32 Halibut		Bycatch (numbers) ³		
						Lbs. ²	#'s	Lbs. ²	#'s	Sablefish	P. Cod	Rockfish
5001	6/5	55° 59.80'	-153° 35.84'	53	6.0	500	33	1,256	186	0	0	0
5002	6/5	56° 00.11'	-153° 53.99'	72	6.0	146	10	503	86	0	35	0
5003	6/8	55° 59.80'	-154° 13.00'	62	6.0	775	48	749	117	0	0	5
5004	6/8	55° 59.99'	-154° 30.25'	254	6.0	39	3	9	1	85	0	5
5005	6/9	55° 59.98'	-154° 47.99'	123	6.0	48	3	211	30	30	0	0
5006	6/9	56° 00.01'	-155° 06.44'	31	6.0	273	18	563	94	0	163	0
5007	6/5	56° 09.98'	-153° 36.02'	89	6.0	395	28	744	108	0	80	5
5008	6/5	56° 10.05'	-153° 53.01'	123	6.0	638	39	159	19	79	0	5
5009	6/8	56° 09.96'	-154° 10.97'	67	6.0	304	21	459	75	0	64	0
5010	6/8	56° 09.93'	-154° 29.00'	52	6.0	558	33	1,008	159	0	10	0
5011	6/9	56° 09.96'	-154° 46.98'	47	6.0	89	7	370	60	0	65	0
5014	6/28	56° 10.07'	-155° 40.98'	35	6.0	229	15	474	86	0	25	0
5015	6/7	56° 19.98'	-153° 51.00'	49	6.0	811	47	689	112	0	40	0
5016	6/7	56° 20.00'	-154° 10.07'	52	6.0	475	24	387	65	0	35	0
5017	6/7	56° 20.00'	-154° 27.84'	36	5.8	427	23	270	39	0	25	0
5018	7/25	56° 19.99'	-155° 21.87'	26	2.5	38	2	227	37	0	29	0
5019	7/25	56° 20.06'	-155° 40.00'	41	6.0	203	13	311	52	0	129	0
5020	7/25	56° 29.65'	-155° 21.04'	28	6.0	398	18	355	53	0	65	0
5021	7/25	56° 30.33'	-155° 39.00'	69	6.0	209	14	212	28	0	277	0
5022	7/18	56° 40.25'	-155° 02.36'	23	5.9	422	17	185	27	0	0	0
5023	7/18	56° 40.10'	-155° 20.00'	53	6.0	547	31	180	24	0	190	0
5024	7/18	56° 39.55'	-155° 38.01'	130	6.0	485	29	157	21	0	45	0
5025	7/5	56° 39.97'	-155° 55.98'	160	5.8	394	22	87	12	0	10	0
5026	7/26	56° 50.00'	-154° 24.01'	34	6.0	949	50	841	114	0	60	0
5027	7/26	56° 49.93'	-154° 42.00'	27	6.0	293	19	400	67	0	15	0
5028	7/18	56° 49.64'	-155° 00.00'	42	6.0	644	31	344	50	0	60	0
5029	7/4	56° 52.02'	-155° 19.01'	130	6.0	436	24	200	26	5	49	0
5030	7/3	56° 50.06'	-155° 37.02'	153	6.0	220	14	207	27	6	36	0
5031	7/3	56° 50.00'	-155° 55.15'	164	6.0	310	16	188	22	50	25	0
5032	7/26	57° 00.16'	-154° 41.00'	25	6.0	740	40	348	49	0	0	0
5033	7/4	57° 00.00'	-154° 58.92'	61	6.0	353	27	594	79	0	170	0
5034	7/4	57° 00.02'	-155° 17.99'	139	6.0	325	21	245	32	0	40	0
5035	7/3	57° 00.00'	-155° 35.98'	155	6.0	154	9	48	6	0	10	0
5036	7/6	57° 00.00'	-155° 53.98'	163	6.0	307	18	151	20	40	200	0
5037	7/1	57° 10.02'	-154° 40.03'	33	6.0	492	26	536	81	0	64	0
5038	7/1	57° 10.00'	-154° 58.01'	107	6.0	219	14	154	22	15	70	0
5039	7/1	57° 09.98'	-155° 16.00'	136	6.0	564	32	198	22	0	40	0
5040	7/3	57° 09.89'	-155° 35.00'	150	6.0	576	36	158	21	0	70	0
5041	7/7	57° 10.14'	-155° 53.01'	136	6.0	595	27	99	13	20	223	0
5042	7/1	57° 19.99'	-154° 57.02'	107	6.0	227	13	82	11	5	180	0
5043	7/2	57° 20.08'	-155° 15.02'	136	6.0	443	26	229	31	10	74	0
5044	7/2	57° 19.99'	-155° 34.51'	156	6.0	512	29	119	15	0	40	0
5045	7/7	57° 20.00'	-155° 51.78'	57	6.0	1,082	60	728	94	0	101	0
5046	7/7	57° 20.01'	-156° 10.96'	107	6.0	130	7	53	7	0	208	0
5047	7/2	57° 30.09'	-155° 14.00'	142	5.9	343	15	72	9	0	35	0
5048	7/2	57° 30.01'	-155° 32.98'	165	6.0	384	21	234	28	0	30	0
5096	6/12	54° 50.00'	-157° 33.50'	225	6.0	0	0	0	0	20	0	0
5097	6/12	54° 49.99'	-157° 50.00'	94	6.0	276	18	675	92	0	45	0
5098	6/23	54° 59.99'	-157° 15.12'	106	6.0	59	5	303	43	15	5	0
5099	6/12	55° 00.00'	-157° 31.94'	57	5.9	1,166	68	371	45	0	125	10

¹ Standard skate = 1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights are calculated from length-weight tables.

³ Bycatch numbers extrapolated from 20% subsample.

2013 IPHC Stock Assessment Survey

Area 3B

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Set ¹	O32 Halibut		U32 Halibut		Bycatch (numbers) ³		
						Lbs. ²	#'s	Lbs. ²	#'s	Sablefish	P. Cod	Rockfish
5100	6/12	55° 00.00'	-157° 49.89'	46	6.0	979	47	352	47	0	228	10
5101	6/13	55° 00.04'	-158° 07.01'	75	6.0	158	12	135	19	0	115	0
5102	6/11	55° 10.20'	-156° 21.98'	276	6.0	0	0	11	1	109	0	0
5103	6/11	55° 10.00'	-156° 38.90'	295	6.0	0	0	0	0	90	0	5
5104	6/23	55° 09.49'	-156° 57.14'	91	6.0	167	13	251	33	5	213	0
5105	6/23	55° 10.00'	-157° 14.06'	62	6.0	224	15	380	59	0	145	15
5106	6/23	55° 10.00'	-157° 31.97'	48	6.0	548	25	321	45	0	245	0
5107	6/13	55° 10.00'	-157° 49.00'	45	6.0	350	21	361	59	0	248	0
5108	6/13	55° 09.98'	-158° 06.96'	57	6.0	616	41	536	86	0	115	0
5109	6/11	55° 19.99'	-156° 38.82'	68	6.0	311	18	55	7	0	295	0
5110	6/24	55° 19.77'	-156° 56.00'	51	6.0	46	2	51	9	0	295	0
5111	6/24	55° 19.96'	-157° 14.00'	51	6.0	199	13	157	30	0	168	0
5112	6/21	55° 20.02'	-157° 31.09'	48	6.0	133	5	317	58	0	183	0
5113	6/21	55° 20.07'	-157° 49.03'	45	6.0	95	6	212	45	0	287	0
5114	6/20	55° 20.06'	-158° 06.01'	60	6.0	34	2	480	85	0	99	0
5115	6/20	55° 20.02'	-158° 23.99'	81	6.0	306	21	338	48	0	105	0
5116	6/27	55° 29.99'	-156° 38.00'	102	5.9	291	17	166	23	34	34	0
5117	6/24	55° 30.00'	-156° 55.00'	49	6.0	312	21	182	31	0	252	0
5118	6/24	55° 30.07'	-157° 12.98'	50	6.0	509	25	187	26	0	213	0
5119	6/21	55° 30.01'	-157° 31.09'	51	6.0	419	21	430	77	0	84	0
5120	6/21	55° 30.00'	-157° 48.10'	53	6.0	316	20	293	52	0	130	0
5121	6/20	55° 30.04'	-158° 06.00'	72	6.0	230	18	558	81	0	114	0
5122	6/20	55° 30.02'	-158° 24.01'	80	6.0	52	3	136	23	0	64	0
5123	6/25	55° 40.00'	-156° 55.00'	50	6.0	153	9	666	118	0	85	0
5124	6/22	55° 40.00'	-157° 12.81'	48	6.0	212	9	275	57	0	210	0
5125	6/22	55° 40.00'	-157° 30.07'	55	6.0	172	12	376	65	0	140	0
5126	6/22	55° 40.02'	-157° 48.05'	74	6.0	440	30	534	74	0	208	0
5127	7/15	55° 39.95'	-158° 06.86'	72	6.0	681	46	557	72	0	100	0
5128	7/15	55° 40.56'	-158° 23.00'	72	6.0	727	50	723	95	0	125	0
5129	7/15	55° 39.96'	-158° 41.05'	51	6.0	121	8	486	91	0	195	0
5130	7/16	55° 49.98'	-157° 11.98'	56	6.0	228	17	669	100	0	150	0
5131	7/16	55° 49.48'	-157° 30.00'	57	6.0	171	12	319	49	0	245	0
5132	7/14	55° 49.79'	-157° 48.00'	68	6.0	670	43	614	86	0	145	0
5133	7/14	55° 50.24'	-158° 04.97'	45	6.0	60	3	648	131	0	30	0
5134	7/15	55° 49.50'	-158° 23.03'	61	6.0	310	15	576	99	0	110	0
5135	7/16	55° 59.82'	-157° 28.98'	61	6.0	255	15	298	50	0	104	0
5136	7/14	55° 59.83'	-157° 47.00'	68	5.9	418	26	407	61	0	35	0
5137	7/14	56° 00.00'	-158° 04.34'	46	5.9	279	11	232	38	0	287	0
5138	7/23	56° 10.29'	-157° 47.00'	84	6.0	309	13	82	11	0	260	0
5139	7/23	56° 10.00'	-158° 00.63'	63	5.9	501	21	245	36	0	178	0
5140	7/23	56° 20.00'	-158° 04.13'	38	6.0	372	13	197	28	0	25	0
5141	6/29	54° 29.99'	-158° 59.93'	150	6.0	202	16	241	30	64	0	15
5142	7/4	54° 30.07'	-159° 17.00'	79	6.0	93	5	198	29	0	109	0
5143	7/4	54° 30.04'	-159° 34.00'	61	6.0	279	19	226	28	0	155	5
5144	7/5	54° 30.00'	-159° 51.12'	64	6.0	94	7	205	33	0	75	0
5145	7/5	54° 30.00'	-160° 09.17'	65	6.1	337	21	347	44	0	56	0
5146	6/28	54° 39.99'	-158° 25.15'	112	6.0	1,048	73	619	77	79	15	15
5147	6/29	54° 39.90'	-158° 42.02'	56	6.0	100	7	115	15	0	295	20
5148	6/29	54° 40.02'	-159° 00.00'	49	6.0	855	49	700	101	0	89	10
5149	7/4	54° 39.98'	-159° 17.00'	39	6.0	125	7	317	46	0	105	0

¹ Standard skate = 1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights are calculated from length-weight tables.

³ Bycatch numbers extrapolated from 20% subsample.

2013 IPHC Stock Assessment Survey

Area 3B

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Set ¹	O32 Halibut		U32 Halibut		Bycatch (numbers) ³		
						Lbs. ²	#'s	Lbs. ²	#'s	Sablefish	P. Cod	Rockfish
5150	7/4	54° 39.93'	-159° 34.00'	34	6.0	793	29	295	40	0	30	15
5151	7/3	54° 40.01'	-159° 52.00'	41	6.0	566	21	234	32	0	100	0
5152	7/3	54° 40.08'	-160° 09.00'	48	6.0	233	13	226	28	0	185	0
5153	6/28	54° 50.01'	-158° 07.07'	57	6.0	459	32	727	114	0	95	0
5154	6/28	54° 50.00'	-158° 25.09'	108	6.0	515	34	329	45	54	0	5
5155	6/28	54° 50.00'	-158° 41.83'	55	5.9	905	55	648	91	0	183	0
5156	6/29	54° 50.05'	-159° 00.01'	41	6.0	239	16	564	101	0	65	0
5157	7/3	54° 50.01'	-159° 51.98'	30	6.0	59	4	84	14	0	145	0
5158	7/3	54° 50.03'	-160° 09.00'	37	6.0	26	2	36	4	0	180	0
5159	7/2	54° 50.05'	-160° 26.00'	45	6.0	234	14	149	20	0	145	0
5160	6/27	54° 59.92'	-158° 25.00'	114	6.0	814	52	314	43	20	0	25
5161	6/27	54° 59.98'	-158° 42.02'	71	6.0	284	18	674	109	0	129	0
5162	6/26	55° 00.00'	-158° 58.98'	45	6.0	357	17	411	69	0	195	0
5163	6/26	54° 59.50'	-159° 16.93'	23	6.0	877	24	47	7	0	100	0
5164	7/2	54° 59.89'	-160° 27.00'	60	6.0	457	32	619	91	0	50	0
5165	7/2	55° 00.17'	-160° 44.00'	46	6.0	472	23	503	73	0	30	0
5166	6/27	55° 10.06'	-158° 24.50'	114	6.0	165	12	176	25	0	0	0
5167	6/27	55° 10.04'	-158° 42.01'	111	6.0	318	18	119	15	0	0	0
5168	6/26	55° 10.00'	-158° 59.14'	76	6.0	156	11	303	49	0	263	0
5169	6/26	55° 10.00'	-159° 17.01'	39	6.0	148	5	280	46	0	198	10
5170	6/25	55° 20.00'	-158° 42.09'	101	5.9	228	15	61	8	10	0	0
5171	6/25	55° 20.00'	-158° 59.19'	101	6.0	627	33	116	15	0	5	0
5172	6/23	55° 20.07'	-159° 16.99'	95	6.0	1,076	63	174	20	0	5	0
5173	6/23	55° 20.03'	-159° 34.00'	77	6.0	481	30	478	62	0	175	0
5174	6/22	55° 20.02'	-159° 52.02'	45	6.0	569	23	226	32	0	170	0
5175	6/25	55° 30.00'	-158° 40.73'	88	6.0	300	16	96	14	0	0	0
5176	6/25	55° 30.00'	-158° 59.06'	60	6.0	352	19	519	93	0	78	0
5177	6/23	55° 29.94'	-159° 17.00'	66	6.0	378	25	594	87	0	30	0
5178	6/23	55° 29.95'	-159° 34.00'	92	6.0	536	39	425	59	0	173	0
5179	6/22	55° 30.00'	-159° 52.00'	90	6.0	350	21	129	19	0	163	0
5181	6/24	55° 39.95'	-158° 59.00'	82	6.0	518	30	239	35	0	145	0
5182	6/24	55° 39.97'	-159° 17.04'	57	6.0	376	12	327	59	0	191	0
5183	6/22	55° 41.37'	-159° 52.01'	67	6.0	853	43	500	62	0	126	0
5184	6/24	55° 49.91'	-158° 59.00'	67	6.0	867	40	352	49	0	195	0
5185	6/24	55° 50.05'	-159° 17.01'	29	6.0	306	16	379	61	0	70	0
5186	7/16	54° 00.00'	-163° 15.18'	46	6.0	203	13	185	26	0	75	5
5187	7/16	54° 00.00'	-163° 32.00'	55	6.0	14	1	60	9	0	165	0
5188	7/16	54° 00.00'	-163° 48.97'	51	6.0	0	0	123	23	0	54	0
5189	7/18	54° 09.94'	-161° 34.00'	76	6.0	195	12	215	35	0	66	0
5190	7/18	54° 09.99'	-161° 51.00'	44	6.0	278	20	368	49	0	120	5
5191	7/17	54° 09.96'	-162° 08.00'	45	6.0	382	18	290	38	0	55	0
5192	7/17	54° 10.10'	-162° 24.99'	88	6.0	172	10	317	42	20	55	30
5193	7/16	54° 09.96'	-163° 50.00'	48	6.0	365	17	203	30	0	85	0
5194	7/5	54° 20.00'	-160° 08.48'	172	6.0	42	3	104	12	50	0	30
5195	7/5	54° 20.00'	-160° 25.73'	68	6.0	363	19	344	60	0	65	0
5196	7/7	54° 20.00'	-160° 43.09'	58	6.0	211	16	266	34	0	240	16
5197	7/7	54° 20.00'	-161° 00.20'	68	6.1	155	11	149	24	0	130	0
5198	7/7	54° 19.99'	-161° 17.21'	58	6.0	496	31	541	74	0	60	5
5199	7/18	54° 19.91'	-161° 34.00'	78	6.0	192	14	314	44	0	125	0
5200	7/18	54° 20.04'	-161° 51.00'	45	6.1	437	25	476	64	0	5	0

¹ Standard skate = 1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights are calculated from length-weight tables.

³ Bycatch numbers extrapolated from 20% subsample.

2013 IPHC Stock Assessment Survey

Area 3B

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Set ¹	O32 Halibut		U32 Halibut		Bycatch (numbers) ³		
						Lbs. ²	#'s	Lbs. ²	#'s	Sablefish	P. Cod	Rockfish
5201	7/17	54° 20.11'	-162° 09.00'	32	6.0	641	19	227	37	0	0	0
5202	7/14	54° 19.99'	-163° 17.00'	27	6.0	588	20	105	13	0	20	0
5203	7/14	54° 20.04'	-163° 34.02'	60	6.0	332	23	511	81	0	70	0
5204	7/15	54° 20.05'	-163° 51.00'	61	6.0	107	8	175	27	0	150	0
5205	7/15	54° 20.02'	-164° 09.00'	52	6.0	141	10	384	64	0	79	0
5206	7/6	54° 30.02'	-160° 25.99'	80	6.0	160	12	184	27	0	95	0
5207	7/6	54° 29.94'	-160° 43.00'	75	6.1	292	18	277	40	0	15	0
5208	7/7	54° 30.00'	-161° 00.11'	71	6.0	147	10	211	33	0	70	0
5209	7/9	54° 30.00'	-161° 17.91'	66	6.1	138	8	303	49	0	155	0
5210	7/9	54° 30.00'	-161° 35.05'	37	6.0	696	28	478	78	0	0	0
5211	7/19	54° 30.00'	-161° 52.03'	76	6.0	231	16	159	20	10	0	0
5212	7/19	54° 30.00'	-162° 09.00'	77	6.0	167	12	87	12	0	225	0
5213	7/19	54° 30.00'	-162° 25.84'	79	6.0	473	27	273	40	0	75	0
5214	7/14	54° 29.95'	-163° 18.00'	40	6.0	656	35	446	64	0	120	0
5215	7/14	54° 30.00'	-163° 35.00'	54	6.0	183	13	340	55	0	35	0
5216	7/15	54° 29.91'	-163° 53.00'	49	6.0	275	16	345	60	0	50	0
5217	7/15	54° 29.97'	-164° 10.00'	50	6.0	91	5	256	44	0	74	0
5218	7/6	54° 39.97'	-160° 26.00'	55	6.0	332	20	333	42	0	150	0
5219	7/6	54° 40.03'	-160° 43.00'	51	6.1	579	31	452	72	0	70	0
5220	7/8	54° 39.94'	-161° 01.00'	51	6.0	242	12	258	42	0	149	0
5221	7/8	54° 39.89'	-161° 18.00'	73	6.1	249	15	345	46	0	40	0
5222	7/9	54° 39.94'	-161° 35.00'	35	6.0	389	21	557	82	0	0	5
5223	7/19	54° 40.03'	-161° 52.99'	31	6.0	583	25	530	82	0	0	0
5224	7/13	54° 40.00'	-162° 44.06'	46	6.0	160	11	275	41	0	30	0
5225	7/2	54° 50.04'	-160° 44.00'	54	6.0	150	10	138	20	0	114	0
5226	7/8	54° 50.03'	-161° 01.02'	56	6.0	369	16	340	50	0	55	0
5227	7/8	54° 49.94'	-161° 18.03'	55	6.0	251	16	270	43	0	30	0
5228	7/9	54° 49.91'	-161° 36.00'	42	6.0	326	13	287	39	0	45	5
5229	7/13	54° 50.00'	-162° 45.16'	27	6.0	259	12	153	24	0	105	0
5230	7/13	54° 50.00'	-163° 03.02'	45	6.0	292	17	72	10	0	0	0
5231	7/10	55° 00.00'	-161° 01.16'	56	6.0	283	17	317	44	0	35	0
5232	7/10	55° 00.00'	-161° 18.89'	50	6.0	316	15	351	48	0	129	5
5233	7/10	55° 10.00'	-161° 02.16'	57	6.0	411	19	453	65	0	0	0
5234	6/26	55° 21.92'	-156° 02.99'	120	6.0	213	15	230	27	70	0	0
5236	6/26	55° 29.98'	-155° 44.98'	120	6.0	67	5	115	17	35	70	15
5237	6/26	55° 30.02'	-156° 02.96'	112	6.0	134	9	137	25	25	30	0
5238	6/27	55° 30.01'	-156° 19.80'	120	6.0	299	21	169	26	35	35	5
5239	6/10	55° 40.06'	-155° 26.00'	100	5.9	162	12	420	63	10	89	0
5240	6/10	55° 39.98'	-155° 43.87'	70	6.0	388	27	506	73	0	160	0
5241	6/10	55° 40.05'	-156° 02.01'	127	5.9	630	38	265	34	74	50	0
5242	6/27	55° 39.89'	-156° 18.98'	141	6.0	834	46	112	14	25	0	0
5243	6/27	55° 40.04'	-156° 37.01'	133	5.9	245	16	86	13	0	0	5
5244	6/9	55° 49.99'	-155° 06.72'	66	6.0	469	33	886	138	0	25	0
5245	6/10	55° 49.95'	-155° 24.98'	28	6.0	141	7	303	49	0	165	0
5246	7/12	55° 49.94'	-156° 00.97'	56	6.0	1,505	101	901	115	0	94	0
5247	7/12	55° 50.26'	-156° 19.00'	132	6.0	41	2	35	4	30	0	0
5248	6/25	55° 49.91'	-156° 36.00'	127	5.9	304	21	177	26	0	25	5
5249	6/25	55° 50.00'	-156° 53.94'	75	6.0	770	54	419	61	0	95	0
5250	6/28	56° 00.03'	-155° 42.01'	27	6.0	98	8	291	51	0	200	0
5251	7/12	55° 59.78'	-155° 59.96'	43	6.0	559	32	506	86	0	35	0

¹ Standard skate = 1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights are calculated from length-weight tables.

³ Bycatch numbers extrapolated from 20% subsample.

2013 IPHC Stock Assessment Survey

Area 3B

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Set ¹	O32 Halibut		U32 Halibut		Bycatch (numbers) ³		
						Lbs. ²	#'s	Lbs. ²	#'s	Sablefish	P. Cod	Rockfish
5252	7/12	56° 00.00'	-156° 17.38'	117	6.0	140	8	24	3	40	210	5
5253	6/25	55° 59.91'	-156° 34.00'	108	6.0	481	22	51	6	0	241	0
5254	7/16	55° 59.92'	-157° 11.00'	62	6.0	188	13	425	67	0	190	0
5255	7/17	56° 10.36'	-155° 58.90'	119	6.0	893	66	464	58	10	105	0
5256	7/17	56° 09.70'	-156° 16.99'	125	6.0	285	15	8	1	35	218	0
5257	7/13	56° 09.92'	-156° 35.01'	104	6.0	644	40	329	43	0	285	0
5258	7/13	56° 10.25'	-156° 52.99'	47	6.0	323	15	81	15	0	80	0
5259	7/22	56° 10.07'	-157° 11.00'	57	6.0	274	14	318	53	0	153	0
5260	7/22	56° 09.71'	-157° 29.01'	86	6.0	827	52	626	84	0	130	0
5261	7/17	56° 19.61'	-155° 58.00'	115	6.0	814	50	406	51	30	20	5
5262	7/17	56° 19.80'	-156° 15.98'	154	6.0	297	18	59	7	45	65	0
5263	7/13	56° 19.49'	-156° 34.01'	103	6.0	787	47	271	38	10	105	0
5264	7/13	56° 19.96'	-156° 51.15'	62	5.9	371	20	481	69	0	183	0
5265	7/22	56° 19.89'	-157° 09.96'	96	6.0	409	20	248	31	0	257	0
5266	7/22	56° 19.52'	-157° 27.99'	37	6.0	616	30	733	114	0	0	5
5267	7/23	56° 20.04'	-157° 45.97'	32	6.0	288	16	496	76	0	35	0
5268	7/5	56° 30.02'	-155° 57.00'	135	6.0	596	42	351	43	0	35	0
5269	7/5	56° 29.99'	-156° 14.88'	143	6.0	236	16	104	12	25	74	0
5270	7/21	56° 30.27'	-156° 32.98'	106	6.0	800	46	391	50	0	50	0
5271	7/24	56° 30.00'	-156° 52.12'	44	6.0	383	16	413	69	0	88	0
5272	7/24	56° 30.02'	-157° 28.01'	80	6.0	652	35	424	58	0	120	0
5273	7/5	56° 40.02'	-156° 14.19'	115	6.0	491	27	215	27	15	104	0
5274	7/21	56° 40.00'	-156° 32.31'	82	5.9	846	44	304	41	0	79	0
5275	7/21	56° 39.91'	-156° 50.50'	54	6.0	467	21	396	58	0	160	0
5276	7/24	56° 40.06'	-157° 09.00'	73	6.0	560	31	181	25	0	210	0
5277	7/6	56° 49.98'	-156° 13.00'	106	6.0	908	49	638	87	0	65	0
5278	7/6	56° 50.08'	-156° 32.00'	61	6.0	844	37	375	59	0	84	0
5279	7/21	56° 49.81'	-156° 50.00'	64	6.0	234	12	67	9	0	155	0
5280	7/6	57° 00.00'	-156° 13.00'	87	5.9	504	29	192	25	0	144	0
229 Total Effective 3B Stations					Totals	87,630	5,002	73,754	10,975	1,437	22,244	329

¹ Standard skate =1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights are calculated from length-weight tables.

³ Bycatch numbers extrapolated from 20% subsample.