

# 2014 IPHC Stock Assessment Survey

## Area 3B

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Set <sup>1</sup>	O32 Halibut		U32 Halibut		Bycatch (numbers) <sup>3</sup>		
						Lbs. <sup>2</sup>	#'s	Lbs. <sup>2</sup>	#'s	Sablefish	P. Cod	Rockfish
5001	6/9	55° 59.94'	-153° 36.56'	51	7.0	691	42	1,170	168	0	0	0
5002	6/9	56° 00.04'	-153° 54.19'	66	7.0	158	10	390	68	0	5	0
5003	6/10	55° 59.97'	-154° 13.82'	59	7.0	1,702	93	989	137	0	0	20
5004	6/10	56° 00.25'	-154° 30.63'	220	7.0	177	12	68	8	74	0	0
5005	6/12	55° 59.91'	-154° 47.78'	121	7.0	16	1	87	12	163	0	0
5006	6/12	55° 59.91'	-155° 04.92'	34	7.0	99	7	409	70	0	195	0
5007	6/9	56° 09.89'	-153° 36.48'	90	6.9	139	11	233	35	0	54	0
5008	6/8	56° 10.00'	-153° 53.08'	125	7.0	762	54	559	67	35	25	0
5009	6/10	56° 10.06'	-154° 11.04'	64	7.0	610	30	623	101	0	30	0
5010	6/11	56° 10.12'	-154° 28.53'	50	7.0	668	33	922	142	0	65	0
5011	6/11	56° 09.93'	-154° 46.85'	44	7.0	238	17	649	97	0	25	0
5013	6/20	56° 10.12'	-155° 23.20'	20	7.0	488	29	419	64	0	246	0
5014	6/20	56° 09.91'	-155° 40.91'	33	7.0	591	28	556	97	0	85	0
5015	6/8	56° 19.95'	-153° 50.86'	47	7.0	72	5	482	77	0	140	0
5016	6/8	56° 19.90'	-154° 10.11'	50	7.0	173	9	249	40	0	198	0
5017	6/11	56° 20.03'	-154° 28.16'	32	7.0	296	17	325	49	0	10	0
5018	6/20	56° 20.02'	-155° 21.88'	24	7.0	94	6	491	76	0	115	0
5019	7/25	56° 19.98'	-155° 40.55'	38	7.1	147	10	334	57	0	182	0
5020	6/19	56° 29.94'	-155° 20.60'	29	7.0	271	14	397	68	0	115	0
5021	7/25	56° 29.93'	-155° 38.78'	60	7.1	457	34	433	65	0	263	0
5022	6/19	56° 39.98'	-155° 02.03'	21	7.1	985	52	316	41	0	150	0
5023	6/19	56° 39.89'	-155° 19.96'	51	7.0	590	38	366	55	0	200	0
5024	7/26	56° 39.47'	-155° 38.13'	129	7.1	571	40	697	89	0	15	0
5025	7/26	56° 39.97'	-155° 56.05'	157	7.0	465	30	406	52	5	50	0
5026	6/18	56° 49.94'	-154° 24.09'	34	7.0	558	31	343	46	0	134	0
5027	6/18	56° 49.87'	-154° 41.66'	24	7.0	445	25	548	82	0	90	0
5028	7/28	56° 50.08'	-155° 00.10'	40	7.0	976	52	752	114	0	70	0
5029	7/28	56° 49.88'	-155° 18.50'	123	7.0	836	55	891	112	0	30	0
5030	7/27	56° 49.89'	-155° 36.78'	151	7.1	453	29	427	52	5	25	0
5031	6/1	56° 50.05'	-155° 55.36'	161	6.9	620	38	404	51	20	107	0
5032	6/18	56° 59.86'	-154° 41.23'	23	7.0	375	20	565	93	0	20	0
5033	7/28	57° 00.00'	-155° 00.32'	69	7.0	426	29	648	95	0	75	0
5034	7/27	57° 00.06'	-155° 17.93'	135	7.0	587	42	853	104	0	45	0
5035	7/27	57° 00.11'	-155° 35.56'	152	7.0	311	20	240	30	5	15	0
5036	6/1	56° 59.96'	-155° 53.84'	161	7.0	786	47	395	47	25	113	0
5037	7/30	57° 10.21'	-154° 40.59'	33	7.0	657	32	496	69	0	5	0
5038	7/30	57° 09.98'	-154° 57.95'	104	7.0	906	49	538	73	0	20	0
5039	7/29	57° 10.16'	-155° 16.00'	134	7.0	430	29	559	69	0	105	0
5040	7/29	57° 09.98'	-155° 34.67'	149	7.0	328	22	331	40	5	40	0
5041	5/31	57° 09.96'	-155° 53.18'	137	7.0	726	49	526	68	10	265	0
5043	7/29	57° 20.02'	-155° 15.15'	134	7.0	337	20	343	43	5	10	0
5044	5/29	57° 19.92'	-155° 34.33'	153	7.0	598	38	446	57	0	54	0
5046	5/31	57° 19.95'	-156° 10.84'	106	7.0	527	36	403	58	0	178	0
5047	5/29	57° 29.95'	-155° 14.13'	140	7.0	532	27	328	45	5	75	0
5048	5/29	57° 29.95'	-155° 32.27'	165	7.0	471	33	680	88	5	15	0
5096	7/1	54° 50.13'	-157° 33.91'	210	7.0	0	0	0	0	90	0	0
5097	6/30	54° 49.96'	-157° 50.50'	88	7.0	175	11	366	51	20	90	0
5098	7/1	55° 00.00'	-157° 15.12'	104	7.1	94	6	261	37	45	81	5
5099	7/1	54° 59.94'	-157° 31.69'	55	7.0	990	71	683	90	0	50	20
5100	6/30	55° 00.08'	-157° 49.58'	44	7.1	264	16	269	42	0	222	15

<sup>1</sup> Standard skate = 1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

<sup>2</sup> Weights are calculated from length-weight tables.

<sup>3</sup> Bycatch numbers extrapolated from 20% subsample.

# 2014 IPHC Stock Assessment Survey

## Area 3B

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Set <sup>1</sup>	O32 Halibut		U32 Halibut		Bycatch (numbers) <sup>3</sup>		
						Lbs. <sup>2</sup>	#'s	Lbs. <sup>2</sup>	#'s	Sablefish	P. Cod	Rockfish
5101	6/30	55° 00.07'	-158° 06.42'	64	7.0	43	3	237	43	0	16	0
5102	7/4	55° 09.99'	-156° 21.99'	280	7.1	0	0	0	0	51	0	15
5103	7/3	55° 10.29'	-156° 39.30'	276	7.0	0	0	0	0	45	0	15
5104	7/3	55° 09.89'	-156° 56.52'	87	7.0	202	15	645	89	5	145	5
5105	7/2	55° 09.91'	-157° 13.73'	61	7.0	337	21	712	111	0	70	0
5106	7/2	55° 09.98'	-157° 31.77'	46	7.0	414	24	484	72	0	110	0
5107	6/29	55° 10.07'	-157° 49.02'	42	7.0	586	30	682	126	0	50	0
5108	6/29	55° 09.93'	-158° 06.79'	54	7.0	484	32	524	89	0	130	0
5109	6/23	55° 19.99'	-156° 37.37'	70	7.0	425	30	977	150	0	178	5
5110	7/3	55° 20.06'	-156° 55.92'	50	7.0	490	25	402	71	0	104	0
5111	7/2	55° 20.06'	-157° 14.29'	48	7.0	241	13	222	35	0	115	0
5112	7/8	55° 19.95'	-157° 30.97'	46	7.0	272	16	240	46	0	220	0
5113	7/8	55° 19.96'	-157° 48.62'	43	7.0	102	5	221	46	0	215	0
5114	6/29	55° 19.90'	-158° 06.39'	59	7.0	266	17	281	48	0	40	0
5115	6/28	55° 20.09'	-158° 24.05'	79	7.0	46	3	220	30	0	35	0
5116	6/23	55° 29.98'	-156° 37.68'	99	7.1	323	21	389	55	15	106	15
5117	7/5	55° 30.06'	-156° 54.81'	48	7.0	679	37	765	114	0	135	5
5118	7/5	55° 30.07'	-157° 12.52'	47	7.0	314	18	739	121	0	45	0
5119	7/8	55° 30.07'	-157° 31.37'	50	7.0	250	14	326	58	0	180	0
5120	7/16	55° 30.30'	-157° 48.12'	52	7.1	261	17	543	94	0	106	0
5121	6/28	55° 29.88'	-158° 05.94'	70	7.0	275	19	653	100	0	50	0
5122	6/28	55° 30.04'	-158° 23.71'	79	7.1	43	3	101	14	0	56	0
5123	7/5	55° 39.95'	-156° 55.15'	48	7.0	124	9	438	72	0	225	0
5124	7/9	55° 40.00'	-157° 13.02'	45	7.0	301	16	320	63	0	125	0
5125	7/9	55° 40.05'	-157° 29.83'	53	7.0	245	15	276	49	0	79	0
5126	7/16	55° 40.06'	-157° 48.04'	73	7.0	290	20	412	57	0	75	0
5127	7/16	55° 40.09'	-158° 05.97'	70	7.0	250	17	203	28	0	60	0
5128	6/27	55° 39.97'	-158° 23.43'	71	7.0	174	13	458	61	0	75	0
5129	6/27	55° 40.01'	-158° 41.24'	47	7.0	171	9	558	107	0	100	0
5130	7/9	55° 50.02'	-157° 12.80'	54	7.0	133	10	502	81	0	205	0
5131	7/15	55° 50.00'	-157° 30.24'	54	7.0	296	17	522	89	0	145	0
5132	7/19	55° 49.98'	-157° 48.28'	66	7.0	226	17	419	65	0	70	0
5133	7/19	55° 50.07'	-158° 05.12'	43	7.0	469	27	490	80	0	210	0
5134	6/27	55° 50.10'	-158° 22.91'	60	7.0	599	34	450	77	0	115	0
5135	7/15	56° 00.09'	-157° 28.73'	65	7.0	169	10	187	24	0	15	0
5136	7/15	55° 59.95'	-157° 46.51'	64	7.0	259	17	363	57	0	35	0
5137	7/19	56° 00.20'	-158° 04.96'	46	7.1	98	7	282	41	0	116	0
5138	7/20	56° 10.02'	-157° 46.94'	85	7.0	1,345	71	411	53	0	160	0
5139	7/20	56° 10.05'	-158° 05.09'	37	7.0	302	15	140	19	0	205	0
5140	7/20	56° 19.96'	-158° 04.13'	38	7.0	513	26	240	30	0	30	0
5141	6/7	54° 30.07'	-158° 59.98'	153	7.0	221	17	409	54	95	20	5
5142	6/6	54° 29.98'	-159° 17.06'	81	7.0	231	18	756	114	0	100	0
5143	6/6	54° 30.02'	-159° 34.10'	61	7.0	915	56	807	107	0	145	15
5144	6/5	54° 30.00'	-159° 51.20'	65	7.0	50	4	243	40	0	0	0
5145	6/5	54° 29.98'	-160° 09.01'	66	7.0	302	22	474	72	0	10	0
5146	6/10	54° 39.99'	-158° 25.05'	111	7.0	593	42	538	67	125	30	5
5147	6/10	54° 40.02'	-158° 42.08'	56	7.0	784	54	595	82	0	140	0
5148	6/7	54° 39.84'	-159° 00.02'	49	7.0	556	34	747	105	0	79	5
5149	6/7	54° 39.97'	-159° 17.09'	40	7.0	363	21	435	66	0	150	0
5150	6/6	54° 40.01'	-159° 34.02'	35	7.0	474	23	339	50	0	140	5

<sup>1</sup> Standard skate = 1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

<sup>2</sup> Weights are calculated from length-weight tables.

<sup>3</sup> Bycatch numbers extrapolated from 20% subsample.

# 2014 IPHC Stock Assessment Survey

## Area 3B

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Set <sup>1</sup>	O32 Halibut		U32 Halibut		Bycatch (numbers) <sup>3</sup>		
						Lbs. <sup>2</sup>	#'s	Lbs. <sup>2</sup>	#'s	Sablefish	P. Cod	Rockfish
5151	6/5	54° 39.98'	-159° 51.88'	42	7.0	778	28	402	55	0	110	0
5152	6/4	54° 40.02'	-160° 08.88'	49	7.0	422	29	1,016	152	0	25	0
5153	6/15	54° 49.98'	-158° 07.14'	60	7.0	407	25	803	119	0	100	0
5154	6/15	54° 50.05'	-158° 25.05'	106	7.0	781	50	218	31	110	0	10
5155	6/10	54° 50.03'	-158° 42.20'	54	7.0	714	38	667	106	5	155	0
5156	6/11	54° 50.02'	-159° 00.08'	39	7.0	103	8	205	41	0	200	0
5157	6/4	54° 49.98'	-159° 52.11'	30	7.0	190	9	155	22	0	165	0
5158	6/4	54° 49.98'	-160° 09.02'	38	7.0	100	6	353	52	0	140	0
5159	6/3	54° 49.98'	-160° 26.24'	46	7.0	210	14	245	37	0	240	0
5160	6/15	55° 00.00'	-158° 25.01'	111	7.0	603	42	200	26	130	0	10
5161	6/12	54° 59.91'	-158° 41.98'	69	7.0	527	35	451	67	0	175	10
5162	6/11	55° 00.03'	-159° 00.00'	46	7.0	149	9	389	63	0	130	0
5163	6/11	54° 59.52'	-159° 16.73'	22	7.0	738	23	85	13	0	135	0
5164	6/3	55° 00.00'	-160° 26.88'	60	7.0	178	11	390	61	0	160	0
5165	6/3	55° 00.01'	-160° 43.91'	50	7.0	425	19	516	81	0	25	0
5166	6/12	55° 09.98'	-158° 24.02'	99	7.0	292	21	227	32	0	0	0
5167	6/12	55° 09.88'	-158° 41.98'	110	7.0	486	28	197	24	30	70	5
5168	6/14	55° 09.98'	-158° 59.05'	75	7.0	735	50	582	83	0	119	0
5169	6/13	55° 10.02'	-159° 17.00'	39	7.0	325	14	405	61	0	145	0
5170	6/14	55° 20.02'	-158° 41.92'	101	7.0	598	36	142	20	0	30	0
5171	6/14	55° 20.02'	-158° 59.01'	101	7.0	1,700	86	213	25	5	15	0
5172	6/14	55° 20.01'	-159° 16.86'	97	7.0	1,170	56	291	36	0	40	0
5173	6/13	55° 20.02'	-159° 33.98'	76	7.0	567	38	672	85	0	95	0
5174	6/13	55° 20.00'	-159° 51.66'	45	7.0	131	7	373	56	0	175	0
5175	6/19	55° 29.98'	-158° 40.94'	89	7.0	438	20	100	13	0	10	0
5176	6/19	55° 30.00'	-158° 58.90'	59	7.0	258	18	780	120	0	10	0
5177	6/19	55° 30.01'	-159° 16.99'	67	7.0	264	18	546	75	0	45	0
5178	6/20	55° 29.93'	-159° 33.99'	91	7.0	472	30	508	66	0	114	0
5179	6/20	55° 29.93'	-159° 51.98'	92	7.0	970	57	542	72	0	45	0
5181	6/19	55° 40.00'	-159° 00.00'	82	7.0	466	28	491	65	0	20	0
5182	6/18	55° 40.00'	-159° 16.96'	55	7.0	440	24	466	69	0	75	0
5183	6/20	55° 39.98'	-159° 51.92'	71	7.0	386	19	281	35	0	75	0
5184	6/18	55° 49.98'	-158° 59.12'	68	7.0	490	27	428	58	0	235	0
5185	6/18	55° 50.00'	-159° 17.02'	33	7.0	106	8	274	43	0	150	0
5186	7/16	54° 00.00'	-163° 14.86'	48	7.0	268	19	389	61	0	195	5
5187	7/16	54° 00.01'	-163° 31.64'	58	7.0	25	1	196	36	0	255	0
5188	7/16	54° 00.00'	-163° 48.84'	52	7.0	141	9	198	34	0	190	0
5189	7/19	54° 10.00'	-161° 33.99'	76	7.0	397	27	550	79	5	99	0
5190	7/19	54° 10.01'	-161° 51.06'	46	7.0	712	48	856	110	0	65	15
5191	7/17	54° 10.00'	-162° 08.22'	48	7.0	784	50	613	77	0	173	10
5192	7/17	54° 11.00'	-162° 25.56'	87	7.0	23	2	319	55	0	213	0
5193	7/9	54° 09.93'	-163° 50.01'	50	7.0	241	17	303	50	0	150	0
5194	7/20	54° 20.00'	-160° 08.27'	177	7.0	95	5	61	8	79	0	5
5195	7/20	54° 20.00'	-160° 26.48'	69	7.0	650	38	1,052	160	0	90	0
5196	7/20	54° 20.00'	-160° 44.12'	59	7.0	684	45	793	103	0	190	10
5197	7/27	54° 20.00'	-161° 00.02'	71	7.0	358	25	841	136	0	90	0
5198	7/26	54° 20.12'	-161° 17.00'	59	7.0	771	50	733	91	0	155	20
5199	7/26	54° 19.99'	-161° 34.08'	79	7.0	686	44	809	113	0	90	0
5200	7/19	54° 20.00'	-161° 51.20'	41	7.0	1,278	55	634	85	0	40	5
5201	7/17	54° 20.00'	-162° 08.77'	33	7.0	1,353	46	746	106	0	15	0

<sup>1</sup> Standard skate = 1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

<sup>2</sup> Weights are calculated from length-weight tables.

<sup>3</sup> Bycatch numbers extrapolated from 20% subsample.

# 2014 IPHC Stock Assessment Survey

## Area 3B

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Set <sup>1</sup>	O32 Halibut		U32 Halibut		Bycatch (numbers) <sup>3</sup>		
						Lbs. <sup>2</sup>	#'s	Lbs. <sup>2</sup>	#'s	Sablefish	P. Cod	Rockfish
5202	7/14	54° 20.00'	-163° 16.67'	29	7.0	454	23	114	14	0	105	0
5203	7/9	54° 20.00'	-163° 33.98'	62	7.0	195	15	588	86	0	75	0
5204	7/9	54° 19.97'	-163° 50.99'	63	7.0	225	15	614	86	0	30	0
5205	7/15	54° 20.00'	-164° 09.00'	52	7.0	359	18	563	81	0	105	0
5206	7/28	54° 30.00'	-160° 26.00'	82	7.0	397	26	647	84	5	35	0
5207	7/27	54° 30.00'	-160° 42.96'	78	7.0	45	3	25	4	0	15	0
5208	7/27	54° 30.00'	-160° 59.88'	73	7.0	535	30	297	39	0	10	0
5209	7/26	54° 29.99'	-161° 18.41'	64	7.0	672	42	658	103	0	40	0
5210	7/25	54° 30.00'	-161° 35.28'	38	7.0	833	46	1,143	170	0	5	0
5211	7/18	54° 30.00'	-161° 52.18'	78	7.0	224	15	172	22	0	5	0
5212	7/18	54° 30.00'	-162° 09.20'	79	7.0	615	39	468	60	0	130	0
5213	7/18	54° 30.00'	-162° 26.57'	81	7.0	422	27	403	54	0	140	0
5214	7/14	54° 30.01'	-163° 18.07'	42	7.0	814	45	686	96	0	75	0
5215	7/14	54° 30.00'	-163° 34.75'	53	7.0	311	23	567	85	0	40	0
5216	7/15	54° 30.00'	-163° 52.66'	52	7.0	440	30	639	90	0	30	0
5217	7/15	54° 30.00'	-164° 09.76'	55	7.0	216	17	612	90	0	80	0
5218	7/28	54° 40.00'	-160° 26.20'	56	7.0	922	49	763	112	0	100	0
5219	7/28	54° 39.98'	-160° 43.14'	53	7.0	732	43	1,114	169	0	10	0
5220	7/29	54° 40.00'	-161° 00.84'	52	7.0	503	33	1,248	178	0	75	0
5221	7/24	54° 40.00'	-161° 18.04'	78	7.0	307	19	592	83	0	0	0
5222	7/25	54° 39.62'	-161° 35.01'	36	7.0	847	38	790	108	0	0	5
5223	7/25	54° 39.99'	-161° 53.01'	41	7.0	745	37	421	60	0	160	15
5224	7/13	54° 40.00'	-162° 44.05'	46	7.0	255	19	473	74	0	60	0
5225	7/29	54° 50.00'	-160° 44.37'	57	7.0	641	42	736	109	0	55	0
5226	7/29	54° 50.00'	-161° 01.44'	59	7.0	123	8	360	49	0	10	0
5227	7/24	54° 49.94'	-161° 17.55'	57	7.0	342	22	422	63	0	50	0
5228	7/24	54° 50.00'	-161° 36.02'	42	7.0	791	31	313	44	0	45	0
5229	7/13	54° 49.98'	-162° 44.90'	28	7.0	875	44	342	45	0	119	0
5230	7/13	54° 49.98'	-163° 02.44'	43	7.0	832	49	326	45	0	180	0
5231	7/30	55° 00.00'	-161° 01.00'	56	7.0	534	28	516	72	0	20	0
5232	7/30	55° 00.02'	-161° 19.00'	45	7.0	1,024	45	530	72	0	55	0
5233	7/30	55° 10.00'	-161° 01.74'	54	7.0	974	48	436	59	0	164	0
5234	7/4	55° 20.37'	-156° 04.71'	131	7.0	957	61	135	15	160	0	0
5235	7/4	55° 19.98'	-156° 20.95'	94	7.0	415	29	340	47	45	110	20
5236	6/15	55° 30.15'	-155° 45.03'	117	7.0	107	6	153	25	15	45	30
5237	6/15	55° 30.06'	-156° 02.85'	111	7.0	119	8	377	60	15	80	0
5238	6/23	55° 29.97'	-156° 19.95'	117	7.0	538	33	270	42	55	45	15
5239	6/14	55° 39.95'	-155° 26.22'	99	7.0	144	9	195	31	15	45	15
5240	6/14	55° 39.98'	-155° 44.25'	68	7.0	262	17	480	63	0	203	0
5241	6/15	55° 39.89'	-156° 02.00'	128	7.0	524	36	163	21	115	45	0
5242	6/22	55° 39.86'	-156° 19.75'	138	7.0	582	34	143	17	100	10	0
5243	6/22	55° 40.00'	-156° 37.14'	131	7.0	155	9	98	13	20	15	0
5244	6/12	55° 50.02'	-155° 07.40'	63	7.0	586	39	736	115	0	15	0
5245	6/14	55° 49.77'	-155° 24.93'	26	7.0	53	3	272	41	0	224	0
5246	6/21	55° 49.95'	-156° 00.75'	56	7.0	1,222	77	890	141	0	40	0
5247	6/22	55° 50.01'	-156° 19.34'	131	7.0	70	5	110	15	25	0	5
5248	7/10	55° 50.05'	-156° 36.15'	122	7.0	451	32	261	33	60	25	5
5249	7/10	55° 50.00'	-156° 54.24'	71	7.0	332	22	380	62	0	135	0
5250	6/21	55° 59.97'	-155° 42.54'	24	7.0	366	20	645	100	0	160	0
5251	6/21	55° 59.89'	-156° 00.13'	44	7.0	481	29	721	112	0	160	0

<sup>1</sup> Standard skate = 1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

<sup>2</sup> Weights are calculated from length-weight tables.

<sup>3</sup> Bycatch numbers extrapolated from 20% subsample.

# 2014 IPHC Stock Assessment Survey

## Area 3B

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Set <sup>1</sup>	O32 Halibut		U32 Halibut		Bycatch (numbers) <sup>3</sup>		
						Lbs. <sup>2</sup>	#'s	Lbs. <sup>2</sup>	#'s	Sablefish	P. Cod	Rockfish
5252	7/11	56° 00.08'	-156° 17.57'	115	7.0	75	5	21	3	15	124	0
5253	7/10	55° 59.53'	-156° 34.39'	104	7.0	1,097	62	432	60	20	129	0
5254	7/14	56° 00.05'	-157° 11.19'	60	7.0	312	19	395	57	0	40	0
5255	7/11	56° 10.13'	-155° 59.61'	120	7.0	533	36	372	47	0	155	0
5256	7/11	56° 09.89'	-156° 16.88'	125	7.0	649	38	197	27	50	65	0
5257	7/12	56° 10.11'	-156° 34.72'	102	7.0	53	4	164	23	0	160	0
5258	7/13	56° 09.97'	-156° 53.46'	44	7.0	433	19	121	18	0	193	0
5259	7/14	56° 09.98'	-157° 10.73'	54	7.0	963	41	256	40	0	220	0
5260	7/14	56° 09.98'	-157° 28.89'	84	7.1	206	14	81	10	0	25	0
5261	7/25	56° 19.99'	-155° 57.64'	112	7.0	494	33	207	27	20	0	0
5262	7/23	56° 19.96'	-156° 16.37'	151	7.0	264	14	101	12	10	50	0
5263	7/12	56° 20.09'	-156° 34.18'	100	7.0	1,950	112	339	43	30	45	0
5264	7/13	56° 19.98'	-156° 52.44'	65	7.0	213	15	739	107	0	30	0
5265	7/13	56° 20.03'	-157° 10.18'	92	7.1	444	26	145	17	0	56	0
5266	7/21	56° 20.03'	-157° 28.22'	37	7.1	695	40	864	118	0	35	0
5267	7/21	56° 20.06'	-157° 45.67'	27	7.0	464	29	458	66	0	190	0
5268	7/26	56° 30.00'	-155° 57.20'	134	7.0	353	23	203	26	5	20	0
5269	7/23	56° 29.95'	-156° 15.17'	140	7.0	176	11	154	18	35	40	0
5270	7/23	56° 29.98'	-156° 32.52'	107	7.0	559	33	158	21	5	65	0
5271	7/22	56° 30.06'	-156° 50.94'	53	7.0	167	12	416	67	0	265	0
5272	7/21	56° 29.98'	-157° 28.02'	84	7.0	725	45	346	48	0	170	0
5273	6/2	56° 39.98'	-156° 14.39'	113	6.9	552	34	187	23	0	196	0
5274	6/3	56° 40.02'	-156° 31.84'	87	7.0	672	37	653	90	0	79	5
5275	6/3	56° 40.05'	-156° 50.88'	58	7.0	460	26	480	68	0	94	0
5276	7/22	56° 39.99'	-157° 08.96'	64	7.0	513	30	325	46	0	150	15
5277	6/2	56° 50.04'	-156° 12.72'	106	7.0	345	21	249	31	0	213	0
5278	6/2	56° 49.94'	-156° 31.87'	64	7.0	348	19	360	52	0	193	0
5279	6/3	56° 49.66'	-156° 50.14'	63	7.0	635	28	222	33	0	272	0
5280	6/1	56° 59.98'	-156° 12.88'	82	7.0	252	12	229	38	0	243	0
<b>229 Total Effective 3B Stations</b>					<b>Totals</b>	<b>104,625</b>	<b>6,141</b>	<b>100,769</b>	<b>14,676</b>	<b>2,036</b>	<b>21,201</b>	<b>390</b>

<sup>1</sup> Standard skate =1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

<sup>2</sup> Weights are calculated from length-weight tables.

<sup>3</sup> Bycatch numbers extrapolated from 20% subsample.