

2015 IPHC Stock Assessment Survey Area 2C

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Set ¹	O32 Halibut		U32 Halibut		Bycatch (numbers) ³		
						Lbs. ²	#'s	Lbs. ²	#'s	Sablefish	P. Cod	Rockfish
3001	7/23	54° 30.26'	-132° 01.15'	151	7.0	1,708	48	36	4	158	5	25
3002	7/23	54° 30.05'	-132° 17.38'	196	7.0	765	24	27	3	55	0	15
3003	7/22	54° 30.00'	-132° 35.34'	207	7.0	710	17	23	3	65	0	20
3005	7/21	54° 30.01'	-133° 10.68'	115	7.0	1,914	72	222	25	0	0	10
3006	7/21	54° 29.45'	-133° 27.27'	160	6.9	1,598	52	105	14	29	0	15
3007	7/21	54° 29.95'	-133° 43.65'	139	6.9	2,449	77	297	37	15	0	0
3008	6/27	54° 40.00'	-130° 50.05'	156	7.0	1,993	76	148	20	76	3	8
3009	6/27	54° 40.00'	-131° 07.52'	98	7.0	719	51	435	56	27	3	4
3010	6/27	54° 40.01'	-131° 24.91'	122	7.0	624	33	174	20	49	9	19
3011	6/26	54° 40.14'	-131° 42.01'	221	6.9	303	16	24	3	43	0	4
3012	6/26	54° 40.02'	-131° 58.98'	106	7.0	1,222	60	178	22	9	22	76
3013	7/23	54° 39.97'	-132° 16.77'	60	7.0	1,345	58	491	63	0	10	34
3014	7/22	54° 39.84'	-132° 33.75'	100	7.0	2,531	81	318	39	10	10	85
3015	7/20	54° 40.25'	-132° 51.75'	75	6.9	1,548	58	237	28	0	0	74
3016	7/20	54° 40.09'	-133° 09.48'	125	7.0	1,626	36	84	12	5	0	80
3017	7/19	54° 41.27'	-133° 26.65'	153	7.0	2,974	60	133	21	30	0	25
3018	7/19	54° 40.25'	-133° 43.25'	132	7.0	1,093	35	133	18	30	0	0
3019	7/18	54° 40.22'	-133° 59.80'	121	7.0	1,773	57	215	26	20	0	54
3020	6/28	54° 50.45'	-131° 07.00'	123	7.0	645	29	73	10	12	1	16
3021	6/26	54° 49.83'	-131° 42.01'	245	7.0	281	12	18	2	52	0	7
3022	7/22	54° 49.90'	-132° 33.55'	157	7.0	848	29	136	15	20	0	25
3023	7/20	54° 50.48'	-133° 08.10'	104	6.8	887	34	83	10	0	24	10
3024	7/19	54° 50.03'	-133° 25.66'	65	7.0	572	37	598	81	0	0	0
3025	7/18	54° 50.05'	-133° 42.20'	73	7.0	3,029	140	1,081	134	0	5	25
3026	7/18	54° 50.02'	-134° 00.40'	104	7.0	450	15	252	32	10	0	10
3027	6/28	54° 59.95'	-131° 06.03'	132	7.0	1,411	52	253	32	20	3	1
3028	6/26	55° 00.06'	-131° 41.00'	113	7.0	460	21	97	11	15	5	44
3029	7/17	54° 59.97'	-133° 26.71'	53	7.0	1,556	43	254	31	0	0	54
3030	7/17	55° 00.08'	-133° 42.94'	56	7.0	1,927	48	659	97	0	0	0
3031	6/28	55° 10.11'	-131° 06.00'	95	6.9	1,176	50	184	24	1	9	41
3032	6/25	55° 09.89'	-131° 41.00'	66	7.0	384	14	49	6	1	3	20
3033	6/25	55° 10.23'	-131° 55.97'	183	7.0	931	34	124	15	25	4	34
3034	7/17	55° 09.96'	-133° 25.96'	46	7.0	821	27	72	9	0	0	54
3035	6/25	55° 20.14'	-131° 58.00'	221	7.0	0	0	0	0	9	0	2
3036	6/25	55° 29.01'	-131° 57.47'	143	7.0	499	15	84	10	25	9	45
3037	6/24	55° 40.16'	-132° 15.02'	210	7.0	305	12	62	7	52	1	15
3038	6/24	55° 45.45'	-132° 27.04'	162	7.0	487	16	88	12	40	6	47
3039	6/24	55° 49.97'	-132° 15.00'	113	7.0	1,239	35	97	13	8	22	22
3040	6/23	56° 00.01'	-132° 32.20'	126	7.0	758	24	279	36	8	12	13
3041	6/23	56° 01.02'	-132° 44.03'	194	7.0	168	5	30	4	20	0	2
3042	6/23	56° 11.11'	-132° 50.00'	68	7.0	552	17	59	7	0	16	16
3043	7/11	55° 00.04'	-134° 00.85'	83	7.0	1,847	53	334	40	0	0	70
3044	7/11	55° 00.06'	-134° 18.36'	117	7.0	3,371	126	285	32	6	1	9
3045	7/12	55° 10.00'	-133° 43.02'	86	7.0	957	63	472	56	2	0	0
3046	7/11	55° 10.00'	-134° 00.85'	93	7.0	4,185	207	498	59	0	1	9
3047	7/12	55° 20.00'	-133° 44.50'	41	7.0	1,127	50	806	112	0	0	6
3048	7/12	55° 19.99'	-134° 00.81'	65	7.0	583	29	932	126	0	0	0
3049	7/14	55° 20.00'	-134° 19.11'	101	7.0	1,995	67	274	33	1	1	116
3050	7/14	55° 20.05'	-134° 36.31'	111	7.0	2,442	100	323	42	3	1	40
3051	7/10	55° 30.00'	-134° 00.92'	50	7.0	1,110	38	848	119	0	0	9

¹ Skate =1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights calculated from length-weight tables.

³ Bycatch numbers extrapolated from 20% subsample on stations 3013-19,22-26,29,30,34,59-71,76,81.

2015 IPHC Stock Assessment Survey Area 2C

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Set ¹	O32 Halibut		U32 Halibut		Bycatch (numbers) ³		
						Lbs. ²	#'s	Lbs. ²	#'s	Sablefish	P. Cod	Rockfish
3052	7/10	55° 30.00'	-134° 19.06'	93	7.0	2,189	112	757	90	1	3	6
3053	7/14	55° 30.01'	-134° 37.03'	111	7.0	1,801	72	377	46	66	11	9
3054	7/13	55° 30.00'	-134° 54.23'	157	7.0	2,541	102	197	24	29	1	11
3055	7/10	55° 40.01'	-134° 01.25'	107	7.0	1,509	60	171	21	5	12	54
3056	7/10	55° 40.00'	-134° 18.72'	115	7.0	1,121	56	185	23	22	0	6
3057	7/13	55° 40.00'	-134° 36.87'	112	7.0	2,125	83	300	34	23	4	15
3058	7/13	55° 40.00'	-134° 55.31'	109	7.0	3,472	109	272	33	23	1	84
3059	7/20	55° 50.01'	-133° 25.93'	35	7.0	824	21	0	0	0	0	5
3060	7/20	55° 50.00'	-133° 44.08'	71	7.0	1,040	27	53	6	0	0	50
3061	7/19	55° 49.98'	-134° 02.10'	148	7.0	1,554	62	69	8	40	15	45
3062	7/18	55° 50.00'	-134° 37.69'	82	7.0	2,433	95	428	51	5	0	45
3063	7/17	55° 50.00'	-134° 55.53'	102	7.0	3,455	95	418	50	5	10	15
3064	7/17	55° 50.00'	-135° 12.48'	122	7.0	5,820	181	381	47	30	5	50
3065	7/20	55° 55.00'	-133° 34.62'	41	7.0	937	31	96	12	10	0	10
3066	7/19	56° 00.03'	-134° 02.06'	44	7.0	1,656	62	468	62	10	5	35
3067	7/19	55° 59.75'	-134° 19.98'	45	7.0	3,158	89	423	55	0	0	30
3068	7/18	56° 00.00'	-134° 38.83'	207	7.0	3,923	73	44	5	125	0	20
3069	7/18	55° 59.99'	-134° 54.16'	187	7.0	1,155	33	90	11	50	0	95
3070	7/17	56° 00.00'	-135° 13.41'	200	7.0	2,013	60	60	7	40	0	110
3071	7/21	56° 10.28'	-133° 44.05'	180	7.0	1,899	66	145	19	65	0	0
3072	7/7	56° 09.95'	-134° 20.06'	74	7.0	3,536	178	779	100	3	11	9
3073	7/6	56° 09.91'	-134° 38.14'	126	7.0	2,147	69	385	48	66	10	15
3074	7/6	56° 10.08'	-134° 56.05'	103	7.0	2,770	132	608	76	90	0	0
3075	7/5	56° 10.00'	-135° 13.57'	153	7.0	2,127	85	196	25	30	2	1
3076	7/21	56° 20.06'	-133° 44.06'	97	7.0	1,069	35	76	10	20	25	0
3077	7/7	56° 20.11'	-134° 19.99'	85	7.0	953	49	400	51	6	21	16
3078	7/6	56° 19.72'	-134° 56.01'	69	7.0	1,929	44	179	26	0	1	42
3079	7/5	56° 19.99'	-135° 14.34'	87	7.0	1,569	70	561	70	0	6	19
3080	7/5	56° 19.99'	-135° 31.72'	110	7.0	2,362	106	444	55	33	3	1
3081	7/21	56° 29.16'	-133° 44.00'	51	7.0	2,080	64	84	11	0	5	0
3082	7/7	56° 29.96'	-134° 20.06'	59	7.0	1,376	73	782	104	0	1	9
3083	7/4	56° 30.01'	-135° 15.35'	59	7.0	1,520	56	533	76	0	0	5
3084	7/4	56° 30.00'	-135° 33.15'	86	7.0	1,534	55	514	65	0	0	54
3085	7/4	56° 39.88'	-135° 15.03'	26	7.0	991	26	67	8	0	0	16
3086	7/3	56° 40.00'	-135° 34.02'	73	7.0	1,780	54	565	74	0	0	44
3087	7/3	56° 40.00'	-135° 51.82'	130	7.0	1,172	58	388	46	9	4	39
3088	5/24	56° 50.00'	-132° 49.97'	113	7.0	399	21	254	35	0	0	0
3089	7/3	56° 49.99'	-135° 52.00'	103	7.0	1,139	67	461	56	7	2	28
3090	5/24	56° 57.02'	-132° 57.85'	113	7.0	847	44	507	69	0	18	1
3091	5/25	57° 00.02'	-134° 20.96'	188	7.0	1,876	94	343	45	95	4	19
3092	6/29	56° 59.99'	-136° 00.42'	55	7.0	1,390	68	889	109	0	0	63
3093	5/24	57° 03.01'	-133° 05.24'	81	7.0	342	15	191	30	1	20	1
3094	5/25	57° 10.00'	-133° 44.95'	179	7.0	1,971	115	731	95	14	10	27
3095	5/25	57° 10.00'	-134° 02.93'	153	7.0	1,635	82	449	61	21	43	9
3096	5/26	57° 10.34'	-134° 39.89'	147	7.0	772	20	92	12	0	44	20
3097	6/29	57° 10.00'	-135° 54.35'	39	7.0	1,159	32	480	69	0	0	34
3098	6/29	57° 09.98'	-136° 11.53'	115	7.0	1,268	76	372	46	23	5	14
3099	5/27	57° 20.01'	-133° 26.48'	76	7.0	316	9	99	18	0	49	0
3100	5/27	57° 19.52'	-133° 44.98'	188	7.0	2,548	144	420	50	43	19	17
3101	5/26	57° 20.18'	-134° 35.98'	180	7.0	952	39	249	32	15	18	36

¹ Skate =1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights calculated from length-weight tables.

³ Bycatch numbers extrapolated from 20% subsample on stations 3013-19,22-26,29,30,34,59-71,76,81.

2015 IPHC Stock Assessment Survey Area 2C

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Set ¹	O32 Halibut		U32 Halibut		Bycatch (numbers) ³			
						Lbs. ²	#'s	Lbs. ²	#'s	Sablefish	P. Cod	Rockfish	
3102	6/28	57° 20.03'	-135° 54.98'	55	7.0	1,105	25	27	4	3	7	19	
3103	6/28	57° 20.00'	-136° 12.86'	95	6.6	2,194	100	415	51	3	3	33	
3104	5/27	57° 30.00'	-133° 44.96'	140	7.0	936	40	233	30	1	13	1	
3105	5/26	57° 31.25'	-134° 37.97'	120	7.0	366	14	143	21	13	36	26	
3106	6/28	57° 30.00'	-136° 14.22'	56	7.0	785	30	528	72	0	0	15	
3107	5/28	57° 40.00'	-133° 45.47'	181	7.0	1,368	81	414	53	0	0	2	
3108	6/27	57° 39.99'	-136° 33.23'	91	7.0	1,008	49	386	46	0	3	10	
3109	5/28	57° 50.04'	-133° 53.99'	182	7.0	685	35	140	17	0	0	1	
3110	6/27	57° 50.01'	-136° 34.51'	55	7.0	1,498	77	675	85	0	0	15	
3111	6/27	57° 50.00'	-136° 52.05'	167	7.0	1,317	66	188	22	48	0	6	
3112	5/28	57° 59.81'	-134° 03.88'	122	7.0	83	4	9	2	0	0	0	
3113	6/25	58° 00.00'	-136° 39.64'	54	7.0	2,380	131	715	90	1	1	30	
3115	6/4	58° 10.01'	-135° 19.94'	92	7.0	183	11	99	14	0	74	14	
3116	6/25	58° 09.11'	-136° 35.52'	146	7.0	2,369	79	68	8	56	32	72	
3117	5/29	58° 12.01'	-134° 24.20'	38	7.0	128	3	0	0	0	7	0	
3118	5/29	58° 13.89'	-134° 41.02'	44	7.0	103	2	22	3	0	14	0	
3119	6/4	58° 15.01'	-135° 39.88'	58	7.0	594	28	558	80	0	132	0	
3120	6/25	58° 14.96'	-136° 26.12'	107	7.0	3,783	71	368	52	3	70	0	
3121	5/29	58° 20.16'	-134° 43.03'	40	7.0	30	1	4	1	0	5	0	
3122	6/5	58° 19.95'	-135° 02.07'	255	7.0	579	28	105	14	83	4	12	
3123	6/5	58° 29.73'	-135° 01.79'	153	7.0	775	34	273	35	6	5	2	
3124	6/5	58° 40.03'	-135° 03.06'	159	7.0	329	16	83	11	3	0	0	
122 Total Effective 2C Stations						Totals	176,643	6,747	35,169	4,518	2,196	980	2,802

¹ Skate =1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights calculated from length-weight tables.

³ Bycatch numbers extrapolated from 20% subsample on stations 3013-19,22-26,29,30,34,59-71,76,81.