

2015 IPHC Stock Assessment Survey Area 3B

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Set ¹	O32 Halibut		U32 Halibut		Bycatch (numbers) ³		
						Lbs. ²	#'s	Lbs. ²	#'s	Sablefish	P. Cod	Rockfish
5001	7/12	55° 59.97'	-153° 36.17'	52	6.8	1,280	69	752	108	0	0	0
5002	7/12	56° 00.01'	-153° 53.97'	69	6.8	65	5	436	78	0	24	0
5003	7/14	55° 59.93'	-154° 13.00'	59	6.9	1,103	60	438	63	0	10	29
5004	7/14	56° 00.04'	-154° 29.88'	259	6.9	0	0	0	0	59	0	10
5005	7/15	55° 59.99'	-154° 47.97'	120	6.9	128	9	214	32	44	25	0
5006	7/15	55° 59.99'	-155° 05.78'	31	6.9	112	7	518	86	0	127	0
5007	7/11	56° 09.91'	-153° 36.01'	91	6.7	628	41	530	73	0	38	0
5008	7/12	56° 10.05'	-153° 53.02'	118	6.8	727	49	272	33	49	44	0
5009	7/13	56° 10.02'	-154° 10.98'	64	6.9	253	15	442	66	0	5	0
5010	7/14	56° 10.00'	-154° 28.98'	50	6.9	512	29	642	101	0	0	0
5011	7/15	56° 09.77'	-154° 47.02'	46	6.9	81	5	465	72	0	88	0
5013	7/20	56° 10.12'	-155° 22.33'	20	6.8	413	24	366	52	0	82	0
5014	7/20	56° 10.09'	-155° 40.87'	34	6.7	612	32	485	81	0	14	0
5015	7/11	56° 20.00'	-153° 51.22'	48	6.7	289	18	558	91	0	5	0
5016	7/13	56° 19.97'	-154° 10.00'	49	6.8	430	27	314	46	0	160	0
5017	7/13	56° 20.00'	-154° 28.11'	33	6.9	189	13	122	15	0	0	0
5018	7/19	56° 20.00'	-155° 21.98'	25	6.8	193	8	247	41	0	5	0
5019	7/20	56° 19.89'	-155° 40.09'	39	6.9	351	21	352	59	0	25	0
5020	7/19	56° 29.98'	-155° 21.14'	29	6.8	112	7	108	18	0	0	0
5021	7/19	56° 29.93'	-155° 39.11'	62	6.8	89	4	90	13	0	228	0
5022	7/18	56° 40.09'	-155° 02.02'	23	6.9	1,110	48	168	24	0	0	0
5023	7/18	56° 40.00'	-155° 19.85'	51	6.8	350	21	149	23	0	116	0
5024	7/21	56° 39.97'	-155° 38.19'	131	6.9	147	10	154	18	0	20	0
5025	7/21	56° 40.03'	-155° 55.87'	159	6.9	77	4	0	0	0	5	0
5026	7/16	56° 50.00'	-154° 24.15'	32	6.8	1,044	53	464	62	0	19	0
5027	7/16	56° 49.95'	-154° 42.02'	25	6.9	333	15	321	47	0	29	0
5028	7/18	56° 49.99'	-155° 00.11'	42	6.9	932	51	510	73	0	29	0
5029	7/28	56° 50.12'	-155° 18.68'	124	6.8	56	4	95	12	0	5	0
5030	7/21	56° 49.92'	-155° 37.03'	152	6.9	0	0	20	3	0	0	0
5031	7/22	56° 49.88'	-155° 55.05'	163	7.0	453	24	340	43	15	10	0
5032	7/16	56° 59.99'	-154° 40.95'	23	6.9	613	32	151	24	0	20	0
5033	7/28	57° 00.00'	-154° 59.16'	59	6.9	107	6	261	42	0	113	0
5034	7/28	56° 59.89'	-155° 18.06'	138	7.0	41	3	27	4	0	0	0
5035	7/22	56° 59.91'	-155° 36.15'	155	7.0	0	0	0	0	0	0	0
5036	7/22	56° 59.88'	-155° 54.11'	164	6.8	1,347	84	590	77	15	68	5
5037	7/29	57° 10.10'	-154° 40.06'	32	7.0	1,563	76	297	41	0	0	0
5038	7/29	57° 10.04'	-154° 57.77'	100	7.0	462	31	344	45	0	15	0
5039	7/27	57° 10.08'	-155° 16.70'	134	6.9	117	8	149	20	0	34	0
5040	7/27	57° 10.00'	-155° 35.16'	149	7.0	23	2	50	7	0	0	0
5041	7/26	57° 10.12'	-155° 52.88'	134	6.9	1,236	60	299	38	5	88	0
5042	7/30	57° 19.99'	-154° 57.31'	107	6.9	263	18	183	24	0	108	0
5043	7/30	57° 19.90'	-155° 15.21'	134	7.0	66	3	5	1	0	0	0
5044	7/25	57° 20.11'	-155° 34.01'	155	6.9	112	8	153	22	5	20	0
5045	7/26	57° 20.00'	-155° 51.78'	63	6.9	531	31	400	58	0	64	0
5046	7/26	57° 19.92'	-156° 10.79'	116	6.9	411	20	78	9	0	136	0
5047	7/25	57° 30.02'	-155° 13.95'	140	6.8	18	1	62	10	0	87	0
5048	7/25	57° 30.00'	-155° 32.60'	164	6.8	56	3	120	19	0	0	0
5096	6/8	54° 50.02'	-157° 33.30'	227	7.0	0	0	0	0	25	0	5
5097	6/7	54° 49.93'	-157° 50.00'	94	7.0	289	22	937	141	0	50	0
5098	6/8	54° 59.99'	-157° 15.35'	102	7.0	343	25	937	123	5	90	0

¹ Standard skate =1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights are calculated from length-weight tables.

³ Bycatch numbers extrapolated from 20% subsample.

2015 IPHC Stock Assessment Survey Area 3B

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Set ¹	O32 Halibut		U32 Halibut		Bycatch (numbers) ³		
						Lbs. ²	#'s	Lbs. ²	#'s	Sablefish	P. Cod	Rockfish
5099	6/8	55° 00.00'	-157° 32.27'	56	7.0	1,413	90	1,216	164	0	45	15
5100	6/7	55° 00.00'	-157° 50.06'	46	7.0	1,395	76	831	115	0	65	25
5101	6/7	55° 00.01'	-158° 07.31'	74	7.0	65	5	350	57	0	30	0
5102	6/4	55° 10.00'	-156° 21.89'	283	7.0	0	0	0	0	15	0	0
5103	6/4	55° 09.99'	-156° 38.80'	289	7.0	0	0	0	0	5	0	10
5104	6/5	55° 09.77'	-156° 57.00'	88	7.0	405	32	989	129	0	114	0
5105	6/5	55° 10.02'	-157° 14.00'	61	7.0	437	31	1,078	172	0	55	0
5106	6/6	55° 09.96'	-157° 31.98'	47	7.0	1,096	56	1,284	200	0	80	0
5107	6/6	55° 10.00'	-157° 49.01'	43	7.0	312	15	963	162	0	155	0
5108	6/9	55° 10.03'	-158° 07.16'	56	7.0	628	41	485	72	0	40	0
5109	6/4	55° 19.95'	-156° 39.39'	62	7.0	609	41	1,083	173	0	100	0
5110	6/5	55° 19.99'	-156° 56.13'	51	7.0	877	50	985	163	0	40	0
5111	6/5	55° 19.99'	-157° 13.92'	50	7.0	358	23	583	102	0	180	0
5112	6/6	55° 19.98'	-157° 30.94'	48	7.0	621	32	943	168	0	40	0
5113	6/6	55° 20.00'	-157° 48.98'	45	7.0	135	7	543	100	0	125	0
5114	7/1	55° 20.00'	-158° 06.04'	58	7.0	87	7	1,066	189	0	95	0
5115	7/1	55° 20.26'	-158° 24.00'	79	7.0	408	29	615	83	0	5	0
5116	6/17	55° 29.82'	-156° 38.00'	98	7.0	354	20	602	80	10	100	0
5117	6/17	55° 30.10'	-156° 54.49'	48	7.0	1,643	87	1,284	177	0	70	10
5118	6/18	55° 30.12'	-157° 12.98'	48	7.0	382	22	798	137	0	135	0
5119	6/18	55° 30.33'	-157° 31.00'	51	7.0	263	13	583	102	0	180	0
5120	6/16	55° 30.24'	-157° 48.02'	54	7.0	129	10	598	116	0	70	0
5121	6/16	55° 29.91'	-158° 06.01'	70	7.0	0	0	70	10	0	0	0
5122	7/1	55° 30.04'	-158° 23.98'	79	7.0	21	1	45	6	0	20	0
5123	6/17	55° 39.77'	-156° 54.99'	50	7.0	426	26	803	127	0	65	0
5124	6/18	55° 40.02'	-157° 12.90'	47	7.0	245	13	418	80	0	150	0
5125	6/18	55° 40.00'	-157° 29.54'	55	7.0	431	24	644	118	0	100	0
5126	6/16	55° 40.00'	-157° 47.36'	74	7.0	62	4	63	8	0	0	0
5127	6/16	55° 39.99'	-158° 05.70'	70	7.0	183	12	365	49	0	50	0
5128	7/2	55° 40.14'	-158° 23.00'	71	7.0	188	14	818	120	0	50	0
5129	7/2	55° 40.00'	-158° 41.31'	48	7.0	151	8	796	146	0	160	0
5130	6/20	55° 50.06'	-157° 12.00'	56	7.0	193	13	481	80	0	70	0
5131	6/20	55° 49.99'	-157° 29.40'	56	7.0	211	13	525	91	0	140	0
5132	6/19	55° 50.02'	-157° 48.00'	66	7.0	631	41	882	146	0	40	0
5133	6/19	55° 50.00'	-158° 04.27'	45	7.0	780	42	531	86	0	185	0
5134	7/2	55° 49.77'	-158° 23.00'	60	7.0	674	34	583	96	0	155	0
5135	6/20	55° 59.63'	-157° 29.00'	59	7.0	373	21	391	54	0	5	0
5136	6/19	55° 59.66'	-157° 47.00'	65	7.0	188	12	507	88	0	20	0
5137	6/19	55° 59.84'	-158° 05.00'	47	7.0	479	20	373	57	0	145	0
5138	6/21	56° 10.00'	-157° 46.75'	84	7.0	900	47	386	48	0	145	0
5139	6/21	56° 10.00'	-158° 00.98'	71	7.0	914	32	88	11	0	255	0
5140	6/21	56° 20.00'	-158° 03.65'	42	7.0	417	23	96	13	0	120	0
5141	6/28	54° 30.34'	-159° 00.00'	141	7.0	127	10	375	46	55	55	0
5142	6/27	54° 29.99'	-159° 17.89'	78	7.0	203	16	941	134	0	30	0
5143	6/27	54° 30.30'	-159° 34.00'	60	7.0	1,485	95	1,058	138	0	100	15
5144	6/11	54° 30.01'	-159° 50.90'	65	7.0	113	9	164	23	0	5	0
5145	6/11	54° 30.08'	-160° 09.00'	66	7.0	62	5	173	24	0	0	0
5146	6/29	54° 40.16'	-158° 25.00'	116	7.0	1,639	112	780	96	10	90	0
5147	6/29	54° 40.00'	-158° 42.25'	56	7.0	826	48	677	91	0	145	15
5148	6/28	54° 40.10'	-159° 00.00'	49	7.0	878	49	803	114	0	75	5

¹ Standard skate = 1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights are calculated from length-weight tables.

³ Bycatch numbers extrapolated from 20% subsample.

2015 IPHC Stock Assessment Survey Area 3B

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Set ¹	O32 Halibut		U32 Halibut		Bycatch (numbers) ³		
						Lbs. ²	#'s	Lbs. ²	#'s	Sablefish	P. Cod	Rockfish
5149	6/27	54° 40.00'	-159° 17.78'	41	7.0	565	31	635	101	0	95	0
5150	6/27	54° 39.47'	-159° 34.02'	36	7.0	1,158	38	230	35	0	179	5
5151	6/11	54° 40.03'	-159° 51.98'	42	7.0	1,325	68	449	65	0	195	0
5152	6/26	54° 40.28'	-160° 09.02'	49	7.0	693	36	654	96	0	75	0
5153	6/7	54° 50.02'	-158° 07.00'	54	7.0	432	30	1,111	179	0	45	5
5154	6/29	54° 49.77'	-158° 24.99'	109	7.0	555	37	192	25	90	0	0
5155	6/30	54° 49.98'	-158° 42.00'	54	7.0	955	51	1,026	167	0	90	0
5156	6/28	54° 50.15'	-159° 00.02'	39	7.0	221	14	484	81	0	200	0
5157	6/26	54° 50.16'	-159° 52.00'	31	7.0	426	20	256	35	0	150	0
5158	6/26	54° 50.33'	-160° 09.00'	37	7.0	753	38	294	37	0	140	0
5159	6/12	54° 50.00'	-160° 26.10'	46	7.0	307	14	358	56	0	170	0
5160	6/9	54° 59.98'	-158° 24.91'	113	7.0	351	22	178	26	120	0	25
5161	6/30	54° 59.92'	-158° 42.00'	69	7.0	591	40	1,090	173	0	150	0
5162	6/10	55° 00.00'	-158° 59.05'	46	7.0	111	6	367	67	0	210	0
5163	6/10	54° 59.43'	-159° 15.20'	27	7.0	107	7	34	4	0	194	0
5164	6/12	55° 00.00'	-160° 27.00'	60	7.0	234	17	758	119	5	70	0
5165	6/12	54° 59.99'	-160° 44.01'	46	7.0	882	50	643	96	0	114	0
5166	6/9	55° 10.00'	-158° 24.10'	100	7.0	131	10	216	27	5	0	0
5167	6/30	55° 10.00'	-158° 42.00'	111	7.0	117	7	94	11	20	0	0
5168	6/10	55° 09.99'	-158° 59.00'	77	7.0	567	38	873	130	0	40	0
5169	6/10	55° 09.87'	-159° 17.00'	38	7.0	601	20	362	56	0	180	5
5170	6/22	55° 19.99'	-158° 41.73'	103	7.0	977	50	71	8	0	0	0
5171	6/22	55° 19.99'	-158° 58.83'	102	7.0	20	1	6	1	0	0	0
5172	7/4	55° 20.00'	-159° 16.80'	98	7.0	114	5	36	4	0	5	0
5173	7/4	55° 20.00'	-159° 33.80'	77	7.0	905	47	387	48	0	35	0
5174	7/4	55° 20.00'	-159° 51.75'	46	7.0	302	16	336	61	0	230	0
5175	6/22	55° 30.00'	-158° 40.98'	89	7.0	24	2	4	1	0	0	0
5176	7/3	55° 30.00'	-158° 58.58'	58	7.0	318	18	683	121	0	150	0
5177	7/3	55° 30.00'	-159° 16.90'	67	7.0	572	33	755	119	0	99	0
5178	6/23	55° 30.00'	-159° 34.14'	92	7.0	305	19	239	30	0	5	0
5179	6/23	55° 29.99'	-159° 51.28'	92	7.0	966	59	487	62	0	115	0
5181	6/15	55° 40.00'	-158° 59.40'	82	7.0	150	7	95	13	0	5	0
5182	7/3	55° 40.00'	-159° 17.12'	54	7.0	816	49	932	132	0	75	0
5183	6/23	55° 40.00'	-159° 51.45'	70	7.0	652	30	352	42	0	160	0
5184	6/15	55° 50.03'	-158° 58.68'	69	7.0	1,271	65	604	80	0	145	0
5185	6/15	55° 50.00'	-159° 16.08'	37	7.0	172	12	192	29	0	175	0
5186	8/8	54° 00.03'	-163° 15.51'	46	7.0	82	5	180	27	0	240	0
5187	8/8	53° 59.98'	-163° 31.62'	55	7.0	94	7	315	50	0	125	0
5188	8/8	54° 00.01'	-163° 48.89'	51	7.0	112	7	302	52	0	35	0
5189	7/31	54° 10.00'	-161° 34.24'	69	7.0	528	38	795	103	10	125	0
5190	7/31	54° 09.91'	-161° 50.95'	44	7.0	744	44	449	57	0	30	15
5191	7/30	54° 10.04'	-162° 08.00'	43	7.0	1,329	62	284	37	0	65	45
5192	7/30	54° 10.18'	-162° 25.00'	83	7.0	81	5	104	16	15	115	50
5193	8/7	54° 10.17'	-163° 50.11'	48	7.0	269	18	823	118	0	170	0
5194	8/12	54° 20.23'	-160° 08.03'	169	7.0	86	6	93	14	35	0	10
5195	8/12	54° 20.20'	-160° 26.04'	67	7.0	498	27	460	74	0	275	5
5196	8/11	54° 20.06'	-160° 43.13'	58	7.0	462	34	670	98	0	181	10
5197	8/11	54° 20.09'	-160° 59.99'	69	7.0	281	19	500	88	0	119	5
5198	7/29	54° 20.00'	-161° 17.00'	56	7.0	1,414	89	1,070	134	0	55	25
5199	7/29	54° 20.02'	-161° 34.03'	78	7.0	218	14	292	44	0	20	0

¹ Standard skate = 1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights are calculated from length-weight tables.

³ Bycatch numbers extrapolated from 20% subsample.

2015 IPHC Stock Assessment Survey Area 3B

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Set ¹	O32 Halibut		U32 Halibut		Bycatch (numbers) ³		
						Lbs. ²	#'s	Lbs. ²	#'s	Sablefish	P. Cod	Rockfish
5200	7/31	54° 19.67'	-161° 51.00'	39	7.0	1,447	64	652	88	0	0	0
5201	7/30	54° 19.84'	-162° 08.93'	30	7.0	1,312	62	426	59	0	25	0
5202	8/5	54° 20.14'	-163° 16.99'	27	7.0	2,096	81	157	21	0	25	0
5203	8/7	54° 19.99'	-163° 34.11'	60	7.0	219	14	450	78	0	140	0
5204	8/7	54° 19.95'	-163° 50.98'	62	7.0	387	21	528	87	0	95	0
5205	8/6	54° 20.03'	-164° 08.65'	50	7.0	213	14	454	76	0	115	0
5206	8/12	54° 30.03'	-160° 26.03'	79	7.0	418	28	486	68	0	115	0
5207	8/13	54° 30.01'	-160° 43.01'	75	7.0	294	20	421	63	0	70	0
5208	8/11	54° 29.96'	-160° 59.99'	70	7.0	258	15	365	64	0	60	0
5209	7/29	54° 29.73'	-161° 18.04'	65	7.0	241	15	616	98	0	15	0
5210	7/28	54° 29.89'	-161° 35.04'	34	7.0	817	37	645	97	0	5	0
5211	8/1	54° 29.98'	-161° 52.30'	76	7.0	78	5	106	16	0	0	0
5212	8/1	54° 30.00'	-162° 09.01'	77	7.0	364	22	459	57	0	70	0
5213	8/1	54° 30.02'	-162° 25.96'	78	7.1	801	43	425	61	0	30	0
5214	8/5	54° 30.01'	-163° 17.48'	40	7.0	1,114	62	861	126	0	20	0
5215	8/5	54° 29.88'	-163° 34.96'	53	7.0	554	28	549	83	0	35	0
5216	8/6	54° 30.01'	-163° 53.03'	48	7.0	636	35	680	102	0	20	5
5217	8/6	54° 29.84'	-164° 10.11'	51	7.0	178	14	1,091	158	0	55	0
5218	8/13	54° 39.94'	-160° 26.09'	55	7.1	305	14	489	88	0	76	0
5219	8/13	54° 39.91'	-160° 43.00'	51	7.0	1,135	60	837	127	0	70	0
5220	8/14	54° 40.00'	-161° 01.04'	49	7.0	755	47	705	113	0	65	0
5221	7/27	54° 40.09'	-161° 17.98'	72	7.0	498	28	905	124	0	5	0
5222	7/28	54° 39.98'	-161° 35.00'	35	7.0	862	50	611	88	0	0	20
5223	7/28	54° 40.05'	-161° 53.00'	30	7.0	1,568	77	410	57	0	5	20
5224	8/4	54° 40.03'	-162° 44.41'	46	7.0	504	25	305	43	0	5	0
5225	8/14	54° 50.04'	-160° 44.12'	54	7.0	404	22	489	75	0	85	0
5226	8/14	54° 50.00'	-161° 00.99'	55	7.0	351	19	573	95	0	45	0
5227	7/27	54° 49.95'	-161° 17.97'	54	7.0	193	11	368	58	0	5	0
5228	7/27	54° 50.19'	-161° 36.11'	36	7.0	1,731	58	287	38	0	40	15
5229	8/4	54° 50.01'	-162° 45.20'	26	7.0	1,095	52	469	65	0	5	0
5230	8/4	54° 49.85'	-163° 02.90'	39	7.0	835	46	337	48	0	30	0
5231	8/15	55° 00.06'	-161° 01.06'	52	7.0	1,201	57	769	110	0	30	5
5232	8/15	54° 59.91'	-161° 19.89'	42	7.0	1,428	61	557	81	0	35	25
5233	8/15	55° 09.98'	-161° 01.86'	52	7.0	1,204	60	477	65	0	130	0
5234	6/22	55° 20.02'	-156° 03.85'	147	7.0	1,309	78	227	25	90	0	5
5235	6/22	55° 19.93'	-156° 21.20'	94	7.0	1,553	103	778	98	0	0	10
5236	6/21	55° 29.99'	-155° 45.09'	119	7.0	291	20	442	61	25	51	20
5237	6/21	55° 29.94'	-156° 03.11'	110	7.0	285	19	479	77	10	0	0
5238	6/22	55° 30.05'	-156° 19.65'	118	7.0	424	31	353	52	5	20	5
5239	6/20	55° 40.05'	-155° 25.90'	98	7.0	126	9	386	65	0	60	0
5240	6/21	55° 39.94'	-155° 44.41'	69	7.0	417	28	387	50	0	0	0
5241	6/26	55° 39.98'	-156° 02.17'	127	7.0	668	43	356	45	70	25	0
5242	6/26	55° 40.03'	-156° 18.80'	139	7.0	1,707	100	408	51	50	0	0
5243	6/23	55° 39.98'	-156° 37.61'	132	7.0	622	33	624	84	5	0	0
5244	6/20	55° 49.91'	-155° 07.44'	64	7.0	364	25	859	136	0	15	5
5245	6/20	55° 49.86'	-155° 25.06'	25	7.0	178	10	176	27	0	0	0
5246	6/27	55° 50.02'	-156° 00.98'	58	7.0	365	22	222	33	0	0	0
5247	6/26	55° 50.03'	-156° 18.73'	130	7.0	522	34	229	33	10	5	0
5248	6/23	55° 50.05'	-156° 36.38'	123	7.0	811	59	808	107	10	20	0
5249	6/23	55° 50.05'	-156° 54.09'	73	7.0	219	14	267	39	0	0	0

¹ Standard skate =1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights are calculated from length-weight tables.

³ Bycatch numbers extrapolated from 20% subsample.

2015 IPHC Stock Assessment Survey Area 3B

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Set ¹	O32 Halibut		U32 Halibut		Bycatch (numbers) ³		
						Lbs. ²	#'s	Lbs. ²	#'s	Sablefish	P. Cod	Rockfish
5250	6/27	55° 59.97'	-155° 42.23'	24	7.0	508	23	152	25	0	0	0
5251	6/27	56° 00.02'	-155° 59.92'	42	7.0	408	24	725	108	0	75	0
5252	6/25	56° 00.12'	-156° 18.27'	115	7.0	1,625	101	591	72	10	0	0
5253	6/25	56° 00.11'	-156° 32.73'	105	7.0	3,173	151	353	41	0	15	0
5254	6/24	55° 59.92'	-157° 11.43'	61	7.0	225	16	493	73	0	20	0
5255	6/30	56° 09.93'	-155° 59.09'	116	7.0	294	18	241	35	0	0	0
5256	6/30	56° 10.11'	-156° 16.93'	125	7.0	763	42	363	46	10	85	0
5257	6/25	56° 10.00'	-156° 34.50'	104	7.0	186	14	289	40	0	0	0
5258	6/24	56° 09.97'	-156° 53.14'	44	7.0	521	23	130	20	0	135	0
5259	6/24	56° 10.10'	-157° 10.85'	56	7.0	1,194	58	485	65	0	0	5
5260	7/3	56° 09.92'	-157° 29.18'	85	7.0	72	3	0	0	0	10	0
5261	6/30	56° 19.88'	-155° 57.89'	113	7.0	280	19	328	43	0	110	0
5262	7/1	56° 20.02'	-156° 16.13'	152	7.1	134	10	287	40	10	15	0
5263	7/1	56° 19.88'	-156° 33.80'	100	4.1	469	33	415	53	0	45	0
5264	7/2	56° 20.00'	-156° 52.39'	64	7.0	948	54	792	105	0	0	0
5265	7/2	56° 19.74'	-157° 09.61'	94	7.0	595	29	226	26	0	0	0
5266	7/3	56° 19.98'	-157° 28.12'	38	7.0	1,345	71	485	62	0	0	0
5267	7/3	56° 20.02'	-157° 44.77'	38	7.0	848	46	424	56	0	0	0
5268	7/7	56° 29.96'	-155° 57.17'	135	7.0	22	1	26	3	0	0	0
5269	7/7	56° 30.03'	-156° 14.97'	141	7.0	548	34	322	41	10	55	0
5270	7/1	56° 29.91'	-156° 32.75'	105	7.0	457	28	125	17	0	0	0
5271	7/21	56° 29.92'	-156° 51.21'	52	7.1	326	17	250	37	0	167	0
5272	7/5	56° 30.02'	-157° 28.04'	87	7.0	901	51	374	47	0	75	0
5273	7/7	56° 39.98'	-156° 13.80'	116	7.0	285	21	207	27	5	20	0
5274	7/6	56° 39.95'	-156° 32.41'	84	7.0	1,037	45	342	44	0	0	0
5275	7/6	56° 40.14'	-156° 50.80'	58	7.0	428	27	503	65	0	54	0
5276	7/5	56° 39.97'	-157° 09.70'	75	7.0	608	29	113	14	0	0	0
5277	7/8	56° 50.10'	-156° 13.13'	105	7.0	937	47	216	29	0	0	0
5278	7/8	56° 49.97'	-156° 31.45'	64	7.0	1,316	66	347	46	0	0	0
5279	7/6	56° 49.91'	-156° 49.84'	58	7.0	1,393	57	235	31	0	0	0
5280	7/8	56° 59.97'	-156° 13.48'	82	7.0	762	36	289	40	0	0	0
231 Total Effective 3B Stations					Totals	126,893	7,008	102,240	15,159	936	13,758	489

¹ Standard skate =1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights are calculated from length-weight tables.

³ Bycatch numbers extrapolated from 20% subsample.