

North CA Stations (44)<sup>3</sup>

Station Number	Stat Area	North Latitude	West Longitude	Depth (F)	Purpose Code	Date Fished	Skates	Halibut (lbs) <sup>1</sup>		Halibut (Pcs)		Bycatch (Pcs) <sup>2</sup>	
								Legal	Sub	Legal	Sub	P. Cod	Rockfish
600	6	38° 00'	122° 57'		SE		5	* New station					
601	7	40° 50'	124° 14'	17	SE	8/9	5	53	0	2	0	0	0
701	6	39° 00'	124° 01'	332	DE	8/18	5	0	0	0	0	0	0
702	7	41° 00'	124° 40'	380	DE	8/10	5	0	0	0	0	0	8
703	7	41° 10'	124° 27'	358	DE	8/10	5	0	0	0	0	0	0
704	7	41° 50'	124° 40'	377	DE	8/6	5	0	0	0	0	0	0
923	6	37° 50'	122° 44'		SG		5	* New station					
924	6	37° 50'	122° 57'		SG		5	* New station					
925	6	37° 50'	123° 09'		SG		5	* New station					
926	6	37° 50'	123° 22'		SG		5	* New station					
927	6	38° 00'	123° 09'		SG		5	* New station					
928	6	38° 00'	123° 22'		SG		5	* New station					
929	6	38° 10'	123° 09'		SG		5	* New station					
930	6	38° 10'	123° 22'		SG		5	* New station					
931	6	38° 20'	123° 09'		SG		5	* New station					
932	6	38° 20'	123° 22'		SG		5	* New station					
933	6	38° 20'	123° 35'		SG		5	* New station					
934	6	38° 30'	123° 22'		SG		5	* New station					
935	6	38° 30'	123° 35'		SG		5	* New station					
936	6	38° 40'	123° 35'		SG		5	* New station					
937	6	38° 40'	123° 48'		SG		5	* New station					
938	6	38° 50'	123° 48'		SG		5	* New station					
939	6	39° 00'	123° 48'	44	SG	8/17	5	0	0	0	0	0	0
940	6	39° 10'	123° 48'	45	SG	8/17	5	0	0	0	0	0	0
941	6	39° 10'	124° 01'	268	SG	8/18	5	0	0	0	0	0	0
942	6	39° 20'	124° 01'	270	SG	8/16	5	0	0	0	0	0	0
943	6	39° 30'	124° 01'	283	SG	8/16	5	0	0	0	0	0	0
944	6	39° 40'	124° 01'	187	SG	8/15	5	0	0	0	0	0	0
945	6	39° 50'	124° 01'	73	SG	8/15	5	0	0	0	0	0	0
951	6	40° 10'	124° 27'	203	SG	8/14	5	0	0	0	0	0	0
952	6	40° 20'	124° 27'	59	SG	8/14	5	78	24	4	3	0	0
953	7	40° 30'	124° 27'	21	SG	8/13	5	183	0	6	0	0	0
954	7	40° 40'	124° 27'	34	SG	8/13	5	180	7	6	1	0	0
955	7	40° 50'	124° 27'	167	SG	8/9	5	0	0	0	0	0	4
956	7	41° 00'	124° 14'	27	SG	8/9	5	94	0	3	0	0	0
957	7	41° 00'	124° 27'	238	SG	8/10	5	0	0	0	0	0	0
958	7	41° 10'	124° 14'	34	SG	8/8	5	77	8	3	1	0	0
959	7	41° 20'	124° 14'	38	SG	8/8	5	36	7	1	1	0	11
960	7	41° 20'	124° 27'	112	SG	8/8	5	60	0	2	0	0	0
961	8	41° 30'	124° 14'	30	SG	8/7	5	176	7	5	1	0	0
962	8	41° 30'	124° 27'	73	SG	8/7	5	51	8	1	1	0	0
963	8	41° 40'	124° 14'	25	SG	8/7	5	0	0	0	0	0	39
964	8	41° 40'	124° 27'	86	SG	8/6	5	206	8	9	1	0	0
965	8	41° 50'	124° 27'	67	SG	8/6	5	53	0	1	0	0	0
<b>Totals:</b>								<b>1,247</b>	<b>67</b>	<b>44</b>	<b>7</b>	<b>0</b>	<b>61</b>

<sup>1</sup> Halibut weights listed here are calculated from length-weight tables.

<sup>2</sup> Bycatch numbers extrapolated from 20% subsample.

<sup>3</sup> Catch information from 2014 survey.

Oregon Stations (47)

Station Number	Stat Area	North Latitude	West Longitude	Depth (F)	Purpose Code	Date Fished	Skates	Halibut (lbs) <sup>1</sup>		Halibut (Pcs)		Bycatch (Pcs) <sup>2</sup>	
								Legal	Sub	Legal	Sub	P. Cod	Rockfish
1001	8	42° 00'	124° 27'	51	SG	7/17	5	0	5	0	1	0	0
1002	8	42° 10'	124° 27'	42	SG			* Ineffective due to > 24 hour soak time					
1003	8	42° 20'	124° 41'	162	SG	7/15	5	19	9	1	1	0	0
1004	9	42° 30'	124° 41'	62	SG	7/15	5	235	7	7	1	0	4
1005	9	42° 40'	124° 40'	78	SG	7/18	5	32	0	2	0	0	0
1006	9	42° 50'	124° 40'	44	SG	7/18	5	63	14	3	2	0	0
1007	9	42° 50'	124° 54'	214	SG	7/18	5	0	0	0	0	0	0
1008	9	43° 00'	124° 40'	61	SG	7/19	5	490	88	29	11	0	0
1009	9	43° 00'	124° 54'	213	SG	7/19	5	13	0	1	0	0	0
1010	9	43° 10'	124° 40'	79	SG	7/12	5	177	0	6	0	0	4
1011	9	43° 20'	124° 40'	101	SG	7/11	5	141	7	6	1	0	0
1012	10	43° 30'	124° 26'	61	SG	7/11	5	13	6	1	1	0	0
1013	9	43° 30'	124° 40'	199	SG	7/11	5	15	0	1	0	0	0
1014	10	43° 40'	124° 26'	66	SG	7/10	5	14	0	1	0	0	0
1015	10	43° 40'	124° 40'	226	SG	7/10	5	0	0	0	0	0	0
1016	10	43° 50'	124° 26'	66	SG	7/9	5	16	16	1	2	0	0
1017	10	43° 50'	124° 40'	199	SG	7/10	5	32	0	2	0	0	0
1018	10	44° 00'	124° 26'	67	SG	7/1	5	278	0	11	0	0	0
1019	10	44° 00'	124° 40'	75	SG	7/1	5	0	0	0	0	0	0
1020	10	44° 00'	124° 54'	48	SG	7/8	5	115	0	4	0	0	38
1021	10	44° 10'	124° 12'	31	SG	6/30	5	0	0	0	0	0	0
1022	10	44° 10'	124° 26'	55	SG	7/1	5	28	0	2	0	0	0
1023	10	44° 10'	124° 40'	65	SG	7/8	5	234	29	11	3	0	0
1024	10	44° 10'	124° 54'	69	SG	7/8	5	1,247	62	48	7	0	0
1025	10	44° 20'	124° 12'	30	SG	6/30	5	0	0	0	0	0	0
1026	10	44° 20'	124° 26'	48	SG	7/2	5	68	9	3	1	0	0
1027	10	44° 20'	124° 40'	52	SG	7/2	5	588	24	26	3	0	4
1028	20	44° 30'	124° 12'	30	SG	6/30	5	0	0	0	0	0	0
1029	20	44° 30'	124° 40'	108	SG	7/2	5	101	35	7	4	0	0
1030	20	44° 40'	124° 11'	34	SG	6/29	5	0	0	0	0	0	0
1031	20	44° 40'	124° 25'	52	SG	6/29	5	780	161	33	19	0	8
1032	20	44° 40'	124° 40'	157	SG	7/3	5	36	8	2	1	0	0
1033	20	44° 40'	124° 54'	285	SG	7/3	5	0	0	0	0	0	0
1034	20	44° 50'	124° 11'	43	SG	6/27	5	16	7	1	1	0	0
1035	20	44° 50'	124° 25'	83	SG	6/26	5	509	189	33	21	0	0
1036	20	44° 50'	124° 39'	198	SG	6/26	5	0	0	0	0	0	8
1037	20	45° 00'	124° 11'	62	SG	6/27	5	16	11	1	2	0	0
1038	20	45° 00'	124° 25'	148	SG	6/27	5	188	8	8	1	0	0
1039	20	45° 00'	124° 39'	252	SG	6/26	5	0	0	0	0	0	0
1040	20	45° 10'	124° 11'	71	SG	6/24	5	114	36	5	4	0	0
1041	20	45° 10'	124° 25'	201	SG	6/25	5	22	0	1	0	0	0
1042	20	45° 20'	124° 11'	72	SG	6/24	5	198	49	11	6	0	0
1101	9	43° 20'	124° 26'	29	SG	7/12	5	0	0	0	0	0	0
1102	10	43° 50'	124° 12'	20	SG	7/9	5	0	0	0	0	0	0
1103	10	43° 60'	124° 12'	29	SG	7/9	5	0	0	0	0	0	0
1104	20	44° 30'	124° 26'	38	SG	6/29	5	988	93	41	11	0	8
1105	10	44° 30'	124° 54'	242	SG	7/3	5	0	0	0	0	0	0
<b>Totals:</b>								<b>6,788</b>	<b>874</b>	<b>306</b>	<b>101</b>	<b>0</b>	<b>75</b>

<sup>1</sup> Halibut weights listed here are calculated from length-weight tables.

<sup>2</sup> Bycatch numbers extrapolated from 20% subsample.

Washington Stations (83)<sup>4</sup>

Station Number	Stat. Area	North Latitude	West Longitude	Depth (F) <sup>3</sup>	Purpose Code	Date Fished	Skates	Halibut (lbs) <sup>1</sup>		Halibut (Pcs)		Bycatch (Pcs) <sup>2</sup>	
								Legal	Sub	Legal	Sub	P. Cod	Rockfish
1043	20	45° 20'	124° 25'	196	SG	6/25	5	0	0	0	0	0	0
1044	20	45° 20'	124° 39'	253	SG	6/25	5	0	0	0	0	0	0
1045	30	45° 30'	124° 11'	68	SG	6/24	5	91	48	6	7	0	0
1046	30	45° 30'	124° 25'	112	SG	6/23	5	66	21	4	3	0	0
1047	30	45° 30'	124° 39'	259	SG	6/23	5	0	0	0	0	0	4
1048	30	45° 40'	124° 10'	57	SG	6/19	5	150	16	9	2	0	0
1049	30	45° 40'	124° 25'	91	SG	6/19	5	28	32	3	3	0	0
1050	30	45° 40'	124° 39'	185	SG	6/23	5	23	0	2	0	0	4
1051	30	45° 50'	124° 10'	53	SG	6/19	5	108	47	8	6	0	0
1052	30	45° 50'	124° 25'	82	SG	6/18	5	78	0	4	0	0	0
1053	30	45° 50'	124° 39'	111	SG	6/18	5	223	8	12	1	0	0
1054	30	46° 00'	124° 10'	47	SG	6/17	5	85	32	6	4	0	0
1055	30	46° 00'	124° 24'	77	SG	6/17	5	20	5	1	1	0	0
1056	30	46° 00'	124° 39'	103	SG	6/18	5	100	8	5	1	0	0
1057	30	46° 10'	124° 39'	131	SG	6/16	5	21	37	2	4	0	4
1058	30	46° 20'	124° 24'	64	SG	6/16	5	118	0	6	0	0	0
1059	40	46° 30'	124° 24'	51	SG	6/15	5	70	71	4	9	0	0
1060	40	46° 40'	124° 24'	44	SG	6/15	5	215	79	12	10	0	0
1061	40	46° 40'	124° 38'	75	SG	6/12	5	455	133	31	16	0	13
1062	40	46° 50'	124° 24'	38	SG	6/15	5	18	0	1	0	0	0
1063	40	46° 50'	124° 38'	66	SG	6/12	5	460	166	28	18	0	0
1064	40	46° 50'	124° 53'	110	SG	6/12	5	446	142	29	17	0	8
1065	40	47° 00'	124° 24'	30	SG	6/13	5	24	0	1	0	0	0
1066	40	47° 00'	124° 38'	51	SG	6/13	5	63	43	4	5	0	0
1067	40	47° 00'	124° 53'	92	SG	6/11	5	89	14	5	2	0	0
1068	40	47° 10'	124° 24'	25	SG	6/13	5	12	0	1	0	0	0
1069	40	47° 10'	124° 38'	48	SG	6/11	5	60	100	3	13	0	0
1070	40	47° 10'	124° 53'	84	SG	6/11	5	132	288	8	37	0	4
1071	40	47° 20'	124° 38'	48	SG	6/10	5	26	4	1	1	0	0
1072	50	47° 30'	124° 53'	92	SG	6/10	5	188	137	12	16	0	0
1073	50	47° 40'	124° 38'	26	SG	6/9	5	577	16	29	2	0	0
1074	50	47° 40'	124° 53'	61	SG	6/9	5	136	36	8	5	0	0
1075	50	47° 50'	124° 53'	54	SG	6/9	5	74	95	5	13	0	0
1076	50	47° 50'	125° 08'	156	SG	6/1	5	56	0	4	0	0	0
1077	50	48° 00'	124° 53'	35	SG	6/1	5	266	50	13	6	0	0
1078	50	48° 00'	125° 08'	79	SG	6/1	5	220	185	17	23	0	0
1079	50	48° 00'	125° 38'	186	SG	6/4	5	241	69	15	8	0	0
1080	50	48° 10'	124° 53'	33	SG	5/31	5	80	15	5	2	0	0
1081	50	48° 10'	125° 08'	85	SG	5/31	5	265	92	14	10	2	2
1082	50	48° 10'	125° 23'	61	SG	6/2	5	131	95	10	12	0	0
1083	50	48° 10'	125° 38'	93	SG	6/3	5	32	9	3	1	0	0
1084	50	48° 20'	125° 23'	67	SG	6/2	5	93	19	5	3	0	0
1107	30	46° 10'	124° 10'	31	SG	6/17	5	132	66	8	8	0	0
1108	30	46° 10'	124° 24'	67	SG	6/16	5	350	119	23	14	0	0
1115	50	47° 30'	124° 38'	38	SG	6/10	5	117	15	4	2	0	0
1126	50	48° 19'	124° 23'	32	SG	5/30	5	94	13	5	2	0	0
1509	50	48° 05'	125° 16'	123	DG	6/30	5	1,094	170	52	20	0	0
1513	50	48° 15'	125° 16'	62	DG	7/2	5	541	78	33	10	0	16
1515	50	48° 15'	125° 31'	76	DG	7/1	5	471	18	25	2	0	0
1517	50	48° 20'	124° 53'	111	SG	5/31	5	123	7	8	1	1	1
1519	50	48° 20'	125° 08'	75	SG	6/2	5	78	37	4	4	0	0
1522	50	48° 25'	125° 01'	121	DG	7/4	5	0	0	0	0	0	0
1525	50	48° 30'	124° 53'	62	SG	5/30	5	892	308	47	35	2	2
1527	50	48° 08'	125° 19'	87	RI	6/4	3	82	33	6	4	0	0
1528	50	48° 08'	125° 23'	61	RI	6/4	3	122	53	6	6	0	0
1529	50	48° 08'	125° 27'	68	RI	6/4	3	0	0	0	0	0	0
1530	50	48° 10'	125° 19'	109	RI	6/5	3	11	0	1	0	0	0
1531	50	48° 10'	125° 27'	67	RI	6/3	3	71	0	3	0	0	0
1532	50	48° 13'	125° 19'	59	RI	6/5	3	0	0	0	0	0	0
1533	50	48° 13'	125° 23'	58	RI	6/3	3	81	104	6	14	0	0
1534	50	48° 13'	125° 27'	70	RI	6/3	3	0	6	0	1	0	0
1874	40	46° 55'	124° 46'	78	DG		5						
1875	40	46° 55'	124° 31'	45	DG		5						
1876	40	46° 55'	124° 17'	22	DG		5						
1877	40	47° 05'	124° 46'	66	DG		5						
1878	40	47° 05'	124° 31'	37	DG		5						
1879	40	47° 15'	125° 00'	259	DG		5						
1880	40	47° 15'	124° 46'	73	DG		5						
1881	40	47° 15'	124° 31'	32	DG		5						
1882	50	47° 25'	124° 46'	69	DG		5						
1883	50	47° 25'	124° 31'	22	DG		5						
1884	50	47° 35'	125° 00'	100	DG		5						
1885	50	47° 35'	124° 46'	48	DG		5						
1886	50	47° 45'	125° 01'	74	DG		5						
1887	50	47° 45'	124° 46'	39	DG		5						
1888	50	47° 55'	125° 31'	264	DG		5						
1889	50	47° 55'	125° 16'	169	DG		5						
1890	50	47° 55'	125° 01'	63	DG		5						
1891	50	47° 55'	124° 46'	22	DG		5						
1892	50	48° 05'	125° 31'	78	DG		5						
1894	50	48° 05'	125° 01'	95	DG		5						
1897	50	48° 15'	125° 01'	126	DG		5						
1899	50	48° 25'	124° 45'	90	DG		5						
<b>Totals:</b>								<b>9,799</b>	<b>3,140</b>	<b>564</b>	<b>378</b>	<b>4</b>	<b>58</b>

<sup>1</sup> Halibut weights calculated from length-weight tables

<sup>2</sup> Bycatch numbers extrapolated from 20% subsample

<sup>3</sup> Depths for new stations are estimated

<sup>4</sup> Catch information for 1509, 1513, 1515, and 1522 from RI stations on 2006 survey

**Puget Sound Stations (14)<sup>3</sup>**

Station Number	Stat Area	North Latitude	West Longitude	Depth (F)	Purpose Code	Date Fished	Skates	Halibut (lbs) <sup>1</sup>		Halibut (Pcs)		Bycatch (Pcs) <sup>2</sup>	
								Legal	Sub	Legal	Sub	P. Cod	Rockfish
1116	50	47° 20'	122° 28'	60	SG	5/30	5	0	0	0	0	0	0
1117	50	47° 29'	122° 27'	72	SG	5/30	5	0	0	0	0	0	0
1118	50	47° 50'	122° 25'	94	SG	5/29	5	0	0	0	0	0	0
1119	50	47° 51'	122° 39'	33	SG	5/29	5	0	0	0	0	0	0
1121	50	48° 10'	122° 55'	26	SG	5/28	5	170	6	4	1	0	0
1122	50	48° 10'	123° 22'	43	SG	5/27	5	482	81	20	9	0	0
1123	50	48° 10'	123° 38'	31	SG	5/27	5	119	32	7	4	1	1
1124	50	48° 20'	122° 55'	44	SG	5/28	5	53	0	3	0	0	0
1125	50	48° 20'	123° 08'	62	SG	5/28	5	427	35	19	4	1	1
1127	50	48° 40'	123° 08'	53	SG	5/26	5	92	0	4	0	0	0
1128	50	48° 50'	122° 53'	37	SG	5/25	5	126	8	6	1	0	0
1621	50	48° 10'	122° 25'	13	SE	5/31	5	0	0	0	0	0	0
1623	50	48° 30'	123° 08'		SG			*Ineffective due to gear issues					
1624	50	48° 60'	122° 53'	15	SE	5/25	5	0	0	0	0	0	0
<b>Totals:</b>								<b>1,469</b>	<b>162</b>	<b>64</b>	<b>18</b>	<b>3</b>	<b>3</b>

<sup>1</sup> Halibut weights listed here are calculated from length-weight tables.

<sup>2</sup> Bycatch numbers extrapolated from 20% subsample.

<sup>3</sup> Catch information from 2014 survey.

Vancouver Stations (41)

Station Number	Stat Area	North Latitude	West Longitude	Depth (F)	Purpose Code	Date Fished	Skates	Halibut (lbs) <sup>1</sup>		Halibut (Pcs)		Bycatch (Pcs)	
								Legal	Sub	Legal	Sub	P. Cod	Rockfish
2001	60	48° 20'	125° 38'	77	SG	7/14	5	12	17	1	2	0	0
2002	60	48° 20'	125° 53'	172	SG	7/14	5	0	0	0	0	0	0
2003	60	48° 30'	125° 23'	80	SG	7/12	5	0	0	0	0	0	0
2004	60	48° 30'	125° 38'	53	SG	7/14	5	111	39	3	5	1	1
2005	60	48° 30'	125° 53'	58	SG	7/17	5	109	42	6	5	0	0
2006	60	48° 30'	126° 08'	109	SG	7/17	5	325	46	18	5	1	1
2007	60	48° 40'	125° 07'	35	SG	7/12	5	483	14	18	2	0	0
2008	60	48° 40'	125° 23'	35	SG	7/12	5	159	12	8	2	0	0
2009	60	48° 40'	125° 38'	69	SG	7/13	5	43	8	2	1	1	1
2010	60	48° 40'	125° 53'	41	SG	7/13	5	108	191	8	24	0	0
2011	60	48° 40'	126° 08'	78	SG	7/17	5	19	5	1	1	2	2
2012	60	48° 50'	125° 37'	25	SG	7/13	5	640	0	21	0	0	0
2013	60	48° 50'	125° 53'	33	SG	7/13	5	600	44	20	6	0	0
2014	60	48° 50'	126° 08'	58	SG	7/17	5	33	62	1	8	7	7
2015	60	48° 50'	126° 23'	97	SG	7/18	5	102	40	7	4	0	0
2016	60	49° 00'	126° 08'	38	SG	7/18	5	671	256	33	33	0	0
2017	70	49° 00'	126° 23'	76	SG	7/18	5	190	196	10	25	0	0
2018	70	49° 00'	126° 38'	126	SG	7/18	5	170	43	10	5	0	0
2019	70	49° 10'	126° 23'	47	SG	7/19	5	61	117	4	16	0	0
2020	70	49° 10'	126° 38'	68	SG	7/19	5	26	130	2	17	2	2
2021	70	49° 10'	126° 53'	94	SG	7/19	5	182	180	11	21	3	3
2023	70	49° 20'	126° 23'	21	SG	7/21	5	133	41	7	5	0	0
2024	70	49° 20'	126° 38'	39	SG	7/21	5	1,113	37	31	5	0	0
2025	70	49° 20'	126° 53'	76	SG	7/19	5	215	443	14	56	0	0
2026	70	49° 20'	127° 09'	102	SG	7/20	5	562	530	38	61	1	1
2027	70	49° 30'	126° 38'	23	SG	7/21	5	258	8	10	1	0	0
2028	70	49° 30'	126° 53'	50	SG	7/20	5	59	57	2	8	0	0
2029	70	49° 30'	127° 09'	79	SG	7/20	5	71	256	4	36	1	1
2030	70	49° 40'	127° 09'	63	SG	7/20	5	161	511	12	69	2	2
2031	80	49° 40'	127° 24'	122	SG	7/25	5	336	127	20	15	0	0
2032	80	49° 50'	127° 24'	44	SG	7/25	5	224	180	14	21	0	0
2033	80	49° 50'	127° 40'	97	SG	7/25	5	93	61	6	8	0	0
2034	80	50° 00'	127° 40'	46	SG	7/25	5	310	156	17	20	0	0
2035	80	50° 20'	128° 11'	88	SG	7/26	5	727	857	42	102	5	5
2037	90	50° 30'	128° 27'	103	SG	7/26	5	702	217	35	24	1	1
2038	90	50° 40'	128° 28'	50	SG	7/26	5	77	440	6	56	0	0
2039	90	50° 40'	128° 44'	104	SG	7/27	5	160	69	10	8	2	2
2040	91	50° 50'	128° 28'	31	SG	7/27	5	924	144	35	17	0	0
2041	91	51° 00'	127° 57'	62	SG	7/30	5	113	25	5	3	0	0
2042	91	51° 00'	128° 13'	55	SG	7/30	5	0	0	0	0	0	0
2043	91	51° 10'	127° 56'	68	SG	7/30	5	443	322	32	41	0	0
<b>Totals:</b>								<b>10,721</b>	<b>5,924</b>	<b>519</b>	<b>734</b>	<b>26</b>	<b>26</b>

<sup>1</sup> Halibut weights listed here are calculated from length-weight tables.

Goose Is. Stations (43)

Station Number	Stat Area	North Latitude	West Longitude	Depth (F)	Purpose Code	Date Fished	Skates	Halibut (lbs) <sup>1</sup>		Halibut (Pcs)		Bycatch (Pcs)	
								Legal	Sub	Legal	Sub	P. Cod	Rockfish
2044	90	50° 50'	129° 00'	48	SG	8/9	5	796	82	22	11	0	0
2045	90	50° 50'	129° 16'	68	SG	8/9	5	1,391	319	53	38	0	0
2046	91	51° 00'	128° 28'	53	SG	7/28	5	257	148	13	18	0	0
2047	91	51° 00'	128° 44'	36	SG	7/29	5	1,015	118	37	16	0	0
2048	91	51° 00'	129° 00'	45	SG	7/29	5	158	162	10	20	0	0
2049	90	51° 00'	129° 16'	87	SG	8/9	5	68	114	4	16	1	1
2050	90	51° 00'	129° 32'	131	SG	8/9	5	675	114	27	13	0	0
2051	91	51° 10'	128° 12'	55	SG	7/28	5	587	300	28	37	0	0
2052	91	51° 10'	128° 28'	106	SG	7/28	5	97	26	7	3	0	0
2053	91	51° 10'	128° 44'	54	SG	7/29	5	53	516	4	76	0	0
2054	91	51° 10'	129° 00'	74	SG	7/29	5	193	491	13	62	1	1
2055	91	51° 10'	129° 16'	150	SG	8/10	5	459	78	23	9	0	0
2056	100	51° 10'	129° 32'	156	SG	8/10	5	323	22	20	3	0	0
2057	91	51° 20'	127° 55'	72	SG	8/6	5	840	84	28	10	1	1
2058	91	51° 20'	128° 11'	48	SG	8/6	5	13	17	1	3	1	1
2059	91	51° 20'	128° 27'	82	SG	8/13	5	22	33	2	3	0	0
2060	91	51° 20'	128° 43'	113	SG	8/13	5	224	68	15	8	3	3
2061	91	51° 20'	128° 59'	135	SG	8/13	5	445	103	29	12	0	0
2062	91	51° 20'	129° 15'	129	SG	8/10	5	513	374	39	42	0	0
2063	102	51° 20'	129° 31'	114	SG	8/10	5	688	168	38	20	1	1
2064	102	51° 20'	129° 47'	131	SG	8/11	5	231	63	10	8	0	0
2065	91	51° 30'	128° 11'	47	SG	8/6	5	271	31	10	4	0	0
2066	91	51° 30'	128° 27'	102	SG	8/5	5	54	0	3	0	0	0
2067	91	51° 30'	128° 43'	57	SG	8/5	5	151	225	10	29	0	0
2068	102	51° 30'	128° 59'	25	SG	8/2	5	363	86	18	9	0	0
2069	102	51° 30'	129° 15'	27	SG	8/2	5	58	53	4	6	0	0
2070	102	51° 30'	129° 31'	55	SG	8/12	5	2,801	261	100	31	0	0
2071	102	51° 30'	129° 47'	93	SG	8/11	5	1,119	314	68	34	0	0
2072	102	51° 30'	130° 03'	172	SG	8/11	5	154	23	7	3	1	1
2073	91	51° 40'	128° 26'	78	SG	8/5	5	159	43	11	5	0	0
2074	102	51° 40'	128° 59'	28	SG	8/2	5	144	42	9	5	0	0
2075	102	51° 40'	129° 15'	31	SG	8/2	5	354	406	23	49	0	0
2076	102	51° 40'	129° 31'	54	SG	8/12	5	220	610	18	78	0	0
2077	102	51° 40'	129° 47'	133	SG	8/12	5	428	88	25	9	0	0
2078	91	51° 50'	128° 26'	90	SG	8/5	5	0	7	0	1	0	0
2079	102	51° 50'	128° 42'	55	SG	8/4	5	54	194	4	27	0	0
2080	102	51° 50'	128° 58'	45	SG	8/3	5	608	355	40	45	0	0
2081	102	51° 50'	129° 14'	66	SG	8/3	5	100	195	6	28	0	0
2082	102	51° 50'	129° 31'	139	SG	8/12	5	66	0	4	0	0	0
2083	102	52° 00'	128° 42'	89	SG	8/4	5	304	148	21	17	0	0
2084	102	52° 00'	128° 58'	87	SG	8/3	5	766	446	51	51	0	0
2085	102	52° 00'	129° 14'	97	SG	8/3	5	66	38	3	4	0	0
2086	102	52° 10'	128° 41'	122	SG	8/4	5	276	27	8	3	0	0
<b>Totals:</b>								<b>17,563</b>	<b>6,993</b>	<b>863</b>	<b>862</b>	<b>8</b>	<b>8</b>

<sup>1</sup> Halibut weights listed here are calculated from length-weight tables.

St. James Stations (42)

Station Number	Stat Area	North Latitude	West Longitude	Depth (F)	Purpose Code	Date Fished	Skates	Halibut (lbs) <sup>1</sup>		Halibut (Pcs)		Bycatch (Pcs)	
								Legal	Sub	Legal	Sub	P. Cod	Rockfish
2087	102	51° 40'	130° 03'	194	SG	6/29	5	127	64	9	8	0	0
2088	102	51° 40'	130° 19'	141	SG	6/29	5	1,002	67	40	8	0	0
2089	102	51° 50'	129° 47'	140	SG	7/5	5	52	5	3	1	0	0
2090	102	51° 50'	130° 03'	99	SG	7/6	5	1,176	177	49	20	0	0
2091	102	51° 50'	130° 19'	116	SG	6/29	5	1,021	116	46	13	1	1
2092	102	51° 50'	130° 35'	166	SG	6/28	5	1,059	149	48	18	0	0
2093	112	51° 50'	130° 52'	100	SG	6/28	5	464	9	11	1	0	0
2094	102	51° 59'	129° 26'	117	SG	7/5	5	10	0	1	0	0	0
2095	102	52° 00'	129° 47'	62	SG	7/5	5	526	224	24	28	0	0
2096	102	52° 00'	130° 03'	76	SG	7/6	5	429	466	27	61	0	0
2097	102	52° 00'	130° 19'	192	SG	7/6	5	747	35	28	4	0	0
2098	112	52° 00'	130° 35'	142	SG	6/27	5	804	89	38	9	0	0
2099	112	52° 00'	130° 52'	100	SG	6/28	5	1,022	322	38	37	2	2
2100	102	52° 10'	128° 57'	91	SG	7/23	5	367	148	25	18	1	1
2101	102	52° 10'	129° 14'	94	SG	7/23	5	11	15	1	3	0	0
2102	102	52° 10'	129° 30'	115	SG	7/25	5	22	15	2	2	0	0
2103	102	52° 10'	129° 46'	113	SG	7/25	5	219	48	10	6	0	0
2104	102	52° 10'	130° 03'	93	SG	7/7	5	159	263	11	31	1	1
2105	112	52° 10'	130° 19'	223	SG	7/7	5	38	0	2	0	0	0
2106	112	52° 10'	130° 35'	106	SG	6/27	5	1,261	297	70	33	2	2
2107	112	52° 10'	130° 52'	122	SG	6/27	5	774	338	48	38	0	0
2108	102	52° 20'	129° 13'	75	SG	7/23	5	649	204	34	24	3	3
2109	102	52° 20'	129° 30'	94	SG	7/25	5	535	133	26	17	1	1
2110	102	52° 20'	129° 46'	116	SG	7/24	5	176	61	12	7	0	0
2111	112	52° 20'	130° 03'	126	SG	7/24	5	542	93	27	12	1	1
2112	112	52° 20'	130° 19'	196	SG	7/7	5	40	9	2	1	0	0
2113	112	52° 20'	130° 35'	90	SG	6/26	5	1,191	364	45	43	1	1
2114	112	52° 20'	130° 52'	80	SG	6/26	5	162	340	13	42	0	0
2115	102	52° 30'	129° 32'	46	SG	7/22	5	494	132	23	15	0	0
2116	102	52° 32'	129° 47'	97	SG	7/22	5	389	137	24	16	2	2
2117	112	52° 30'	130° 02'	147	SG	7/24	5	543	38	26	4	0	0
2118	112	52° 30'	130° 19'	142	SG	7/8	5	36	0	3	0	0	0
2119	112	52° 30'	130° 35'	68	SG	7/8	5	1,600	196	66	22	0	0
2120	112	52° 30'	130° 52'	62	SG	6/26	5	745	186	26	23	0	0
2121	112	52° 40'	129° 46'	102	SG	7/22	5	402	30	15	3	3	3
2122	112	52° 40'	130° 02'	147	SG	7/9	5	53	22	3	3	0	0
2123	112	52° 40'	130° 19'	121	SG	7/9	5	130	7	3	1	0	0
2124	112	52° 40'	130° 35'	79	SG	7/8	5	811	311	49	36	0	0
2125	112	52° 50'	130° 02'	142	SG	7/21	5	0	0	0	0	0	0
2126	112	52° 50'	130° 19'	114	SG	7/9	5	9	0	1	0	0	0
2127	112	53° 00'	129° 45'	124	SG	7/21	5	87	0	5	0	0	0
2128	112	53° 00'	130° 02'	107	SG	7/21	5	38	6	2	1	0	0
<b>Totals:</b>								<b>19,925</b>	<b>5,119</b>	<b>932</b>	<b>603</b>	<b>16</b>	<b>16</b>

<sup>1</sup> Halibut weights listed here are calculated from length-weight tables.

Charlotte Stations (44)

Station Number	Stat Area	North Latitude	West Longitude	Depth (F)	Purpose Code	Date Fished	Skates	Halibut (lbs) <sup>1</sup>		Halibut (Pcs)		Bycatch (Pcs)	
								Legal	Sub	Legal	Sub	P. Cod	Rockfish
2129	112	52° 30'	131° 08'	48	SG			*Ineffective due to gear issues					
2130	112	52° 30'	131° 25'	68	SG	6/25	5	646	32	31	3	0	0
2131	112	52° 40'	130° 52'	52	SG	6/24	5	601	223	27	29	0	0
2132	112	52° 40'	131° 08'	38	SG	6/25	5	591	31	17	4	0	0
2133	112	52° 50'	130° 35'	63	SG	6/24	5	12	7	1	1	0	0
2134	112	52° 50'	130° 52'	28	SG	6/24	5	198	52	11	6	0	0
2135	112	53° 00'	130° 18'	115	SG	7/10	5	310	24	13	3	0	0
2136	112	53° 00'	130° 35'	52	SG	7/10	5	364	162	23	20	0	0
2137	112	53° 10'	130° 18'	84	SG	7/10	5	986	119	34	14	0	0
2138	121	53° 10'	130° 35'	102	SG	7/18	5	92	38	6	4	0	0
2139	121	53° 10'	130° 52'	57	SG	7/17	5	169	48	12	6	0	0
2140	121	53° 20'	130° 18'	61	SG	7/18	5	1,097	52	44	6	2	2
2141	121	53° 20'	130° 35'	52	SG	7/18	5	565	28	26	3	2	2
2142	121	53° 20'	130° 52'	74	SG	7/17	5	738	95	38	10	5	5
2143	130	53° 20'	132° 49'	77	SG	6/18	5	1,015	251	38	33	0	0
2144	130	53° 20'	133° 06'	112	SG	6/18	5	1,849	195	69	23	0	0
2145	121	53° 30'	130° 52'	50	SG	7/17	5	184	453	13	58	0	0
2146	130	53° 30'	133° 06'	209	SG	6/19	5	299	22	11	3	0	0
2147	133	53° 40'	130° 35'	23	SG	7/16	5	165	36	7	6	0	0
2148	121	53° 40'	130° 52'	24	SG	7/16	5	422	265	14	33	0	0
2149	130	53° 40'	133° 07'	76	SG	6/19	5	1,173	368	48	43	0	0
2150	121	53° 50'	130° 52'	46	SG	7/16	5	494	416	37	51	3	3
2151	130	54° 00'	133° 25'	42	SG	6/17	5	2,306	268	102	29	0	0
2152	134	54° 10'	130° 35'	66	SG	7/15	5	98	12	4	2	0	0
2153	132	54° 10'	132° 00'	38	SG	6/21	5	227	508	17	71	1	1
2154	132	54° 10'	132° 17'	51	SG	6/21	5	95	459	7	71	3	3
2155	132	54° 10'	132° 34'	45	SG	6/20	5	52	299	3	45	0	0
2156	130	54° 10'	133° 09'	34	SG	6/17	5	2,086	248	91	30	0	0
2157	131	54° 10'	133° 26'	216	SG	6/17	5	366	74	14	9	0	0
2158	134	54° 20'	130° 35'	62	SG	7/15	5	46	0	1	0	0	0
2159	133	54° 20'	131° 09'	41	SG	7/14	5	378	308	24	39	2	2
2160	133	54° 20'	131° 26'	95	SG	7/13	5	651	386	44	45	1	1
2161	132	54° 20'	131° 43'	102	SG	7/13	5	832	302	53	33	5	5
2162	132	54° 20'	132° 01'	133	SG	6/21	5	555	85	25	10	0	0
2163	132	54° 20'	132° 18'	118	SG	6/21	5	1,477	78	54	9	4	4
2164	132	54° 20'	132° 35'	144	SG	6/20	5	486	81	17	10	1	1
2165	132	54° 20'	132° 52'	212	SG	6/20	5	401	53	12	7	0	0
2166	135	54° 20'	133° 09'	253	SG	6/16	5	691	18	21	3	0	0
2167	131	54° 20'	133° 26'	122	SG	6/16	5	1,478	230	62	27	6	6
2168	131	54° 20'	133° 43'	134	SG	6/16	5	1,060	385	55	46	0	0
2169	134	54° 30'	130° 35'	60	SG	7/15	5	316	70	13	8	0	0
2170	133	54° 30'	131° 09'	75	SG	7/14	5	831	285	55	33	7	7
2171	133	54° 30'	131° 26'	70	SG	7/14	5	1,066	251	49	30	3	3
2172	132	54° 30'	131° 44'	186	SG	7/13	5	288	43	10	5	0	0
<b>Totals:</b>								<b>27,758</b>	<b>7,361</b>	<b>1,251</b>	<b>920</b>	<b>43</b>	<b>43</b>

<sup>1</sup> Halibut weights listed here are calculated from length-weight tables.



Ketchikan Stations (41)

Station Number	Stat Area	North Latitude	West Longitude	Depth (F)	Purpose Code	ADFG Area	Date Fished	Skates	Halibut (lbs) <sup>1</sup>		Halibut (Pcs)		Bycatch (Pcs) <sup>2</sup>	
									Legal	Sub	Legal	Sub	P. Cod	Rockfish
3001	142	54° 30'	132° 01'	147	SG	325431	6/13	5	1,280	51	46	6	0	17
3002	142	54° 30'	132° 18'	198	SG	325431	6/11	5	286	24	13	3	0	8
3003	142	54° 30'	132° 35'	205	SG	325431	6/11	5	529	20	20	2	0	23
3005	142	54° 30'	133° 10'	107	SG	335431	6/10	5	1,367	171	51	18	0	120
3006	140	54° 30'	133° 27'	165	SG	335431	6/10	5	1,119	109	48	13	0	8
3007	140	54° 30'	133° 44'	139	SG	335431	6/10	5	802	160	38	18	0	4
3008	142	54° 40'	130° 50'	150	SG	305431	5/31	5	611	63	23	8	0	0
3009	142	54° 40'	131° 08'	116	SG	315432	5/31	5	311	266	23	31	0	0
3010	142	54° 40'	131° 25'	124	SG	315431	5/31	5	382	258	24	31	8	12
3011	142	54° 40'	131° 42'	220	SG	315431	6/1	5	422	61	23	7	0	0
3012	142	54° 40'	131° 59'	108	SG	315431	6/13	5	1,123	211	56	24	4	54
3013	142	54° 40'	132° 17'	59	SG	325431	6/12	5	1,340	671	67	84	4	12
3014	142	54° 40'	132° 34'	103	SG	325431	6/12	5	1,561	183	58	22	0	29
3015	141	54° 40'	132° 51'	76	SG	325432	6/11	5	1,379	189	54	21	4	13
3016	141	54° 40'	133° 09'	126	SG	335431	6/8	5	631	58	17	8	8	17
3017	141	54° 40'	133° 26'	164	SG	335431	6/8	5	1,095	196	42	25	4	33
3018	140	54° 40'	133° 43'	132	SG	335431	6/9	5	1,230	186	46	21	21	0
3019	140	54° 40'	134° 00'	122	SG	345430	6/9	5	1,118	229	48	28	0	8
3020	142	54° 50'	131° 07'	134	SG	315432	5/30	5	775	228	32	28	0	0
3021	142	54° 50'	131° 42'	234	SG	315432	6/1	5	476	129	28	15	0	8
3022	144	54° 50'	132° 34'	182	SG	325433	6/12	5	428	132	23	17	4	17
3023	141	54° 50'	133° 09'	109	SG	335431	6/8	5	1,498	114	53	13	0	21
3024	141	54° 50'	133° 26'	62	SG	335431	6/8	5	47	362	3	59	0	33
3025	140	54° 50'	133° 43'	75	SG	335431	6/9	5	1,545	811	71	99	8	13
3026	140	54° 50'	134° 01'	106	SG	345430	6/9	5	538	157	21	20	0	21
3027	143	55° 00'	131° 06'	135	SG	315501	5/30	5	819	126	33	16	4	4
3028	143	55° 00'	131° 41'	116	SG	315502	6/1	5	399	146	21	18	4	21
3029	141	55° 00'	133° 26'	48	SG	335502	6/7	5	738	147	24	19	0	30
3030	140	55° 00'	133° 43'	56	SG	335501	6/7	5	761	368	15	58	0	0
3031	143	55° 10'	131° 06'	86	SG	315501	5/30	5	623	67	19	9	8	8
3032	143	55° 10'	131° 41'	68	SG	315502	6/2	5	52	34	1	4	4	13
3033	143	55° 10'	131° 56'	171	ES	315502	6/2	5	351	35	15	4	8	17
3034	141	55° 10'	133° 26'	40	SG	335504	6/7	5	1,168	43	28	5	0	33
3035	143	55° 20'	131° 58'	221	SG	315502	6/2	5	97	8	4	1	0	0
3036	143	55° 29'	131° 58'	156	SG	315502	6/2	5	558	62	19	8	0	17
3037	143	55° 40'	132° 15'	213	SG	325531	6/3	5	283	76	12	9	0	4
3038	153	55° 45'	132° 27'	132	ES	325531	6/3	5	882	78	26	10	13	8
3039	153	55° 50'	132° 15'	124	SG	325532	6/3	5	1,026	92	35	12	17	13
3040	153	56° 00'	132° 32'	118	SG	325602	6/4	5	793	114	25	16	13	13
3041	153	56° 01'	132° 45'	194	ES	325602	6/4	5	187	52	11	7	0	0
3042	153	56° 11'	132° 50'	83	SG	325602	6/4	5	1,389	94	39	12	21	17
<b>Totals:</b>									<b>32,022</b>	<b>6,584</b>	<b>1,249</b>	<b>825</b>	<b>158</b>	<b>669</b>

<sup>1</sup> Halibut weights listed here are calculated from length-weight tables.

<sup>2</sup> Bycatch numbers extrapolated from 20% subsample.

Ommaney Stations (40)

Station Number	Stat Area	North Latitude	West Longitude	Depth (F)	Purpose Code	ADFG Area	Date Fished	Skates	Halibut (lbs) <sup>1</sup>		Halibut (Pcs)		Bycatch (Pcs) <sup>2</sup>	
									Legal	Sub	Legal	Sub	P. Cod	Rockfish
3043	140	55° 00'	134° 01'	83	SG	345500	6/21	5	1,194	195	48	23	0	13
3044	140	55° 00'	134° 18'	117	SG	345500	6/21	5	1,791	272	83	30	0	0
3045	141	55° 10'	133° 43'	87	SG	335501	6/22	5	702	442	48	53	0	0
3046	150	55° 10'	134° 01'	93	SG	345500	6/21	5	1,872	402	112	47	0	0
3047	151	55° 20'	133° 44'	39	SG	335505	6/22	5	740	310	25	43	0	8
3048	150	55° 20'	134° 01'	64	SG	345500	6/21	5	233	482	15	67	0	0
3049	150	55° 20'	134° 19'	100	SG	345500	6/20	5	1,894	276	73	33	0	25
3050	150	55° 20'	134° 36'	111	SG	345500	6/20	5	2,092	302	90	33	0	25
3051	151	55° 30'	134° 01'	49	SG	345536	6/23	5	987	297	33	38	0	21
3052	150	55° 30'	134° 19'	91	SG	345537	6/23	5	825	469	50	56	0	4
3053	150	55° 30'	134° 37'	111	SG	345537	6/20	5	2,156	225	99	25	4	0
3054	150	55° 30'	134° 54'	159	SG	345537	6/14	5	1,237	172	55	19	0	4
3055	151	55° 40'	134° 01'	109	SG	345536	6/23	5	1,467	352	88	41	17	0
3056	150	55° 40'	134° 19'	114	SG	345536	6/23	5	260	27	14	3	0	8
3057	150	55° 40'	134° 37'	112	SG	345537	6/14	5	1,556	127	55	15	8	0
3058	150	55° 40'	134° 55'	110	SG	345537	6/14	5	1,030	133	39	16	0	41
3059	151	55° 50'	133° 26'	41	SG	335534	6/29	5	190	26	6	3	0	4
3060	151	55° 50'	133° 44'	66	SG	335533	6/29	5	392	38	14	5	0	17
3061	151	55° 50'	134° 02'	155	SG	345535	7/1	5	764	67	29	8	0	4
3062	150	55° 50'	134° 37'	83	SG	345533	6/28	5	365	118	13	15	4	50
3063	150	55° 50'	134° 55'	101	SG	345537	6/19	5	1,009	148	43	18	0	4
3064	150	55° 50'	135° 13'	135	SG	355530	6/19	5	396	36	16	4	0	21
3065	151	55° 55'	133° 35'	39	ES	335534	6/29	5	431	14	17	2	0	0
3066	152	56° 00'	134° 02'	58	SG	345604	7/1	5	783	373	33	49	0	0
3067	151	56° 00'	134° 20'	50	SG	345603	7/1	5	1,605	182	45	23	3	3
3068	150	56° 00'	134° 38'	207	SG	345603	6/28	5	1,928	48	53	6	0	13
3069	160	56° 00'	134° 55'	196	SG	345607	6/28	5	837	5	26	1	0	33
3070	160	56° 00'	135° 13'	202	SG	355601	6/19	5	1,182	46	43	5	0	8
3071	151	56° 10'	133° 44'	146	SG	335601	6/30	5	1,918	106	57	13	0	4
3072	151	56° 10'	134° 20'	72	SG	345603	7/2	5	2,525	583	111	68	8	8
3073	161	56° 10'	134° 38'	141	SG	345603	6/27	5	1,302	118	43	14	4	29
3074	160	56° 10'	134° 56'	101	SG	345607	6/27	5	1,942	245	97	28	0	4
3075	160	56° 10'	135° 14'	155	SG	355601	6/13	5	954	77	39	9	0	0
3076	152	56° 20'	133° 44'	73	SG	335601	6/30	5	534	23	13	3	0	17
3077	161	56° 20'	134° 20'	82	SG	345603	7/2	5	1,021	135	38	17	4	29
3078	160	56° 20'	134° 56'	61	SG	355602	6/27	5	846	205	20	26	0	17
3079	160	56° 20'	135° 14'	87	SG	355601	6/13	5	1,103	385	52	49	0	33
3080	160	56° 20'	135° 32'	110	SG	355601	6/13	5	483	159	22	20	0	0
3081	152	56° 29'	133° 44'	54	SG	335601	6/30	5	1,447	35	53	5	25	4
3082	161	56° 30'	134° 20'	52	SG	345631	7/2	5	776	601	43	76	0	4
<b>Totals:</b>									<b>44,768</b>	<b>8,256</b>	<b>1,851</b>	<b>1,007</b>	<b>77</b>	<b>454</b>

<sup>1</sup> Halibut weights listed here are calculated from length-weight tables.

<sup>2</sup> Bycatch numbers extrapolated from 20% subsample.

Sitka Stations (41)

Station Number	Stat Area	North Latitude	West Longitude	Depth (F)	Purpose Code	ADFG Area	Date Fished	Skates	Halibut (lbs) <sup>1</sup>		Halibut (Pcs)		Bycatch (Pcs) <sup>2</sup>	
									Legal	Sub	Legal	Sub	P. Cod	Rockfish
3083	160	56° 30'	135° 15'	59	SG	355631	7/28	5	1,163	539	43	69	0	25
3084	160	56° 30'	135° 33'	85	SG	355631	7/28	5	932	80	28	8	0	110
3085	160	56° 40'	135° 15'	23	SG	355633	7/28	5	698	0	22	0	0	8
3086	160	56° 40'	135° 34'	73	SG	355631	7/29	5	2,237	195	68	23	0	45
3087	160	56° 40'	135° 52'	132	SG	355631	7/29	5	1,257	47	55	5	0	16
3088	162	56° 50'	132° 50'	112	SG	325631	7/5	5	324	79	11	11	0	0
3089	160	56° 50'	135° 52'	103	SG	355631	7/29	5	968	57	51	6	0	4
3090	162	56° 57'	132° 58'	72	ES	325631	7/5	5	124	55	7	8	0	0
3091	162	57° 00'	134° 21'	190	SG	345702	7/6	5	1,360	179	63	20	0	4
3092	170	57° 00'	136° 00'	55	SG	365701	7/30	5	847	362	34	41	0	49
3093	162	57° 03'	133° 05'	74	ES	335701	7/5	5	177	91	8	13	4	0
3094	162	57° 10'	133° 45'	180	SG	335701	7/6	5	1,171	161	57	18	4	12
3095	162	57° 10'	134° 03'	158	SG	345702	7/6	5	1,032	187	50	23	4	0
3096	161	57° 10'	134° 40'	192	SG	345701	7/8	5	396	13	15	2	8	29
3097	170	57° 10'	135° 54'	35	SG	355702	7/30	5	1,311	168	32	23	0	8
3098	170	57° 10'	136° 12'	115	SG	365701	7/30	5	1,123	196	65	21	0	0
3099	163	57° 20'	133° 26'	76	SG	335703	7/9	5	192	186	9	23	0	0
3100	163	57° 20'	133° 45'	176	SG	335701	7/9	5	1,332	129	69	14	8	0
3101	171	57° 20'	134° 36'	183	ES	345701	7/7	5	485	166	23	21	16	4
3102	170	57° 20'	135° 55'	40	SG	355703	7/31	5	439	0	11	0	0	41
3103	170	57° 20'	136° 13'	94	SG	365701	7/31	5	1,047	410	56	45	8	36
3104	173	57° 30'	133° 45'	126	SG	335731	7/9	5	1,126	230	53	28	4	8
3105	171	57° 31'	134° 38'	183	SG	345731	7/7	5	498	237	24	29	8	37
3106	170	57° 30'	136° 14'	46	SG	365731	7/31	5	328	165	20	20	0	54
3107	173	57° 40'	133° 45'	182	SG	335732	7/12	5	742	243	40	29	0	0
3108	170	57° 40'	136° 33'	90	SG	365731	8/3	5	659	105	33	13	4	0
3109	173	57° 50'	133° 54'	183	ES	335732	7/12	5	343	117	20	14	0	0
3110	181	57° 50'	136° 34'	50	SG	365734	8/3	5	1,202	442	57	57	0	17
3111	181	57° 50'	136° 53'	210	SG	365731	8/3	5	10	7	1	1	0	37
3112	173	58° 00'	134° 04'	121	SG	345801	7/12	5	124	5	6	1	0	0
3113	181	58° 00'	136° 40'	56	ES	365801	7/17	5	923	527	56	67	0	8
3114	171	58° 10'	135° 01'	99	SG	345803	7/15	5	666	86	26	12	29	17
3115	182	58° 10'	135° 20'	90	SG	355801	7/15	5	502	106	23	13	4	0
3116 <sup>3</sup>	181	58° 09'	136° 36'	137	SG	365804	7/16	5	1,600	24	43	3	4	29
3117	173	58° 12'	134° 24'	39	ES	345801	7/13	5	264	0	7	0	0	0
3118	173	58° 14'	134° 41'	37	ES	345801	7/13	5	301	0	10	0	4	0
3119	182	58° 15'	135° 40'	58	ES	355801	7/15	5	804	349	42	44	12	0
3120	182	58° 15'	136° 26'	100	ES	365804	7/16	5	1,378	79	29	8	8	0
3121	171	58° 20'	134° 43'	35	SG	345801	7/13	5	339	56	18	6	0	0
3122	171	58° 20'	135° 02'	314	SG	345803	7/14	5	281	7	15	1	0	4
3123	183	58° 30'	135° 02'	153	SG	345803	7/14	5	735	142	37	16	0	0
3124	183	58° 40'	135° 03'	156	SG	355830	7/14	5	283	78	16	9	0	0
<b>Totals:</b>									<b>31,723</b>	<b>6,308</b>	<b>1,350</b>	<b>763</b>	<b>132</b>	<b>603</b>

<sup>1</sup> Halibut weights listed here are calculated from length-weight tables.

<sup>2</sup> Bycatch numbers extrapolated from 20% subsample.

<sup>3</sup> Station 3116 has been permanently moved from prior years' location to avoid national park.

Fairweather Stations (49)

Station Number	Stat Area	North Latitude	West Longitude	Depth (F)	Purpose Code	ADFG Area	Date Fished	Skates	Halibut (lbs) <sup>1</sup>		Halibut (Pcs)		Bycatch (Pcs) <sup>2</sup>	
									Legal	Sub	Legal	Sub	P. Cod	Rockfish
4001	185	57° 50'	137° 13'	172	SG	375730	7/24	5	248	37	10	4	0	21
4002	185	58° 00'	136° 54'	228	SG	365801	7/17	5	0	0	0	0	0	8
4003	185	58° 00'	137° 12'	107	SG	375801	7/24	5	3,412	459	204	47	4	4
4004	185	58° 00'	137° 31'	88	SG	375801	7/24	5	4,281	379	215	42	0	12
4005	185	58° 00'	137° 50'	99	SG	375801	7/23	5	1,335	643	80	75	0	29
4006	185	58° 10'	136° 55'	111	SG	365801	7/16	5	654	42	31	5	0	8
4007	185	58° 10'	137° 11'	64	SG	375801	7/20	5	3,100	793	155	89	0	0
4008	185	58° 10'	137° 30'	77	SG	375801	7/20	5	373	208	23	24	0	0
4009	185	58° 10'	137° 49'	84	SG	375801	7/23	5	609	75	29	8	0	0
4010	185	58° 10'	138° 08'	80	SG	385800	7/23	5	227	101	12	13	0	0
4011	185	58° 10'	138° 27'	88	SG	385800	7/22	5	2,038	274	93	33	0	24
4012	190	58° 10'	138° 46'	105	SG	385800	8/4	5	817	131	28	17	0	12
4013	185	58° 20'	137° 10'	91	SG	375801	7/20	5	0	0	0	0	0	0
4014	185	58° 20'	137° 29'	101	SG	375801	7/20	5	0	0	0	0	0	0
4015	185	58° 20'	137° 48'	94	SG	375801	7/21	5	38	0	2	0	0	0
4016	185	58° 20'	138° 07'	71	SG	385800	7/22	5	27	0	1	0	0	0
4017	190	58° 20'	138° 26'	71	SG	385800	7/22	5	0	0	0	0	0	0
4018	190	58° 20'	138° 46'	65	SG	385800	8/4	5	221	143	8	21	0	0
4019	190	58° 20'	139° 05'	59	SG	395800	8/4	5	798	314	32	38	0	51
4020	190	58° 20'	139° 24'	150	SG	395800	8/15	5	1,659	39	68	4	0	42
4021	185	58° 30'	137° 28'	79	SG	375832	7/21	5	0	0	0	0	0	0
4022	185	58° 30'	137° 47'	84	SG	375831	7/21	5	0	0	0	0	0	0
4023	190	58° 30'	138° 07'	73	SG	385831	8/6	5	390	87	21	12	0	0
4024	190	58° 30'	138° 26'	64	SG	385831	8/5	5	62	0	3	0	0	4
4025	190	58° 30'	138° 45'	54	SG	385831	8/5	5	364	118	13	17	0	13
4026	190	58° 30'	139° 04'	55	SG	395830	8/14	5	37	193	3	29	0	63
4027	190	58° 30'	139° 23'	93	SG	395830	8/15	5	1,564	351	68	41	4	17
4028	190	58° 30'	139° 42'	135	SG	395830	8/15	5	876	83	40	9	0	0
4029	190	58° 40'	138° 06'	49	SG	385831	8/6	5	2,259	71	67	10	0	21
4030	190	58° 40'	138° 25'	71	SG	385831	8/5	5	27	65	2	8	0	0
4031	190	58° 40'	138° 44'	54	SG	385831	8/5	5	367	76	10	12	0	8
4032	190	58° 40'	139° 04'	83	SG	395830	8/14	5	755	548	49	68	0	8
4033	190	58° 40'	139° 23'	138	SG	395830	8/14	5	187	5	8	1	0	0
4034	190	58° 40'	139° 42'	102	SG	395830	8/13	5	484	33	18	4	0	0
4035	200	58° 40'	140° 01'	104	SG	405830	8/13	5	2,196	346	77	41	0	0
4036	190	58° 50'	138° 05'	29	SG	385831	8/7	5	304	87	12	15	0	0
4037	190	58° 50'	138° 24'	39	SG	385831	8/7	5	851	31	24	3	0	13
4038	190	58° 50'	138° 44'	66	SG	385831	8/8	5	11	0	1	0	0	0
4039	190	58° 50'	139° 03'	105	SG	395830	8/8	5	223	35	12	4	0	0
4040	190	58° 50'	139° 22'	73	SG	395830	8/12	5	252	9	8	1	0	0
4041	200	58° 50'	139° 42'	88	SG	395830	8/12	5	294	22	9	3	0	4
4042	200	58° 50'	140° 01'	95	SG	405830	8/13	5	757	247	23	32	0	13
4043	190	59° 00'	138° 24'	33	SG	385901	8/7	5	535	215	15	31	0	0
4044	190	59° 00'	138° 43'	86	SG	385901	8/8	5	146	13	4	2	0	0
4045	190	59° 00'	139° 02'	55	SG	395901	8/11	5	17	0	1	0	0	0
4046	190	59° 00'	139° 22'	60	SG	395901	8/11	5	0	0	0	0	0	0
4047	200	59° 00'	139° 41'	66	SG	395901	8/12	5	771	234	25	30	0	0
4048	190	59° 10'	139° 02'	29	SG	395901	8/11	5	28	82	2	12	0	0
4049	200	59° 10'	139° 21'	53	SG	395901	8/11	5	0	0	0	0	0	0
<b>Totals:</b>									<b>33,593</b>	<b>6,588</b>	<b>1,503</b>	<b>802</b>	<b>8</b>	<b>373</b>

<sup>1</sup> Halibut weights listed here are calculated from length-weight tables.

<sup>2</sup> Bycatch numbers extrapolated from 20% subsample.

**Yakutat Stations (51)**

Station Number	Stat Area	North Latitude	West Longitude	Depth (F)	Purpose Code	ADFG Area	Date Fished	Skates	Halibut (lbs) <sup>1</sup>		Halibut (Pcs)		Bycatch (Pcs) <sup>2</sup>	
									Legal	Sub	Legal	Sub	P. Cod	Rockfish
4051	200	58° 50'	140° 20'	99	SG	405830	7/17	5	1,489	213	44	27	8	8
4052	200	58° 50'	140° 40'	105	SG	405830	7/17	5	3,462	344	108	43	8	0
4053	200	59° 00'	140° 01'	72	SG	405900	7/16	5	1,262	376	43	52	0	4
4054	200	59° 00'	140° 20'	84	SG	405900	7/17	5	1,489	228	39	28	17	8
4055	200	59° 00'	140° 39'	97	SG	405900	7/18	5	1,862	363	57	48	0	0
4056	200	59° 00'	140° 59'	103	SG	405900	7/18	5	1,723	423	75	54	17	0
4057	200	59° 10'	139° 41'	69	SG	395901	7/16	5	255	409	16	54	0	0
4058	200	59° 10'	140° 00'	63	SG	405900	7/15	5	631	463	23	68	0	0
4059	200	59° 10'	140° 20'	70	SG	405900	7/16	5	1,171	261	36	37	0	0
4060	200	59° 10'	140° 39'	81	SG	405900	7/18	5	615	414	24	56	0	0
4061	200	59° 10'	140° 59'	98	SG	405900	7/19	5	1,216	253	38	34	25	0
4062	200	59° 10'	141° 18'	185	SG	415900	7/19	5	250	25	10	3	0	12
4063	210	59° 10'	141° 38'	120	SG	415900	7/20	5	3,072	146	154	16	17	37
4064	200	59° 20'	139° 40'	85	SG	395901	7/15	5	140	9	6	1	0	0
4065	200	59° 20'	140° 00'	87	SG	405900	7/15	5	167	21	8	3	0	0
4066	200	59° 20'	140° 20'	73	SG	405900	7/24	5	2,311	399	65	56	0	0
4067	200	59° 20'	140° 39'	80	SG	405900	7/24	5	657	273	16	38	0	0
4068	200	59° 20'	140° 59'	86	SG	405900	7/19	5	1,742	406	74	53	0	0
4069	210	59° 20'	141° 18'	181	SG	415900	7/19	5	248	46	11	6	0	4
4070	210	59° 20'	141° 38'	102	SG	415900	7/20	5	2,180	384	103	46	0	0
4071	210	59° 20'	141° 58'	116	SG	415900	7/20	5	1,626	322	82	40	17	4
4072	200	59° 30'	140° 00'	61	SG	405933	7/23	5	15	0	1	0	0	0
4073	200	59° 30'	140° 19'	126	SG	405933	7/24	5	1,775	102	62	12	4	38
4074	200	59° 30'	140° 39'	155	SG	405933	7/24	5	293	41	14	5	0	21
4075	200	59° 30'	140° 59'	164	SG	405933	7/25	5	272	46	13	5	0	21
4076	210	59° 30'	141° 19'	92	SG	415931	7/26	5	159	24	8	3	0	0
4077	210	59° 30'	141° 38'	91	SG	415931	7/26	5	48	8	3	1	0	0
4078	210	59° 30'	141° 58'	99	SG	415931	7/27	5	194	15	6	2	0	0
4079	200	59° 40'	139° 59'	79	SG	395931	7/23	5	356	52	12	6	21	0
4080	210	59° 40'	140° 59'	30	SG	405933	7/25	5	151	33	3	4	0	0
4081	210	59° 40'	141° 19'	36	SG	415931	7/25	5	64	6	4	1	0	0
4082	210	59° 40'	141° 38'	52	SG	415931	7/26	5	94	0	1	0	0	0
4083	210	59° 40'	141° 58'	81	SG	415931	7/28	5	40	0	3	0	0	0
4084	210	59° 40'	142° 18'	120	SG	425931	7/29	5	1,156	112	49	14	0	0
4085	210	59° 40'	142° 38'	215	SG	425931	7/29	5	375	17	16	2	0	29
4086	220	59° 40'	142° 58'	111	SG	425931	8/3	5	2,333	412	110	49	17	0
4087	220	59° 40'	143° 17'	147	SG	435931	8/3	5	1,718	75	63	9	4	25
4088	220	59° 40'	143° 37'	80	SG	435931	8/4	5	2,253	495	88	63	4	13
4089	220	59° 40'	143° 57'	70	SG	435931	8/4	5	1,844	377	74	48	0	0
4090	220	59° 40'	144° 17'	88	SG	445931	8/5	5	957	140	38	18	0	0
4091	220	59° 40'	144° 37'	80	SG	445931	8/5	5	707	145	33	20	0	0
4092	210	59° 50'	141° 59'	38	SG	415931	7/28	5	96	55	5	8	0	0
4093	210	59° 50'	142° 18'	48	SG	425931	7/28	5	1,880	134	53	18	0	8
4094	210	59° 50'	142° 38'	90	SG	425931	7/29	5	990	62	26	9	0	0
4095	220	59° 50'	142° 58'	94	SG	425931	8/2	5	719	48	28	7	0	0
4096	220	59° 50'	143° 18'	121	SG	435931	8/3	5	962	123	41	17	0	0
4097	220	59° 50'	143° 38'	156	SG	435931	8/4	5	504	4	18	1	12	78
4098	220	59° 50'	143° 58'	52	SG	435931	8/5	5	331	159	12	21	0	0
4099	220	59° 50'	144° 18'	34	SG	445931	8/5	5	575	250	23	35	37	0
4100	210	60° 00'	142° 39'	44	SG	426002	8/2	5	161	32	5	5	0	0
4101	220	60° 00'	142° 59'	62	SG	426002	8/2	5	256	22	10	3	4	0
<b>Totals:</b>									<b>48,848</b>	<b>8,766</b>	<b>1,951</b>	<b>1,145</b>	<b>211</b>	<b>311</b>

<sup>1</sup> Halibut weights listed here are calculated from length-weight tables.

<sup>2</sup> Bycatch numbers extrapolated from 20% subsample.

PWS Stations (45)

Station Number	Stat Area	North Latitude	West Longitude	Depth (F)	Purpose Code	ADFG Area	Date Fished	Skates	Halibut (lbs) <sup>1</sup>		Halibut (Pcs)		Bycatch (Pcs) <sup>2</sup>	
									Legal	Sub	Legal	Sub	P. Cod	Rockfish
4102	230	59° 20'	146° 16'	153	SG	465901	7/11	5	493	100	28	11	4	29
4103	230	59° 20'	146° 35'	80	SG	465901	7/11	5	293	291	15	38	8	0
4104	240	59° 20'	146° 55'	105	SG	465904	7/11	5	346	280	23	36	0	4
4105	240	59° 20'	147° 15'	101	SG	475900	6/26	5	339	177	22	22	0	0
4106	230	59° 30'	145° 16'	73	SG	455930	7/6	5	809	353	36	44	0	103
4107	230	59° 30'	145° 55'	90	SG	455930	7/6	5	1,301	403	85	45	0	0
4108	230	59° 30'	146° 35'	51	SG	465932	7/13	5	266	235	11	30	0	0
4109	240	59° 30'	146° 54'	100	SG	465933	7/13	5	34	27	3	3	0	0
4110	240	59° 30'	147° 14'	117	SG	475931	7/12	5	36	22	1	3	0	4
4111	240	59° 30'	147° 34'	62	SG	475931	7/12	5	154	49	8	6	0	0
4112	230	59° 40'	145° 34'	57	SG	455930	7/6	5	80	44	3	5	0	0
4113	230	59° 40'	145° 54'	44	SG	455930	7/15	5	1,935	622	81	75	0	12
4114	230	59° 40'	146° 14'	46	SG	465932	7/15	5	441	233	15	34	0	0
4115	230	59° 40'	146° 34'	48	SG	465932	7/13	5	805	392	36	53	0	13
4116	240	59° 40'	146° 53'	61	SG	465933	7/13	5	40	14	3	2	0	0
4117	240	59° 40'	147° 13'	87	SG	475931	7/12	5	612	253	36	28	0	33
4118	240	59° 40'	147° 33'	65	SG	475931	7/12	5	978	181	55	23	0	0
4119	230	59° 50'	144° 58'	108	SG	445931	7/10	5	980	110	38	13	45	0
4120	230	59° 50'	145° 53'	56	SG	455930	7/15	5	70	63	3	8	0	0
4121	230	59° 50'	146° 13'	34	SG	465932	7/7	5	331	556	18	76	0	0
4122	230	59° 50'	146° 33'	37	SG	465932	7/7	5	1,331	257	48	34	0	25
4123	240	59° 50'	146° 53'	43	SG	465933	7/14	5	165	886	12	129	0	0
4124	240	59° 50'	147° 13'	79	SG	475931	7/14	5	1,303	660	82	76	4	0
4125	220	60° 00'	144° 39'	125	SG	446001	7/10	5	819	35	37	4	33	0
4126	230	60° 00'	144° 59'	71	SG	446001	7/10	5	1,061	191	54	23	0	0
4127	230	60° 00'	145° 19'	66	SG	456004	7/10	5	476	110	25	13	0	0
4128	230	60° 00'	146° 12'	35	SG	466001	7/7	5	1,562	329	58	43	0	0
4129	230	60° 00'	146° 32'	36	SG	466001	7/7	5	163	335	8	55	0	0
4130	230	60° 00'	146° 52'	77	SG	466001	7/14	5	210	50	8	6	4	0
4131	240	60° 00'	147° 12'	102	SG	476001	7/14	5	1,216	250	66	28	25	0
4132	230	60° 10'	145° 31'	50	SG	456001	7/22	5	519	156	28	20	0	0
4133	230	60° 10'	145° 51'	59	SG	456001	7/22	5	731	98	38	13	4	0
4134	230	60° 10'	146° 11'	43	SG	466001	7/22	5	612	407	32	53	0	0
4135	242	60° 10'	147° 31'	37	SG	476003	7/21	5	327	281	17	38	0	12
4136	242	60° 10'	147° 51'	186	SG	476004	7/21	5	454	370	23	51	8	0
4137	242	60° 20'	147° 31'	65	SG	476007	7/21	5	1,001	140	48	16	21	13
4138	232	60° 30'	146° 29'	34	SG	466031	7/18	5	617	495	29	73	0	0
4139	232	60° 30'	146° 49'	217	SG	466032	7/18	5	1,421	114	68	16	0	4
4140	242	60° 30'	147° 10'	100	SG	476031	7/19	5	598	290	39	34	12	0
4141	242	60° 30'	147° 30'	111	SG	476032	7/19	5	215	137	13	18	21	17
4142	242	60° 29'	147° 50'	257	SG	476006	7/20	5	628	215	26	30	0	33
4143	232	60° 40'	146° 49'	226	SG	466032	7/18	5	1,664	386	100	45	13	0
4144	242	60° 40'	147° 09'	136	SG	476035	7/19	5	611	291	33	40	38	4
4145	242	60° 50'	147° 08'	177	SG	476035	7/19	5	1,154	312	57	40	33	17
4146	242	60° 50'	148° 10'	162	SG	486034	7/20	5	494	38	22	6	0	8
<b>Totals:</b>									<b>29,697</b>	<b>11,237</b>	<b>1,487</b>	<b>1,454</b>	<b>274</b>	<b>331</b>

<sup>1</sup> Halibut weights listed here are calculated from length-weight tables.

<sup>2</sup> Bycatch numbers extrapolated from 20% subsample.

Seward Stations (48)

Station Number	Stat Area	North Latitude	West Longitude	Depth (F)	Purpose Code	ADFG Area	Date Fished	Skates	Halibut (lbs) <sup>1</sup>		Halibut (Pcs)		Bycatch (Pcs) <sup>2</sup>	
									Legal	Sub	Legal	Sub	P. Cod	Rockfish
4147	250	58° 40'	148° 34'	129	SG	485831	6/20	5	504	153	32	17	0	0
4148	250	58° 40'	148° 53'	92	SG	485831	6/16	5	291	274	19	34	21	0
4149	240	58° 50'	148° 15'	150	SG	485831	6/20	5	738	212	46	26	0	4
4150	250	58° 50'	148° 34'	159	SG	485831	6/20	5	226	93	14	10	0	15
4151	250	58° 50'	148° 53'	139	SG	485831	6/16	5	391	49	27	6	0	50
4152	250	58° 50'	149° 12'	112	SG	495832	6/16	5	734	165	44	18	9	0
4153	240	59° 00'	147° 55'	245	SG	475900	6/25	5	216	42	13	5	0	0
4154	240	59° 00'	148° 14'	119	SG	485901	6/25	5	1,326	281	75	31	42	4
4155	250	59° 00'	148° 34'	133	SG	485901	6/24	5	370	85	22	9	4	0
4156	250	59° 00'	148° 53'	117	SG	485902	6/24	5	343	192	21	22	4	0
4157	250	59° 00'	149° 12'	118	SG	495901	6/15	5	334	151	22	17	0	0
4158	250	59° 00'	149° 32'	127	SG	495901	6/15	5	338	162	20	18	4	4
4159	240	59° 10'	147° 35'	141	SG	475900	6/26	5	855	169	55	19	25	12
4160	240	59° 10'	147° 54'	112	SG	475900	6/25	5	1,295	408	69	48	20	0
4161	240	59° 10'	148° 14'	67	SG	485901	6/25	5	864	351	45	43	0	62
4162	250	59° 10'	148° 33'	83	SG	485901	6/24	5	397	290	24	38	8	0
4163	250	59° 10'	148° 53'	98	SG	485902	6/24	5	123	17	5	2	0	0
4164	250	59° 10'	149° 12'	85	SG	495901	6/15	5	799	121	42	15	4	12
4165	250	59° 10'	149° 32'	86	SG	495901	6/15	5	343	202	21	26	29	0
4166	250	59° 10'	149° 51'	74	SG	495901	5/30	5	182	40	9	5	0	0
4167	240	59° 20'	147° 34'	68	SG	475900	6/26	5	1,260	441	70	56	0	21
4168	240	59° 20'	147° 54'	100	SG	475900	6/23	5	1,653	170	83	19	0	0
4169	240	59° 20'	148° 13'	86	SG	485901	6/23	5	820	137	40	17	4	0
4170	240	59° 20'	148° 33'	50	SG	485901	7/3	5	1,565	449	50	54	4	37
4171	250	59° 20'	148° 53'	91	SG	485902	7/3	5	864	40	45	4	0	0
4172	250	59° 20'	149° 12'	123	SG	495901	6/27	5	526	32	23	3	13	0
4173	250	59° 20'	149° 32'	68	SG	495901	6/27	5	1,640	465	88	56	0	0
4174	250	59° 20'	149° 51'	104	SG	495901	6/28	5	426	56	23	8	0	0
4175	250	59° 20'	150° 11'	87	SG	505901	6/28	5	864	238	47	28	13	0
4176	240	59° 30'	147° 53'	61	SG	475931	6/23	5	373	216	20	27	0	0
4177	240	59° 30'	148° 13'	114	SG	485931	6/23	5	89	15	4	2	0	0
4178	240	59° 30'	148° 33'	52	SG	485931	7/3	5	710	729	32	101	0	0
4179	250	59° 30'	148° 52'	90	SG	485934	7/3	5	54	42	3	6	0	0
4180	240	59° 30'	149° 12'	124	SG	495931	6/27	5	1,091	369	56	42	25	0
4181	250	59° 30'	149° 32'	57	SG	495932	6/27	5	172	650	12	95	4	0
4182	250	59° 30'	149° 52'	110	SG	495933	6/28	5	978	189	48	22	4	0
4183	250	59° 30'	150° 11'	72	SG	505932	6/28	5	154	43	10	5	13	0
4184	240	59° 40'	147° 53'	36	SG	475931	7/5	5	1,637	538	67	67	0	25
4185	240	59° 40'	148° 13'	67	SG	485931	7/5	5	75	107	5	13	0	0
4186	240	59° 40'	148° 32'	113	SG	485931	7/4	5	43	29	1	4	12	0
4187	250	59° 40'	148° 52'	96	SG	485934	7/4	5	71	42	4	5	4	0
4188	250	59° 40'	149° 12'	113	SG	495931	7/2	5	613	103	32	12	12	0
4189	250	59° 40'	149° 32'	150	SG	495932	7/2	5	251	174	14	20	41	0
4190	240	59° 50'	148° 12'	47	SG	485931	7/5	5	318	252	13	36	8	0
4191	240	59° 50'	148° 32'	73	SG	485931	7/4	5	160	28	8	3	0	0
4192	240	59° 50'	148° 52'	92	SG	485934	7/4	5	79	32	4	4	0	0
4193	250	59° 50'	149° 12'	75	SG	495938	7/2	5	780	209	37	28	0	0
4194	250	59° 50'	149° 32'	66	SG	495938	7/2	5	325	65	14	9	4	0
<b>Totals:</b>									<b>28,259</b>	<b>9,316</b>	<b>1,476</b>	<b>1,152</b>	<b>332</b>	<b>246</b>

<sup>1</sup> Halibut weights listed here are calculated from length-weight tables.

<sup>2</sup> Bycatch numbers extrapolated from 20% subsample.

Gore Pt. Stations (45)

Station Number	Stat Area	North Latitude	West Longitude	Depth (F)	Purpose Code	ADFG Area	Date Fished	Skates	Halibut (lbs) <sup>1</sup>		Halibut (Pcs)		Bycatch (Pcs) <sup>2</sup>	
									Legal	Sub	Legal	Sub	P. Cod	Rockfish
4195	250	58° 00'	149° 13'	74	SG	495800	6/19	5	2,256	938	147	107	0	25
4196	250	58° 10'	148° 54'	69	SG	485800	6/19	5	1,447	483	94	58	0	13
4197	250	58° 10'	149° 13'	63	SG	495800	6/19	5	1,660	433	103	50	0	17
4198	260	58° 10'	149° 32'	59	SG	495800	6/18	5	492	416	36	55	0	21
4199	260	58° 10'	149° 51'	76	SG	495800	6/18	5	382	772	25	96	0	13
4200	250	58° 20'	148° 35'	91	SG	485800	6/17	5	754	478	44	61	21	0
4201	250	58° 20'	148° 54'	68	SG	485800	6/17	5	518	675	37	83	0	17
4202	250	58° 20'	149° 13'	86	SG	495800	6/8	5	1,198	520	84	58	8	0
4203	250	58° 20'	149° 32'	82	SG	495800	6/8	5	762	440	55	51	0	0
4204	260	58° 20'	149° 51'	41	SG	495800	6/18	5	749	1,009	50	123	0	0
4205	260	58° 20'	150° 10'	29	SG	505800	6/10	5	1,384	1,156	85	143	0	0
4206	260	58° 20'	150° 29'	31	SG	505800	6/9	5	135	674	8	100	4	0
4207	250	58° 30'	148° 34'	73	SG	485831	6/17	5	1,271	754	84	91	0	4
4208	250	58° 30'	148° 53'	61	SG	485831	6/17	5	1,175	703	68	90	0	8
4209	250	58° 30'	149° 13'	67	SG	495832	6/8	5	722	564	47	70	4	0
4210	250	58° 30'	149° 32'	77	SG	495832	6/8	5	569	387	38	48	0	0
4211	260	58° 30'	149° 51'	77	SG	495832	6/10	5	527	731	36	87	0	0
4212	260	58° 30'	150° 10'	51	SG	505832	6/10	5	579	424	38	55	0	0
4213	260	58° 30'	150° 29'	49	SG	505832	6/9	5	68	513	6	72	0	0
4214	260	58° 30'	150° 48'	56	SG	505832	6/9	5	278	470	18	56	0	0
4215	250	58° 40'	149° 13'	74	SG	495832	6/16	5	522	568	37	73	0	0
4216	250	58° 40'	149° 32'	72	SG	495832	6/7	5	203	444	14	56	0	0
4217	250	58° 40'	149° 51'	83	SG	495832	6/12	5	354	533	26	64	21	0
4218	260	58° 40'	150° 10'	69	SG	505832	6/12	5	1,072	647	66	80	4	0
4219	260	58° 40'	150° 29'	111	SG	505832	6/11	5	248	129	18	16	0	0
4220	260	58° 40'	150° 49'	111	SG	505832	6/11	5	306	328	21	38	38	0
4221	260	58° 40'	151° 08'	102	SG	515833	6/3	5	139	141	10	18	0	0
4222	250	58° 50'	149° 32'	121	SG	495832	6/7	5	1,368	266	78	29	0	0
4223	250	58° 50'	149° 51'	131	SG	495832			*Ineffective due to sand fleas					
4224	260	58° 50'	150° 10'	88	SG	505832	6/12	5	482	460	34	55	4	12
4225	260	58° 50'	150° 30'	95	SG	505832	6/11	5	440	443	33	51	49	0
4226	260	58° 50'	150° 49'	96	SG	505832	6/4	5	76	76	3	8	4	0
4227	260	58° 50'	151° 08'	78	SG	515833	6/3	5	606	554	39	67	0	0
4228	260	58° 50'	151° 28'	58	SG	515833	6/3	5	287	352	21	45	0	12
4229	250	59° 00'	149° 51'	122	SG	495901	5/30	5	394	129	25	16	0	0
4230	250	59° 00'	150° 11'	103	SG	505901	5/30	5	128	167	9	19	0	0
4231	260	59° 00'	150° 30'	64	SG	505902	6/4	5	70	106	5	13	0	0
4232	260	59° 00'	150° 50'	88	SG	505902	6/4	5	673	614	44	71	0	0
4233	260	59° 00'	151° 09'	82	SG	515902	6/2	5	895	398	53	46	8	17
4234	260	59° 00'	151° 28'	69	SG	515904	6/2	5	442	565	26	70	4	0
4235	250	59° 10'	150° 11'	68	SG	505901	5/30	5	260	194	17	23	0	4
4236	260	59° 10'	150° 30'	65	SG	505902	6/1	5	168	274	11	38	21	0
4237	260	59° 10'	150° 50'	54	SG	505902	6/1	5	837	562	40	73	0	20
4238	260	59° 10'	151° 09'	29	SG	515901	6/2	5	592	883	40	118	0	4
4239	250	59° 20'	150° 31'	142	SG	505907	6/1	5	47	0	1	0	0	0
<b>Totals:</b>									<b>27,532</b>	<b>21,373</b>	<b>1,772</b>	<b>2,637</b>	<b>190</b>	<b>186</b>

<sup>1</sup> Halibut weights listed here are calculated from length-weight tables.

<sup>2</sup> Bycatch numbers extrapolated from 20% subsample.



Portlock Stations (46)

Station Number	Stat Area	North Latitude	West Longitude	Depth (F)	Purpose Code	ADFG Area	Date Fished	Skates	Halibut (lbs) <sup>1</sup>		Halibut (Pcs)		Bycatch (Pcs) <sup>2</sup>	
									Legal	Sub	Legal	Sub	P. Cod	Rockfish
4240	270	57° 20'	150° 46'	81	SG	505700	7/28	5	986	444	58	55	49	4
4241	260	57° 30'	150° 09'	242	SG	505730	6/16	5	21	23	2	3	0	8
4242	270	57° 30'	150° 28'	81	SG	505730	6/15	5	460	435	30	53	21	0
4243	270	57° 30'	150° 46'	52	SG	505730	6/15	5	764	976	42	123	4	0
4244	260	57° 40'	149° 50'	219	SG	495730	6/16	5	38	25	3	3	0	8
4245	260	57° 40'	150° 09'	117	SG	505730	6/16	5	716	343	46	38	21	0
4246	260	57° 40'	150° 28'	50	SG	505730	6/8	5	229	689	16	98	12	0
4247	270	57° 40'	150° 47'	46	SG	505730	6/15	5	1,963	1,079	107	130	4	0
4248	270	57° 40'	151° 05'	40	SG	515730	6/19	5	613	824	43	110	4	0
4249	270	57° 40'	151° 24'	34	SG	515730	7/21	5	190	562	8	88	0	0
4250	260	57° 50'	149° 32'	174	SG	495730	6/17	5	1,529	224	92	23	4	4
4251	260	57° 50'	149° 50'	140	SG	495730	6/17	5	299	161	18	19	0	0
4252	260	57° 50'	150° 09'	106	SG	505730	6/8	5	255	393	18	48	17	0
4253	260	57° 50'	150° 28'	50	SG	505730	6/8	5	1,572	1,034	93	133	0	4
4254	260	57° 50'	150° 47'	45	SG	505730	6/5	5	290	787	19	103	0	0
4255	270	57° 50'	151° 06'	39	SG	515730	6/5	5	1,064	1,042	44	148	21	0
4256	270	57° 50'	151° 24'	28	SG	515730	6/4	5	352	822	14	132	4	0
4257	270	57° 50'	151° 43'	29	SG	515730	6/4	5	105	881	6	148	17	0
4258	270	57° 50'	152° 02'	50	SG	525732	6/1	5	407	598	23	87	28	0
4259	260	58° 00'	149° 32'	77	SG	495800	6/17	5	770	753	48	90	12	0
4260	260	58° 00'	149° 51'	128	SG	495800	6/18	5	899	617	61	69	21	0
4261	260	58° 00'	150° 09'	128	SG	505800	6/18	5	276	564	22	66	32	0
4262	260	58° 00'	150° 28'	91	SG	505800	6/9	5	182	378	14	48	25	4
4263	260	58° 00'	150° 47'	70	SG	505800	6/5	5	299	816	21	104	4	0
4264	260	58° 00'	151° 06'	44	SG	515802	6/5	5	354	993	23	139	0	0
4265	270	58° 00'	151° 25'	45	SG	515802	6/3	5	202	865	14	120	21	0
4266	270	58° 00'	151° 44'	61	SG	515802	6/4	5	314	1,103	21	140	37	0
4267	270	58° 00'	152° 03'	50	SG	525807	6/1	5	862	382	51	48	12	0
4268	270	58° 00'	152° 22'	124	SG	525805	6/1	5	428	141	20	18	41	0
4269	260	58° 10'	150° 10'	109	SG	505800	6/18	5	910	782	64	90	12	8
4270	260	58° 10'	150° 29'	63	SG	505800	6/9	5	1,071	1,066	63	143	0	0
4271	260	58° 10'	150° 48'	61	SG	505800	6/9	5	71	291	5	41	0	0
4272	260	58° 10'	151° 07'	78	SG	515802	6/3	5	339	291	23	35	4	0
4273	270	58° 10'	151° 25'	87	SG	515802	6/3	5	648	501	38	61	8	0
4274	270	58° 10'	151° 44'	35	SG	515801	6/2	5	1,161	421	55	55	0	0
4275	260	58° 20'	150° 48'	36	SG	505800	6/10	5	40	254	3	40	0	0
4276	260	58° 20'	151° 07'	70	SG	515802	6/10	5	297	608	22	78	20	0
4277	260	58° 20'	151° 26'	38	SG	515802	6/2	5	253	601	19	83	0	0
4278	270	58° 20'	151° 45'	29	SG	515801	6/2	5	2,160	478	98	58	0	0
4279	260	58° 30'	151° 07'	50	SG	515833	6/10	5	116	710	7	94	0	0
4280	260	58° 30'	151° 27'	94	SG	515833	6/11	5	641	788	42	93	4	0
4281	260	58° 30'	151° 46'	96	SG	515833	6/11	5	1,140	504	65	58	0	0
4282	260	58° 40'	151° 27'	102	SG	515833	6/11	5	739	490	43	58	13	0
4283	260	58° 40'	151° 46'	69	SG	515833	6/12	5	1,225	948	73	113	4	0
4284	260	58° 40'	152° 06'	70	SG	525833	6/12	5	885	704	63	89	0	0
4285	260	58° 50'	152° 06'	65	SG	525833	6/12	5	617	549	30	72	4	29
<b>Totals:</b>									<b>28,753</b>	<b>27,941</b>	<b>1,686</b>	<b>3,643</b>	<b>479</b>	<b>70</b>

<sup>1</sup> Halibut weights listed here are calculated from length-weight tables.

<sup>2</sup> Bycatch numbers extrapolated from 20% subsample.

Albatross Stations (45)

Station Number	Stat Area	North Latitude	West Longitude	Depth (F)	Purpose Code	ADFG Area	Date Fished	Skates	Halibut (lbs) <sup>1</sup>		Halibut (Pcs)		Bycatch (Pcs) <sup>2</sup>	
									Legal	Sub	Legal	Sub	P. Cod	Rockfish
4286	280	56° 20'	152° 50'	59	SG	525600	7/24	5	1,468	604	93	78	0	12
4287	280	56° 20'	153° 08'	57	SG	535602	7/24	5	267	203	18	27	21	0
4288	280	56° 20'	153° 26'	33	SG	535602	6/24	5	675	284	31	37	0	0
4289	280	56° 30'	152° 15'	138	SG	525630	8/2	5	246	332	17	39	8	20
4290	280	56° 30'	152° 33'	145	SG	525630	8/2	5	551	199	28	23	4	4
4291	280	56° 30'	152° 51'	28	SG	525630	6/22	5	2,104	547	86	69	0	0
4292	280	56° 30'	153° 09'	40	SG	535632	7/24	5	250	376	18	50	45	0
4293	280	56° 30'	153° 27'	49	SG	535632	6/24	5	662	725	36	102	8	0
4294	280	56° 30'	153° 45'	38	SG	535632	6/24	5	1,335	175	58	23	45	4
4295	280	56° 40'	151° 57'	31	SG	515630	7/30	5	3,310	821	164	95	0	0
4296	280	56° 40'	152° 15'	27	SG	525630	8/2	5	1,464	288	74	37	0	0
4297	280	56° 40'	152° 34'	81	SG	525630	8/2	5	518	505	38	63	0	0
4298	280	56° 40'	152° 52'	38	SG	525630	6/22	5	480	828	27	130	0	0
4299	280	56° 40'	153° 10'	81	SG	535632	6/22	5	126	30	7	4	0	0
4300	280	56° 40'	153° 28'	79	SG	535632	6/23	5	872	450	48	57	0	0
4301	280	56° 40'	153° 46'	43	SG	535632	6/23	5	536	345	23	48	45	0
4302	280	56° 50'	151° 40'	161	SG	515630	7/30	5	339	233	22	27	4	45
4303	280	56° 50'	151° 58'	41	SG	515630	7/30	5	2,125	681	89	90	0	0
4304	280	56° 50'	152° 16'	50	SG	525630	8/1	5	351	720	21	93	0	0
4305	280	56° 50'	152° 35'	76	SG	525630	8/1	5	340	392	19	51	0	0
4306	280	56° 50'	152° 53'	35	SG	525630	7/6	5	199	447	13	70	0	0
4307	280	56° 50'	153° 11'	45	SG	535632	7/6	5	507	675	34	93	0	0
4308	280	56° 50'	153° 29'	54	SG	535632	6/23	5	365	513	23	75	0	0
4309	270	57° 00'	151° 40'	38	SG	515700	7/29	5	2,568	719	122	81	0	4
4310	280	57° 00'	151° 59'	44	SG	515700	7/29	5	238	453	13	63	4	0
4311	280	57° 00'	152° 17'	40	SG	525702	8/1	5	536	648	29	95	0	0
4312	280	57° 00'	152° 35'	83	SG	525702	7/23	5	434	629	30	77	0	0
4313	280	57° 00'	152° 54'	62	SG	525702	7/6	5	529	367	26	56	20	0
4314	270	57° 10'	151° 04'	206	SG	515700	7/28	5	319	94	18	11	0	12
4315	270	57° 10'	151° 22'	69	SG	515700	7/27	5	926	856	63	99	25	0
4316	270	57° 10'	151° 41'	37	SG	515700	7/27	5	952	577	48	75	12	0
4317	270	57° 10'	151° 59'	37	SG	515700	7/29	5	656	544	32	78	0	0
4318	280	57° 10'	152° 18'	44	SG	525702	7/23	5	441	457	25	70	12	0
4319	280	57° 10'	152° 36'	54	SG	525702	7/23	5	320	292	20	44	25	0
4320	270	57° 20'	151° 04'	50	SG	515700	7/28	5	837	614	44	75	8	0
4321	270	57° 20'	151° 23'	73	SG	515700	7/22	5	854	1,269	56	147	8	0
4322	270	57° 20'	151° 41'	34	SG	515700	7/27	5	744	351	27	53	0	0
4323	270	57° 20'	152° 00'	39	SG	525702	7/3	5	470	404	20	58	0	0
4324	270	57° 20'	152° 18'	21	SG	525701	7/3	5	1,212	105	40	17	0	0
4325	270	57° 30'	151° 05'	43	SG	515730	6/19	5	836	728	41	93	8	0
4326	270	57° 30'	151° 23'	55	SG	515730	7/22	5	274	612	18	75	21	0
4327	270	57° 30'	151° 42'	65	SG	515730	7/22	5	199	738	14	94	8	0
4328	270	57° 30'	152° 01'	26	SG	525732	7/3	5	906	220	36	30	4	0
4329	270	57° 40'	151° 43'	36	SG	515730	7/21	5	17	504	1	79	0	0
4330	270	57° 40'	152° 01'	103	SG	525732	7/21	5	1,103	629	64	73	12	0
<b>Totals:</b>									<b>34,459</b>	<b>22,184</b>	<b>1,772</b>	<b>2,920</b>	<b>349</b>	<b>102</b>

<sup>1</sup> Halibut weights listed here are calculated from length-weight tables.

<sup>2</sup> Bycatch numbers extrapolated from 20% subsample.

Shelikof Stations (45)

Station Number	Stat Area	North Latitude	West Longitude	Depth (F)	Purpose Code	ADFG Area	Date Fished	Skates	Halibut (lbs) <sup>1</sup>		Halibut (Pcs)		Bycatch (Pcs) <sup>2</sup>	
									Legal	Sub	Legal	Sub	P. Cod	Rockfish
4331	281	57° 30'	154° 55'	126	SG	545732	6/22	5	238	89	13	12	12	0
4332	281	57° 40'	154° 35'	118	SG	545732	6/23	5	28	17	2	3	0	0
4333	281	57° 40'	154° 54'	127	SG	545732	6/22	5	278	53	14	6	0	0
4334	281	57° 40'	155° 13'	161	SG	555733	6/22	5	98	128	6	18	25	0
4335	281	57° 50'	154° 15'	113	SG	545732	6/24	5	107	86	8	12	4	0
4336	281	57° 50'	154° 34'	125	SG	545732	6/23	5	145	17	4	2	0	0
4337	281	57° 50'	154° 53'	159	SG	545732	6/23	5	156	221	10	28	29	0
4338	281	58° 00'	153° 37'	88	SG	535802	6/25	5	308	106	18	13	17	0
4339	281	58° 00'	153° 56'	107	SG	535802	6/24	5	124	94	8	13	4	0
4340	281	58° 00'	154° 14'	127	SG	545804	6/24	5	55	118	4	15	0	0
4341	271	58° 10'	153° 19'	67	SG	535803	6/25	5	26	115	2	17	4	0
4342	271	58° 10'	153° 38'	105	SG	535802	6/25	5	83	36	3	5	4	0
4343	281	58° 10'	153° 57'	117	SG	535802	6/26	5	276	94	17	12	0	0
4344	271	58° 20'	153° 20'	96	SG	535802	6/11	5	283	34	17	4	0	0
4345	271	58° 20'	153° 39'	94	SG	535802	6/26	5	179	8	7	1	4	0
4346	271	58° 20'	153° 58'	48	SG	535801	6/26	5	499	397	20	60	21	0
4347	271	58° 30'	153° 02'	92	SG	535831	6/11	5	301	163	18	22	0	0
4348	271	58° 30'	153° 21'	100	SG	535831	6/11	5	344	144	18	18	0	0
4349	271	58° 30'	153° 41'	51	SG	535832	6/10	5	359	128	18	18	17	0
4350	271	58° 40'	152° 44'	107	SG	525833	6/12	5	280	136	17	18	25	0
4351	271	58° 40'	153° 03'	86	SG	535831	6/10	5	1,143	252	58	30	13	0
4352	271	58° 40'	153° 23'	24	SG	535832	6/10	5	102	125	4	23	17	0
4353	261	58° 50'	152° 26'	100	SG	525833	6/12	5	458	253	24	29	21	0
4354	271	58° 50'	152° 45'	103	SG	525833	6/3	5	115	154	8	19	29	0
4355	271	58° 50'	153° 04'	90	SG	535831	6/3	5	158	92	7	11	0	0
4356	260	59° 00'	151° 48'	70	SG	515904	6/13	5	252	917	16	123	0	0
4357	261	59° 00'	152° 07'	76	SG	525836	6/15	5	679	420	36	50	0	0
4358	261	59° 00'	152° 27'	83	SG	525902	6/12	5	65	229	4	28	0	0
4359	271	59° 00'	152° 46'	90	SG	525902	6/3	5	115	281	8	35	17	0
4360	261	59° 00'	153° 05'	81	SG	535901	6/4	5	87	81	6	11	0	0
4361	261	59° 10'	152° 08'	76	SG	525902	6/15	5	621	743	39	91	0	0
4362	261	59° 10'	152° 27'	54	SG	525902	6/2	5	10	163	1	25	0	0
4363	261	59° 10'	152° 47'	75	SG	525902	6/2	5	44	91	2	13	0	0
4364	261	59° 10'	153° 06'	45	SG	535901	6/4	5	0	54	0	8	4	0
4365	261	59° 10'	153° 26'	23	SG	535901	6/4	5	194	73	8	12	4	0
4366	261	59° 20'	152° 09'	42	SG	525902	6/14	5	183	746	12	119	0	0
4367	261	59° 20'	152° 28'	39	SG	525902	6/2	5	11	297	1	51	0	0
4368	261	59° 20'	152° 48'	43	SG	525902	6/1	5	71	109	3	16	0	0
4369	261	59° 20'	153° 08'	27	SG	535906	6/5	5	40	115	3	20	4	0
4370	261	59° 30'	151° 50'	40	SG	515936	6/14	5	314	504	20	71	4	0
4371	261	59° 30'	152° 09'	23	SG	525931	6/14	5	181	679	12	96	0	0
4372	261	59° 30'	152° 29'	31	SG	525931	5/31	5	11	53	1	8	17	0
4373	261	59° 30'	152° 49'	28	SG	525931	6/1	5	202	190	9	28	17	0
4374	261	59° 40'	152° 30'	41	SG	525931	5/31	5	385	184	21	23	17	0
4375	261	59° 50'	152° 11'	27	SG	525931	5/31	5	887	595	48	86	4	0
<b>Totals:</b>									<b>10,497</b>	<b>9,587</b>	<b>569</b>	<b>1,319</b>	<b>333</b>	<b>0</b>

<sup>1</sup> Halibut weights listed here are calculated from length-weight tables.

<sup>2</sup> Bycatch numbers extrapolated from 20% subsample.

Trinity Stations (47)

Station Number	Stat Area	North Latitude	West Longitude	Depth (F)	Purpose Code	ADFG Area	Date Fished	Skates	Halibut (lbs) <sup>1</sup>		Halibut (Pcs)		Bycatch (Pcs) <sup>2</sup>	
									Legal	Sub	Legal	Sub	P. Cod	Rockfish
5001	290	56° 00'	153° 36'	53	SG	535602	6/25	5	1,018	662	63	85	0	0
5002	290	56° 00'	153° 54'	67	SG	535602	6/25	5	113	550	9	81	0	0
5003	290	56° 00'	154° 13'	59	SG	545602	7/1	5	969	656	55	78	0	21
5004	290	56° 00'	154° 30'	246	SG	545602	7/1	5	0	0	0	0	0	4
5005	290	56° 00'	154° 48'	118	SG	545602	6/30	5	155	76	9	9	0	4
5006	290	56° 00'	155° 06'	31	SG	555600	6/30	5	58	507	3	83	28	0
5007	290	56° 10'	153° 36'	87	SG	535602	6/25	5	378	448	25	55	12	0
5008	290	56° 10'	153° 53'	124	SG	535602	6/26	5	949	503	67	57	17	0
5009	290	56° 10'	154° 11'	64	SG	545602	7/1	5	267	314	18	48	0	0
5010	290	56° 10'	154° 29'	50	SG	545602	7/2	5	742	312	37	44	0	4
5011	290	56° 10'	154° 47'	44	SG	545602	7/2	5	177	482	13	65	4	0
5013	290	56° 10'	155° 23'	19	SG	555600	6/30	5	94	201	6	33	8	0
5014	290	56° 10'	155° 41'	33	SG	555600	6/29	5	324	323	11	51	4	0
5015	290	56° 20'	153° 51'	49	SG	535602	6/26	5	356	553	18	88	4	0
5016	290	56° 20'	154° 10'	51	SG	545602	6/26	5	297	426	17	65	29	0
5017	290	56° 20'	154° 28'	33	SG	545602	7/2	5	167	152	10	23	0	0
5018	290	56° 20'	155° 22'	25	SG	555600	6/29	5	99	155	7	27	0	0
5019	290	56° 20'	155° 40'	39	SG	555600	6/29	5	254	315	12	53	41	0
5020	290	56° 30'	155° 21'	28	SG	555630	7/9	5	56	254	3	44	8	0
5021	290	56° 30'	155° 39'	72	SG	555630	7/10	5	191	89	13	13	8	0
5022	290	56° 40'	155° 02'	23	SG	555630	7/9	5	619	99	27	14	4	0
5023	290	56° 40'	155° 20'	49	SG	555630	7/9	5	260	466	16	63	33	0
5024	290	56° 40'	155° 38'	129	SG	555630	7/10	5	58	18	3	3	4	0
5025	290	56° 40'	155° 56'	158	SG	555630	7/13	5	83	99	6	13	12	0
5026	290	56° 50'	154° 24'	34	SG	545631	7/7	5	1,307	188	53	28	0	0
5027	290	56° 50'	154° 42'	25	SG	545631	7/7	5	332	312	17	48	0	0
5028	290	56° 50'	155° 00'	41	SG	555630	7/8	5	319	576	18	80	12	0
5029	290	56° 50'	155° 19'	120	SG	555630	7/8	5	110	112	8	16	0	4
5030	290	56° 50'	155° 37'	152	SG	555630	7/12	5	83	67	6	9	8	0
5031	290	56° 50'	155° 55'	165	SG	555630	7/13	5	93	218	7	28	20	0
5032	290	57° 00'	154° 41'	22	SG	545702	7/7	5	437	271	19	46	0	0
5033	290	57° 00'	154° 59'	61	SG	545702	7/8	5	156	146	8	21	20	0
5034	290	57° 00'	155° 18'	138	SG	555701	7/12	5	62	65	4	8	0	0
5035	290	57° 00'	155° 36'	153	SG	555701	7/12	5	74	85	4	10	8	0
5036	290	57° 00'	155° 54'	164	SG	555701	7/13	5	758	610	52	76	33	0
5037	290	57° 10'	154° 40'	31	SG	545702	7/17	5	643	284	23	43	4	0
5038	290	57° 10'	154° 58'	96	SG	545702	7/17	5	251	269	16	33	4	0
5039	290	57° 10'	155° 16'	134	SG	555701	7/16	5	99	136	6	16	4	0
5040	290	57° 10'	155° 35'	148	SG	555701	7/16	5	271	207	17	26	12	0
5041	290	57° 10'	155° 53'	135	SG	555701	7/14	5	483	338	30	40	65	0
5042	290	57° 20'	154° 57'	101	SG	545702	7/17	5	224	308	12	41	8	0
5043	290	57° 20'	155° 15'	133	SG	555701	7/16	5	169	107	10	13	4	0
5044	290	57° 20'	155° 34'	156	SG	555701	7/15	5	172	244	12	32	4	0
5045	290	57° 20'	155° 52'	51	SG	555701	7/15	5	270	789	17	110	17	0
5046	290	57° 20'	156° 11'	103	SG	565704	7/14	5	622	409	28	55	37	0
5047	290	57° 30'	155° 14'	141	SG	555733	7/18	5	68	53	3	7	16	0
5048	290	57° 30'	155° 33'	164	SG	555733	7/15	5	350	270	20	35	12	0
<b>Totals:</b>									<b>15,038</b>	<b>13,722</b>	<b>833</b>	<b>1,909</b>	<b>508</b>	<b>37</b>

<sup>1</sup> Halibut weights listed here are calculated from length-weight tables.

<sup>2</sup> Bycatch numbers extrapolated from 20% subsample.

Semidi Stations (47)

Station Number	Stat Area	North Latitude	West Longitude	Depth (F)	Purpose Code	ADFG Area	Date Fished	Skates	Halibut (lbs) <sup>1</sup>		Halibut (Pcs)		Bycatch (Pcs) <sup>2</sup>	
									Legal	Sub	Legal	Sub	P. Cod	Rockfish
5234	300	55° 20'	156° 03'	153	SG	565502	6/8	5	1,886	460	118	51	0	21
5235	300	55° 20'	156° 21'	94	SG	565501	6/8	5	755	434	50	52	38	0
5236	300	55° 30'	155° 45'	120	SG	555532	6/8	5	340	327	23	38	41	17
5237	300	55° 30'	156° 03'	111	SG	565534	6/9	5	85	149	5	23	25	0
5238	300	55° 30'	156° 20'	118	SG	565534	6/9	5	443	199	28	27	54	0
5239	300	55° 40'	155° 26'	100	SG	555532	6/10	5	129	99	10	15	87	4
5240	300	55° 40'	155° 44'	70	SG	555532	6/10	5	435	309	30	43	138	0
5241	300	55° 40'	156° 02'	125	SG	565534	6/9	5	618	403	44	52	50	0
5242	300	55° 40'	156° 19'	140	SG	565534	6/7	5	483	149	30	18	25	0
5243	300	55° 40'	156° 37'	130	SG	565533	6/6	5	355	394	23	51	12	0
5244	290	55° 50'	155° 07'	66	SG	555532	6/11	5	312	727	20	107	0	0
5245	300	55° 50'	155° 25'	26	SG	555532	6/10	5	127	247	7	52	17	0
5246	300	55° 50'	156° 01'	56	SG	565534	6/7	5	919	602	62	78	54	0
5247	300	55° 50'	156° 19'	131	SG	565534	6/7	5	261	439	17	62	12	0
5248	300	55° 50'	156° 36'	125	SG	565533	6/6	5	439	623	31	80	58	0
5249	300	55° 50'	156° 54'	75	SG	565533	6/6	5	272	443	18	63	58	0
5250	300	56° 00'	155° 42'	26	SG	555600	6/11	5	157	179	8	33	29	0
5251	300	56° 00'	156° 00'	41	SG	565604	6/15	5	239	414	16	65	37	0
5252	300	56° 00'	156° 18'	115	SG	565604	6/15	5	501	165	32	21	63	4
5253	300	56° 00'	156° 36'	105	SG	565602	6/5	5	917	298	53	38	33	0
5254	300	56° 00'	157° 11'	62	SG	575605	6/5	5	317	512	21	80	33	0
5255	300	56° 10'	155° 59'	114	SG	555600	6/15	5	472	379	26	53	62	0
5256	300	56° 10'	156° 17'	125	SG	565604	6/16	5	547	311	35	39	54	0
5257	300	56° 10'	156° 35'	97	SG	565603	6/17	5	156	278	10	43	45	0
5258	300	56° 10'	156° 53'	43	SG	565602	6/17	5	183	344	9	58	4	0
5259	300	56° 10'	157° 11'	54	SG	575605	6/18	5	926	290	40	45	33	0
5260	300	56° 10'	157° 29'	84	SG	575604	6/19	5	467	159	28	23	8	0
5261	290	56° 20'	155° 58'	114	SG	555600	6/16	5	322	120	19	16	4	0
5262	300	56° 20'	156° 16'	152	SG	565604	6/16	5	76	144	5	19	29	0
5263	300	56° 20'	156° 34'	99	SG	565603	6/17	5	552	393	35	52	42	0
5264	300	56° 20'	156° 52'	63	SG	565603	6/18	5	342	404	22	62	29	0
5265	300	56° 20'	157° 10'	93	SG	575605	6/18	5	1,119	493	66	58	8	0
5266	300	56° 20'	157° 28'	36	SG	575604	6/19	5	836	445	38	66	0	8
5267	300	56° 20'	157° 46'	27	SG	575603	6/19	5	547	201	28	31	8	0
5268	290	56° 30'	155° 57'	134	SG	555630	6/28	5	81	32	7	4	0	0
5269	300	56° 30'	156° 15'	142	SG	565635	6/28	5	91	162	6	23	29	0
5270	300	56° 30'	156° 33'	106	SG	565634	6/27	5	332	160	18	23	4	0
5271	300	56° 30'	156° 51'	54	SG	565634	6/27	5	185	358	12	57	29	0
5272	300	56° 30'	157° 28'	86	SG	575633	6/20	5	202	62	10	8	8	0
5273	290	56° 40'	156° 14'	115	SG	565635	6/28	5	262	170	17	24	25	0
5274	300	56° 40'	156° 32'	84	SG	565634	6/27	5	676	321	36	44	12	4
5275	300	56° 40'	156° 51'	58	SG	565634	6/26	5	379	381	18	58	12	0
5276	300	56° 40'	157° 09'	65	SG	575632	6/20	5	340	191	14	28	17	0
5277	290	56° 50'	156° 13'	105	SG	565635	6/21	5	504	476	29	63	12	0
5278	290	56° 50'	156° 32'	63	SG	565633	6/26	5	336	438	20	64	25	0
5279	300	56° 50'	156° 50'	60	SG	565633	6/26	5	501	225	25	33	74	0
5280	290	57° 00'	156° 13'	82	SG	565702	6/21	5	618	331	33	46	38	0
<b>Totals:</b>									<b>21,042</b>	<b>14,839</b>	<b>1,244</b>	<b>2,083</b>	<b>1,474</b>	<b>58</b>

<sup>1</sup> Halibut weights listed here are calculated from length-weight tables.

<sup>2</sup> Bycatch numbers extrapolated from 20% subsample.

Chignik Stations (45)

Station Number	Stat Area	North Latitude	West Longitude	Depth (F)	Purpose Code	ADFG Area	Date Fished	Skates	Halibut (lbs) <sup>1</sup>		Halibut (Pcs)		Bycatch (Pcs) <sup>2</sup>	
									Legal	Sub	Legal	Sub	P. Cod	Rockfish
5096	310	54° 50'	157° 33'	203	SG	575432	6/12	5	110	97	7	10	0	16
5097	310	54° 50'	157° 50'	91	SG	575432	6/12	5	142	230	11	31	33	4
5098	310	55° 00'	157° 15'	105	SG	575502	6/11	5	134	145	10	18	41	0
5099	310	55° 00'	157° 32'	55	SG	575501	6/11	5	653	595	46	79	61	8
5100	310	55° 00'	157° 50'	45	SG	575501	6/12	5	1,710	772	90	96	13	29
5101	310	55° 00'	158° 07'	73	SG	585502	6/12	5	215	644	13	106	33	0
5102	300	55° 10'	156° 22'	288	SG	565501	6/7	5	0	0	0	0	0	0
5103	300	55° 10'	156° 39'	290	SG	565501	6/7	5	0	0	0	0	0	4
5104	300	55° 10'	156° 57'	84	SG	565501	6/7	5	219	339	18	45	37	0
5105	310	55° 10'	157° 14'	62	SG	575502	6/11	5	268	735	18	118	95	0
5106	310	55° 10'	157° 32'	47	SG	575501	6/11	5	1,368	863	73	117	49	0
5107	310	55° 10'	157° 49'	43	SG	575501	6/13	5	891	681	43	100	8	0
5108	310	55° 10'	158° 07'	56	SG	585502	6/13	5	490	820	32	128	25	0
5109	300	55° 20'	156° 39'	65	SG	565501	6/8	5	914	858	62	117	68	0
5110	300	55° 20'	156° 56'	51	SG	565501	6/8	5	597	990	41	134	54	17
5111	310	55° 20'	157° 14'	50	SG	575502	6/10	5	572	1,008	32	158	50	0
5112	310	55° 20'	157° 31'	47	SG	575501	6/10	5	422	1,017	24	159	21	0
5113	310	55° 20'	157° 49'	44	SG	575501	6/13	5	195	724	10	123	61	0
5114	310	55° 20'	158° 06'	59	SG	585502	6/13	5	116	565	8	92	37	0
5115	310	55° 20'	158° 24'	80	SG	585502	6/14	5	248	397	18	52	71	0
5116	300	55° 30'	156° 38'	100	SG	565533	6/8	5	401	243	26	35	70	0
5117	300	55° 30'	156° 55'	49	SG	565533	6/8	5	2,086	770	127	98	8	4
5118	300	55° 30'	157° 13'	49	SG	575532	6/10	5	719	421	39	65	95	0
5119	310	55° 30'	157° 31'	52	SG	575531	6/10	5	309	482	16	84	75	0
5120	310	55° 30'	157° 48'	52	SG	575531	6/21	5	382	764	25	118	41	0
5121	310	55° 30'	158° 06'	71	SG	585532	6/21	5	303	612	22	85	29	0
5122	310	55° 30'	158° 24'	79	SG	585532	6/14	5	57	150	4	23	20	0
5123	300	55° 40'	156° 55'	50	SG	565533	6/9	5	672	934	43	139	115	0
5124	300	55° 40'	157° 13'	47	SG	575532	6/9	5	160	550	10	91	116	0
5125	300	55° 40'	157° 30'	54	SG	575531	6/21	5	351	541	21	91	136	0
5126	310	55° 40'	157° 48'	72	SG	575531	6/21	5	334	780	23	111	33	0
5127	310	55° 40'	158° 06'	69	SG	585532	6/20	5	331	666	19	98	8	0
5128	300	55° 40'	158° 23'	70	SG	585532	6/20	5	109	708	8	110	8	0
5129	310	55° 40'	158° 41'	49	SG	585532	6/14	5	221	688	13	115	91	0
5130	300	55° 50'	157° 12'	56	SG	575532	6/9	5	73	489	6	92	62	0
5131	300	55° 50'	157° 30'	56	SG	575531	6/9	5	347	512	23	87	70	0
5132	310	55° 50'	157° 48'	66	SG	575531	6/22	5	316	682	21	108	61	0
5133	310	55° 50'	158° 05'	43	SG	585532	6/20	5	713	431	41	62	206	0
5134	310	55° 50'	158° 23'	60	SG	585532	6/20	5	563	570	35	86	50	0
5135	300	56° 00'	157° 29'	65	SG	575604	6/22	5	366	771	23	114	8	0
5136	300	56° 00'	157° 47'	68	SG	575604	6/22	5	159	633	10	105	8	0
5137	310	56° 00'	158° 05'	45	SG	585602	6/19	5	173	517	8	98	12	0
5138	300	56° 10'	157° 47'	86	SG	575604	6/19	5	1,356	386	73	48	75	0
5139	310	56° 10'	158° 05'	38	SG	585601	6/19	5	439	166	19	32	70	0
5140	300	56° 20'	158° 04'	41	SG	585601	6/19	5	644	108	23	18	34	25
<b>Totals:</b>									<b>20,851</b>	<b>25,051</b>	<b>1,233</b>	<b>3,794</b>	<b>2,258</b>	<b>108</b>

<sup>1</sup> Halibut weights listed here are calculated from length-weight tables.

<sup>2</sup> Bycatch numbers extrapolated from 20% subsample.

Shumagin Stations (44)

Station Number	Stat Area	North Latitude	West Longitude	Depth (F)	Purpose Code	ADFG Area	Date Fished	Skates	Halibut (lbs) <sup>1</sup>		Halibut (Pcs)		Bycatch (Pcs) <sup>2</sup>	
									Legal	Sub	Legal	Sub	P. Cod	Rockfish
5141	320	54° 30'	159° 00'	145	SG	595431	6/16	5	34	39	3	5	8	17
5142	320	54° 30'	159° 17'	76	SG	595431	6/16	5	53	214	4	31	171	0
5143	320	54° 30'	159° 34'	60	SG	595431	6/15	5	706	652	47	79	75	8
5144	320	54° 30'	159° 51'	63	SG	595431	6/15	5	150	316	10	53	29	0
5145	320	54° 30'	160° 09'	65	SG	605431	6/17	5	106	492	8	79	33	0
5146	310	54° 40'	158° 25'	115	SG	585431	6/4	5	549	490	38	61	100	0
5147	320	54° 40'	158° 42'	56	SG	585431	6/14	5	626	392	40	54	79	42
5148	320	54° 40'	159° 00'	49	SG	595431	6/14	5	584	499	38	71	58	0
5149	320	54° 40'	159° 17'	39	SG	595431	6/16	5	446	388	22	62	54	0
5150	320	54° 40'	159° 34'	32	SG	595431	6/15	5	770	119	31	18	17	0
5151	320	54° 40'	159° 52'	40	SG	595431	6/15	5	917	383	46	58	8	0
5152	320	54° 40'	160° 09'	49	SG	605431	6/10	5	783	512	41	78	25	0
5153	310	54° 50'	158° 07'	56	SG	585432	6/4	5	543	630	38	89	50	8
5154	310	54° 50'	158° 25'	108	SG	585431	6/4	5	908	430	54	56	0	4
5155	310	54° 50'	158° 42'	53	SG	585431	6/14	5	330	490	19	77	54	0
5156	320	54° 50'	159° 00'	37	SG	595431	6/14	5	54	385	4	68	92	0
5157	320	54° 50'	159° 52'	30	SG	595432	6/10	5	131	147	5	27	63	0
5158	320	54° 50'	160° 09'	37	SG	605431	6/10	5	229	279	12	53	67	0
5159	320	54° 50'	160° 26'	44	SG	605431	6/18	5	51	298	3	54	83	0
5160	310	55° 00'	158° 25'	110	SG	585502	6/5	5	902	286	56	34	33	8
5161	310	55° 00'	158° 42'	68	SG	585501	6/5	5	398	504	26	74	54	0
5162	320	55° 00'	158° 59'	45	SG	585501	6/13	5	127	417	8	71	67	0
5163	320	55° 00'	159° 17'	22	SG	595502	6/13	5	306	85	11	15	38	0
5164	320	55° 00'	160° 27'	61	SG	605503	6/19	5	494	268	26	40	38	0
5165	320	55° 00'	160° 44'	49	SG	605503	6/19	5	337	188	13	38	21	0
5166	310	55° 10'	158° 24'	98	SG	585502	6/5	5	195	291	12	38	4	0
5167	310	55° 10'	158° 42'	111	SG	585502	6/5	5	395	315	28	38	8	0
5168	310	55° 10'	158° 59'	75	SG	585501	6/13	5	218	386	16	58	29	0
5169	320	55° 10'	159° 17'	39	SG	595505	6/13	5	321	195	18	32	83	0
5170	310	55° 20'	158° 42'	98	SG	585502	6/8	5	279	44	16	6	4	0
5171	310	55° 20'	158° 59'	100	SG	585502	6/8	5	150	35	7	5	0	0
5172	320	55° 20'	159° 17'	96	SG	595505	6/6	5	621	434	41	56	0	0
5173	320	55° 20'	159° 34'	75	SG	595504	6/6	5	250	415	17	57	0	0
5174	320	55° 20'	159° 52'	44	SG	595503	6/9	5	466	259	22	47	21	0
5175	310	55° 30'	158° 41'	88	SG	585532	6/8	5	304	99	18	15	0	0
5176	310	55° 30'	158° 59'	59	SG	585532	6/8	5	80	580	7	89	21	0
5177	320	55° 30'	159° 17'	65	SG	595532	6/6	5	206	535	14	80	58	0
5178	320	55° 30'	159° 34'	90	SG	595505	6/6	5	579	524	32	68	0	0
5179	320	55° 30'	159° 52'	91	SG	595504	6/9	5	311	252	19	34	4	0
5181	310	55° 40'	158° 59'	82	SG	585532	6/7	5	414	219	23	32	4	0
5182	310	55° 40'	159° 17'	56	SG	595532	6/7	5	429	386	27	56	38	0
5183	320	55° 40'	159° 52'	70	SG	595533	6/9	5	943	200	46	28	29	0
5184	310	55° 50'	158° 59'	66	SG	585531	6/7	5	1,110	407	52	56	33	0
5185	310	55° 50'	159° 17'	29	SG	595531	6/7	5	445	259	17	45	29	0
									<b>18,251</b>	<b>14,740</b>	<b>1,027</b>	<b>2,180</b>	<b>1,683</b>	<b>88</b>

<sup>1</sup> Halibut weights listed here are calculated from length-weight tables.

<sup>2</sup> Bycatch numbers extrapolated from 20% subsample.

Sanak Stations (48)

Station Number	Stat Area	North Latitude	West Longitude	Depth (F)	Purpose Code	ADFG Area	Date Fished	Skates	Halibut (lbs) <sup>1</sup>		Halibut (Pcs)		Bycatch (Pcs) <sup>2</sup>	
									Legal	Sub	Legal	Sub	P. Cod	Rockfish
5186	340	54° 00'	163° 15'	46	SG	635400	7/4	5	333	332	18	51	125	4
5187	340	54° 00'	163° 32'	54	SG	635400	7/4	5	216	245	11	43	88	0
5188	340	54° 00'	163° 49'	50	SG	635400	7/4	5	66	232	5	40	100	0
5189	330	54° 10'	161° 34'	69	SG	615400	6/27	5	211	472	15	63	188	0
5190	330	54° 10'	161° 51'	44	SG	615400	6/27	5	1,188	424	68	57	8	17
5191	340	54° 10'	162° 08'	45	SG	625402	6/28	5	251	211	15	32	33	17
5192	340	54° 10'	162° 25'	67	SG	625402	6/28	5	163	289	11	42	146	4
5193	340	54° 10'	163° 50'	47	SG	635400	7/4	5	154	465	10	74	63	0
5194	320	54° 20'	160° 08'	172	SG	605400	6/17	5	53	32	4	4	0	4
5195	330	54° 20'	160° 26'	68	SG	605400	6/17	5	357	451	22	66	92	0
5196	330	54° 20'	160° 43'	58	SG	605400	6/22	5	295	503	19	67	108	0
5197	330	54° 20'	161° 00'	70	SG	615400	6/22	5	182	403	13	62	83	0
5198	330	54° 20'	161° 17'	58	SG	615400	6/26	5	480	514	33	72	83	4
5199	330	54° 20'	161° 34'	78	SG	615400	6/26	5	359	460	23	66	13	0
5200	330	54° 20'	161° 51'	42	SG	615400	6/27	5	958	391	46	56	58	0
5201	330	54° 20'	162° 09'	31	SG	625402	6/28	5	1,405	233	50	38	13	0
5202	340	54° 20'	163° 17'	26	SG	635400	7/2	5	1,123	99	45	15	25	0
5203	340	54° 20'	163° 34'	59	SG	635400	7/2	5	190	416	11	72	88	0
5204	340	54° 20'	163° 51'	61	SG	635400	7/3	5	146	302	11	49	25	0
5205	340	54° 20'	164° 09'	50	SG	645401	7/3	5	81	358	7	59	54	0
5206	320	54° 30'	160° 26'	80	SG	605431	6/17	5	185	211	11	28	13	0
5207	330	54° 30'	160° 43'	76	SG	605431	6/22	5	187	201	13	30	13	0
5208	330	54° 30'	161° 00'	70	SG	615431	6/22	5	170	234	13	38	4	0
5209	330	54° 30'	161° 18'	63	SG	615431	6/26	5	165	402	10	66	21	0
5210	330	54° 30'	161° 35'	36	SG	615431	6/26	5	764	419	39	68	13	0
5211	330	54° 30'	161° 52'	77	SG	615431	6/29	5	261	118	14	19	0	0
5212	330	54° 30'	162° 09'	77	SG	625433	6/29	5	326	376	24	47	33	0
5213	340	54° 30'	162° 26'	79	SG	625435	6/29	5	440	333	23	45	4	0
5214	340	54° 30'	163° 18'	39	SG	635435	7/2	5	690	261	40	43	25	0
5215	340	54° 30'	163° 35'	54	SG	635435	7/2	5	271	250	13	52	13	0
5216	340	54° 30'	163° 53'	51	SG	635435	7/3	5	138	208	10	40	13	0
5217	340	54° 30'	164° 10'	52	SG	645431	7/3	5	192	328	15	51	25	0
5218	320	54° 40'	160° 26'	55	SG	605431	6/18	5	431	494	23	80	4	0
5219	330	54° 40'	160° 43'	51	SG	605431	6/18	5	433	655	28	97	25	0
5220	330	54° 40'	161° 01'	50	SG	615431	6/25	5	275	411	18	71	12	0
5221	330	54° 40'	161° 18'	76	SG	615431	6/25	5	150	463	11	68	4	0
5222	330	54° 40'	161° 35'	34	SG	615431	6/23	5	1,010	207	41	36	13	25
5223	330	54° 40'	161° 53'	37	SG	615431	6/23	5	399	224	18	39	71	13
5224	340	54° 40'	162° 44'	44	SG	625435	7/5	5	60	68	3	14	21	0
5225	320	54° 50'	160° 44'	54	SG	605431	6/19	5	155	215	8	34	42	0
5226	330	54° 50'	161° 01'	58	SG	615431	6/25	5	154	316	11	53	4	0
5227	330	54° 50'	161° 18'	53	SG	615431	6/25	5	508	233	24	37	17	0
5228	330	54° 50'	161° 36'	43	SG	615431	6/23	5	1,127	176	33	31	0	0
5229	340	54° 50'	162° 45'	25	SG	625436	7/5	5	248	97	13	19	25	0
5230	340	54° 50'	163° 03'	37	SG	635433	7/5	5	612	259	28	41	58	0
5231	330	55° 00'	161° 01'	54	SG	615505	6/24	5	619	204	23	34	4	8
5232	330	55° 00'	161° 19'	44	SG	615505	6/24	5	464	149	18	28	38	4
5233	320	55° 10'	161° 02'	53	SG	615503	6/24	5	615	172	28	31	25	0
<b>Totals:</b>									<b>19,260</b>	<b>14,516</b>	<b>986</b>	<b>2,266</b>	<b>1,929</b>	<b>100</b>

<sup>1</sup> Halibut weights listed here are calculated from length-weight tables.

<sup>2</sup> Bycatch numbers extrapolated from 20% subsample.



Unalaska Stations (66)

Station Number	Stat Area	North Latitude	West Longitude	Depth (F)	Purpose Code	ADFG Area	Date Fished	Skates	Halibut (lbs) <sup>1</sup>		Halibut (Pcs)		Bycatch (Pcs) <sup>2</sup>	
									Legal	Sub	Legal	Sub	P. Cod	Rockfish
6001	380	52° 30'	169° 41'	134	SG	695239	6/25	5	322	287	19	37	21	8
6002	380	52° 30'	169° 58'	130	SG	695239	6/25	5	635	130	33	15	5	0
6003	390	52° 30'	170° 46'	81	SG	705233			*Ineffective due to gear issues					
6004	380	52° 40'	169° 09'	61	SG	695239	6/26	5	378	311	23	42	62	4
6005	380	52° 40'	169° 25'	95	SG	695239	6/26	5	565	116	32	15	96	0
6006	380	52° 40'	169° 45'	42	SG	695239	6/26	5	2,140	41	73	6	149	8
6007	380	52° 40'	169° 58'	159	SG	695239	6/25	5	638	138	36	17	67	4
6008	390	52° 40'	170° 48'	51	SG	705233	6/17	5	2,801	229	88	31	37	0
6009	523171	52° 43'	171° 22'	88	SG	715231	6/16	5	97	73	4	11	25	0
6010	370	52° 50'	168° 36'	53	SG	685231	6/27	5	422	152	23	23	195	0
6011	380	52° 50'	168° 52'	35	SG	685231	6/27	5	508	127	23	20	45	0
6012	523170	52° 50'	170° 16'	80	SG	705232			*Ineffective due to gear issues					
6013	523171	52° 50'	171° 21'	96	SG	715231	6/16	5	341	477	21	67	17	0
6014	523171	52° 49'	171° 35'	121	SG	715231	6/16	5	37	63	3	8	54	0
6015	370	53° 00'	167° 29'	92	SG	675302	6/30	5	0	3	0	1	46	4
6016	370	53° 00'	167° 46'	54	SG	675302	6/30	5	55	171	4	24	96	4
6017	370	53° 00'	168° 02'	64	SG	685301	6/28	5	70	164	5	26	50	0
6018	370	53° 00'	168° 19'	51	SG	685302	6/28	5	100	157	6	24	21	0
6019	530169	53° 00'	169° 09'	112	SG	695301	6/13	5	81	68	5	8	120	4
6020	530169	53° 00'	169° 59'	63	SG	695301	6/15	5	963	307	46	42	55	0
6021	530170	53° 00'	170° 15'	102	SG	705300	6/15	5	1,886	98	79	11	121	0
6022	360	53° 10'	166° 56'	100	SG	665301	7/2	5	0	5	0	1	25	0
6023	370	53° 10'	167° 12'	60	SG	675302	7/1	5	16	21	1	3	158	0
6024	370	53° 10'	167° 29'	50	SG	675302	7/1	5	145	178	7	29	92	0
6025	370	53° 10'	167° 46'	43	SG	675302	6/30	5	225	128	10	24	66	0
6026	370	53° 10'	168° 02'	35	SG	685301	6/28	5	45	101	2	18	8	0
6027	530168	53° 10'	168° 52'	105	SG	685303	6/13	5	293	143	17	18	121	0
6028	530169	53° 10'	169° 42'	176	SG	695301	6/14	5	414	36	21	5	63	0
6029	360	53° 20'	166° 05'	230	SG	665301	7/6	5	0	0	0	0	0	4
6030	360	53° 20'	166° 22'	124	SG	665301	7/6	5	10	10	1	2	17	0
6031	360	53° 20'	166° 38'	70	SG	665301	7/2	5	20	129	2	20	138	0
6032	360	53° 20'	166° 55'	49	SG	665301	7/2	5	388	217	21	34	107	0
6033	370	53° 20'	167° 12'	39	SG	675301	7/1	5	323	193	13	35	46	8
6034	530168	53° 20'	168° 36'	43	SG	685303	6/13	5	189	65	7	9	172	0
6035	360	53° 30'	165° 48'	91	SG	655330	7/7	5	23	45	2	8	67	4
6036	360	53° 30'	166° 04'	71	SG	665331	7/7	5	11	141	1	22	116	0
6037	360	53° 30'	166° 21'	62	SG	665331	7/6	5	72	153	4	25	21	0
6038	533167	53° 30'	167° 28'	43	SG	675333	6/12	5	339	159	16	27	71	0
6039	350	53° 40'	164° 38'	173	SG	645331	6/9	5	11	83	1	11	0	8
6040	350	53° 40'	164° 55'	173	SG	645332	7/8	5	0	14	0	2	0	4
6041	350	53° 40'	165° 13'	187	SG	655330	7/8	5	0	8	0	1	0	0
6042	350	53° 40'	165° 30'	83	SG	655330	7/8	5	12	65	1	9	113	0
6043	350	53° 40'	165° 47'	68	SG	655330	7/7	5	135	434	10	69	21	0
6044	360	53° 40'	166° 04'	48	SG	665331	7/7	5	352	114	13	21	45	0
6045	533167	53° 40'	167° 11'	33	SG	675332	6/12	5	690	162	25	25	58	0
6046	533167	53° 40'	167° 28'	162	SG	675333	6/12	5	462	167	24	22	151	4
6047	350	53° 50'	163° 48'	49	SG	635330	6/8	5	284	313	18	45	80	4
6048	350	53° 50'	164° 05'	42	SG	645331	6/8	5	656	225	37	30	50	4
6049	350	53° 50'	164° 22'	48	SG	645331	6/9	5	123	131	9	20	132	0
6050	350	53° 50'	164° 39'	54	SG	645331	6/9	5	23	141	2	23	46	0
6051	350	53° 50'	164° 56'	61	SG	645332	6/5	5	10	113	1	21	21	0
6052	350	53° 50'	165° 12'	57	SG	655330	6/5	5	0	112	0	21	29	0
6053	350	53° 50'	165° 29'	48	SG	655330	6/4	5	95	164	5	33	57	0
6054	360	53° 50'	165° 46'	41	SG	655330	6/3	5	19	63	1	16	20	0
6055	360	53° 50'	166° 03'	42	SG	665332	6/3	5	212	138	11	26	20	0
6056	360	53° 50'	166° 20'	140	SG	665333	6/3	5	361	37	15	4	123	0
6057	350	54° 00'	164° 06'	40	SG	645401	6/8	5	210	61	12	10	87	0
6058	350	54° 00'	164° 23'	56	SG	645401	6/7	5	0	128	0	25	171	0
6059	350	54° 00'	164° 40'	53	SG	645401	6/6	5	122	249	8	47	32	0
6060	350	54° 00'	164° 57'	43	SG	645408	6/6	5	19	69	1	17	50	0
6061	350	54° 00'	165° 12'	40	SG	655330	6/5	5	548	28	18	4	92	0
6062	350	54° 00'	165° 29'	39	SG	655404	6/4	5	13	42	1	11	58	0
6063	350	54° 00'	165° 46'	48	SG	655330	6/4	5	1,157	176	44	32	4	0
6064	350	54° 10'	164° 07'	37	SG	645401	6/7	5	76	170	4	28	109	0
6065	350	54° 10'	164° 25'	48	SG	645401	6/7	5	71	127	4	30	67	0
6066	350	54° 10'	164° 42'	41	SG	645401	6/6	5	126	29	3	8	62	0
<b>Totals:</b>									<b>20,337</b>	<b>8,395</b>	<b>912</b>	<b>1,313</b>	<b>4,265</b>	<b>79</b>

<sup>1</sup> Halibut weights listed here are calculated from length-weight tables.

<sup>2</sup> Bycatch numbers extrapolated from 20% subsample.

4A Edge Stations (57)

Station Number	Stat Area	North Latitude	West Longitude	Depth (F)	Purpose Code	ADFG Area	Date Fished	Skates	Halibut (lbs) <sup>1</sup>		Halibut (Pcs)		Bycatch (Pcs) <sup>2</sup>	
									Legal	Sub	Legal	Sub	P. Cod	Rockfish
7001	543165	54° 30'	165° 44'	205	SG	655409	7/9	5	20	72	2	12	0	0
7002	543166	54° 30'	166° 19'	269	SG	665401	7/11	5	142	8	8	1	0	21
7003	543166	54° 30'	166° 36'	264	SG	665401	7/11	5	175	0	10	0	0	4
7004	543166	54° 30'	166° 53'	259	SG	665401	7/12	5	104	0	5	0	0	8
7006	543165	54° 40'	165° 26'	113	SG	655430	7/10	5	13	15	1	3	129	0
7007	543165	54° 40'	165° 43'	182	SG	655430	7/9	5	56	116	4	15	0	0
7008	543166	54° 40'	166° 01'	178	SG	665430	7/9	5	21	34	1	5	0	0
7009	543166	54° 40'	166° 18'	172	SG	665430	7/11	5	66	0	3	0	8	0
7010	543166	54° 40'	166° 35'	184	SG	665430	7/12	5	91	39	4	4	0	4
7011	543166	54° 40'	166° 53'	207	SG	665430	7/12	5	387	63	19	7	0	8
7012	543167	54° 40'	167° 10'	247	SG	675430	7/15	5	70	0	3	0	0	13
7013	543165	54° 50'	165° 25'	82	SG	655430	7/10	5	0	24	0	5	67	0
7014	543165	54° 50'	165° 43'	84	SG	655430	7/10	5	0	76	0	13	131	0
7015	543166	54° 50'	166° 00'	85	SG	665430	7/16	5	75	42	5	6	108	0
7016	543166	54° 50'	166° 18'	89	SG	665430	7/16	5	47	39	3	5	21	0
7017	543166	54° 50'	166° 35'	107	SG	665430	7/16	5	133	0	7	0	0	0
7018	543166	54° 50'	166° 52'	144	SG	665430	7/15	5	12	0	1	0	0	0
7019	543167	54° 50'	167° 10'	192	SG	675430	7/15	5	1,542	198	93	22	0	4
7021	550166	55° 00'	166° 34'	79	SG	665500	7/17	5	96	17	4	2	33	0
7022	550166	55° 00'	166° 52'	83	SG	665500	7/17	5	80	0	4	0	50	0
7023	550167	55° 00'	167° 09'	94	SG	675500	7/18	5	283	23	14	3	108	0
7024	550167	55° 00'	167° 27'	159	SG	675500	7/18	5	1,008	117	56	13	17	0
7025	550166	55° 10'	166° 34'	76	SG	665500	7/17	5	0	14	0	2	71	0
7026	550166	55° 10'	166° 51'	78	SG	665500	7/17	5	327	23	15	3	125	0
7027	550167	55° 10'	167° 09'	81	SG	675500	7/18	5	149	20	8	3	92	0
7028	550167	55° 10'	167° 26'	87	SG	675500	7/18	5	262	109	15	13	83	0
7029	550167	55° 10'	167° 44'	164	SG	675500	7/19	5	1,019	90	58	10	29	0
7030	550167	55° 20'	167° 44'	89	SG	675500	7/19	5	106	3	5	1	192	0
7031	550168	55° 20'	168° 01'	192	SG	685500	7/19	5	262	24	16	3	25	17
7032	553168	55° 30'	168° 01'	78	SG	685530	7/20	5	29	31	3	5	129	0
7033	553168	55° 30'	168° 19'	130	SG	685530	7/20	5	126	15	8	2	121	0
7034	553168	55° 40'	168° 37'	78	SG	685530	7/21	5	0	41	0	8	183	0
7035	553168	55° 50'	168° 37'	78	SG	685530	7/21	5	35	44	2	7	87	0
7036	553168	55° 50'	168° 52'	146	SG	685530	7/21	5	162	76	11	8	61	8
7037	560168	56° 00'	168° 19'	91	SG	685600	8/1	5	112	59	8	8	33	0
7038	560168	56° 00'	168° 37'	132	SG	685600	8/1	5	301	6	14	1	71	0
7039	560169	56° 00'	169° 48'	124	SG	695600	7/26	5	13	7	1	1	58	0
7040	560170	56° 00'	170° 06'	88	SG	705600	7/25	5	116	80	9	9	129	0
7041	560168	56° 10'	168° 01'	78	SG	685600	7/31	5	40	32	2	4	74	0
7042	560168	56° 10'	168° 19'	90	SG	685600	7/31	5	27	75	1	11	21	0
7043	560168	56° 10'	168° 37'	215	SG	685600	8/1	5	22	0	1	0	0	33
7044	560168	56° 10'	168° 55'	122	SG	685600	8/1	5	138	15	8	2	25	0
7045	560169	56° 10'	169° 31'	261	SG	695600	7/26	5	168	0	6	0	0	25
7046	560170	56° 10'	170° 42'	74	SG	705600	7/25	5	0	12	0	2	175	0
7047	560168	56° 20'	168° 01'	77	SG	685600	7/31	5	0	35	0	5	75	0
7048	560168	56° 20'	168° 19'	85	SG	685600	7/31	5	45	7	2	1	21	0
7049	560169	56° 20'	169° 13'	73	SG	695600	7/30	5	12	47	1	11	58	0
9501	563169	56° 20'	169° 28'	79	SG	695600	7/30	5	23	23	2	3	75	0
9502	563169	56° 25'	169° 20'	60	SG	695600	7/30	5	466	101	27	12	46	0
9503	563169	56° 25'	169° 38'	52	SG	695600	7/27	5	360	65	18	8	104	0
9504	563169	56° 30'	169° 14'	50	SG	695631	7/29	5	40	50	3	8	17	0
9505	563169	56° 30'	169° 30'	41	SG	695631	7/27	5	1,222	28	43	3	100	0
9506	563169	56° 30'	169° 49'	46	SG	695631	7/27	5	205	215	13	29	46	0
9507	563169	56° 35'	169° 22'	27	SG	695631	7/29	5	213	85	12	10	25	0
9508	563169	56° 40'	169° 12'	37	SG	695631	7/29	5	205	67	9	12	46	0
9509	563169	56° 40'	169° 30'	41	SG	695631	7/28	5	69	27	4	3	38	0
9510	563169	56° 40'	169° 48'	40	SG	695631	7/28	5	202	57	13	8	79	0
<b>Totals:</b>									<b>10,898</b>	<b>2,464</b>	<b>579</b>	<b>323</b>	<b>3,186</b>	<b>146</b>

<sup>1</sup> Halibut weights listed here are calculated from length-weight tables.

<sup>2</sup> Bycatch numbers extrapolated from 20% subsample.

4D Edge Stations (68)

Station Number	Stat Area	North Latitude	West Longitude	Depth (F)	Purpose Code	ADFG Area	Date Fished	Skates	Halibut (lbs) <sup>1</sup>		Halibut (Pcs)		Bycatch (Pcs) <sup>2</sup>	
									Legal	Sub	Legal	Sub	P. Cod	Rockfish
7050	563171	56° 20'	171° 19'	80	SG	715600	7/2	5	16	0	1	0	67	0
7051	563171	56° 30'	171° 37'	87	SG	715630	7/2	5	0	26	0	4	46	0
7052	563171	56° 30'	171° 55'	171	SG	715630	7/2	5	58	5	3	1	67	0
7053	563173	56° 40'	173° 07'	82	SG	735630	7/4	5	0	0	0	0	188	0
7054	563173	56° 50'	173° 25'	227	SG	735630	7/5	5	0	0	0	0	0	17
7055	570173	57° 00'	173° 25'	104	SG	735700		5	*Ineffective due to gear issues					
7056	570173	57° 00'	173° 43'	247	SG	735700	7/6	5	0	0	0	0	0	4
7057	570173	57° 10'	173° 43'	82	SG	735700	7/6	5	29	0	2	0	67	0
7058	570173	57° 20'	173° 43'	75	SG	735700	7/7	5	53	29	3	5	42	0
7059	573173	57° 40'	173° 43'	74	SG	735730	7/8	5	26	22	2	3	21	0
7060	573173	57° 50'	173° 43'	82	SG	735730	7/8	5	0	0	0	0	104	0
7061	580174	58° 20'	174° 20'	109	SG	745800	7/15	5	71	78	6	9	58	0
7062	580175	58° 20'	175° 17'	175	SG	755800	7/16	5	492	289	36	31	0	0
7063	583174	58° 30'	174° 20'	78	SG	745830	7/15	5	12	15	1	2	71	0
7064	583175	58° 30'	175° 18'	97	SG	755830	7/16	5	292	88	15	12	105	0
7065	583175	58° 30'	175° 37'	96	SG	755830	7/16	5	41	49	3	7	67	0
7067	583174	58° 40'	174° 20'	92	SG	745830	7/18	5	128	77	7	9	13	0
7068	583174	58° 40'	174° 39'	111	SG	745830	7/18	5	63	28	3	3	0	0
7069	583174	58° 40'	174° 59'	119	SG	745830	7/17	5	51	46	3	6	37	0
7070	583174	58° 40'	175° 18'	125	SG	755830	7/17	5	52	98	4	13	21	4
7071	583175	58° 40'	175° 56'	75	SG	755830	7/15	5	0	8	0	1	12	0
7072	583176	58° 40'	176° 16'	75	SG	765830	7/15	5	0	15	0	3	25	0
7073	583177	58° 40'	177° 13'	76	SG	775830	7/7	5	162	96	8	12	88	0
7074	583177	58° 50'	177° 33'	75	SG	775830	7/1	5	84	16	2	3	4	0
7075	583177	58° 50'	177° 53'	218	SG	775830	7/1	5	228	7	13	1	0	8
7076	590177	59° 00'	177° 54'	75	SG	775900	7/8	5	205	65	10	10	4	0
7077	590178	59° 00'	178° 13'	115	SG	785900	6/30	5	517	116	20	15	47	0
7078	590176	59° 10'	176° 56'	79	SG	765900	7/9	5	31	13	3	2	8	0
7079	590177	59° 10'	177° 16'	81	SG	775900	7/9	5	10	57	1	8	25	0
7080	590177	59° 10'	177° 35'	90	SG	775900	7/8	5	86	70	4	9	0	0
7081	590177	59° 10'	177° 55'	100	SG	775900	6/30	5	118	57	5	8	17	0
7082	590178	59° 10'	178° 14'	76	SG	785900	6/30	5	25	79	2	11	4	0
7083	590176	59° 20'	176° 57'	79	SG	765900	7/10	5	50	0	2	0	33	0
7084	590177	59° 20'	177° 17'	86	SG	775900	7/10	5	0	42	0	7	58	0
7085	590177	59° 20'	177° 36'	144	SG	775900	6/29	5	188	76	8	10	33	0
7086	593176	59° 30'	176° 38'	77	SG	765930	7/23	5	27	7	2	1	50	0
7087	593176	59° 30'	176° 58'	82	SG	765930	7/23	5	61	60	3	8	38	0
7088	593177	59° 30'	177° 18'	83	SG	775930	7/10	5	57	18	3	3	25	0
7089	593177	59° 30'	177° 37'	127	SG	775930	6/29	5	76	113	4	15	80	0
7090	593177	59° 30'	177° 57'	220	SG	775930	6/24	5	525	75	24	8	0	12
7091	593178	59° 30'	178° 17'	143	SG	785930	6/24	5	579	292	34	33	17	0
7092	593176	59° 40'	176° 59'	84	SG	765930	7/24	5	26	5	2	1	83	0
7093	593177	59° 40'	177° 19'	112	SG	775930	7/11	5	18	30	2	4	58	0
7094	593177	59° 40'	177° 39'	127	SG	775930	6/28	5	79	41	3	6	29	0
7095	593177	59° 40'	177° 58'	91	SG	775930	6/28	5	38	21	3	3	17	0
7096	593178	59° 40'	178° 18'	91	SG	785930	6/25	5	81	63	5	8	33	0
7097	593177	59° 50'	177° 59'	79	SG	775930	6/28	5	0	8	0	1	33	0
7098	593178	59° 50'	178° 19'	79	SG	785930	6/25	5	20	13	1	2	29	0
7099	593178	59° 50'	178° 39'	82	SG	785930	6/25	5	25	32	2	5	67	0
9511	570170	57° 00'	170° 10'	37	SG	705701	7/23	5	55	20	3	4	17	0
9512	570170	57° 00'	170° 29'	43	SG	705701	7/23	5	132	133	8	18	17	0
9513	570170	57° 05'	170° 03'	31	SG	705701	7/23	5	250	91	12	16	13	0
9514	570170	57° 05'	170° 38'	41	SG	705701	7/11	5	219	128	13	17	108	0
9515	570170	57° 10'	170° 29'	31	SG	705703	7/21	5	525	123	24	16	50	0
9516	570170	57° 15'	170° 20'	13	SG	705703	7/22	5	670	59	26	7	42	0
9517	570170	57° 15'	170° 40'	39	SG	705701	7/21	5	397	197	23	25	41	0
9518	570169	57° 20'	169° 55'	32	SG	695700	7/22	5	82	106	5	18	126	0
9519	570170	57° 20'	170° 13'	31	SG	705701	7/22	5	528	125	25	18	8	0
9520	570170	57° 20'	170° 30'	36	SG	705701	7/21	5	198	64	10	8	13	0
9521	600172	60° 10'	172° 20'	30	SG	726001	7/28	5	111	3	3	1	41	0
9522	600172	60° 10'	172° 41'	28	SG	726003	7/28	5	135	32	8	4	129	0
9523	600172	60° 20'	172° 04'	31	SG	726001	7/28	5	0	0	0	0	13	0
9524	600172	60° 20'	172° 46'	9	SG	726002	7/27	5	681	50	28	6	8	0
9525	600173	60° 20'	173° 04'	27	SG	736001	7/27	5	40	9	3	1	108	0
9526	603172	60° 30'	172° 26'	29	SG	726031	7/29	5	126	0	4	0	150	0
9527	603172	60° 30'	172° 45'	18	SG	726032	7/29	5	153	46	9	6	111	0
9528	603173	60° 30'	173° 07'	12	SG	736032	7/27	5	1,005	77	37	9	0	0
9530	603172	60° 40'	172° 47'	21	SG	726031	7/29	5	270	52	10	8	83	0
<b>Totals:</b>									<b>10,278</b>	<b>3,662</b>	<b>500</b>	<b>478</b>	<b>2,968</b>	<b>46</b>

<sup>1</sup> Halibut weights listed here are calculated from length-weight tables.

<sup>2</sup> Bycatch numbers extrapolated from 20% subsample.

Andreanof Stations (54)

Station Number	Stat Area	North Latitude	West Longitude	Depth (F)	Purpose Code	ADFG Area	Date Fished	Skates	Halibut (lbs) <sup>1</sup>		Halibut (Pcs)		Bycatch (Pcs) <sup>2</sup>	
									Legal	Sub	Legal	Sub	P. Cod	Rockfish
6069	430	51° 30'	176° 52'	140	SG	765132	6/27	5	226	120	15	14	76	42
6072	420	51° 40'	175° 48'	218	SG	755132	6/26	5	421	29	22	3	13	34
6073	420	51° 40'	176° 04'	153	SG	765132	6/26	5	366	205	27	24	20	0
6074	420	51° 40'	176° 20'	80	SG	765132	6/26	5	288	226	13	31	133	0
6079	410	51° 50'	174° 27'	116	SG	745131	6/19	5	776	391	48	47	25	0
6080	410	51° 50'	174° 43'	114	SG	745131	6/24	5	202	178	13	23	29	0
6081	420	51° 50'	175° 00'	110	SG	755132	6/24	5	822	512	54	68	4	0
6082	420	51° 50'	175° 16'	105	SG	755132	6/25	5	248	179	18	23	4	0
6083	420	51° 50'	175° 32'	91	SG	755132	6/25	5	423	425	28	56	29	0
6084	420	51° 50'	175° 48'	66	SG	755132	6/25	5	226	616	10	88	80	0
6085	400	52° 00'	173° 22'	44	SG	735203	6/18	5	590	175	24	24	188	0
6086	410	52° 00'	173° 38'	40	SG	735130	6/18	5	1,016	190	43	24	42	0
6087	410	52° 00'	173° 54'	42	SG	735203	6/18	5	588	249	27	34	17	0
6088	410	52° 00'	174° 11'	53	SG	745131	6/19	5	95	615	7	96	8	0
6089	410	52° 00'	174° 27'	40	SG	745203	6/19	5	339	192	18	28	50	0
6090	410	52° 00'	174° 59'	46	SG	745203	6/24	5	983	247	39	32	29	0
6093	400	52° 10'	172° 49'	76	SG	725201	6/16	5	291	97	14	12	54	0
6094	520173	52° 10'	173° 05'	47	SG	735201	6/16	5	160	116	11	15	154	0
6095	520173	52° 10'	173° 21'	51	SG	735201	6/16	5	360	421	20	58	50	0
6096	520173	52° 10'	173° 54'	51	SG	735202	6/15	5	611	496	34	61	136	0
6097	520174	52° 10'	174° 43'	68	SG	745205	6/14	5	379	219	19	26	83	0
6098	520174	52° 10'	174° 59'	66	SG	745206	6/14	5	662	425	36	55	8	0
6099	520175	52° 10'	175° 15'	135	SG	755201	6/14	5	362	91	23	11	67	0
6100	520175	52° 10'	175° 48'	126	SG	755201	6/20	5	324	54	13	7	12	4
6105	520173	52° 20'	173° 53'	60	SG	735201	6/15	5	144	276	9	44	0	0
6109	523173	52° 30'	173° 37'	137	SG	735230	6/15	5	978	8	38	1	21	0
6234	420	51° 40'	176° 36'		SG	765138		5						
6235	410	51° 50'	174° 11'		SG	745131		5						
6236	410	51° 50'	173° 54'		SG	735130		5						
6237	520175	51° 60'	175° 48'		SG	755135		5						
6238	520175	51° 60'	175° 32'		SG	755134		5						
6239	400	51° 60'	173° 06'		SG	735203		5						
6240	400	52° 00'	172° 49'		SG	725201		5						
6241	400	51° 60'	172° 33'		SG	725130		5						
6242	400	51° 60'	172° 16'		SG	725130		5						
6243	400	51° 60'	172° 00'		SG	725130		5						
6244	520173	52° 10'	173° 38'		SG	735202		5						
6245	400	52° 10'	172° 33'		SG	725201		5						
6246	400	52° 10'	172° 16'		SG	725201		5						
6247	400	52° 10'	172° 00'		SG	725201		5						
6248	400	52° 20'	172° 16'		SG	725203		5						
6249	520172	52° 30'	172° 33'		SG	725201		5						
6250	520172	52° 30'	172° 16'		SG	725201		5						
6251	523172	52° 40'	172° 16'		SG	725230		5						
6604	513176	51° 50'	176° 20'		SE	765147		5						
6605	420	51° 60'	175° 16'		SE	755131		5						
6606	410	51° 60'	174° 43'		SE	745132		5						
6607	520174	52° 10'	174° 27'		SE	745205		5						
6711	430	51° 30'	176° 36'		DE	765100		5						
6712	420	51° 40'	175° 32'		DE	755132		5						
6713	520173	52° 20'	173° 37'		DE	735201		5						
6714	520173	52° 20'	173° 21'		DE	735201		5						
6715	520173	52° 20'	173° 05'		DE	735201		5						
6716	520172	52° 20'	172° 49'		DE	725201		5						
<b>Totals:</b>									<b>11,877</b>	<b>6,755</b>	<b>621</b>	<b>903</b>	<b>1,334</b>	<b>80</b>

<sup>1</sup> Halibut weights listed here are calculated from length-weight tables.

<sup>2</sup> Bycatch numbers extrapolated from 20% subsample.

Amchitka Stations (52)

Station Number	Stat Area	North Latitude	West Longitude	Depth (F)	Purpose Code	ADFG Area	Date Fished	Skates	Halibut (lbs) <sup>1</sup>		Halibut (Pcs)		Bycatch (Pcs) <sup>2</sup>	
									Legal	Sub	Legal	Sub	P. Cod	Rockfish
6067	440	51° 10'	179° 00'	68	SG	795102	6/28	5	99	6	4	1	0	4
6070	440	51° 30'	178° 29'	104	SG	785131	6/29	5	607	157	35	18	12	0
6071	440	51° 30'	178° 45'	171	SG	785134	6/29	5	539	15	28	2	4	38
6075	430	51° 40'	177° 09'	63	SG	775132	7/1	5	996	262	51	34	117	0
6076	430	51° 40'	177° 25'	62	SG	775132	7/1	5	222	118	13	14	87	0
6077	430	51° 40'	178° 13'	46	SG	785131	6/30	5	180	264	12	38	21	0
6078	440	51° 40'	178° 29'	236	SG	785131	6/30	5	350	25	19	3	0	4
6091	520176	52° 00'	176° 21'	101	SG	765203	6/20	5	1,011	395	72	48	29	0
6113	450	51° 20'	279° 07'	50	SG	805103	7/16	5	28	0	2	0	29	0
6114	460	51° 30'	278° 36'	114	SG	815131	7/16	5	0	0	0	0	8	25
6115	450	51° 30'	278° 52'	49	SG	815133	7/16	5	35	9	2	2	12	0
6117	460	51° 40'	278° 04'	176	SG	815131	7/17	5	0	0	0	0	0	12
6118	460	51° 40'	278° 21'	73	SG	815131	7/17	5	31	4	1	1	4	0
6121	460	51° 50'	277° 33'	55	SG	825132	7/14	5	273	0	8	0	67	13
6122	513277	51° 50'	277° 49'	59	SG	825132	7/14	5	362	24	13	3	58	4
6125	470	52° 00'	276° 45'	50	SG	835200	7/13	5	151	7	5	1	267	0
6126	520277	52° 00'	277° 17'	52	SG	825201	7/13	5	260	0	8	0	142	0
6127	520277	52° 00'	277° 50'	63	SG	825201	7/14	5	178	4	7	1	38	0
6252	450	51° 20'	278° 52'		SG	815100		5						
6253	450	51° 20'	279° 23'		SG	805102		5						
6254	440	51° 20'	179° 32'		SG	795102		5						
6255	440	51° 20'	179° 00'		SG	785103		5						
6256	450	51° 30'	279° 07'		SG	805101		5						
6257	450	51° 30'	279° 23'		SG	805103		5						
6258	430	51° 40'	176° 52'		SG	765139		5						
6259	430	51° 30'	178° 13'		SG	785101		5						
6260	513278	51° 40'	278° 36'		SG	815132		5						
6261	513178	51° 50'	178° 45'		SG	785135		5						
6262	513278	51° 50'	278° 04'		SG	815135		5						
6263	470	51° 60'	276° 29'		SG	835130		5						
6264	470	52° 10'	275° 56'		SG	845202		5						
6265	520276	52° 10'	276° 12'		SG	835200		5						
6266	520276	52° 10'	276° 29'		SG	835200		5						
6267	520276	52° 20'	276° 12'		SG	835200		5						
6268	520276	52° 20'	276° 29'		SG	835200		5						
6608	430	51° 40'	177° 41'		SE	775132		5						
6609	513176	51° 50'	176° 53'		SE	765144		5						
6610	513176	51° 60'	176° 37'		SE	765144		5						
6717	440	51° 30'	179° 44'		DE	795102		5						
6718	440	51° 30'	179° 01'		DE	795102		5						
6719	460	51° 30'	278° 21'		DE	815131		5						
6720	450	51° 30'	279° 39'		DE	805103		5						
6721	450	51° 30'	279° 55'		DE	805103		5						
6722	513179	51° 40'	179° 32'		DE	795132		5						
6723	440	51° 40'	179° 01'		DE	795132		5						
6724	460	51° 40'	277° 01'		DE	825132		5						
6725	460	51° 40'	277° 49'		DE	825132		5						
6726	513178	51° 50'	178° 13'		DE	785132		5						
6727	513177	51° 50'	177° 25'		DE	775138		5						
6728	470	51° 60'	276° 12'		DE	835130		5						
6729	520277	52° 10'	277° 01'		DE	825201		5						
6731	520277	52° 10'	277° 17'		DE	825201		5						
<b>Totals:</b>									<b>5,322</b>	<b>1,291</b>	<b>278</b>	<b>163</b>	<b>894</b>	<b>100</b>

<sup>1</sup> Halibut weights listed here are calculated from length-weight tables.

<sup>2</sup> Bycatch numbers extrapolated from 20% subsample.

**Bowers Ridge Stations (52)**

Station Number	Stat Area	North Latitude	West Longitude	Depth (F)	Purpose Code	ADFG Area	Date Fished	Skates	Halibut (lbs) <sup>1</sup>		Halibut (Pcs)		Bycatch (Pcs) <sup>2</sup>	
									Legal	Sub	Legal	Sub	P. Cod	Rockfish
6092	520279	52° 00'	279° 27'	50	SG	805202	7/9	5	518	5	17	1	0	0
6101	520279	52° 10'	279° 28'	120	SG	805201	7/9	5	1,387	0	33	0	0	0
6102	520179	52° 10'	179° 42'	153	SG	795200	7/8	5	349	0	11	0	0	4
6103	520279	52° 10'	279° 44'	52	SG	805201	7/9	5	205	7	8	1	0	0
6104	520179	52° 10'	179° 58'	54	SG	795200	7/8	5	11	0	1	0	4	0
6106	520179	52° 20'	179° 41'	153	SG	795200	7/8	5	44	0	2	0	0	0
6107	520279	52° 20'	279° 45'	74	SG	805201	7/7	5	168	0	8	0	0	0
6108	520179	52° 20'	179° 57'	68	SG	795200	7/7	5	80	0	3	0	0	0
6110	523179	52° 30'	179° 41'	51	SG	795230	7/6	5	139	0	3	0	0	4
6111	523279	52° 30'	279° 46'	204	SG	805230	7/7	5	0	0	0	0	0	13
6112	523179	52° 40'	179° 25'	65	SG	795230	7/6	5	146	0	6	0	0	4
6123	513278	51° 50'	278° 21'	135	SG	815134	7/15	5	147	7	4	1	17	8
6128	520278	52° 00'	278° 22'	74	SG	815202	7/15	5	163	0	5	0	8	45
6269	513279	51° 50'	279° 27'		SG	805132		5						
6270	513278	51° 60'	278° 38'		SG	815131		5						
6271	520179	52° 00'	179° 58'		SG	795200		5						
6272	520279	52° 10'	279° 12'		SG	805201		5						
6273	520179	52° 30'	179° 57'		SG	795200		5						
6274	533279	53° 60'	279° 45'		SG	805330		5						
6275	533179	53° 60'	179° 58'		SG	795330		5						
6276	540279	54° 10'	279° 45'		SG	805400		5						
6277	540279	54° 20'	279° 28'		SG	805400		5						
6278	540279	54° 20'	279° 45'		SG	805400		5						
6279	543279	54° 40'	279° 12'		SG	805430		5						
6280	543278	54° 50'	278° 38'		SG	815430		5						
6611	513279	51° 60'	279° 43'		SE	805131		5						
6732	513278	51° 40'	278° 52'		DE	815132		5						
6733	513278	51° 50'	278° 37'		DE	815131		5						
6734	513278	51° 50'	278° 52'		DE	815131		5						
6735	513279	51° 50'	279° 11'		DE	805132		5						
6736	513279	51° 50'	279° 43'		DE	805132		5						
6737	513278	51° 60'	278° 54'		DE	815131		5						
6738	513279	51° 60'	279° 11'		DE	805132		5						
6739	520278	52° 10'	278° 55'		DE	815201		5						
6740	520279	52° 20'	279° 28'		DE	805201		5						
6741	523179	52° 50'	179° 42'		DE	795230		5						
6742	523179	52° 60'	179° 42'		DE	795230		5						
6743	530179	53° 10'	179° 42'		DE	795300		5						
6744	530179	53° 30'	179° 58'		DE	795300		5						
6745	533179	53° 40'	179° 58'		DE	795330		5						
6746	533279	53° 50'	279° 45'		DE	805330		5						
6747	533179	53° 50'	179° 58'		DE	795330		5						
6748	540279	54° 10'	279° 28'		DE	805400		5						
6749	540279	54° 30'	279° 12'		DE	805400		5						
6750	543276	54° 40'	276° 17'		DE	835430		5						
6751	543278	54° 40'	278° 38'		DE	815430		5						
6752	543278	54° 40'	278° 55'		DE	815430		5						
6753	543276	54° 50'	276° 17'		DE	835430		5						
6754	543276	54° 50'	276° 34'		DE	835430		5						
6755	543278	54° 50'	278° 21'		DE	815430		5						
6756	543276	54° 60'	276° 34'		DE	835430		5						
6757	543276	54° 60'	276° 51'		DE	835430		5						
<b>Totals:</b>									<b>3,356</b>	<b>19</b>	<b>102</b>	<b>3</b>	<b>29</b>	<b>79</b>

<sup>1</sup> Halibut weights listed here are calculated from length-weight tables.

<sup>2</sup> Bycatch numbers extrapolated from 20% subsample.

Near Islands Stations (49)

Station Number	Stat Area	North Latitude	West Longitude	Depth (F)	Purpose Code	ADFG Area	Date Fished	Skates	Halibut (lbs) <sup>1</sup>		Halibut (Pcs)		Bycatch (Pcs) <sup>2</sup>	
									Legal	Sub	Legal	Sub	P. Cod	Rockfish
6116	470	51° 40'	275° 39'	85	SG	845130	7/12	5	0	0	0	0	0	8
6119	470	51° 50'	275° 39'	56	SG	845130	7/12	5	30	0	1	0	0	0
6120	470	51° 50'	275° 56'	60	SG	845130	7/12	5	0	0	0	0	0	0
6124	470	52° 00'	275° 56'	56	SG	845202	7/12	5	18	0	1	0	0	21
6129	490	52° 10'	273° 46'	65	SG	865203	8/1	5	276	54	13	7	25	0
6130	480	52° 10'	275° 07'	82	SG	845202	7/11	5	0	0	0	0	0	0
6131	480	52° 10'	275° 23'	182	SG	845202	7/11	5	0	0	0	0	0	21
6132	490	52° 20'	273° 29'	40	SG	865204	8/1	5	122	84	9	12	105	0
6133	490	52° 20'	273° 45'	39	SG	865204	8/4	5	290	42	12	5	58	0
6134	480	52° 20'	274° 02'	75	SG	855200	8/4	5	61	16	3	3	51	0
6135	480	52° 20'	274° 18'	91	SG	855200	8/4	5	136	5	6	1	63	4
6137	490	52° 30'	272° 56'	124	SG	875232	7/31	5	119	8	5	1	0	33
6138	490	52° 30'	273° 12'	60	SG	865233	7/31	5	198	34	8	5	4	0
6139	490	52° 30'	273° 29'	82	SG	865232	8/2	5	337	5	14	1	8	0
6140	480	52° 30'	274° 02'	67	SG	855231	8/3	5	253	37	12	5	25	0
6141	480	52° 30'	274° 18'	63	SG	855231	8/5	5	247	58	11	7	41	0
6142	523274	52° 30'	274° 34'	197	SG	855231	8/5	5	117	0	4	0	0	13
6143	523274	52° 30'	274° 51'	130	SG	855231	8/5	5	193	16	8	2	0	0
6144	490	52° 40'	272° 55'	63	SG	875232	7/30	5	133	0	8	0	4	0
6145	490	52° 40'	273° 12'	50	SG	865233	7/31	5	233	15	8	2	8	0
6146	490	52° 40'	273° 28'	54	SG	865233	8/2	5	434	54	15	6	8	0
6147	490	52° 40'	273° 45'	55	SG	865233	8/2	5	323	37	14	4	33	0
6148	523274	52° 40'	274° 01'	39	SG	855233	8/3	5	55	21	2	4	0	0
6149	523274	52° 40'	274° 18'	27	SG	855231	8/5	5	255	56	11	8	98	0
6150	500	52° 50'	272° 05'	120	SG	875232	7/29	5	148	7	8	1	0	0
6151	500	52° 50'	272° 22'	163	SG	875232	7/30	5	0	9	0	1	0	8
6152	490	52° 50'	272° 38'	52	SG	875231	7/30	5	115	7	5	1	4	0
6153	523273	52° 50'	273° 45'	66	SG	865233	8/3	5	73	7	3	1	46	0
6154	500	53° 00'	270° 58'	216	SG	895300	7/28	5	0	0	0	0	0	17
6155	530272	53° 00'	272° 21'	106	SG	875301	7/29	5	19	0	2	0	0	8
6156	500	53° 10'	270° 57'	64	SG	895300			*Ineffective due to gear issues					
6157	510	53° 20'	270° 39'	200	SG	895300	7/28	5	0	0	0	0	0	0
6281	470	51° 40'	275° 55'		SG	845130		5	* New station					
6282	490	52° 20'	273° 12'		SG	865203		5	* New station					
6283	523274	52° 40'	274° 34'		SG	855232		5	* New station					
6284	523273	52° 50'	273° 28'		SG	865234		5	* New station					
6285	500	52° 60'	271° 48'		SG	885230		5	* New station					
6286	523273	52° 60'	273° 12'		SG	865235		5	* New station					
6612	523272	52° 60'	272° 55'		SE	875302		5	* New station					
6758	470	51° 50'	275° 23'		DE	845130		5	* New station					
6759	480	51° 60'	274° 51'		DE	855130		5	* New station					
6760	480	52° 00'	275° 07'		DE	845202		5	* New station					
6761	480	52° 00'	275° 23'		DE	845202		5	* New station					
6762	480	52° 20'	274° 34'		DE	855200		5	* New station					
6763	520275	52° 20'	275° 23'		DE	845202		5	* New station					
6764	490	52° 40'	272° 38'		DE	875232		5	* New station					
6765	500	52° 60'	272° 05'		DE	875232		5	* New station					
6766	470	51° 60'	275° 39'		DE	845130		5	* New station					
6767	520275	52° 30'	275° 24'		DE	845202		5	* New station					
<b>Totals:</b>									<b>4,186</b>	<b>577</b>	<b>181</b>	<b>74</b>	<b>582</b>	<b>133</b>

<sup>1</sup> Halibut weights listed here are calculated from length-weight tables.

<sup>2</sup> Bycatch numbers extrapolated from 20% subsample.