

# 2014 IPHC Stock Assessment Survey

## Area 2B

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Set <sup>1</sup>	O32 Halibut		U32 Halibut		Bycatch (numbers)		
						Lbs. <sup>2</sup>	#'s	Lbs. <sup>2</sup>	#'s	Sablefish	P. Cod	Rockfish
2001	5/26	48° 20.00'	-125° 38.03'	75	7.2	0	0	0	0	0	0	0
2002	5/26	48° 19.95'	-125° 53.00'	177	7.1	54	1	0	0	6	0	0
2003	5/25	48° 30.02'	-125° 23.09'	78	7.0	106	8	141	17	17	1	0
2004	5/26	48° 29.99'	-125° 38.25'	56	7.1	764	56	675	81	3	1	1
2005	5/26	48° 30.00'	-125° 53.12'	57	7.0	760	48	304	36	0	0	13
2006	5/28	48° 29.76'	-126° 06.08'	103	7.1	73	3	0	0	1	0	1
2007	5/25	48° 40.03'	-125° 07.07'	33	7.0	224	12	35	4	0	0	16
2008	5/25	48° 39.98'	-125° 22.82'	35	7.1	503	37	289	37	0	0	11
2009	5/27	48° 40.00'	-125° 38.17'	62	7.1	349	21	362	44	0	1	0
2010	5/27	48° 40.06'	-125° 53.34'	40	7.0	633	41	746	97	0	0	0
2011	5/28	48° 39.90'	-126° 08.08'	77	7.0	0	0	0	0	0	0	0
2012	5/27	48° 49.99'	-125° 36.88'	23	7.1	449	22	67	8	0	0	12
2013	5/27	48° 50.02'	-125° 53.11'	31	7.0	661	32	189	21	0	0	5
2014	5/28	48° 49.96'	-126° 08.02'	58	7.0	26	2	42	5	0	1	0
2015	5/29	48° 50.02'	-126° 22.87'	96	7.1	75	4	17	2	3	0	0
2016	5/29	48° 59.97'	-126° 07.71'	38	7.0	297	16	244	31	0	1	1
2017	5/29	49° 00.00'	-126° 23.12'	75	7.1	173	12	207	27	2	1	0
2018	5/31	49° 00.03'	-126° 38.05'	117	7.1	238	11	153	21	40	0	2
2019	5/31	49° 09.84'	-126° 22.89'	46	7.0	64	4	128	17	0	3	0
2020	5/30	49° 10.02'	-126° 38.09'	66	7.0	118	9	492	68	0	1	0
2021	5/30	49° 10.01'	-126° 53.06'	95	7.1	0	0	9	1	0	0	0
2023	5/31	49° 20.00'	-126° 23.02'	21	7.2	252	13	130	15	0	0	0
2024	6/5	49° 20.05'	-126° 37.90'	37	7.0	2,245	77	114	14	0	0	41
2025	6/5	49° 20.04'	-126° 52.39'	74	7.0	65	5	255	38	0	0	0
2026	5/30	49° 20.02'	-127° 08.98'	102	7.1	0	0	0	0	0	0	0
2027	6/5	49° 29.99'	-126° 37.87'	22	7.1	1,055	47	112	14	0	0	11
2028	6/5	49° 29.96'	-126° 53.15'	50	7.2	11	1	117	17	0	0	0
2029	6/6	49° 30.00'	-127° 08.84'	80	7.0	130	10	406	54	0	0	1
2030	6/6	49° 39.92'	-127° 09.00'	63	7.2	110	8	208	28	0	0	0
2031	6/6	49° 39.91'	-127° 23.82'	110	7.1	201	9	240	34	3	0	23
2032	6/7	49° 50.00'	-127° 24.00'	43	7.0	601	33	248	29	0	0	0
2033	6/7	49° 50.00'	-127° 40.03'	95	7.2	51	3	87	14	0	0	9
2034	6/7	50° 00.00'	-127° 40.05'	47	7.1	191	10	316	40	0	0	1
2035	6/8	50° 19.75'	-128° 10.97'	88	7.0	631	36	166	19	6	0	96
2037	6/8	50° 29.84'	-128° 26.96'	102	7.1	1,067	54	253	31	13	0	42
2038	6/8	50° 40.02'	-128° 28.02'	48	7.0	283	18	451	63	0	1	17
2039	6/23	50° 40.02'	-128° 44.02'	103	7.1	69	3	72	9	6	1	24
2040	6/18	50° 49.88'	-128° 28.47'	29	7.2	765	42	291	37	0	1	2
2041	6/13	50° 59.98'	-127° 57.17'	61	7.0	249	15	289	41	2	0	0
2042	6/13	51° 00.02'	-128° 13.11'	55	7.2	25	2	87	13	13	3	0
2043	6/13	51° 10.00'	-127° 56.20'	67	7.0	207	11	246	38	2	0	0
2044	6/23	50° 49.85'	-128° 59.58'	49	7.1	813	25	310	42	0	0	9
2045	6/23	50° 49.98'	-129° 16.05'	67	7.0	843	37	520	68	0	0	15
2046	6/18	51° 00.01'	-128° 28.09'	52	7.1	312	19	349	45	0	0	3
2047	6/9	51° 00.00'	-128° 44.07'	36	7.1	347	13	183	24	0	0	3
2048	6/9	50° 59.99'	-128° 59.86'	44	7.1	77	5	157	21	0	0	0
2049	6/10	50° 59.98'	-129° 16.04'	87	7.0	257	15	399	56	0	2	0
2050	6/10	51° 00.01'	-129° 32.09'	131	7.0	1,136	39	128	17	24	0	54
2051	6/13	51° 09.97'	-128° 12.10'	54	7.1	327	15	408	53	0	0	3
2052	6/18	51° 10.17'	-128° 28.06'	107	7.0	102	7	46	5	5	0	0

<sup>1</sup> Standard skate =1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

<sup>2</sup> Weights are calculated from length-weight tables.

# 2014 IPHC Stock Assessment Survey

## Area 2B

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Set <sup>1</sup>	O32 Halibut		U32 Halibut		Bycatch (numbers)		
						Lbs. <sup>2</sup>	#'s	Lbs. <sup>2</sup>	#'s	Sablefish	P. Cod	Rockfish
2053	6/9	51° 09.97'	-128° 44.19'	53	7.2	109	8	527	77	0	0	0
2054	6/9	51° 10.00'	-129° 00.09'	73	7.0	280	16	703	92	0	2	0
2055	6/10	51° 10.03'	-129° 15.98'	146	7.0	749	36	311	37	40	0	8
2056	6/10	51° 10.00'	-129° 31.96'	155	7.1	883	37	237	29	27	0	2
2057	6/14	51° 20.03'	-127° 55.05'	77	7.1	111	6	76	12	4	1	0
2058	6/14	51° 19.98'	-128° 10.93'	45	7.2	96	4	214	31	0	0	3
2059	6/15	51° 20.05'	-128° 26.87'	81	7.0	40	2	74	11	6	1	1
2060	6/15	51° 20.02'	-128° 42.88'	114	7.2	91	6	8	1	4	0	4
2061	6/24	51° 20.00'	-128° 59.22'	133	7.0	1,257	88	458	54	25	0	5
2062	6/24	51° 19.96'	-129° 15.43'	129	7.1	592	43	386	45	2	0	17
2063	6/25	51° 19.99'	-129° 31.04'	112	7.2	532	34	454	56	11	0	4
2064	6/25	51° 20.02'	-129° 47.11'	131	7.0	393	24	149	20	68	0	6
2065	6/14	51° 29.84'	-128° 10.96'	45	7.1	517	19	175	24	0	0	16
2066	6/15	51° 30.04'	-128° 27.31'	102	7.1	416	18	12	2	3	0	3
2067	6/15	51° 30.09'	-128° 42.88'	49	7.1	41	3	251	39	0	0	0
2068	6/24	51° 30.00'	-128° 58.81'	24	7.0	677	41	307	39	0	0	0
2069	6/24	51° 29.98'	-129° 14.80'	26	7.0	1,629	69	571	65	0	0	12
2070	6/25	51° 29.97'	-129° 31.02'	54	7.1	3,176	97	378	43	0	0	43
2071	6/25	51° 29.96'	-129° 47.00'	91	7.0	2,312	85	278	34	38	0	80
2072	6/26	51° 29.96'	-130° 03.04'	159	7.0	780	32	94	11	47	0	32
2073	6/17	51° 40.05'	-128° 25.99'	78	7.0	209	12	181	24	0	0	2
2074	6/16	51° 39.97'	-128° 58.80'	27	7.0	395	27	161	20	0	0	0
2075	6/16	51° 40.06'	-129° 14.87'	31	7.1	733	51	591	76	0	0	0
2076	6/26	51° 40.03'	-129° 31.21'	53	7.0	24	2	38	5	0	0	0
2077	6/26	51° 40.01'	-129° 47.30'	146	7.0	342	17	93	12	70	0	3
2078	6/17	51° 49.99'	-128° 26.25'	71	7.1	356	24	333	42	1	0	15
2079	6/17	51° 49.94'	-128° 42.09'	56	7.0	113	8	354	48	0	3	0
2080	6/16	51° 50.02'	-128° 57.88'	43	7.0	631	46	571	69	0	0	25
2081	6/16	51° 50.13'	-129° 13.96'	65	7.1	76	4	49	6	0	0	3
2082	6/27	51° 49.91'	-129° 30.91'	138	7.2	344	16	86	10	16	0	45
2083	6/28	52° 00.10'	-128° 41.97'	90	7.1	120	9	159	20	1	0	3
2084	6/27	52° 00.00'	-128° 58.14'	74	7.0	1,082	59	850	109	0	0	3
2085	6/27	51° 59.97'	-129° 14.01'	96	7.1	243	13	144	18	0	0	1
2086	6/28	52° 09.86'	-128° 41.03'	119	6.9	88	5	47	7	7	0	24
2087	7/8	51° 40.06'	-130° 03.00'	190	7.0	45	3	48	6	66	0	18
2088	7/8	51° 40.14'	-130° 19.00'	135	7.0	1,044	37	76	9	12	0	7
2089	7/7	51° 50.11'	-129° 47.00'	138	7.0	191	12	106	12	6	1	10
2090	7/8	51° 50.00'	-130° 03.00'	97	7.0	1,092	39	157	18	8	1	32
2091	7/8	51° 50.14'	-130° 19.00'	116	7.0	1,671	66	129	16	4	1	26
2092	8/1	51° 49.88'	-130° 35.00'	163	7.0	1,940	86	179	22	14	0	36
2093	7/9	51° 50.05'	-130° 52.00'	102	7.0	1,193	31	75	10	3	0	80
2094	7/7	51° 58.55'	-129° 26.10'	115	7.0	85	4	106	14	7	1	63
2095	7/7	52° 00.09'	-129° 47.00'	62	7.0	514	29	347	47	0	0	56
2096	8/8	52° 00.15'	-130° 03.00'	75	7.0	1,218	62	835	109	0	0	8
2097	8/1	51° 59.75'	-130° 19.00'	190	7.0	225	8	26	3	96	0	5
2098	8/1	52° 00.00'	-130° 35.00'	134	7.0	907	44	188	24	67	1	3
2099	7/9	52° 00.05'	-130° 52.00'	100	7.0	571	17	181	23	0	1	3
2100	8/9	52° 10.13'	-128° 57.00'	84	7.0	958	37	212	27	9	2	48
2101	8/9	52° 09.88'	-129° 14.00'	93	7.0	407	19	250	30	11	0	2
2102	8/8	52° 10.00'	-129° 29.78'	113	7.0	50	2	0	0	2	1	15

<sup>1</sup> Standard skate =1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

<sup>2</sup> Weights are calculated from length-weight tables.

# 2014 IPHC Stock Assessment Survey

## Area 2B

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Set <sup>1</sup>	O32 Halibut		U32 Halibut		Bycatch (numbers)		
						Lbs. <sup>2</sup>	#'s	Lbs. <sup>2</sup>	#'s	Sablefish	P. Cod	Rockfish
2103	8/8	52° 10.00'	-129° 45.95'	111	7.0	291	11	74	10	0	0	5
2104	8/8	52° 10.18'	-130° 03.00'	86	7.0	523	37	476	56	0	5	0
2105	8/2	52° 09.93'	-130° 19.00'	220	7.0	39	2	9	1	53	0	11
2106	7/11	52° 10.00'	-130° 35.19'	104	7.0	1,578	53	254	31	0	3	6
2107	7/11	52° 09.83'	-130° 52.00'	120	7.0	4,131	155	241	27	1	0	4
2108	8/9	52° 19.89'	-129° 13.00'	81	7.0	1,268	72	593	74	0	3	10
2109	8/7	52° 20.12'	-129° 30.00'	93	7.0	1,790	63	168	20	2	1	30
2110	8/7	52° 20.00'	-129° 45.94'	113	7.0	846	45	84	10	0	1	77
2111	8/7	52° 20.02'	-130° 03.00'	124	7.0	631	30	140	17	1	4	8
2112	8/2	52° 19.51'	-130° 19.00'	194	7.0	218	4	0	0	103	0	9
2113	7/11	52° 19.96'	-130° 35.00'	91	7.0	1,207	43	108	13	0	2	4
2114	7/11	52° 19.93'	-130° 51.99'	78	7.0	663	33	207	26	2	0	2
2115	7/31	52° 29.99'	-129° 31.95'	45	7.0	1,141	38	263	34	0	0	17
2116	7/31	52° 32.12'	-129° 47.41'	97	7.0	723	34	142	17	8	3	15
2117	8/7	52° 29.79'	-130° 02.00'	145	7.0	793	27	33	4	13	0	44
2118	8/2	52° 30.14'	-130° 19.00'	136	7.0	415	15	28	3	42	0	4
2119	7/12	52° 29.89'	-130° 35.00'	65	6.9	907	35	307	39	0	2	30
2120	7/12	52° 30.00'	-130° 51.98'	60	7.0	803	29	123	16	0	4	4
2121	7/31	52° 39.92'	-129° 46.00'	104	7.0	1,013	28	323	41	2	3	26
2122	7/30	52° 39.93'	-130° 02.00'	144	7.0	347	10	48	6	13	0	12
2123	7/30	52° 40.00'	-130° 18.96'	118	7.0	76	4	30	3	13	1	18
2124	7/12	52° 39.91'	-130° 35.03'	82	6.9	1,246	52	143	18	0	5	32
2125	7/30	52° 49.78'	-130° 02.00'	140	7.0	35	1	6	1	36	0	26
2126	7/30	52° 50.00'	-130° 18.96'	113	7.0	13	1	5	1	14	0	13
2127	7/29	53° 00.00'	-129° 44.90'	122	7.0	48	3	29	5	9	2	29
2128	7/29	53° 00.00'	-130° 01.98'	102	7.0	1,265	39	41	5	3	0	15
2129	7/10	52° 29.95'	-131° 08.00'	49	7.0	1,506	77	212	25	0	2	36
2130	7/10	52° 29.94'	-131° 25.00'	84	7.0	375	20	37	4	1	9	11
2131	7/12	52° 40.02'	-130° 52.00'	50	7.0	291	18	161	22	0	0	3
2132	7/10	52° 40.06'	-131° 08.04'	39	6.9	603	33	190	23	0	0	1
2133	8/6	52° 49.72'	-130° 35.00'	62	7.0	279	9	64	8	0	2	7
2134	8/6	52° 50.18'	-130° 52.00'	27	7.0	394	22	42	5	0	0	0
2135	7/29	52° 59.95'	-130° 18.00'	113	7.0	216	8	0	0	37	0	38
2136	8/6	52° 59.79'	-130° 35.00'	50	7.0	293	15	84	10	14	1	0
2137	8/3	53° 10.04'	-130° 18.00'	84	7.0	1,807	54	63	8	0	0	29
2138	8/3	53° 10.00'	-130° 34.98'	102	7.0	155	6	9	1	9	0	18
2139	7/13	53° 10.20'	-130° 52.01'	58	7.0	396	24	79	10	5	12	2
2140	8/3	53° 20.09'	-130° 18.00'	56	7.0	2,885	146	372	42	0	4	7
2141	8/3	53° 19.38'	-130° 35.30'	52	7.0	2,238	99	300	36	0	0	8
2142	7/13	53° 19.87'	-130° 52.00'	73	7.0	691	32	147	17	0	1	0
2143	7/21	53° 20.04'	-132° 49.00'	76	7.0	1,431	50	368	54	0	0	55
2144	7/21	53° 20.02'	-133° 06.00'	133	7.0	1,568	40	28	3	17	0	16
2145	7/13	53° 29.93'	-130° 52.00'	49	7.0	289	21	215	31	0	2	0
2146	7/21	53° 30.09'	-133° 06.00'	202	7.0	295	11	53	7	11	0	98
2147	7/28	53° 39.89'	-130° 35.00'	16	7.0	768	38	164	20	0	0	0
2148	7/28	53° 39.95'	-130° 52.02'	26	7.0	543	30	220	28	0	0	0
2149	7/21	53° 40.30'	-133° 07.00'	80	7.0	1,229	55	622	81	0	0	17
2150	7/28	53° 49.98'	-130° 52.00'	47	7.0	488	34	452	58	2	26	0
2151	7/20	53° 59.95'	-133° 25.00'	42	7.0	2,871	96	437	56	0	0	15
2152	7/24	54° 10.12'	-130° 35.00'	58	7.0	79	3	11	2	0	0	2

<sup>1</sup> Standard skate =1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

<sup>2</sup> Weights are calculated from length-weight tables.

# 2014 IPHC Stock Assessment Survey

## Area 2B

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Set <sup>1</sup>	O32 Halibut		U32 Halibut		Bycatch (numbers)		
						Lbs. <sup>2</sup>	#'s	Lbs. <sup>2</sup>	#'s	Sablefish	P. Cod	Rockfish
2153	7/23	54° 10.04'	-132° 00.04'	37	7.0	377	25	576	78	0	18	0
2154	7/19	54° 09.91'	-132° 17.00'	48	7.0	397	28	792	101	0	23	0
2155	7/19	54° 10.22'	-132° 34.00'	47	7.0	114	9	431	66	3	12	1
2156	7/22	54° 10.09'	-133° 09.00'	37	7.0	2,594	86	354	45	0	0	19
2157	7/20	54° 10.00'	-133° 25.84'	214	7.0	499	16	99	13	34	0	26
2158	7/24	54° 19.91'	-130° 35.00'	49	7.0	93	5	73	9	0	2	4
2159	7/18	54° 19.87'	-131° 09.00'	35	7.0	691	40	395	51	0	13	0
2160	7/18	54° 19.94'	-131° 26.02'	92	7.0	632	42	231	26	5	0	11
2161	7/23	54° 20.00'	-131° 43.03'	101	7.0	880	52	338	42	1	7	10
2162	7/23	54° 20.05'	-132° 01.00'	121	7.0	552	18	50	6	84	7	20
2163	7/19	54° 20.04'	-132° 18.00'	121	7.0	1,435	54	75	9	41	9	39
2164	7/19	54° 19.93'	-132° 35.00'	144	7.0	711	24	57	9	53	2	27
2165	7/22	54° 20.00'	-132° 51.85'	212	7.0	785	17	15	3	119	0	11
2166	7/22	54° 20.16'	-133° 09.00'	249	7.0	1,267	26	36	5	109	0	43
2167	7/20	54° 20.00'	-133° 25.92'	127	7.0	1,930	72	307	40	8	10	35
2168	7/20	54° 20.00'	-133° 42.83'	133	7.0	1,181	53	369	49	1	2	2
2169	7/24	54° 30.00'	-130° 34.80'	61	7.0	122	6	113	15	0	2	1
2170	7/18	54° 30.11'	-131° 09.00'	76	7.0	1,408	95	325	37	4	1	0
2171	7/18	54° 30.00'	-131° 26.01'	61	7.0	913	48	240	29	0	5	23
2172	7/23	54° 30.29'	-131° 44.00'	184	7.0	96	4	10	1	17	0	2
<b>170 Total Effective 2B Stations</b>					<b>Totals</b>	<b>109,925</b>	<b>4,893</b>	<b>36,013</b>	<b>4,617</b>	<b>1,711</b>	<b>245</b>	<b>2,276</b>

<sup>1</sup> Standard skate =1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

<sup>2</sup> Weights are calculated from length-weight tables.