

# 2014 IPHC Stock Assessment Survey

## Area 2C

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Set <sup>1</sup>	O32 Halibut		U32 Halibut		Bycatch (numbers) <sup>3</sup>		
						Lbs. <sup>2</sup>	#'s	Lbs. <sup>2</sup>	#'s	Sablefish	P. Cod	Rockfish
3001	7/3	54° 30.01'	-132° 01.06'	147	7.1	1,410	36	6	1	136	0	61
3002	7/6	54° 29.95'	-132° 18.04'	198	7.0	766	19	42	6	104	0	30
3003	7/6	54° 30.04'	-132° 32.09'	202	7.2	721	19	21	3	92	0	31
3005	7/4	54° 30.07'	-133° 10.12'	117	7.0	1,673	56	175	24	0	20	15
3006	7/4	54° 29.84'	-133° 27.01'	164	4.1	916	30	99	11	0	0	16
3007	7/4	54° 30.02'	-133° 44.00'	139	7.1	1,801	62	207	25	10	20	5
3008	7/2	54° 39.95'	-130° 50.05'	156	7.0	130	7	7	1	30	0	0
3009	7/2	54° 40.02'	-131° 07.91'	109	7.0	587	37	271	36	30	0	25
3010	7/2	54° 39.97'	-131° 25.12'	116	7.0	1,473	77	418	49	20	0	30
3011	7/3	54° 40.05'	-131° 42.27'	221	7.0	365	15	25	3	40	0	10
3012	7/3	54° 40.10'	-131° 59.39'	98	7.0	2,505	111	366	48	35	10	30
3013	7/6	54° 40.00'	-132° 16.77'	59	7.0	1,483	51	613	81	0	40	5
3014	7/5	54° 39.89'	-132° 34.07'	178	7.0	1,105	34	175	23	5	5	20
3015	7/5	54° 39.95'	-132° 50.77'	74	7.0	624	19	89	11	0	15	20
3016	7/12	54° 39.98'	-133° 08.89'	130	7.0	2,356	54	151	21	35	10	40
3017	7/12	54° 40.30'	-133° 25.77'	162	7.0	1,971	62	228	31	20	0	15
3018	7/10	54° 40.08'	-133° 42.91'	133	7.1	2,135	56	182	22	15	10	30
3019	7/10	54° 40.00'	-134° 00.02'	121	7.1	1,339	46	410	56	10	0	15
3020	7/1	54° 49.97'	-131° 07.02'	132	7.0	1,214	51	219	30	35	15	0
3021	6/13	54° 49.92'	-131° 41.82'	226	7.0	358	14	28	3	35	0	15
3022	7/5	54° 49.69'	-132° 34.03'	178	7.0	606	17	168	21	25	0	5
3023	7/12	54° 49.95'	-133° 09.04'	105	7.1	2,005	57	114	16	0	0	71
3024	7/12	54° 50.03'	-133° 26.09'	63	7.1	440	24	472	61	0	0	66
3025	7/10	54° 49.94'	-133° 43.00'	76	7.0	2,299	99	756	93	0	15	30
3026	7/10	54° 50.06'	-134° 01.03'	105	7.0	780	26	134	18	55	5	30
3027	7/1	54° 59.95'	-131° 06.04'	136	7.0	1,225	57	235	30	5	15	0
3028	6/13	54° 59.94'	-131° 41.01'	122	7.1	962	43	205	25	25	5	45
3029	7/11	54° 59.99'	-133° 25.96'	54	7.0	1,637	81	857	106	0	0	70
3030	7/11	55° 00.02'	-133° 43.02'	56	7.0	1,366	76	1,425	181	0	0	5
3031	7/1	55° 10.01'	-131° 05.96'	94	7.0	957	35	172	24	5	5	25
3032	7/14	55° 10.01'	-131° 41.01'	68	7.1	170	8	99	15	0	10	25
3033	7/14	55° 09.91'	-131° 56.02'	176	7.1	1,475	54	181	22	45	10	15
3034	7/11	55° 09.90'	-133° 25.68'	38	7.1	1,802	59	170	20	0	10	81
3035	7/14	55° 19.94'	-131° 58.07'	221	7.0	53	2	9	1	25	0	0
3036	7/14	55° 29.12'	-131° 57.89'	149	7.0	528	18	87	11	40	0	35
3037	7/16	55° 39.94'	-132° 14.92'	220	7.0	583	18	19	3	75	5	5
3038	7/16	55° 45.06'	-132° 27.03'	143	7.0	521	20	53	7	55	0	25
3039	7/16	55° 50.01'	-132° 14.96'	127	7.1	1,391	46	122	16	20	10	25
3040	7/15	55° 59.97'	-132° 32.06'	121	7.1	1,626	54	250	30	20	5	10
3041	7/15	55° 58.36'	-132° 42.05'	220	7.0	172	5	11	1	30	0	5
3042	7/15	56° 10.97'	-132° 50.08'	92	7.0	1,029	32	136	18	0	5	10
3043	7/8	55° 00.00'	-134° 00.65'	82	7.0	1,540	55	233	31	0	15	74
3044	7/8	55° 00.00'	-134° 18.07'	117	7.0	3,127	113	156	18	61	5	9
3045	7/9	55° 10.00'	-133° 43.19'	86	7.0	2,082	146	759	88	0	0	0
3046	7/8	55° 09.99'	-134° 01.06'	94	7.0	2,351	115	288	38	0	0	25
3047	7/9	55° 20.00'	-133° 44.16'	41	7.0	706	40	1,385	182	0	0	0
3048	7/9	55° 20.01'	-134° 00.86'	65	7.0	1,190	74	1,158	147	0	0	0
3049	7/10	55° 20.00'	-134° 19.10'	101	7.0	1,100	47	118	17	10	0	140
3050	7/10	55° 20.00'	-134° 36.23'	111	7.0	1,457	68	238	28	40	5	59
3051	7/7	55° 29.97'	-134° 00.73'	51	7.0	672	24	1,096	158	0	0	5

<sup>1</sup> Standard skate =1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

<sup>2</sup> Weights are calculated from length-weight tables.

<sup>3</sup> Bycatch numbers extrapolated from 20% subsample.

# 2014 IPHC Stock Assessment Survey

## Area 2C

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Set <sup>1</sup>	O32 Halibut		U32 Halibut		Bycatch (numbers) <sup>3</sup>		
						Lbs. <sup>2</sup>	#'s	Lbs. <sup>2</sup>	#'s	Sablefish	P. Cod	Rockfish
3052	7/7	55° 30.01'	-134° 19.00'	92	7.0	1,016	45	219	28	5	10	54
3053	7/10	55° 30.00'	-134° 36.78'	111	7.0	2,486	119	395	49	35	0	0
3054	7/11	55° 30.00'	-134° 54.09'	157	7.0	1,375	57	198	26	35	0	5
3055	7/7	55° 40.00'	-134° 01.03'	106	7.0	1,970	75	174	23	5	0	25
3056	7/7	55° 40.00'	-134° 18.64'	115	7.0	1,453	71	148	19	15	0	5
3057	7/11	55° 40.00'	-134° 37.02'	111	7.0	3,468	157	288	39	0	0	10
3058	7/11	55° 40.00'	-134° 55.20'	109	7.0	3,775	126	251	32	69	10	69
3059	7/17	55° 50.00'	-133° 25.88'	32	7.0	783	30	13	2	0	0	25
3060	7/17	55° 50.01'	-133° 43.93'	68	7.0	625	17	52	6	0	0	50
3061	7/16	55° 50.00'	-134° 02.18'	145	7.0	1,745	52	76	9	25	0	10
3062	7/14	55° 50.00'	-134° 37.27'	82	7.0	1,102	31	183	27	0	0	30
3063	7/4	55° 50.00'	-134° 55.40'	103	7.0	2,671	77	411	50	10	0	0
3064	7/4	55° 50.00'	-135° 12.43'	122	7.0	2,847	107	358	49	20	0	50
3065	7/17	55° 55.00'	-133° 34.63'	40	7.0	600	20	84	11	0	0	24
3066	7/16	56° 00.00'	-134° 02.02'	44	7.0	1,081	35	289	41	0	0	35
3067	7/16	55° 59.77'	-134° 20.00'	43	7.0	2,478	65	332	45	0	0	76
3068	7/14	55° 59.98'	-134° 38.22'	207	7.0	1,632	39	31	4	134	0	35
3069	7/14	56° 00.00'	-134° 54.69'	192	7.0	810	22	95	12	50	0	195
3070	7/4	56° 00.00'	-135° 13.00'	202	7.0	1,244	33	27	4	121	0	44
3071	7/18	56° 10.14'	-133° 44.02'	178	7.0	1,898	53	147	17	45	0	0
3072	7/15	56° 10.04'	-134° 20.09'	73	7.0	2,253	88	358	43	10	5	25
3073	7/3	56° 09.95'	-134° 38.14'	125	7.0	1,567	52	189	22	20	5	45
3074	7/3	56° 09.98'	-134° 56.37'	102	7.0	2,943	113	574	76	115	5	0
3075	7/2	56° 09.99'	-135° 14.45'	155	7.0	846	26	54	7	54	0	10
3076	7/18	56° 10.14'	-133° 44.02'	178	6.6	1,194	36	30	4	9	9	14
3077	7/15	56° 20.02'	-134° 19.96'	85	7.0	943	30	297	38	15	10	20
3078	7/3	56° 19.89'	-134° 56.04'	63	7.0	1,846	49	263	34	10	10	40
3079	7/2	56° 20.02'	-135° 14.48'	88	7.0	1,569	58	479	66	0	15	10
3080	7/2	56° 20.03'	-135° 31.63'	110	7.0	1,155	45	306	42	31	0	0
3081	7/18	56° 29.01'	-133° 44.00'	55	7.0	1,159	28	44	6	0	0	0
3082	7/15	56° 29.93'	-134° 20.03'	58	7.0	1,265	53	379	51	0	10	5
3083	7/1	56° 29.99'	-135° 15.23'	60	7.0	1,101	45	771	119	0	0	5
3084	7/1	56° 30.00'	-135° 33.02'	86	7.0	2,081	52	350	43	0	0	109
3085	7/1	56° 39.78'	-135° 15.00'	25	7.0	1,970	48	48	6	0	0	25
3086	6/30	56° 39.97'	-135° 34.07'	75	7.0	1,345	37	380	52	0	0	84
3087	6/30	56° 40.06'	-135° 52.02'	134	7.0	1,060	45	257	33	130	10	45
3088	5/25	56° 50.00'	-132° 50.61'	111	7.0	380	17	104	16	0	0	0
3089	6/30	56° 50.20'	-135° 52.05'	103	7.0	795	39	436	58	15	10	15
3090	5/25	56° 57.00'	-132° 57.73'	72	7.0	917	52	417	56	0	10	0
3091	5/26	57° 00.00'	-134° 20.88'	190	7.0	1,676	82	267	36	119	0	5
3092	6/29	57° 00.02'	-136° 00.48'	56	7.0	1,077	29	557	81	0	0	45
3093	5/25	57° 03.00'	-133° 05.22'	78	7.0	760	32	316	47	0	5	0
3094	5/26	57° 10.00'	-133° 45.14'	178	7.0	2,263	128	527	68	45	10	0
3095	5/26	57° 10.00'	-134° 03.23'	156	6.7	2,456	110	531	70	42	9	9
3096	5/27	57° 10.30'	-134° 39.80'	159	7.0	518	17	60	8	20	10	15
3097	6/29	57° 10.01'	-135° 54.22'	41	7.0	279	8	299	43	0	0	59
3098	6/29	57° 10.00'	-136° 11.82'	115	7.0	466	28	153	17	69	20	35
3099	5/28	57° 20.02'	-133° 26.30'	75	7.0	998	23	109	16	0	0	0
3100	5/28	57° 19.89'	-133° 45.02'	195	7.0	1,527	80	274	33	40	0	35
3101	5/27	57° 20.16'	-134° 35.99'	165	7.0	845	29	201	26	25	25	60

<sup>1</sup> Standard skate =1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

<sup>2</sup> Weights are calculated from length-weight tables.

<sup>3</sup> Bycatch numbers extrapolated from 20% subsample.

# 2014 IPHC Stock Assessment Survey

## Area 2C

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Set <sup>1</sup>	O32 Halibut		U32 Halibut		Bycatch (numbers) <sup>3</sup>		
						Lbs. <sup>2</sup>	#'s	Lbs. <sup>2</sup>	#'s	Sablefish	P. Cod	Rockfish
3102	6/26	57° 20.04'	-135° 54.97'	49	7.0	1,519	38	43	6	0	0	50
3103	6/26	57° 19.99'	-136° 12.80'	95	7.0	1,248	57	596	83	0	0	50
3104	5/28	57° 29.99'	-133° 44.88'	131	7.0	1,665	67	306	43	15	5	25
3105	5/27	57° 31.09'	-134° 38.00'	151	7.0	571	25	260	35	15	20	25
3106	6/26	57° 30.00'	-136° 14.18'	55	7.0	515	24	458	68	5	5	15
3107	5/29	57° 40.00'	-133° 45.40'	181	7.0	1,685	106	485	58	0	0	0
3108	6/25	57° 40.22'	-136° 32.96'	88	7.0	1,219	64	377	48	0	5	0
3109	5/29	57° 50.03'	-133° 54.07'	181	6.0	1,091	60	321	39	0	0	0
3110	6/25	57° 49.83'	-136° 33.98'	52	7.0	2,058	75	560	69	0	0	59
3111	6/25	57° 49.77'	-136° 52.86'	199	7.0	85	3	12	2	60	0	15
3112	5/29	57° 59.36'	-134° 03.43'	115	8.0	234	9	11	2	0	0	0
3113	6/22	58° 00.00'	-136° 39.91'	57	7.0	1,771	80	487	61	0	5	25
3114	6/21	58° 10.00'	-135° 01.80'	100	7.0	1,382	57	305	41	19	44	15
3115	6/21	58° 10.02'	-135° 19.71'	97	7.0	382	24	211	29	20	5	0
3116	6/22	58° 09.12'	-136° 36.34'	129	7.0	2,379	64	61	8	25	40	35
3117	5/30	58° 12.00'	-134° 24.10'	40	7.0	113	4	24	3	0	5	0
3118	5/30	58° 14.02'	-134° 41.02'	43	7.0	136	3	28	3	0	0	0
3119	6/21	58° 15.01'	-135° 40.06'	57	7.0	634	29	642	87	0	70	0
3120	6/22	58° 15.07'	-136° 26.08'	109	7.0	2,540	60	333	46	0	45	0
3121	5/30	58° 20.09'	-134° 43.00'	41	7.0	134	5	42	5	0	5	0
3122	6/17	58° 20.05'	-135° 01.92'	285	7.0	368	13	13	2	99	0	5
3123	6/17	58° 29.85'	-135° 01.72'	135	7.0	817	30	219	27	15	0	5
3124	6/17	58° 40.12'	-135° 02.98'	157	7.0	865	55	119	14	0	0	0
<b>123 Total Effective 2C Stations</b>					<b>Totals</b>	<b>158,510</b>	<b>6,031</b>	<b>33,552</b>	<b>4,400</b>	<b>2,798</b>	<b>721</b>	<b>3,084</b>

<sup>1</sup> Standard skate =1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

<sup>2</sup> Weights are calculated from length-weight tables.

<sup>3</sup> Bycatch numbers extrapolated from 20% subsample.