

2015 IPHC Stock Assessment Survey Area 2B

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Set ¹	O32 Halibut		U32 Halibut		Bycatch (numbers)		
						Lbs. ²	#'s	Lbs. ²	#'s	Sablefish	P. Cod	Rockfish
2001	8/9	48° 20.12'	-125° 37.95'	77	7.0	49	4	17	2	19	10	0
2002	8/9	48° 20.02'	-125° 52.99'	174	7.0	171	7	0	0	9	0	18
2003	8/8	48° 30.02'	-125° 23.18'	81	7.0	101	8	61	7	57	0	0
2004	8/10	48° 29.93'	-125° 38.00'	54	7.0	764	50	469	56	1	1	0
2005	8/10	48° 29.96'	-125° 53.00'	58	7.0	121	7	30	3	0	1	9
2006	8/9	48° 30.16'	-126° 08.00'	77	7.0	270	15	24	3	75	0	0
2007	8/8	48° 40.12'	-125° 07.15'	33	7.0	665	22	0	0	0	0	58
2008	8/8	48° 39.89'	-125° 22.84'	38	7.0	1,247	55	53	6	0	0	5
2009	8/10	48° 40.26'	-125° 38.00'	68	7.0	276	15	24	3	0	3	0
2010	8/10	48° 40.01'	-125° 52.45'	40	7.0	290	18	411	50	0	0	0
2011	8/11	48° 40.30'	-126° 08.00'	77	7.0	0	0	24	3	10	5	0
2012	8/12	48° 50.17'	-125° 37.02'	25	7.0	219	9	0	0	0	0	14
2013	8/12	48° 50.00'	-125° 52.98'	32	7.0	1,217	49	57	6	0	0	24
2014	8/11	48° 49.85'	-126° 08.00'	59	7.0	51	3	30	4	2	9	0
2015	8/11	48° 49.79'	-126° 22.62'	99	7.0	38	2	63	9	63	0	0
2016	8/7	48° 59.90'	-126° 08.00'	39	7.0	415	29	221	27	0	1	5
2017	8/7	49° 00.00'	-126° 22.79'	77	7.0	473	26	230	29	2	0	0
2018	8/7	49° 00.38'	-126° 37.77'	104	7.0	236	13	24	3	30	0	0
2019	8/4	49° 10.04'	-126° 23.07'	47	7.0	34	1	40	6	0	1	0
2020	8/4	49° 09.98'	-126° 37.95'	69	7.0	139	9	337	41	5	5	1
2021	8/4	49° 10.12'	-126° 53.27'	99	7.0	100	8	23	3	8	1	1
2023	8/2	49° 19.94'	-126° 23.00'	22	7.0	543	26	177	21	0	0	1
2024	8/2	49° 19.80'	-126° 37.85'	41	7.0	664	24	23	3	0	0	57
2025	8/3	49° 20.63'	-126° 53.00'	76	7.0	47	4	192	28	2	0	0
2026	8/3	49° 19.91'	-127° 08.87'	102	7.0	392	24	281	34	91	0	1
2027	8/2	49° 29.81'	-126° 38.00'	22	7.0	510	21	61	7	0	0	4
2028	8/3	49° 29.26'	-126° 52.92'	53	7.0	0	0	131	18	0	0	0
2029	8/1	49° 29.99'	-127° 08.99'	79	7.0	77	6	279	43	5	0	0
2030	8/1	49° 39.88'	-127° 09.59'	64	7.0	166	12	443	62	0	2	0
2031	8/1	49° 39.91'	-127° 23.21'	87	7.0	458	29	254	28	74	0	2
2032	7/31	49° 50.02'	-127° 24.00'	43	7.0	840	38	369	46	0	0	2
2033	7/31	49° 50.22'	-127° 40.00'	97	7.0	172	11	143	18	17	0	27
2034	7/31	50° 00.00'	-127° 40.00'	47	7.0	470	27	394	49	0	0	2
2035	7/30	50° 19.78'	-128° 11.00'	87	7.0	1,107	63	605	75	0	4	7
2037	7/30	50° 29.95'	-128° 27.00'	101	7.0	756	37	217	28	34	1	60
2038	7/30	50° 39.75'	-128° 28.00'	50	7.0	242	15	672	94	0	0	1
2039	7/29	50° 40.18'	-128° 44.02'	102	7.0	314	17	88	11	18	3	7
2040	7/26	50° 50.07'	-128° 28.00'	37	7.0	794	36	256	31	0	0	3
2041	7/11	50° 59.91'	-127° 56.99'	53	7.0	690	23	78	11	0	5	0
2042	7/11	51° 00.01'	-128° 13.00'	56	7.1	201	11	159	20	6	7	11
2043	7/16	51° 10.00'	-127° 56.12'	67	7.0	303	22	488	63	12	0	0
2044	7/29	50° 50.03'	-129° 00.17'	47	7.0	1,306	49	257	34	0	0	5
2045	7/29	50° 50.09'	-129° 16.00'	67	7.0	1,183	45	700	90	0	0	30
2046	7/26	51° 00.13'	-128° 28.00'	53	7.0	219	14	105	15	0	0	0
2047	7/25	51° 00.00'	-128° 44.00'	37	7.0	783	39	246	34	0	0	3
2048	7/25	51° 00.03'	-128° 59.63'	44	7.0	45	3	244	33	0	2	0
2049	7/12	51° 00.00'	-129° 15.88'	87	7.0	73	6	448	62	9	3	0
2050	7/12	51° 00.15'	-129° 32.00'	136	7.0	555	26	102	12	25	0	17
2051	7/11	51° 09.90'	-128° 12.00'	57	6.9	0	0	59	7	5	0	0
2052	7/26	51° 10.13'	-128° 28.00'	106	6.9	63	4	53	8	52	2	2

¹ Standard skate = 1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights calculated from length-weight tables.

2015 IPHC Stock Assessment Survey Area 2B

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Set ¹	O32 Halibut		U32 Halibut		Bycatch (numbers)		
						Lbs. ²	#'s	Lbs. ²	#'s	Sablefish	P. Cod	Rockfish
2053	7/25	51° 09.91'	-128° 44.05'	54	7.0	74	6	486	72	0	0	0
2054	7/25	51° 09.97'	-129° 00.05'	75	7.0	207	14	364	48	0	0	0
2055	7/12	51° 10.00'	-129° 15.95'	147	7.0	672	45	224	27	25	1	6
2056	7/12	51° 09.94'	-129° 32.00'	157	7.0	172	11	97	11	18	0	0
2057	7/16	51° 19.99'	-127° 55.00'	72	7.0	363	17	106	16	7	6	2
2058	7/16	51° 20.00'	-128° 11.54'	44	7.0	17	1	82	13	0	0	0
2059	7/20	51° 20.09'	-128° 26.95'	84	7.0	112	8	187	24	10	1	0
2060	7/21	51° 20.21'	-128° 44.23'	117	7.0	139	10	156	19	25	0	8
2061	7/21	51° 19.88'	-128° 58.59'	134	7.0	873	51	275	33	36	4	4
2062	7/15	51° 20.05'	-129° 15.00'	129	7.0	183	15	191	24	11	1	7
2063	7/15	51° 20.00'	-129° 31.25'	112	7.0	210	14	192	23	7	0	10
2064	7/13	51° 19.95'	-129° 47.00'	133	7.0	200	9	114	14	35	0	11
2065	7/20	51° 30.12'	-128° 11.00'	45	7.0	776	33	88	14	0	0	26
2066	7/20	51° 29.88'	-128° 27.02'	104	7.0	0	0	66	7	34	0	14
2067	7/21	51° 29.69'	-128° 44.69'	38	7.0	23	1	40	6	0	0	0
2068	7/21	51° 30.00'	-128° 59.14'	25	7.0	394	26	198	27	0	0	0
2069	7/15	51° 30.00'	-129° 14.86'	26	7.0	312	14	187	24	0	0	4
2070	7/15	51° 30.12'	-129° 31.00'	53	7.0	4,153	138	664	75	0	0	45
2071	7/13	51° 30.22'	-129° 47.00'	92	7.0	759	32	107	13	26	0	39
2072	7/13	51° 30.05'	-130° 02.99'	158	7.0	359	14	53	6	29	0	30
2073	7/24	51° 39.87'	-128° 26.00'	79	7.0	548	37	453	57	12	1	1
2074	7/14	51° 40.00'	-128° 58.91'	27	7.0	255	16	120	17	0	0	0
2075	7/14	51° 40.00'	-129° 14.69'	31	7.0	129	9	198	24	0	0	0
2076	7/22	51° 40.05'	-129° 30.99'	54	7.0	288	23	1,160	147	0	1	1
2077	7/22	51° 39.88'	-129° 46.98'	139	7.0	567	26	148	17	37	0	17
2078	7/24	51° 49.56'	-128° 26.02'	89	7.0	0	0	10	1	6	0	0
2079	7/24	51° 50.31'	-128° 42.00'	61	7.0	156	12	478	64	2	6	0
2080	7/14	51° 50.00'	-128° 57.92'	45	7.0	458	35	553	69	0	0	24
2081	7/14	51° 50.00'	-129° 13.78'	67	7.0	103	7	151	18	1	0	0
2082	7/22	51° 49.67'	-129° 31.00'	139	7.0	503	22	20	3	19	0	2
2083	7/23	51° 59.93'	-128° 41.96'	91	7.0	66	5	33	4	3	0	2
2084	7/23	51° 59.93'	-128° 58.00'	80	6.9	628	41	535	62	0	10	1
2085	7/23	51° 59.89'	-129° 14.00'	99	7.0	31	2	26	3	0	0	0
2086	7/23	52° 10.57'	-128° 41.89'	130	7.0	212	13	108	15	24	0	4
2087	5/24	51° 40.00'	-130° 03.25'	194	7.0	367	17	156	19	80	0	6
2088	5/24	51° 40.00'	-130° 19.03'	142	7.0	1,666	74	201	26	58	0	26
2089	6/1	51° 49.99'	-129° 46.98'	141	7.0	66	5	79	10	34	0	15
2090	5/29	51° 50.00'	-130° 03.12'	99	7.0	1,564	63	167	20	20	0	65
2091	5/24	51° 50.02'	-130° 18.96'	117	7.0	2,206	97	444	55	7	0	28
2092	5/25	51° 50.07'	-130° 32.83'	152	7.0	3,323	176	706	79	29	0	5
2093	5/25	51° 50.00'	-130° 52.12'	99	7.0	2,081	55	211	24	5	0	176
2094	6/1	51° 58.99'	-129° 27.00'	117	7.0	202	10	60	8	16	0	10
2095	6/1	51° 59.98'	-129° 47.15'	62	7.1	244	11	276	36	0	0	29
2096	5/29	52° 00.00'	-130° 03.11'	76	7.0	518	36	688	90	0	0	0
2097	5/29	52° 00.00'	-130° 19.00'	192	7.0	591	20	107	12	82	0	4
2098	5/25	51° 59.98'	-130° 35.11'	143	7.1	2,038	94	391	49	49	0	5
2099	5/25	51° 59.98'	-130° 51.97'	101	7.1	1,353	66	457	54	2	1	9
2100	6/2	52° 10.00'	-128° 56.98'	90	7.1	258	15	90	11	1	1	13
2101	6/2	52° 10.01'	-129° 12.94'	92	7.1	0	0	31	4	1	0	1
2102	6/3	52° 09.97'	-129° 29.95'	114	7.1	154	8	14	2	30	0	10

¹ Standard skate =1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights calculated from length-weight tables.

2015 IPHC Stock Assessment Survey Area 2B

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Set ¹	O32 Halibut		U32 Halibut		Bycatch (numbers)		
						Lbs. ²	#'s	Lbs. ²	#'s	Sablefish	P. Cod	Rockfish
2103	5/28	52° 09.98'	-129° 46.12'	113	7.0	452	22	97	12	0	1	9
2104	5/28	52° 10.04'	-130° 03.25'	93	7.1	259	20	269	33	11	2	0
2105	5/27	52° 10.21'	-130° 19.12'	219	7.1	67	3	0	0	88	0	5
2106	5/27	52° 09.98'	-130° 35.16'	105	7.1	1,393	86	638	76	0	1	1
2107	5/26	52° 09.97'	-130° 52.03'	123	7.1	1,752	105	604	68	10	0	1
2108	6/2	52° 20.02'	-129° 13.16'	73	7.1	868	55	601	76	1	1	1
2109	6/3	52° 20.01'	-129° 28.86'	89	7.0	1,753	78	642	80	0	1	13
2110	6/3	52° 20.01'	-129° 46.20'	114	7.1	835	40	194	24	6	0	17
2111	5/28	52° 19.89'	-130° 02.68'	120	7.1	271	16	159	21	9	0	6
2112	5/27	52° 19.95'	-130° 19.14'	193	7.0	799	34	25	3	63	0	6
2113	5/26	52° 20.02'	-130° 35.24'	91	7.0	1,042	57	388	48	2	2	9
2114	5/26	52° 20.00'	-130° 52.11'	79	7.0	408	23	332	42	4	4	0
2115	6/4	52° 30.00'	-129° 31.82'	44	7.1	676	20	149	19	0	0	29
2116	6/4	52° 31.99'	-129° 46.83'	96	7.1	904	45	148	19	13	1	16
2117	6/20	52° 29.96'	-130° 02.10'	147	7.1	560	26	72	9	7	0	7
2118	6/20	52° 29.97'	-130° 19.12'	141	7.0	415	15	10	1	17	0	7
2119	6/19	52° 29.98'	-130° 34.84'	66	7.0	1,467	63	422	50	0	0	16
2120	6/19	52° 29.98'	-130° 52.02'	62	7.0	1,746	66	442	54	0	5	10
2121	6/4	52° 39.78'	-129° 46.05'	101	7.0	664	28	288	37	12	4	5
2122	6/20	52° 39.98'	-130° 01.82'	145	7.1	124	6	39	5	12	0	18
2123	6/20	52° 40.00'	-130° 18.79'	121	7.0	485	21	18	2	11	3	38
2124	6/19	52° 39.98'	-130° 35.18'	78	7.1	730	50	373	44	0	0	7
2125	6/5	52° 49.97'	-130° 01.88'	140	7.1	294	15	82	10	14	0	22
2126	6/21	52° 50.03'	-130° 18.95'	114	7.1	277	10	42	5	17	0	8
2127	6/5	53° 00.02'	-129° 44.87'	125	7.1	82	6	62	7	27	0	24
2128	6/5	52° 59.99'	-130° 01.71'	101	7.1	516	21	94	11	10	3	8
2129	6/18	52° 30.05'	-131° 07.66'	48	7.1	2,167	115	508	60	0	0	20
2130	6/18	52° 30.00'	-131° 24.98'	66	7.0	1,043	47	88	11	3	2	17
2131	6/19	52° 39.99'	-130° 52.20'	51	7.1	469	20	158	19	2	0	0
2132	6/18	52° 40.00'	-131° 08.04'	41	7.1	1,031	45	133	17	0	0	3
2133	6/21	52° 50.02'	-130° 35.03'	62	7.1	305	18	251	30	0	0	1
2134	6/21	52° 50.01'	-130° 52.10'	28	7.1	179	9	8	1	0	0	0
2135	6/22	53° 00.02'	-130° 18.27'	114	7.1	365	19	21	2	18	0	48
2136	6/23	52° 59.98'	-130° 35.23'	53	7.1	315	18	141	18	0	2	0
2137	6/22	53° 10.01'	-130° 18.06'	86	7.1	1,236	41	155	19	5	3	8
2138	6/23	53° 09.98'	-130° 34.82'	105	7.0	291	14	76	10	5	0	3
2139	6/23	53° 10.01'	-130° 51.77'	59	7.1	604	37	124	14	0	0	2
2140	6/22	53° 20.01'	-130° 18.02'	64	7.1	1,245	59	246	30	1	10	7
2141	6/6	53° 19.98'	-130° 34.89'	52	7.1	1,718	76	415	51	0	0	10
2142	6/6	53° 20.02'	-130° 51.77'	76	7.2	837	44	164	21	8	13	1
2143	6/11	53° 20.02'	-132° 49.20'	78	7.0	1,270	46	409	56	0	0	23
2144	6/11	53° 20.00'	-133° 06.05'	145	7.0	714	25	42	5	16	0	32
2145	6/6	53° 29.96'	-130° 52.09'	50	7.1	118	8	174	22	6	10	0
2146	6/12	53° 29.96'	-133° 05.87'	206	7.0	493	22	227	28	73	0	44
2147	6/28	53° 39.99'	-130° 35.16'	24	7.1	550	27	288	42	0	0	1
2148	6/28	53° 40.02'	-130° 52.28'	24	7.1	1,415	54	366	47	0	0	0
2149	6/12	53° 39.85'	-133° 07.01'	80	7.0	1,036	46	368	50	0	0	32
2150	6/28	53° 49.99'	-130° 52.04'	48	7.1	673	45	282	36	2	0	0
2151	6/13	53° 59.88'	-133° 25.04'	40	7.1	1,647	57	510	62	0	0	18
2152	6/29	54° 09.98'	-130° 35.19'	64	7.1	234	8	58	8	4	2	0

¹ Standard skate =1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights calculated from length-weight tables.

2015 IPHC Stock Assessment Survey Area 2B

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Set ¹	O32 Halibut		U32 Halibut		Bycatch (numbers)		
						Lbs. ²	#'s	Lbs. ²	#'s	Sablefish	P. Cod	Rockfish
2153	6/14	54° 09.99'	-131° 59.83'	39	7.1	327	24	895	122	0	4	0
2154	6/14	54° 10.05'	-132° 17.20'	49	7.0	222	11	540	78	3	5	0
2155	6/9	54° 09.97'	-132° 33.69'	46	7.1	380	13	566	88	0	24	9
2156	6/13	54° 10.01'	-133° 09.11'	32	7.0	2,756	85	230	29	0	0	24
2157	6/13	54° 10.00'	-133° 26.02'	215	7.0	463	18	111	15	54	0	5
2158	6/29	54° 20.00'	-130° 34.80'	50	7.1	335	13	128	17	0	0	7
2159	6/26	54° 19.83'	-131° 09.13'	34	7.2	120	9	403	62	1	7	0
2160	6/27	54° 19.98'	-131° 26.00'	94	7.1	575	42	410	46	14	4	54
2161	6/27	54° 19.98'	-131° 43.03'	103	7.2	1,499	89	713	85	3	3	13
2162	6/14	54° 19.98'	-132° 00.99'	134	7.1	537	20	34	4	65	0	8
2163	6/14	54° 19.98'	-132° 18.16'	114	7.0	1,245	51	103	14	19	4	9
2164	6/9	54° 19.98'	-132° 35.00'	144	7.1	440	17	119	16	84	2	28
2165	6/9	54° 20.01'	-132° 51.97'	215	7.1	550	20	87	10	107	0	11
2166	6/10	54° 20.03'	-133° 09.02'	253	7.0	996	30	92	11	113	0	28
2167	6/10	54° 20.05'	-133° 26.09'	124	7.0	2,795	107	326	40	7	3	41
2168	6/10	54° 20.05'	-133° 42.92'	136	7.1	1,340	69	589	73	7	0	0
2169	6/29	54° 29.99'	-130° 35.03'	61	7.0	750	41	265	35	0	0	0
2170	6/26	54° 29.95'	-131° 08.95'	76	7.0	1,121	74	412	51	3	15	0
2171	6/26	54° 30.02'	-131° 26.05'	69	7.1	1,193	63	683	81	4	13	7
2172	6/27	54° 29.99'	-131° 43.77'	184	7.1	116	7	33	5	47	0	10
170 Total Effective 2B Stations					Totals	106,974	5,070	39,752	5,039	2,420	253	1,844

¹ Standard skate =1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights calculated from length-weight tables.