

2016 IPHC Stock Assessment Survey

Area 2C

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Set ¹	O32 Halibut		U32 Halibut		Bycatch (numbers) ³		
						Lbs. ²	#'s	Lbs. ²	#'s	Sablefish	P. Cod	Rockfish
3001	6/13	54° 29.94'	-132° 01.03'	147	6.1	1,537	55	62	7	91	0	20
3002	6/11	54° 30.00'	-132° 17.99'	198	6.1	343	15	29	3	51	0	10
3003	6/11	54° 29.98'	-132° 34.99'	205	4.1	434	16	16	2	62	0	19
3005	6/10	54° 30.09'	-133° 09.98'	107	6.0	1,640	61	206	22	0	0	144
3006	6/10	54° 29.98'	-133° 26.98'	165	6.1	1,343	57	131	16	25	0	10
3007	6/10	54° 29.92'	-133° 44.09'	139	6.0	963	45	192	21	20	0	5
3008	5/31	54° 39.97'	-130° 50.12'	150	6.0	734	27	76	9	25	0	0
3009	5/31	54° 40.02'	-131° 08.08'	116	6.0	373	27	320	37	5	0	0
3010	5/31	54° 40.00'	-131° 25.02'	124	6.0	459	29	309	37	15	10	15
3011	6/1	54° 40.04'	-131° 41.95'	220	6.0	506	28	74	8	53	0	0
3012	6/13	54° 39.98'	-131° 58.93'	108	6.0	1,347	67	253	29	5	5	64
3013	6/12	54° 40.00'	-132° 16.84'	59	6.0	1,608	80	806	101	0	5	15
3014	6/12	54° 39.95'	-132° 33.92'	103	6.1	1,874	69	220	26	0	0	35
3015	6/11	54° 39.98'	-132° 51.08'	76	6.0	1,655	65	227	25	0	5	15
3016	6/8	54° 39.98'	-133° 09.28'	126	6.0	757	20	69	9	10	10	20
3017	6/8	54° 40.10'	-133° 26.05'	164	6.0	1,315	50	235	30	25	5	40
3018	6/9	54° 40.05'	-133° 42.98'	132	6.0	1,476	55	224	25	5	25	0
3019	6/9	54° 39.95'	-133° 59.98'	122	6.0	1,342	57	275	33	50	0	10
3020	5/30	54° 50.02'	-131° 06.98'	134	6.1	930	38	273	34	5	0	0
3021	6/1	54° 50.02'	-131° 41.99'	234	6.0	572	33	155	18	50	0	10
3022	6/12	54° 50.00'	-132° 34.02'	182	6.0	514	27	158	20	60	5	20
3023	6/8	54° 50.02'	-133° 09.06'	109	6.0	1,798	64	137	15	0	0	25
3024	6/8	54° 49.99'	-133° 25.97'	62	6.0	56	4	434	71	0	0	40
3025	6/9	54° 50.01'	-133° 43.04'	75	6.1	1,855	85	973	119	0	10	15
3026	6/9	54° 50.01'	-134° 01.03'	106	6.0	645	25	188	24	0	0	25
3027	5/30	55° 00.00'	-131° 06.06'	135	6.1	983	40	151	19	10	5	5
3028	6/1	55° 00.05'	-131° 41.00'	116	6.0	479	25	176	21	0	5	25
3029	6/7	55° 00.00'	-133° 26.08'	48	6.1	885	29	177	23	0	0	36
3030	6/7	55° 00.00'	-133° 43.03'	56	6.0	914	18	442	70	0	0	0
3031	5/30	55° 09.87'	-131° 05.98'	86	6.1	748	23	80	11	0	10	10
3032	6/2	55° 10.04'	-131° 41.01'	68	6.0	62	1	41	5	0	5	15
3033	6/2	55° 10.04'	-131° 55.98'	171	6.0	421	18	42	5	10	10	20
3034	6/7	55° 09.95'	-133° 25.92'	40	6.0	1,401	33	52	6	0	0	40
3035	6/2	55° 20.14'	-131° 58.14'	221	6.0	117	5	10	1	0	0	0
3036	6/2	55° 28.98'	-131° 57.95'	156	6.0	669	23	74	9	25	0	20
3037	6/3	55° 40.05'	-132° 15.15'	213	6.1	339	14	91	11	35	0	5
3038	6/3	55° 44.97'	-132° 26.96'	132	6.0	1,058	31	94	12	5	15	10
3039	6/3	55° 50.02'	-132° 14.84'	124	6.0	1,231	42	110	14	0	20	15
3040	6/4	55° 59.97'	-132° 31.96'	118	6.0	936	30	134	19	5	15	15
3041	6/4	56° 01.09'	-132° 45.05'	194	6.0	225	13	63	8	5	0	0
3042	6/4	56° 10.93'	-132° 49.94'	83	6.0	1,667	47	113	14	0	25	20
3043	6/21	55° 00.00'	-134° 01.14'	83	6.0	1,432	57	234	28	0	0	15
3044	6/21	55° 00.00'	-134° 18.03'	117	6.0	2,150	99	327	36	0	0	0
3045	6/22	55° 10.00'	-133° 42.98'	87	5.9	842	57	530	63	5	0	0
3046	6/21	55° 10.04'	-134° 01.00'	93	6.0	2,246	134	482	56	0	0	0
3047	6/22	55° 20.00'	-133° 44.00'	39	6.0	888	30	372	51	0	0	10
3048	6/21	55° 20.00'	-134° 01.05'	64	5.9	280	18	579	80	0	0	0
3049	6/20	55° 20.05'	-134° 18.94'	100	6.0	2,272	88	331	39	0	0	30
3050	6/20	55° 20.00'	-134° 36.07'	111	6.0	2,511	108	363	40	5	0	30
3051	6/23	55° 30.00'	-134° 01.02'	49	6.0	1,184	40	357	46	0	0	25

¹ Standard skate =1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights are calculated from length-weight tables.

³ Bycatch numbers extrapolated from 20% subsample.

2016 IPHC Stock Assessment Survey

Area 2C

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Set ¹	O32 Halibut		U32 Halibut		Bycatch (numbers) ³		
						Lbs. ²	#'s	Lbs. ²	#'s	Sablefish	P. Cod	Rockfish
3052	6/23	55° 30.00'	-134° 18.99'	91	6.0	990	60	562	67	0	0	5
3053	6/20	55° 30.02'	-134° 37.02'	111	6.0	2,587	119	270	30	20	5	0
3054	6/14	55° 30.00'	-134° 54.30'	159	6.0	1,485	66	207	23	5	0	5
3055	6/23	55° 39.97'	-134° 01.17'	109	6.0	1,761	106	422	49	0	20	0
3056	6/23	55° 40.00'	-134° 19.07'	114	6.0	312	17	33	4	10	0	10
3057	6/14	55° 40.03'	-134° 36.86'	112	6.0	1,867	66	152	18	0	10	0
3058	6/14	55° 40.00'	-134° 55.32'	110	6.0	1,236	47	159	19	25	0	50
3059	6/29	55° 50.02'	-133° 25.98'	41	6.0	228	7	31	4	0	0	5
3060	6/29	55° 50.00'	-133° 43.97'	66	6.0	470	17	45	6	0	0	20
3061	7/1	55° 50.00'	-134° 01.98'	155	6.0	917	35	81	10	20	0	5
3062	6/28	55° 50.04'	-134° 36.99'	83	6.0	438	16	141	18	20	5	60
3063	6/19	55° 50.03'	-134° 54.95'	101	6.0	1,211	51	178	21	5	0	5
3064	6/19	55° 50.02'	-135° 13.00'	135	6.0	475	19	43	5	25	0	25
3065	6/29	55° 55.00'	-133° 34.98'	39	6.0	517	20	17	2	0	0	0
3066	7/1	56° 00.00'	-134° 01.95'	58	6.0	940	39	448	59	0	0	0
3067	7/1	56° 00.00'	-134° 19.83'	50	6.0	1,926	54	218	27	0	15	40
3068	6/28	56° 00.04'	-134° 38.01'	207	6.0	2,314	63	58	7	105	0	15
3069	6/28	56° 00.00'	-134° 55.05'	196	5.9	1,005	31	6	1	64	0	39
3070	6/19	56° 00.05'	-135° 13.39'	202	6.0	1,418	52	56	6	45	0	10
3071	6/30	56° 10.00'	-133° 43.69'	146	6.0	2,302	68	128	16	10	0	5
3072	7/2	56° 09.98'	-134° 20.07'	72	5.9	3,030	133	700	82	0	10	10
3073	6/27	56° 09.96'	-134° 38.00'	141	6.0	1,562	52	142	17	50	5	35
3074	6/27	56° 10.00'	-134° 55.81'	101	6.0	2,331	116	294	33	20	0	5
3075	6/13	56° 09.96'	-135° 13.56'	155	6.0	1,145	47	93	11	70	0	0
3076	6/30	56° 19.99'	-133° 43.99'	73	6.0	641	16	28	3	0	0	20
3077	7/2	56° 20.07'	-134° 20.00'	82	6.0	1,225	45	162	20	10	5	35
3078	6/27	56° 20.02'	-134° 56.00'	61	6.0	1,015	24	246	31	0	0	20
3079	6/13	56° 19.99'	-135° 14.36'	87	6.0	1,323	62	461	59	0	0	40
3080	6/13	56° 20.02'	-135° 31.71'	110	6.1	580	26	191	24	0	0	0
3081	6/30	56° 29.01'	-133° 44.02'	54	6.0	1,736	64	41	6	30	30	5
3082	7/2	56° 30.14'	-134° 20.02'	52	6.0	931	52	721	91	0	0	5
3083	7/28	56° 30.02'	-135° 14.91'	59	6.0	1,396	52	647	83	0	0	30
3084	7/28	56° 30.00'	-135° 33.02'	85	5.9	1,118	34	97	10	0	0	132
3085	7/28	56° 40.01'	-135° 15.04'	23	6.0	838	26	0	0	0	0	10
3086	7/29	56° 39.98'	-135° 33.99'	73	5.9	2,684	82	234	27	0	0	54
3087	7/29	56° 39.99'	-135° 51.99'	132	5.9	1,508	66	56	6	25	0	20
3088	7/5	56° 50.05'	-132° 49.99'	112	6.0	389	13	95	13	0	0	0
3089	7/29	56° 50.02'	-135° 52.00'	103	5.9	1,161	61	68	7	25	0	5
3090	7/5	56° 57.00'	-132° 58.15'	72	5.8	149	8	66	10	0	0	0
3091	7/6	56° 59.95'	-134° 21.02'	190	5.9	1,632	76	215	24	69	0	5
3092	7/30	57° 00.05'	-136° 00.00'	55	5.9	1,017	41	434	49	0	0	59
3093	7/5	57° 03.00'	-133° 05.00'	74	6.0	212	9	110	15	0	5	0
3094	7/6	57° 10.01'	-133° 45.09'	180	6.0	1,406	68	193	22	64	5	15
3095	7/6	57° 09.99'	-134° 03.06'	158	6.0	1,238	60	224	27	60	5	0
3096	7/8	57° 09.99'	-134° 40.04'	192	6.0	475	18	16	2	25	10	35
3097	7/30	57° 09.98'	-135° 54.00'	35	6.0	1,573	38	201	28	0	0	10
3098	7/30	57° 10.04'	-136° 12.00'	115	5.9	1,347	78	235	25	10	0	0
3099	7/9	57° 19.99'	-133° 26.01'	76	6.0	230	11	224	28	0	0	0
3100	7/9	57° 20.00'	-133° 45.03'	176	6.0	1,599	83	155	17	55	10	0
3101	7/7	57° 20.01'	-134° 35.88'	183	5.9	583	27	200	25	25	20	5

¹ Standard skate =1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights are calculated from length-weight tables.

³ Bycatch numbers extrapolated from 20% subsample.

2016 IPHC Stock Assessment Survey

Area 2C

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Set ¹	O32 Halibut		U32 Halibut		Bycatch (numbers) ³		
						Lbs. ²	#'s	Lbs. ²	#'s	Sablefish	P. Cod	Rockfish
3102	7/31	57° 19.91'	-135° 55.02'	40	5.9	527	13	0	0	0	0	49
3103	7/31	57° 20.02'	-136° 12.88'	94	5.8	1,256	67	492	54	0	10	44
3104	7/9	57° 29.97'	-133° 44.88'	126	5.9	1,351	63	276	33	10	5	10
3105	7/7	57° 31.00'	-134° 38.03'	183	5.9	598	29	285	35	88	10	44
3106	7/31	57° 30.01'	-136° 14.01'	46	5.9	394	24	198	24	0	0	64
3107	7/12	57° 40.00'	-133° 45.00'	182	6.0	890	48	291	35	0	0	0
3108	8/3	57° 39.99'	-136° 33.00'	90	6.0	790	40	126	15	5	5	0
3109	7/12	57° 50.01'	-133° 54.03'	183	6.0	412	24	141	17	0	0	0
3110	8/3	57° 49.98'	-136° 34.01'	50	6.1	1,442	68	530	68	0	0	20
3111	8/3	57° 50.00'	-136° 53.00'	210	6.0	12	1	8	1	114	0	45
3112	7/12	58° 00.00'	-134° 04.01'	121	6.0	149	7	6	1	0	0	0
3113	7/17	58° 00.01'	-136° 40.03'	56	6.0	1,108	67	632	80	0	0	10
3114	7/15	58° 10.02'	-135° 00.99'	99	6.0	800	31	104	14	15	35	20
3115	7/15	58° 09.99'	-135° 20.00'	90	6.0	603	27	128	16	5	5	0
3116	7/16	58° 10.04'	-136° 36.00'	137	6.0	1,920	52	29	3	35	5	35
3117	7/13	58° 12.15'	-134° 23.54'	39	6.0	317	8	0	0	0	0	0
3118	7/13	58° 14.01'	-134° 41.02'	37	5.9	361	12	0	0	0	5	0
3119	7/15	58° 15.00'	-135° 40.05'	58	5.9	965	50	419	53	0	15	0
3120	7/16	58° 15.00'	-136° 25.96'	100	6.0	1,654	35	94	10	5	10	0
3121	7/13	58° 20.04'	-134° 43.05'	35	5.9	407	22	67	7	0	0	0
3122	7/14	58° 20.04'	-135° 02.00'	314	6.0	337	18	9	1	30	0	5
3123	7/14	58° 30.09'	-135° 02.04'	153	6.0	882	44	170	19	0	0	0
3124	7/14	58° 40.00'	-135° 03.02'	156	6.0	339	19	93	11	15	0	0
123 Total Effective 2C Stations					Totals	129,999	5,332	25,367	3,112	1,873	452	2,099

¹ Standard skate =1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights are calculated from length-weight tables.

³ Bycatch numbers extrapolated from 20% subsample.