

# 2003 IPHC Stock Assessment Survey

## Area 3B

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Set <sup>1</sup>	Legal Halibut		Sublegal Halibut		Bycatch (numbers) <sup>3</sup>		
						Lbs. <sup>2</sup>	#'s	Lbs. <sup>2</sup>	#'s	Sablefish	P. Cod	Rockfish
5001	9/4	56° 00.00'	153° 36.13'	51	8.0	3,819	164	1,329	183	0	0	0
5002	9/4	56° 00.00'	153° 54.11'	69	8.0	3,019	158	1,226	165	0	16	0
5003	9/6	56° 00.02'	154° 14.51'	59	7.9	2,674	115	503	63	0	8	0
5004	9/6	56° 00.02'	154° 29.93'	244	8.0	180	8	0	0	152	0	8
5005	9/1	55° 59.86'	154° 48.01'	122	8.0	1,506	70	144	16	144	0	0
5006	9/1	55° 59.92'	155° 06.00'	32	7.9	617	28	478	62	0	212	0
5007	9/4	56° 10.00'	153° 36.19'	88	8.0	2,002	112	526	62	0	192	0
5008	9/3	56° 10.00'	153° 53.11'	124	7.9	1,685	83	135	15	141	0	0
5009	9/6	56° 09.96'	154° 10.96'	65	8.0	1,530	99	1,100	133	0	103	0
5010	9/2	56° 10.00'	154° 29.01'	51	8.0	3,744	137	1,019	133	0	89	0
5011	9/2	56° 10.00'	154° 47.01'	44	7.9	427	25	408	61	0	133	0
5013	8/4	56° 09.86'	155° 23.00'	20	5.8	1,639	81	677	82	0	0	0
5014	8/4	56° 09.94'	155° 41.00'	33	8.0	1,400	69	1,211	162	0	0	0
5015	9/3	56° 20.00'	153° 51.05'	48	8.0	2,280	83	484	66	0	40	0
5016	9/3	56° 20.00'	154° 10.17'	50	8.0	664	25	145	19	0	214	0
5017	9/2	56° 20.00'	154° 28.06'	34	8.0	1,322	72	270	36	0	0	0
5018	8/5	56° 20.09'	155° 22.00'	25	8.0	1,316	91	1,531	179	0	0	0
5019	8/5	56° 19.98'	155° 40.00'	39	7.9	879	41	452	69	0	8	0
5020	8/6	56° 30.00'	155° 21.00'	28	7.9	1,137	62	947	147	0	31	0
5021	8/5	56° 29.98'	155° 39.00'	63	8.0	1,418	78	251	30	0	170	0
5022	8/25	56° 39.95'	155° 02.06'	21	7.9	2,206	87	430	58	0	8	0
5024	8/6	56° 40.00'	155° 37.99'	130	8.0	1,630	69	82	9	64	48	0
5025	8/7	56° 39.95'	155° 56.00'	158	8.0	1,280	62	84	9	87	40	0
5026	8/31	56° 49.95'	154° 24.00'	34	8.0	268	6	26	3	0	0	0
5027	8/31	56° 49.95'	154° 42.00'	26	8.0	764	40	528	79	0	0	0
5028	8/25	56° 49.96'	155° 00.00'	40	8.0	1,193	52	508	67	0	143	0
5029	8/25	56° 49.83'	155° 19.06'	124	7.8	905	45	62	8	39	39	0
5030	8/7	56° 49.99'	155° 36.99'	151	8.0	2,009	93	69	7	40	72	0
5031	8/7	56° 50.00'	155° 55.00'	161	7.9	1,037	49	56	6	172	94	0
5032	8/23	56° 59.87'	154° 41.00'	22	7.9	2,551	78	408	64	0	0	0
5033	8/24	56° 59.98'	154° 59.00'	58	8.0	816	47	536	72	0	71	0
5034	8/24	56° 59.94'	155° 18.00'	136	8.0	1,276	64	46	5	60	60	0
5035	8/8	56° 59.98'	155° 36.01'	152	3.3	587	27	20	2	49	16	0
5036	8/8	57° 00.05'	155° 54.00'	161	7.3	1,465	63	12	2	120	97	0
5037	8/23	57° 09.96'	154° 40.00'	32	7.9	2,462	103	366	48	0	0	0
5038	8/23	57° 10.00'	154° 58.00'	108	8.0	471	26	110	12	24	40	0
5039	8/24	57° 09.96'	155° 16.00'	133	8.0	1,012	49	89	9	56	56	0
5040	8/8	57° 09.93'	155° 35.00'	148	7.9	1,300	59	55	6	110	86	0
5041	8/18	57° 09.89'	155° 53.00'	134	8.0	1,376	64	100	12	104	192	0
5042	8/22	57° 19.99'	154° 57.09'	104	8.0	2,135	92	228	25	88	16	0
5043	8/22	57° 19.97'	155° 14.99'	133	8.0	1,259	65	61	7	80	40	0
5044	8/21	57° 19.99'	155° 34.19'	154	8.0	1,089	54	54	6	40	48	0
5045	8/21	57° 20.00'	155° 52.23'	59	8.0	1,875	95	527	67	0	48	0
5046	8/18	57° 20.03'	156° 11.00'	68	8.0	1,483	58	160	22	8	128	0
5047	8/22	57° 29.95'	155° 14.00'	140	8.0	1,612	65	27	3	95	87	0
5096	6/16	54° 49.98'	157° 32.98'	199	8.0	40	2	0	0	176	0	8
5097	6/17	54° 49.99'	157° 49.73'	93	8.0	3,755	221	455	50	16	87	0
5098	6/16	54° 59.86'	157° 15.00'	106	8.0	2,592	156	329	36	8	64	8
5099	6/16	55° 00.00'	157° 31.83'	54	8.0	4,515	250	1,247	144	0	32	0
5100	6/17	54° 59.98'	157° 50.23'	45	8.0	2,929	170	2,102	248	0	8	32

<sup>1</sup> Standard skate = 1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

<sup>2</sup> Weights are calculated from length-weight tables.

<sup>3</sup> Bycatch numbers extrapolated from 20% subsample.

# 2003 IPHC Stock Assessment Survey

## Area 3B

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Set <sup>1</sup>	Legal Halibut		Sublegal Halibut		Bycatch (numbers) <sup>3</sup>		
						Lbs. <sup>2</sup>	#'s	Lbs. <sup>2</sup>	#'s	Sablefish	P. Cod	Rockfish
5101	6/17	55° 00.00'	158° 07.13'	71	8.0	1,286	70	1,042	139	0	128	0
5102	6/14	55° 10.02'	156° 22.70'	277	8.0	0	0	0	0	127	0	16
5103	6/14	55° 10.25'	156° 39.91'	277	8.0	0	0	0	0	143	0	0
5104	6/15	55° 09.96'	156° 57.00'	86	8.0	868	50	96	10	152	48	0
5105	6/15	55° 10.01'	157° 14.04'	60	8.0	3,504	202	1,290	150	0	24	0
5106	6/19	55° 10.00'	157° 32.03'	47	8.0	2,390	133	1,816	231	0	8	0
5107	6/19	55° 09.99'	157° 49.14'	43	8.0	1,133	51	1,468	189	0	180	0
5108	6/18	55° 10.06'	158° 07.00'	57	8.0	3,132	162	1,589	207	0	40	0
5109	6/14	55° 19.75'	156° 38.98'	65	8.0	4,429	258	1,246	144	0	40	0
5110	6/15	55° 20.02'	156° 56.13'	51	8.0	2,859	144	1,717	208	0	0	0
5111	6/20	55° 20.21'	157° 13.95'	49	8.0	1,021	64	1,740	239	0	40	0
5112	6/20	55° 20.19'	157° 32.53'	47	8.0	1,100	58	1,302	167	0	232	0
5113	6/19	55° 20.00'	157° 48.85'	45	8.0	1,045	40	1,775	249	0	111	0
5114	6/18	55° 20.01'	158° 05.99'	60	8.0	1,391	77	1,275	169	8	24	0
5115	6/18	55° 19.92'	158° 23.98'	80	8.0	2,458	124	678	83	48	48	0
5116	6/21	55° 30.01'	156° 37.81'	100	8.0	1,405	74	285	32	158	55	16
5117	6/21	55° 30.00'	156° 54.99'	49	8.0	5,497	273	1,234	144	0	8	0
5118	6/20	55° 30.14'	157° 12.98'	48	8.0	2,122	122	1,726	208	0	8	0
5119	6/28	55° 30.50'	157° 31.48'	50	8.0	391	21	868	121	0	240	0
5120	6/27	55° 29.97'	157° 48.00'	53	8.0	1,620	88	1,196	152	8	127	0
5121	6/27	55° 30.00'	158° 06.12'	70	8.0	1,050	60	469	61	40	8	0
5122	6/26	55° 30.02'	158° 23.99'	79	8.0	942	41	345	45	32	8	0
5123	6/21	55° 39.95'	156° 55.01'	49	8.0	1,907	110	1,806	224	0	0	0
5124	6/28	55° 40.02'	157° 13.04'	46	8.0	303	15	837	114	0	246	0
5125	6/28	55° 40.00'	157° 30.16'	53	8.0	1,714	97	1,241	160	0	79	0
5126	6/29	55° 39.93'	157° 47.99'	74	8.0	646	37	369	48	0	112	0
5127	6/27	55° 40.11'	158° 06.02'	68	8.0	2,140	119	801	104	0	8	0
5128	6/26	55° 40.03'	158° 22.99'	71	8.0	1,976	110	495	63	8	24	0
5129	6/26	55° 39.98'	158° 41.16'	48	8.0	1,638	88	2,105	295	0	0	0
5130	6/30	55° 50.01'	157° 12.09'	55	8.0	2,257	136	1,580	196	0	16	0
5131	6/30	55° 49.91'	157° 29.99'	57	8.0	1,686	97	1,202	160	0	103	0
5132	6/29	55° 49.78'	157° 48.01'	65	8.0	2,689	143	688	86	0	16	0
5133	6/25	55° 49.97'	158° 05.00'	46	8.0	2,367	97	1,673	223	0	0	0
5134	6/25	55° 49.99'	158° 22.96'	60	8.0	3,235	148	1,279	164	0	8	0
5135	6/30	56° 00.03'	157° 29.00'	66	8.0	1,805	102	996	126	0	40	0
5136	6/29	55° 59.94'	157° 47.00'	66	8.0	2,029	113	1,004	130	0	8	0
5137	6/25	55° 59.97'	158° 04.97'	47	8.0	847	34	587	83	0	16	0
5138	6/24	56° 09.99'	157° 47.04'	86	8.0	3,441	107	125	14	0	88	0
5139	6/24	56° 10.01'	158° 04.98'	37	8.0	1,938	89	431	59	0	40	0
5140	6/24	56° 20.00'	158° 03.99'	34	8.0	1,478	51	237	32	0	0	0
5141	8/24	54° 29.98'	159° 00.32'	149	8.0	2,473	140	283	32	9	0	9
5142	8/24	54° 29.95'	159° 17.02'	81	8.0	901	49	307	41	32	127	0
5143	8/22	54° 29.95'	159° 34.02'	63	8.0	2,740	145	968	117	0	103	24
5144	8/23	54° 30.00'	159° 50.99'	65	8.0	1,180	58	911	123	0	71	0
5145	8/23	54° 30.01'	160° 09.15'	65	8.0	2,025	99	1,059	144	0	103	0
5146	8/25	54° 40.00'	158° 25.12'	111	8.0	3,117	140	62	7	63	111	0
5147	8/25	54° 39.88'	158° 42.00'	56	8.0	3,320	175	1,251	157	0	16	0
5148	6/21	54° 39.92'	159° 00.34'	48	8.0	5,824	279	1,078	133	0	16	0
5149	8/24	54° 39.97'	159° 17.02'	40	8.0	2,625	135	824	103	0	40	0
5150	8/22	54° 40.00'	159° 33.99'	33	8.0	3,153	161	1,320	160	0	55	32

<sup>1</sup> Standard skate = 1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

<sup>2</sup> Weights are calculated from length-weight tables.

<sup>3</sup> Bycatch numbers extrapolated from 20% subsample.

# 2003 IPHC Stock Assessment Survey

## Area 3B

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Set <sup>1</sup>	Legal Halibut		Sublegal Halibut		Bycatch (numbers) <sup>3</sup>		
						Lbs. <sup>2</sup>	#'s	Lbs. <sup>2</sup>	#'s	Sablefish	P. Cod	Rockfish
5151	8/22	54° 40.00'	159° 52.00'	41	8.0	2,827	141	931	118	0	0	0
5152	8/21	54° 39.98'	160° 08.98'	49	8.0	1,889	107	830	106	0	24	0
5153	8/26	54° 49.98'	158° 07.01'	54	8.0	3,121	187	1,506	184	0	0	0
5154	8/26	54° 50.02'	158° 25.00'	106	8.0	4,638	202	197	24	71	8	0
5155	8/25	54° 49.95'	158° 42.02'	53	8.0	3,176	150	1,660	236	0	0	0
5156	6/21	54° 49.50'	158° 59.72'	39	8.0	960	45	516	68	0	88	0
5157	8/21	54° 50.03'	159° 52.03'	30	8.0	938	39	664	93	0	224	0
5158	8/21	54° 49.95'	160° 09.02'	37	8.0	1,918	62	598	85	0	87	0
5159	6/22	54° 50.08'	160° 26.27'	45	8.0	604	30	345	46	0	48	0
5160	8/26	55° 00.01'	158° 24.84'	110	8.0	3,681	169	106	12	135	32	8
5161	6/19	55° 00.47'	158° 42.06'	71	8.0	2,316	104	731	95	0	128	0
5162	6/15	54° 59.92'	158° 58.89'	45	8.0	3,134	117	1,359	187	0	64	0
5163	6/14	55° 00.53'	159° 16.30'	24	8.0	3,205	123	625	81	8	198	0
5164	6/22	55° 00.00'	160° 26.93'	60	7.3	2,203	118	497	58	14	58	0
5165	6/25	55° 00.05'	160° 43.66'	49	8.0	4,283	143	541	69	0	8	0
5166	6/19	55° 09.61'	158° 24.81'	94	8.0	6,142	293	554	63	33	49	0
5167	6/15	55° 09.89'	158° 42.95'	106	8.0	3,638	155	278	32	64	8	0
5168	6/15	55° 09.98'	158° 58.88'	74	8.0	3,606	164	841	100	0	104	0
5169	6/14	55° 09.96'	159° 16.83'	35	8.0	2,635	130	1,190	155	0	8	16
5170	6/16	55° 19.78'	158° 42.01'	98	8.0	2,878	118	133	17	143	0	0
5171	6/16	55° 20.08'	158° 58.68'	99	8.0	2,774	115	118	14	16	0	0
5172	6/10	55° 20.05'	159° 16.74'	93	8.0	2,093	98	122	14	0	8	0
5173	6/5	55° 20.00'	159° 34.06'	75	8.0	1,525	67	179	21	0	15	0
5174	6/5	55° 20.10'	159° 51.77'	44	8.0	1,413	68	668	90	0	16	0
5175	6/16	55° 29.34'	158° 41.26'	86	8.0	1,263	48	31	4	16	0	0
5176	6/10	55° 30.02'	158° 59.17'	57	8.0	1,274	60	454	61	0	16	0
5177	6/10	55° 29.95'	159° 17.15'	65	7.9	2,110	107	799	105	0	128	0
5178	6/6	55° 30.02'	159° 34.00'	89	8.0	3,974	180	302	37	0	16	0
5179	6/6	55° 29.95'	159° 52.06'	90	8.0	2,553	105	203	24	0	24	0
5181	6/9	55° 40.01'	158° 59.15'	80	8.0	1,204	59	120	14	0	8	0
5182	6/9	55° 39.91'	159° 16.98'	54	8.0	2,128	81	697	91	0	8	0
5183	6/6	55° 39.97'	159° 51.92'	69	8.0	3,301	121	185	22	0	69	0
5184	6/9	55° 49.83'	158° 59.00'	66	8.0	3,415	165	273	32	0	74	0
5185	6/7	55° 49.61'	159° 15.83'	36	8.0	2,267	110	502	65	0	240	0
5186	7/23	53° 59.82'	163° 16.46'	48	8.1	942	53	441	67	0	218	0
5187	7/23	53° 59.66'	163° 33.29'	50	8.1	347	19	617	92	0	307	0
5188	7/23	53° 59.53'	163° 47.42'	50	8.1	280	15	721	113	0	57	0
5189	7/28	54° 10.03'	161° 34.33'	69	8.1	1,934	106	1,136	153	0	51	0
5190	7/24	54° 10.40'	161° 52.55'	44	8.1	3,211	154	1,062	134	0	16	16
5191	7/24	54° 10.25'	162° 07.86'	43	8.1	4,467	178	453	56	0	129	57
5192	7/24	54° 10.71'	162° 23.92'	52	8.1	3,343	139	753	96	0	194	0
5193	7/22	54° 10.30'	163° 49.20'	50	8.1	493	25	883	142	0	154	0
5195	8/2	54° 20.15'	160° 26.81'	68	8.1	3,696	196	1,123	148	0	0	0
5196	8/2	54° 19.86'	160° 43.35'	58	8.0	5,427	297	1,002	118	0	24	48
5197	8/1	54° 20.38'	160° 59.25'	69	8.1	2,288	127	1,484	202	0	0	0
5198	7/29	54° 19.49'	161° 15.89'	62	8.1	1,858	102	589	73	40	89	0
5199	7/28	54° 20.00'	161° 34.36'	78	8.1	564	28	266	37	24	65	0
5200	7/28	54° 19.48'	161° 49.24'	42	8.1	2,212	105	630	80	0	202	0
5201	7/25	54° 19.91'	162° 09.07'	31	8.1	4,432	92	437	61	0	0	0
5202	7/20	54° 20.38'	163° 16.77'	26	8.1	2,075	80	618	84	0	16	0

<sup>1</sup> Standard skate = 1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

<sup>2</sup> Weights are calculated from length-weight tables.

<sup>3</sup> Bycatch numbers extrapolated from 20% subsample.

# 2003 IPHC Stock Assessment Survey

## Area 3B

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Set <sup>1</sup>	Legal Halibut		Sublegal Halibut		Bycatch (numbers) <sup>3</sup>		
						Lbs. <sup>2</sup>	#'s	Lbs. <sup>2</sup>	#'s	Sablefish	P. Cod	Rockfish
5203	7/22	54° 19.73'	163° 34.05'	60	8.1	1,343	86	1,501	193	0	113	0
5204	7/22	54° 19.53'	163° 51.42'	61	8.1	935	58	863	114	16	250	0
5205	7/21	54° 20.48'	164° 08.25'	52	8.1	779	53	1,259	179	0	129	0
5206	8/2	54° 29.57'	160° 25.81'	80	8.1	2,071	106	400	50	57	81	0
5207	8/1	54° 30.07'	160° 44.50'	76	8.1	663	30	213	29	40	105	0
5208	8/1	54° 30.02'	160° 58.94'	72	8.1	753	43	419	51	32	48	0
5209	7/29	54° 29.80'	161° 18.94'	58	8.1	3,589	155	1,300	178	0	16	0
5210	7/29	54° 29.25'	161° 34.75'	37	8.1	2,924	121	1,158	162	0	0	0
5211	6/28	54° 30.22'	161° 52.38'	74	8.0	1,974	104	364	48	0	32	0
5212	7/25	54° 29.94'	162° 09.86'	76	8.1	2,158	98	687	86	0	89	0
5213	7/25	54° 29.86'	162° 25.15'	78	8.1	3,674	188	394	50	0	65	0
5214	7/20	54° 30.18'	163° 17.83'	42	8.0	840	46	820	110	0	8	0
5215	7/20	54° 29.69'	163° 34.75'	55	8.1	693	45	1,063	156	0	0	0
5216	7/21	54° 29.43'	163° 53.31'	47	8.1	1,890	85	975	134	0	97	0
5217	7/21	54° 29.73'	164° 09.49'	55	8.1	1,938	124	1,193	151	0	162	0
5218	7/31	54° 39.39'	160° 26.49'	56	8.1	1,648	99	2,183	284	0	0	0
5219	7/31	54° 39.97'	160° 43.08'	53	8.1	3,224	168	1,920	256	0	0	0
5220	7/30	54° 40.39'	161° 01.20'	47	8.1	3,706	181	1,452	193	0	0	8
5221	7/30	54° 39.72'	161° 18.59'	78	8.0	1,906	96	464	57	0	48	0
5222	6/28	54° 39.90'	161° 34.55'	37	8.0	2,532	77	792	111	0	150	16
5223	6/28	54° 39.87'	161° 52.59'	39	8.0	2,977	100	725	98	0	32	0
5224	7/16	54° 40.06'	162° 44.46'	45	8.1	1,148	59	513	81	0	32	0
5225	7/31	54° 49.41'	160° 45.02'	57	8.0	847	50	1,338	171	0	40	0
5226	7/30	54° 49.59'	161° 00.95'	57	8.1	1,206	66	1,244	167	0	0	0
5227	6/27	54° 50.04'	161° 18.91'	64	8.0	3,443	147	506	69	0	32	0
5228	6/27	54° 50.06'	161° 34.17'	53	8.0	4,129	129	360	49	16	64	0
5229	7/16	54° 49.95'	162° 45.74'	27	8.0	1,052	47	284	41	0	16	0
5230	7/16	54° 49.34'	163° 03.44'	36	8.2	1,490	73	637	91	0	90	0
5231	6/25	54° 59.86'	161° 00.46'	49	8.0	2,066	72	354	47	0	16	0
5232	6/27	54° 59.86'	161° 19.25'	47	8.0	2,680	83	275	37	0	96	8
5233	6/25	55° 09.84'	161° 01.85'	71	8.0	2,663	129	407	49	8	282	0
5234	7/11	55° 20.08'	156° 03.00'	159	8.0	1,162	42	26	3	246	0	8
5235	7/11	55° 19.94'	156° 21.00'	94	8.0	4,263	216	595	67	16	72	0
5236	8/2	55° 30.00'	155° 44.87'	118	8.0	1,424	75	140	17	190	24	0
5237	8/2	55° 29.92'	156° 03.00'	109	4.7	1,834	103	313	36	12	35	0
5238	7/11	55° 30.05'	156° 20.00'	116	7.9	2,683	131	259	28	143	101	0
5239	8/3	55° 39.91'	155° 26.00'	101	8.0	585	34	249	31	120	160	0
5240	8/3	55° 40.04'	155° 44.00'	68	8.0	2,469	129	566	69	0	328	0
5241	8/2	55° 40.02'	156° 02.01'	124	8.0	1,623	81	66	7	256	0	0
5242	7/10	55° 40.05'	156° 19.00'	139	8.0	1,993	99	141	15	230	8	0
5243	7/10	55° 39.84'	156° 37.00'	130	8.0	2,481	124	179	19	79	16	0
5244	9/1	55° 50.06'	155° 07.01'	65	8.0	1,500	56	403	48	0	128	0
5245	8/3	55° 49.94'	155° 25.00'	26	8.0	1,481	53	383	54	0	0	0
5246	7/27	55° 50.00'	156° 01.00'	55	8.0	3,616	170	566	69	0	246	0
5247	7/10	55° 50.11'	156° 19.00'	130	7.9	1,242	56	49	5	172	0	0
5248	7/9	55° 49.88'	156° 36.00'	123	6.0	1,692	95	108	12	40	0	0
5249	7/9	55° 49.98'	156° 54.00'	74	8.0	3,839	192	639	76	0	32	0
5250	8/4	55° 59.91'	155° 42.00'	25	8.0	775	51	1,168	147	0	16	0
5251	7/27	55° 59.94'	156° 00.00'	41	8.0	568	31	727	97	0	224	0
5252	7/27	55° 59.88'	156° 17.99'	115	8.0	1,797	78	48	5	200	144	0

<sup>1</sup> Standard skate = 1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

<sup>2</sup> Weights are calculated from length-weight tables.

<sup>3</sup> Bycatch numbers extrapolated from 20% subsample.

# 2003 IPHC Stock Assessment Survey

## Area 3B

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Set <sup>1</sup>	Legal Halibut		Sublegal Halibut		Bycatch (numbers) <sup>3</sup>		
						Lbs. <sup>2</sup>	#'s	Lbs. <sup>2</sup>	#'s	Sablefish	P. Cod	Rockfish
5253	7/9	55° 59.94'	156° 36.00'	105	8.0	3,171	138	320	38	32	111	0
5254	7/6	55° 59.98'	157° 10.99'	61	8.0	2,063	118	1,484	177	0	40	0
5255	7/26	56° 09.97'	155° 59.00'	115	8.0	1,743	70	78	9	119	95	0
5256	7/26	56° 10.00'	156° 17.00'	125	7.6	2,225	104	144	16	68	83	0
5257	7/8	56° 09.92'	156° 35.00'	102	8.0	2,916	160	237	26	24	32	0
5258	7/7	56° 10.05'	156° 53.00'	46	8.0	1,191	52	960	136	0	40	0
5259	7/6	56° 09.96'	157° 11.00'	56	8.0	2,138	106	1,523	191	0	0	0
5260	7/6	56° 10.02'	157° 29.50'	84	7.8	3,645	184	364	44	0	62	0
5261	7/26	56° 20.01'	155° 58.00'	114	8.0	2,309	108	92	11	111	24	0
5262	7/8	56° 20.06'	156° 16.00'	154	8.0	1,010	51	0	0	95	71	0
5263	7/8	56° 20.10'	156° 33.98'	101	3.9	802	38	70	7	58	116	0
5264	7/7	56° 19.94'	156° 52.00'	63	7.9	1,969	97	1,056	141	0	31	0
5265	7/7	56° 20.05'	157° 09.99'	94	8.0	2,117	88	175	23	0	127	0
5266	7/5	56° 19.88'	157° 28.00'	37	8.0	2,095	86	1,333	193	0	0	24
5267	7/5	56° 19.91'	157° 46.00'	31	8.0	2,359	91	501	74	0	24	0
5269	7/25	56° 29.87'	156° 15.00'	140	8.0	1,089	49	37	4	80	168	0
5270	7/24	56° 29.95'	156° 32.99'	105	8.0	4,818	219	140	15	96	8	0
5271	7/24	56° 29.82'	156° 51.00'	50	8.0	2,818	124	773	104	0	40	0
5272	7/5	56° 30.00'	157° 28.01'	80	8.0	2,420	107	309	40	0	120	0
5273	7/25	56° 39.93'	156° 14.00'	115	8.0	2,616	133	93	10	119	71	0
5274	7/24	56° 40.01'	156° 32.00'	85	8.1	3,269	154	349	40	97	40	0
5275	7/22	56° 39.91'	156° 50.99'	52	8.0	2,929	126	964	123	0	32	0
5276	7/22	56° 40.00'	157° 09.01'	69	8.0	2,575	128	642	79	0	48	0
5277	7/21	56° 50.00'	156° 13.00'	105	8.1	2,434	114	138	16	65	89	0
5278	7/21	56° 49.88'	156° 31.99'	62	7.9	2,395	111	797	102	0	32	0
5279	7/22	56° 49.99'	156° 50.00'	59	8.0	2,156	96	724	94	0	95	0
5280	7/21	56° 59.97'	156° 13.00'	85	8.0	791	35	87	10	32	240	0
<b>227</b>	<b>Stations</b>				<b>Totals</b>	<b>470,938</b>	<b>22,416</b>	<b>147,332</b>	<b>19,114</b>	<b>6,131</b>	<b>14,399</b>	<b>360</b>

<sup>1</sup> Standard skate =1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

<sup>2</sup> Weights are calculated from length-weight tables.

<sup>3</sup> Bycatch numbers extrapolated from 20% subsample.