

# 2008 IPHC Stock Assessment Survey

## Area 2B

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Set <sup>1</sup>	Legal Halibut		Sublegal Halibut		Bycatch (numbers)		
						Lbs. <sup>2</sup>	#'s	Lbs. <sup>2</sup>	#'s	Sablefish	P. Cod	Rockfish
2001	5/28	48° 19.98'	-125° 37.98'	76	5.0	27	2	9	1	0	0	0
2002	5/28	48° 19.98'	-125° 52.43'	187	5.0	167	10	30	3	77	0	7
2003	5/28	48° 30.08'	-125° 23.02'	80	5.0	121	6	57	7	1	0	0
2004	5/28	48° 29.99'	-125° 37.89'	58	4.9	418	29	256	31	0	0	0
2005	5/29	48° 30.04'	-125° 52.87'	57	4.9	486	31	210	27	0	0	38
2006	5/29	48° 29.99'	-126° 07.63'	68	5.0	113	6	26	3	6	0	2
2007	5/30	48° 40.00'	-125° 06.97'	34	4.9	464	13	45	5	0	0	13
2008	5/30	48° 39.99'	-125° 22.98'	34	5.0	572	33	252	32	0	0	12
2009	5/30	48° 40.00'	-125° 38.34'	63	4.9	162	8	16	2	0	0	0
2010	5/29	48° 39.98'	-125° 53.22'	40	5.0	283	21	425	56	0	0	0
2011	5/29	48° 40.00'	-126° 07.70'	78	5.0	28	2	84	11	2	0	0
2012	5/31	48° 50.00'	-125° 36.95'	23	3.5	674	22	56	6	0	0	14
2013	5/31	48° 50.00'	-125° 53.00'	32	5.0	377	16	62	8	0	0	11
2014	5/31	48° 50.00'	-126° 08.05'	59	5.0	120	9	291	37	1	0	1
2015	6/2	48° 50.03'	-126° 22.50'	98	5.0	178	9	48	6	23	0	2
2016	5/31	48° 59.99'	-126° 08.16'	39	5.0	278	13	71	9	0	0	0
2017	6/2	48° 59.98'	-126° 23.40'	76	5.0	25	2	27	3	1	0	0
2018	6/2	49° 00.00'	-126° 37.99'	120	5.0	269	13	34	4	4	0	2
2019	6/1	49° 10.00'	-126° 22.04'	44	5.0	51	4	135	17	0	0	0
2020	6/1	49° 10.00'	-126° 37.78'	68	5.0	108	8	203	26	0	0	9
2021	6/5	49° 10.03'	-126° 52.99'	95	5.0	0	0	0	0	0	0	0
2023	6/1	49° 19.99'	-126° 23.17'	21	5.0	230	15	115	14	0	0	0
2024	6/1	49° 19.99'	-126° 38.13'	39	5.0	1,076	27	29	4	0	3	39
2025	6/6	49° 20.01'	-126° 52.97'	75	4.9	0	0	10	1	0	0	0
2026	6/5	49° 20.11'	-127° 09.00'	100	5.0	254	10	29	3	9	0	2
2027	6/6	49° 29.86'	-126° 37.95'	22	4.9	115	5	27	3	0	0	0
2028	6/7	49° 30.00'	-126° 53.03'	51	4.9	36	3	326	41	0	0	0
2029	6/7	49° 30.00'	-127° 09.05'	80	5.0	45	3	39	5	1	0	1
2030	6/7	49° 39.99'	-127° 08.90'	62	5.1	59	5	248	31	1	0	0
2031	6/8	49° 40.00'	-127° 23.98'	116	5.0	255	6	0	0	20	0	16
2032	6/8	49° 50.00'	-127° 23.97'	43	5.0	399	21	419	54	0	0	0
2033	6/8	49° 50.00'	-127° 39.69'	92	5.0	137	7	45	5	0	0	9
2034	6/8	50° 00.00'	-127° 39.90'	46	5.0	415	24	545	69	0	0	7
2035	6/9	50° 20.04'	-128° 11.01'	89	5.0	166	9	23	3	0	0	12
2037	6/11	50° 30.00'	-128° 27.01'	103	4.9	141	4	7	1	0	0	9
2038	6/11	50° 39.95'	-128° 28.02'	47	5.0	158	8	272	37	0	0	27
2039	6/11	50° 40.00'	-128° 43.75'	105	5.0	72	4	43	6	0	0	2
2040	6/11	50° 49.86'	-128° 28.02'	35	5.0	185	9	198	26	0	0	1
2041	6/21	51° 00.12'	-127° 56.98'	60	5.0	180	9	305	43	0	0	0
2042	6/21	50° 59.89'	-128° 13.00'	53	5.0	61	4	273	36	0	0	7
2043	6/21	51° 09.79'	-127° 56.00'	67	5.0	258	16	378	47	3	0	1
2044	6/15	50° 50.24'	-129° 00.14'	46	5.0	690	15	160	23	0	0	3
2045	6/15	50° 49.99'	-129° 16.03'	68	5.0	81	2	51	7	0	0	8
2046	6/12	51° 00.00'	-128° 28.15'	51	5.0	300	19	260	37	0	0	4
2047	6/12	51° 00.00'	-128° 43.84'	36	5.0	356	16	139	18	0	0	1
2048	6/15	50° 59.99'	-129° 00.20'	44	4.9	128	5	82	11	0	0	0
2049	6/15	50° 59.99'	-129° 15.92'	87	5.0	155	9	132	19	6	0	0
2050	6/17	50° 59.98'	-129° 32.00'	135	5.0	643	26	129	15	28	0	61
2051	6/21	51° 10.00'	-128° 12.23'	54	5.0	266	12	165	19	0	0	11
2052	6/12	51° 10.00'	-128° 27.62'	107	5.0	172	13	227	30	10	0	1

<sup>1</sup> Standard skate = 1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

<sup>2</sup> Weights are calculated from length-weight tables.

# 2008 IPHC Stock Assessment Survey

## Area 2B

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Set <sup>1</sup>	Legal Halibut		Sublegal Halibut		Bycatch (numbers)		
						Lbs. <sup>2</sup>	#'s	Lbs. <sup>2</sup>	#'s	Sablefish	P. Cod	Rockfish
2053	6/16	51° 10.01'	-128° 44.01'	54	5.0	56	5	528	74	0	0	0
2054	6/16	51° 10.00'	-129° 00.05'	73	5.0	239	12	494	67	6	0	3
2055	6/17	51° 10.03'	-129° 16.00'	146	5.0	427	20	275	34	86	0	10
2056	6/17	51° 09.96'	-129° 32.00'	155	5.0	646	35	426	52	46	0	1
2057	6/20	51° 20.25'	-127° 55.01'	74	5.0	361	16	66	8	0	0	5
2058	6/20	51° 19.98'	-128° 11.00'	47	5.0	45	3	263	38	0	0	0
2059	6/19	51° 19.80'	-128° 26.98'	82	5.0	160	11	161	21	1	0	0
2060	6/16	51° 20.01'	-128° 43.05'	113	5.0	562	26	181	23	23	0	3
2061	6/16	51° 20.00'	-128° 59.06'	134	5.0	438	19	86	11	112	0	11
2062	6/17	51° 20.00'	-129° 15.00'	129	5.0	482	35	442	55	41	0	13
2063	6/24	51° 19.95'	-129° 31.02'	113	5.0	31	2	40	5	59	0	6
2064	6/24	51° 19.93'	-129° 47.00'	132	5.0	138	7	20	3	78	0	1
2065	6/20	51° 30.01'	-128° 11.00'	46	5.0	242	9	170	22	0	0	57
2066	6/19	51° 29.86'	-128° 27.00'	103	5.0	237	14	80	9	29	0	5
2067	6/19	51° 30.00'	-128° 43.10'	46	5.0	55	4	80	9	0	0	0
2068	6/25	51° 29.99'	-128° 58.98'	25	5.0	243	14	197	24	0	0	0
2069	6/25	51° 30.00'	-129° 16.03'	27	5.0	810	39	744	98	0	0	7
2070	6/24	51° 29.92'	-129° 31.02'	54	5.0	1,745	76	229	27	0	0	74
2071	6/24	51° 29.98'	-129° 47.01'	92	5.0	571	31	73	8	35	0	97
2072	6/18	51° 30.30'	-130° 02.97'	145	5.0	239	8	10	1	60	0	40
2073	6/27	51° 40.09'	-128° 26.01'	79	5.0	587	34	555	68	4	0	2
2074	6/25	51° 39.89'	-128° 59.02'	27	5.0	131	10	77	10	0	0	0
2075	6/25	51° 39.98'	-129° 16.02'	30	5.0	52	4	326	41	0	0	0
2076	6/18	51° 39.99'	-129° 31.00'	53	5.0	30	2	60	7	1	0	0
2077	6/18	51° 39.95'	-129° 47.06'	136	5.0	411	24	85	10	64	0	36
2078	6/27	51° 50.08'	-128° 26.01'	91	4.9	799	44	298	35	3	0	22
2079	6/27	51° 49.93'	-128° 42.02'	56	5.0	217	17	997	126	0	1	0
2080	6/28	51° 49.89'	-128° 58.02'	44	5.0	250	20	819	100	0	0	16
2081	6/26	51° 49.99'	-129° 14.04'	67	5.0	148	10	218	26	0	0	1
2082	6/26	51° 50.18'	-129° 31.02'	140	5.0	132	8	56	8	50	0	41
2083	6/28	52° 00.00'	-128° 42.02'	91	5.0	412	24	182	21	2	0	115
2084	6/28	52° 00.12'	-128° 58.01'	82	5.0	660	33	379	44	0	0	11
2085	6/26	52° 00.06'	-129° 14.02'	99	5.0	185	9	18	2	1	0	13
2086	6/28	52° 10.06'	-128° 41.01'	119	5.0	855	30	90	11	16	0	57
2087	7/15	51° 39.94'	-130° 03.00'	190	5.0	36	2	16	2	75	0	51
2088	7/15	51° 40.16'	-130° 19.00'	137	5.1	1,351	44	8	1	34	0	23
2089	7/18	51° 50.03'	-129° 47.00'	140	5.0	30	2	31	4	25	0	21
2090	7/15	51° 49.93'	-130° 03.00'	97	5.0	1,460	53	118	14	20	0	33
2091	7/15	51° 49.98'	-130° 18.99'	115	5.0	779	23	57	6	17	0	46
2092	7/16	51° 50.02'	-130° 35.00'	160	5.0	890	34	131	16	9	0	7
2093	7/16	51° 49.87'	-130° 52.00'	101	5.0	2,697	60	176	22	8	0	115
2094	7/18	51° 59.98'	-129° 30.00'	110	5.0	155	8	49	6	41	0	27
2095	7/18	52° 00.12'	-129° 47.00'	61	5.0	823	25	629	92	0	0	16
2096	7/17	52° 00.13'	-130° 03.00'	75	5.0	667	41	822	110	0	0	0
2097	7/17	52° 00.18'	-130° 19.00'	190	5.0	29	1	8	1	91	0	5
2098	7/16	51° 59.76'	-130° 35.00'	138	5.0	440	14	54	8	45	0	2
2099	7/16	52° 00.04'	-130° 52.00'	102	5.0	580	21	99	12	0	0	5
2100	8/1	52° 09.96'	-128° 57.00'	87	5.0	482	18	17	2	0	1	81
2101	8/1	52° 09.96'	-129° 13.99'	92	5.0	78	4	20	2	4	0	6
2102	8/1	52° 09.90'	-129° 30.00'	113	5.0	146	5	16	2	15	0	2

<sup>1</sup> Standard skate = 1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

<sup>2</sup> Weights are calculated from length-weight tables.

# 2008 IPHC Stock Assessment Survey

## Area 2B

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Set <sup>1</sup>	Legal Halibut		Sublegal Halibut		Bycatch (numbers)		
						Lbs. <sup>2</sup>	#'s	Lbs. <sup>2</sup>	#'s	Sablefish	P. Cod	Rockfish
2103	7/18	52° 09.88'	-129° 46.00'	110	5.0	259	9	19	2	4	1	30
2104	7/17	52° 10.04'	-130° 03.00'	87	5.0	310	16	229	28	0	0	1
2105	7/17	52° 10.11'	-130° 19.00'	220	5.0	0	0	0	0	105	0	1
2106	7/19	52° 09.95'	-130° 35.00'	103	5.0	1,661	50	124	15	6	1	4
2107	7/19	52° 09.85'	-130° 52.00'	120	5.0	3,387	150	190	22	1	0	5
2108	8/1	52° 20.05'	-129° 13.00'	80	4.9	769	40	268	32	0	0	6
2109	8/2	52° 20.02'	-129° 30.00'	93	5.0	723	23	75	9	3	0	15
2110	8/2	52° 20.00'	-129° 46.00'	113	5.0	694	27	42	5	0	1	50
2111	8/3	52° 20.09'	-130° 03.00'	122	5.0	908	30	57	7	1	0	6
2112	8/4	52° 19.91'	-130° 19.00'	191	5.0	106	2	0	0	60	0	9
2113	7/19	52° 20.02'	-130° 35.00'	90	5.0	213	10	74	9	0	0	0
2114	7/19	52° 19.95'	-130° 52.00'	78	5.0	218	15	262	30	0	0	0
2115	8/2	52° 29.88'	-129° 32.01'	54	5.0	520	13	136	17	0	0	1
2116	8/2	52° 29.84'	-129° 46.00'	97	5.0	1,848	65	76	9	1	0	26
2117	8/3	52° 30.09'	-130° 02.00'	145	5.0	1,148	39	10	1	16	0	32
2118	8/4	52° 29.91'	-130° 19.00'	139	5.0	438	15	21	3	18	0	12
2119	8/4	52° 29.95'	-130° 35.00'	65	5.0	602	24	174	20	0	0	24
2120	8/5	52° 29.97'	-130° 52.00'	60	4.9	212	7	90	11	0	0	3
2121	8/3	52° 39.86'	-129° 46.00'	102	4.9	1,310	40	27	3	0	0	34
2122	8/3	52° 39.84'	-130° 02.00'	143	5.0	212	8	18	2	47	0	44
2123	8/4	52° 39.94'	-130° 19.00'	121	5.0	200	8	5	1	15	0	18
2124	8/6	52° 40.06'	-130° 35.00'	80	5.0	627	18	38	4	9	0	24
2125	7/20	52° 50.08'	-130° 02.00'	140	4.9	115	2	15	2	32	0	29
2126	7/20	52° 49.93'	-130° 19.00'	114	5.0	104	3	15	2	10	0	11
2127	7/20	52° 59.98'	-129° 45.00'	113	5.0	558	25	37	5	38	0	25
2128	7/20	52° 59.95'	-130° 02.00'	100	5.0	571	17	41	6	10	0	43
2129	8/5	52° 29.90'	-131° 07.98'	43	5.0	440	23	186	24	0	0	9
2130	8/5	52° 29.96'	-131° 25.00'	79	5.0	422	17	22	3	0	0	4
2131	8/6	52° 40.08'	-130° 52.00'	52	5.0	305	12	300	37	0	0	1
2132	8/5	52° 39.83'	-131° 08.00'	38	5.0	346	21	344	43	0	0	1
2133	8/6	52° 49.80'	-130° 35.00'	62	4.9	587	32	16	2	0	0	4
2134	8/6	52° 49.97'	-130° 52.00'	28	5.0	206	12	26	3	0	0	0
2135	8/7	52° 59.97'	-130° 18.00'	114	4.9	13	1	11	1	22	0	33
2136	8/7	52° 59.87'	-130° 35.00'	51	4.9	168	12	169	20	0	0	0
2137	8/7	53° 09.94'	-130° 18.00'	87	5.0	526	17	82	10	2	0	39
2138	8/11	53° 10.04'	-130° 35.01'	102	5.0	87	5	9	1	11	0	19
2139	8/10	53° 09.99'	-130° 52.00'	57	5.0	103	7	70	8	0	4	1
2140	8/7	53° 19.96'	-130° 18.00'	56	5.0	1,035	52	358	42	0	0	5
2141	8/11	53° 19.99'	-130° 35.00'	40	5.0	518	25	447	51	0	0	32
2142	8/10	53° 19.93'	-130° 52.00'	73	5.0	525	29	63	7	0	2	1
2143	7/23	53° 20.08'	-132° 49.00'	76	5.0	1,467	35	226	32	0	0	37
2144	7/23	53° 20.12'	-133° 06.00'	124	5.0	1,146	33	49	6	10	0	4
2145	8/10	53° 30.09'	-130° 52.00'	51	4.9	122	8	303	42	0	0	0
2146	7/23	53° 30.00'	-133° 06.00'	218	5.0	568	20	12	2	101	0	64
2147	8/12	53° 40.10'	-130° 35.00'	17	4.9	304	16	98	13	0	0	6
2148	8/10	53° 40.06'	-130° 52.00'	26	5.0	301	18	312	43	0	0	0
2149	7/23	53° 40.02'	-133° 07.00'	79	4.4	770	33	329	42	0	0	26
2150	8/12	53° 49.94'	-130° 52.00'	47	5.0	760	51	496	62	8	10	0
2151	7/26	53° 59.97'	-133° 25.00'	41	4.9	1,048	38	134	15	0	0	37
2152	7/28	54° 10.06'	-130° 35.00'	59	5.0	203	8	50	6	0	2	1

<sup>1</sup> Standard skate = 1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

<sup>2</sup> Weights are calculated from length-weight tables.

# 2008 IPHC Stock Assessment Survey

## Area 2B

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Set <sup>1</sup>	Legal Halibut		Sublegal Halibut		Bycatch (numbers)		
						Lbs. <sup>2</sup>	#'s	Lbs. <sup>2</sup>	#'s	Sablefish	P. Cod	Rockfish
2153	7/27	54° 09.97'	-132° 00.00'	37	5.0	50	4	671	106	0	3	0
2154	7/24	54° 10.01'	-132° 17.00'	51	5.0	148	11	228	34	0	7	1
2155	7/24	54° 10.18'	-132° 34.00'	46	5.1	107	9	398	54	0	1	0
2156	7/25	54° 10.04'	-133° 09.01'	39	5.1	573	29	255	32	0	0	29
2157	7/26	54° 10.02'	-133° 26.00'	214	5.0	351	13	135	19	34	0	67
2158	7/28	54° 20.03'	-130° 35.00'	48	5.0	191	9	85	13	0	0	7
2159	8/9	54° 19.97'	-131° 09.00'	34	5.0	277	17	459	60	0	5	0
2160	8/9	54° 20.05'	-131° 26.00'	96	4.9	198	15	200	24	13	3	80
2161	7/27	54° 20.00'	-131° 43.00'	102	5.0	411	26	357	44	9	0	40
2162	7/27	54° 20.19'	-132° 00.50'	134	5.0	285	12	28	4	91	0	26
2163	7/24	54° 19.94'	-132° 18.00'	119	4.9	1,192	44	112	14	34	5	47
2164	7/24	54° 19.92'	-132° 34.99'	145	5.0	318	15	53	6	62	1	50
2165	7/25	54° 20.06'	-132° 52.00'	209	5.0	550	16	60	8	83	0	27
2166	7/25	54° 20.18'	-133° 08.97'	249	5.0	613	17	6	1	106	0	22
2167	7/26	54° 19.96'	-133° 26.00'	121	5.0	1,417	40	79	9	8	1	98
2168	7/26	54° 19.92'	-133° 43.02'	134	5.0	1,325	51	172	20	8	0	0
2169	7/28	54° 29.91'	-130° 35.00'	61	5.0	211	10	55	7	9	1	2
2170	8/9	54° 30.08'	-131° 09.00'	76	5.0	772	50	543	65	9	3	3
2171	8/9	54° 29.90'	-131° 26.00'	63	5.0	1,726	70	278	33	3	0	19
2172	7/27	54° 30.04'	-131° 44.00'	184	5.0	214	8	42	5	49	0	3
<b>170 Total Effective 2B Stations</b>					<b>Totals</b>	<b>75,806</b>	<b>3,220</b>	<b>28,360</b>	<b>3,618</b>	<b>2,342</b>	<b>56</b>	<b>2,718</b>

<sup>1</sup> Standard skate =1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

<sup>2</sup> Weights are calculated from length-weight tables.