

## 2018 IPHC Fishery-Independent Setline Survey Regulatory Area 2A

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates <sup>1</sup>	O32 Halibut		U32 Halibut		Bycatch (numbers) <sup>3</sup>		
						Lbs. <sup>2</sup>	#'s	Lbs. <sup>2</sup>	#'s	Sablefish	P. Cod	Rockfish
1001	8/5	41° 59.99'	-124° 27.00'	51	8.0	0	0	0	0	0	0	0
1002	8/5	42° 10.01'	-124° 27.00'	52	8.0	300	12	0	0	0	0	0
1003	8/6	42° 19.86'	-124° 41.00'	162	8.0	67	2	9	1	59	0	0
1004	8/6	42° 30.03'	-124° 41.00'	63	8.0	546	20	0	0	0	0	0
1005	8/4	42° 39.93'	-124° 39.98'	82	8.0	226	9	0	0	0	0	0
1006	8/4	42° 49.98'	-124° 40.00'	44	8.0	552	18	5	1	0	0	0
1007	8/3	42° 49.93'	-124° 54.01'	213	8.0	0	0	0	0	10	0	5
1008	8/3	42° 59.95'	-124° 40.01'	71	8.0	245	10	7	1	0	0	0
1009	8/3	42° 59.95'	-124° 54.00'	214	8.0	20	1	0	0	35	0	0
1010	8/2	43° 09.94'	-124° 40.00'	79	8.0	218	7	0	0	10	0	15
1011	8/2	43° 20.01'	-124° 41.34'	121	8.0	435	18	0	0	5	0	0
1012	7/30	43° 30.01'	-124° 26.04'	60	8.0	72	4	19	2	0	0	0
1013	7/30	43° 29.91'	-124° 40.00'	198	8.0	70	1	0	0	45	0	0
1014	7/29	43° 39.96'	-124° 26.00'	66	8.0	0	0	8	1	0	0	0
1015	7/30	43° 39.98'	-124° 39.99'	222	8.0	0	0	0	0	30	0	5
1016	7/29	43° 49.94'	-124° 26.00'	66	8.0	0	0	0	0	0	0	0
1017	7/29	43° 50.00'	-124° 40.00'	193	8.0	35	1	0	0	20	0	0
1018	7/27	43° 59.96'	-124° 26.00'	67	8.0	0	0	0	0	25	0	0
1019	7/28	44° 00.06'	-124° 40.00'	74	8.0	0	0	0	0	20	0	0
1020	7/28	43° 59.98'	-124° 54.00'	49	8.0	703	32	70	8	0	0	5
1021	7/26	44° 09.95'	-124° 12.00'	30	8.0	0	0	0	0	0	0	0
1022	7/27	44° 10.07'	-124° 26.00'	54	8.0	0	0	0	0	0	0	0
1023	7/27	44° 10.05'	-124° 40.00'	65	8.0	0	0	0	0	0	0	0
1024	7/28	44° 09.95'	-124° 54.00'	69	8.0	550	28	57	7	5	0	35
1025	7/14	44° 19.95'	-124° 11.99'	29	8.0	0	0	0	0	0	0	0
1026	7/14	44° 20.00'	-124° 26.01'	47	8.0	0	0	0	0	0	0	0
1028	7/14	44° 29.95'	-124° 12.00'	30	8.0	0	0	0	0	0	0	0
1029	7/15	44° 29.95'	-124° 39.99'	111	8.0	158	9	29	3	15	0	0
1030	7/20	44° 39.94'	-124° 11.00'	34	8.0	42	2	0	0	0	0	0
1031	7/19	44° 39.98'	-124° 25.00'	51	8.0	416	15	136	17	0	0	0
1032	7/18	44° 39.94'	-124° 40.00'	158	8.0	20	1	0	0	0	0	0
1033	7/18	44° 40.07'	-124° 54.00'	287	8.0	0	0	0	0	15	0	0
1034	7/20	44° 49.95'	-124° 11.00'	43	8.0	20	1	0	0	0	0	0
1035	7/8	44° 49.98'	-124° 25.00'	83	8.0	14	1	6	1	30	0	0
1036	7/18	44° 49.97'	-124° 39.00'	188	8.0	155	6	0	0	0	0	0
1037	7/7	45° 00.05'	-124° 11.00'	61	8.0	55	3	0	0	59	0	0
1038	7/8	45° 00.00'	-124° 25.00'	147	8.0	0	0	0	0	54	0	0
1039	7/8	44° 59.98'	-124° 39.00'	251	8.0	0	0	0	0	10	0	0
1040	7/7	45° 10.02'	-124° 11.00'	72	8.0	26	1	17	2	59	0	0
1041	7/7	45° 09.96'	-124° 25.00'	203	8.0	82	4	21	2	40	0	0
1042	7/6	45° 19.90'	-124° 11.00'	73	8.0	0	0	0	0	20	0	0
1043	7/6	45° 19.81'	-124° 24.99'	198	8.0	0	0	0	0	5	0	0
1044	7/5	45° 19.29'	-124° 39.06'	257	8.0	0	0	0	0	30	0	0
1045	7/6	45° 30.02'	-124° 11.00'	68	8.0	0	0	0	0	15	0	0
1046	7/5	45° 29.93'	-124° 25.00'	112	8.0	98	6	27	3	15	0	0
1047	7/5	45° 29.95'	-124° 39.00'	257	8.0	0	0	0	0	15	0	0
1048	7/3	45° 39.98'	-124° 10.01'	58	8.0	0	0	0	0	10	0	0
1049	7/3	45° 39.93'	-124° 25.00'	91	8.0	17	1	18	2	30	0	0
1050	7/4	45° 39.90'	-124° 39.01'	181	8.0	0	0	0	0	15	0	0
1051	7/3	45° 49.95'	-124° 10.00'	54	8.0	0	0	0	0	0	0	0

<sup>1</sup> Standard skate =1800' groundline, 16/0 circle hooks, 18' spacing, 24"-48" gangions.

<sup>2</sup> Weight calculated from length-weight tables.

<sup>3</sup> Bycatch numbers extrapolated from 20% subsample except stations with \* which are whole hauled.

## 2018 IPHC Fishery-Independent Setline Survey Regulatory Area 2A

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates <sup>1</sup>	O32 Halibut		U32 Halibut		Bycatch (numbers) <sup>3</sup>		
						Lbs. <sup>2</sup>	#'s	Lbs. <sup>2</sup>	#'s	Sablefish	P. Cod	Rockfish
1052	7/4	45° 49.95'	-124° 25.00'	83	8.0	18	1	0	0	10	0	0
1053	7/4	45° 50.00'	-124° 39.00'	111	8.0	83	4	0	0	40	0	0
1054	6/29	45° 59.96'	-124° 10.00'	47	8.0	31	2	0	0	0	0	0
1055	6/29	45° 59.98'	-124° 24.00'	76	7.9	0	0	0	0	10	0	0
1056	6/28	45° 59.95'	-124° 39.00'	102	8.0	129	6	0	0	40	0	0
1057	6/28	46° 09.84'	-124° 39.00'	127	8.0	121	7	0	0	55	0	15
1058	6/27	46° 19.96'	-124° 24.00'	64	8.0	301	14	26	3	15	0	0
1059	6/27	46° 29.98'	-124° 24.00'	51	8.0	72	4	24	3	0	0	0
1060	6/26	46° 39.63'	-124° 24.00'	44	7.9	0	0	0	0	0	0	0
1061	6/26	46° 40.05'	-124° 38.00'	73	8.0	0	0	0	0	5	0	0
1062	6/26	46° 50.02'	-124° 24.00'	38	8.0	34	2	0	0	0	0	0
1063	6/25	46° 49.96'	-124° 38.00'	65	8.0	41	2	0	0	5	0	5
1064	6/25	46° 49.97'	-124° 53.00'	112	8.0	465	24	89	10	40	0	0
1065	6/24	46° 59.98'	-124° 24.00'	29	8.0	82	3	0	0	0	0	0
1066	6/20	46° 59.95'	-124° 38.02'	52	8.0	154	8	87	11	0	0	0
1067	6/20	46° 59.89'	-124° 53.00'	92	8.0	135	8	17	2	5	0	0
1068	6/15	47° 10.04'	-124° 23.98'	24	7.9	15	1	14	2	0	0	5
1069	6/15	47° 09.95'	-124° 38.00'	47	8.0	180	7	56	7	5	0	0
1070	6/19	47° 09.96'	-124° 53.00'	84	8.0	208	11	111	13	0	0	0
1071	6/16	47° 19.95'	-124° 38.00'	47	8.0	0	0	0	0	25	0	0
1072	6/18	47° 29.88'	-124° 53.00'	101	8.0	595	39	102	12	30	0	10
1073	6/17	47° 39.94'	-124° 38.00'	26	8.0	626	26	19	2	0	0	0
1074*	6/11	47° 39.97'	-124° 53.00'	61	8.0	122	7	48	6	1	0	0
1075*	6/11	47° 50.02'	-124° 53.01'	52	8.0	161	9	26	4	0	0	0
1076	5/30	47° 50.03'	-125° 06.00'	127	8.0	165	10	18	2	5	0	20
1077*	6/10	48° 00.03'	-124° 53.35'	37	8.0	226	12	9	1	9	0	0
1078	5/30	47° 59.95'	-125° 08.00'	78	8.0	145	9	52	6	0	0	0
1079	5/31	47° 59.93'	-125° 38.00'	174	8.0	103	7	10	1	15	0	59
1080*	6/10	48° 09.96'	-124° 52.75'	31	8.0	147	6	24	3	0	0	0
1081*	6/9	48° 10.06'	-125° 08.00'	84	8.0	0	0	0	0	0	0	5
1082	6/1	48° 10.48'	-125° 23.00'	61	8.0	201	8	17	2	0	0	0
1083	6/1	48° 09.38'	-125° 38.00'	93	8.0	151	11	34	4	0	0	5
1084	6/1	48° 19.95'	-125° 23.00'	66	8.0	215	13	13	2	0	0	0
1101	8/2	43° 19.96'	-124° 26.00'	29	8.0	279	9	0	0	0	0	0
1102	7/26	43° 50.03'	-124° 12.00'	19	8.0	0	0	0	0	0	0	0
1103	7/26	43° 59.96'	-124° 12.00'	27	8.0	0	0	0	0	0	0	0
1104	7/19	44° 29.96'	-124° 26.00'	38	8.0	751	26	25	5	0	0	0
1105	7/15	44° 30.02'	-124° 54.00'	239	8.0	0	0	0	0	15	0	0
1107	6/29	46° 10.00'	-124° 10.00'	31	7.9	250	10	27	3	0	0	0
1108	6/28	46° 09.93'	-124° 24.00'	67	8.0	590	33	183	20	5	0	0
1115	6/18	47° 29.94'	-124° 38.00'	37	8.0	570	27	51	6	0	0	0
1117*	8/15	47° 29.37'	-122° 26.16'	88	6.6	0	0	0	0	0	0	0
1118*	8/16	47° 50.59'	-122° 26.01'	101	8.0	0	0	0	0	0	0	0
1119*	8/16	47° 50.00'	-122° 39.98'	36	8.0	0	0	0	0	0	0	0
1121*	8/14	48° 09.63'	-122° 53.64'	44	8.0	59	1	0	0	0	0	0
1122*	8/13	48° 10.89'	-123° 20.63'	50	8.0	241	8	0	0	0	0	0
1123*	8/13	48° 10.00'	-123° 38.13'	34	8.0	40	1	0	0	0	0	0
1124*	8/14	48° 20.02'	-122° 54.92'	52	8.0	18	1	0	0	0	0	0
1125*	8/14	48° 20.04'	-123° 07.79'	66	8.0	0	0	0	0	0	0	0
1126	6/3	48° 19.05'	-124° 23.13'	33	7.9	30	2	0	0	0	0	0

<sup>1</sup> Standard skate =1800' groundline, 16/0 circle hooks, 18' spacing, 24"-48" gangions.

<sup>2</sup> Weight calculated from length-weight tables.

<sup>3</sup> Bycatch numbers extrapolated from 20% subsample except stations with \* which are whole hauled.

## 2018 IPHC Fishery-Independent Setline Survey Regulatory Area 2A

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates <sup>1</sup>	O32 Halibut		U32 Halibut		Bycatch (numbers) <sup>3</sup>			
						Lbs. <sup>2</sup>	#'s	Lbs. <sup>2</sup>	#'s	Sablefish	P. Cod	Rockfish	
1127*	8/18	48° 41.53'	-123° 07.35'	55	8.0	0	0	0	0	0	0	0	
1128*	8/19	48° 50.03'	-122° 52.99'	40	8.0	0	0	0	0	0	0	0	
1509*	6/7	48° 04.86'	-125° 16.00'	117	7.9	430	30	161	18	10	0	1	
1513*	6/8	48° 14.92'	-125° 16.00'	66	8.0	11	1	0	0	0	0	0	
1515*	6/6	48° 15.00'	-125° 31.00'	76	8.0	269	12	35	4	0	1	10	
1517	6/2	48° 19.93'	-124° 53.00'	109	8.0	189	11	18	2	0	0	0	
1519*	6/9	48° 20.04'	-125° 08.00'	73	8.0	14	1	0	0	0	0	0	
1522	6/2	48° 24.98'	-125° 01.00'	118	7.9	509	26	30	3	0	0	0	
1525	6/2	48° 29.98'	-124° 52.84'	64	8.0	624	24	43	5	15	0	0	
1621*	8/17	48° 09.72'	-122° 25.73'	28	8.0	0	0	0	0	0	0	0	
1623*	8/18	48° 27.75'	-123° 05.42'	119	2.0	15	1	0	0	0	0	1	
1624*	8/19	48° 58.93'	-122° 54.74'	14	8.0	0	0	0	0	0	0	0	
1874	6/25	46° 54.91'	-124° 46.00'	78	8.0	92	4	30	4	0	0	0	
1875	6/24	46° 54.97'	-124° 31.00'	46	8.0	407	16	17	2	0	0	0	
1876	6/24	46° 54.95'	-124° 17.00'	21	8.0	0	0	0	0	0	0	0	
1877	6/20	47° 04.97'	-124° 46.00'	68	8.0	296	16	37	4	0	0	0	
1878	6/15	47° 04.98'	-124° 31.00'	37	8.0	0	0	0	0	0	0	0	
1879	6/19	47° 14.98'	-125° 00.00'	255	8.0	43	2	0	0	10	0	0	
1880	6/19	47° 14.88'	-124° 46.00'	74	8.0	328	14	121	15	0	0	0	
1881	6/16	47° 14.96'	-124° 31.00'	32	8.0	74	3	0	0	0	0	0	
1882	6/18	47° 24.63'	-124° 46.00'	71	8.0	219	12	107	13	0	0	0	
1883	6/16	47° 24.91'	-124° 31.00'	21	8.0	397	14	4	1	0	0	0	
1884	5/29	47° 34.88'	-125° 00.00'	100	8.0	58	4	35	4	5	0	0	
1885	6/17	47° 34.89'	-124° 46.00'	49	8.0	32	2	7	1	0	0	0	
1886	5/29	47° 44.89'	-125° 01.00'	79	8.0	110	6	56	6	0	0	0	
1887	6/17	47° 44.94'	-124° 46.00'	40	8.0	273	12	76	10	0	0	0	
1888	5/31	47° 54.98'	-125° 31.00'	232	7.9	38	2	0	0	15	0	0	
1889	5/30	47° 54.98'	-125° 16.00'	182	8.0	740	43	44	5	10	0	25	
1890*	6/11	47° 54.94'	-125° 01.00'	64	8.0	190	12	63	7	1	0	0	
1891*	6/11	47° 55.00'	-124° 45.77'	21	7.9	20	1	0	0	0	0	0	
1892	5/31	48° 04.97'	-125° 31.00'	79	8.0	0	0	16	2	0	0	0	
1894*	6/10	48° 05.05'	-125° 01.00'	126	8.0	472	20	17	2	2	1	2	
1897*	6/9	48° 15.00'	-125° 01.00'	185	8.0	52	3	0	0	0	0	0	
1899	6/3	48° 25.90'	-124° 46.48'	146	7.9	713	27	0	0	0	0	5	
<b>108 Total Effective 2A Stations</b>						<b>Totals</b>	<b>19,512</b>	<b>911</b>	<b>2,428</b>	<b>289</b>	<b>1,099</b>	<b>2</b>	<b>233</b>

<sup>1</sup> Standard skate =1800' groundline, 16/0 circle hooks, 18' spacing, 24"-48" gangions.

<sup>2</sup> Weight calculated from length-weight tables.

<sup>3</sup> Bycatch numbers extrapolated from 20% subsample except stations with \* which are whole hauled.