

2000 Stock Assessment Survey

Area 2C

Station Number	Date Fished	North		Depth (F)	Eff Skates Set*	Halibut (pounds)		Bycatch (numbers)**			
		Latitude	Longitude			Legal	Sublegal	Sablefish	P. Cod	Rockfish	
3001	6/21	54° 30.04'	132° 00.98'	W	150	7.0	1,728	85	146	0	45
3002	6/22	54° 33.20'	132° 18.51'	W	157	6.4	688	68	86	9	63
3003	6/22	54° 29.89'	132° 35.10'	W	200	7.1	637	72	81	0	91
3005	6/7	54° 29.98'	133° 09.96'	W	101	7.0	1,093	91	0	0	5
3006	6/7	54° 30.07'	133° 26.70'	W	162	7.0	1,073	33	50	0	5
3007	6/5	54° 30.06'	133° 43.96'	W	136	7.0	2,608	118	30	0	20
3008	6/16	54° 39.70'	130° 50.19'	W	133	7.0	758	52	40	0	25
3009	6/16	54° 39.89'	131° 08.32'	W	112	7.0	120	0	0	0	10
3010	6/16	54° 39.98'	131° 24.61'	W	111	7.0	427	29	35	0	0
3011	6/21	54° 39.77'	131° 42.33'	W	215	7.1	358	6	131	0	15
3012	6/21	54° 39.92'	131° 58.86'	W	103	7.1	2,152	196	15	10	45
3013	6/22	54° 40.26'	132° 16.74'	W	58	7.0	1,223	346	0	5	75
3014	6/23	54° 39.86'	132° 33.97'	W	106	7.0	1,085	108	15	15	25
3015	6/23	54° 39.80'	132° 51.20'	W	75	7.0	3,427	187	0	5	55
3016	6/6	54° 40.09'	133° 08.85'	W	124	7.0	1,341	36	50	0	125
3017	6/7	54° 39.84'	133° 26.22'	W	163	7.0	3,203	128	50	0	45
3018	6/5	54° 39.95'	133° 43.08'	W	132	7.0	5,120	87	5	0	20
3019	6/4	54° 40.05'	133° 59.86'	W	119	7.0	3,495	192	20	15	5
3020	6/17	54° 49.77'	131° 07.06'	W	134	7.1	321	15	0	0	0
3021	6/15	54° 50.10'	131° 42.08'	W	229	7.1	608	0	86	0	10
3022	6/23	54° 51.34'	132° 33.59'	W	160	7.0	725	7	95	5	0
3023	6/6	54° 50.36'	133° 08.88'	W	105	7.0	1,422	70	0	15	65
3024	6/6	54° 49.76'	133° 26.20'	W	67	7.0	630	178	21	5	10
3025	6/4	54° 49.97'	133° 42.97'	W	75	7.0	3,361	1,271	0	0	15
3026	6/4	54° 50.11'	134° 01.02'	W	103	7.0	2,228	115	10	0	70
3027	6/17	54° 59.98'	131° 06.07'	W	127	7.0	1,149	41	0	0	0
3028	6/15	54° 59.76'	131° 41.02'	W	120	7.0	163	8	65	5	25
3029	6/3	55° 00.11'	133° 25.87'	W	53	7.0	1,891	189	0	0	100
3030	6/3	55° 00.17'	133° 42.83'	W	56	7.1	3,085	749	0	0	20
3031	6/17	55° 09.62'	131° 06.75'	W	83	7.1	798	52	0	15	5
3032	6/15	55° 09.88'	131° 42.52'	W	71	7.0	567	9	0	0	5
3033	6/14	55° 09.56'	131° 56.19'	W	148	7.0	1,231	52	30	0	145
3034	6/3	55° 09.88'	133° 26.24'	W	34	7.0	1,869	10	0	0	105
3035	6/14	55° 19.84'	131° 58.00'	W	218	7.0	143	0	20	0	5
3036	6/14	55° 28.52'	131° 57.51'	W	189	7.1	274	27	102	0	31
3037	6/13	55° 40.45'	132° 15.42'	W	227	7.1	360	0	81	0	5
3038	6/13	55° 45.02'	132° 26.77'	W	166	7.0	208	0	40	0	10
3039	6/13	55° 50.01'	132° 14.93'	W	121	7.0	631	47	20	15	25
3040	6/12	55° 59.86'	132° 31.86'	W	113	7.0	408	30	0	0	15
3041	6/12	56° 00.93'	132° 45.03'	W	194	7.0	208	26	40	0	5
3042	6/12	56° 11.02'	132° 49.96'	W	60	7.0	485	14	0	10	20
3043	6/24	55° 00.05'	134° 00.95'	W	81	7.1	3,106	398	0	15	56
3044	6/24	55° 00.02'	134° 17.90'	W	114	7.1	2,056	353	5	5	5
3045	7/21	55° 10.06'	133° 43.11'	W	86	7.0	787	176	25	0	0
3046	6/24	55° 09.55'	134° 01.44'	W	93	7.0	4,628	428	5	0	0
3047	7/21	55° 19.82'	133° 43.95'	W	40	7.0	2,259	500	0	0	10
3048	7/21	55° 19.55'	134° 01.11'	W	64	7.0	1,163	1,613	0	0	0
3049	7/22	55° 20.14'	134° 19.25'	W	99	7.0	2,907	150	10	0	240
3050	6/25	55° 20.02'	134° 36.11'	W	109	7.1	5,701	421	5	0	66
3051	7/22	55° 29.73'	134° 00.70'	W	50	7.0	1,888	476	0	0	25
3052	7/22	55° 29.89'	134° 18.97'	W	91	7.1	3,900	342	0	0	0

*Standard skate = 1,800' groundline with 16/0 circle hooks spaced every 18' on 24' - 42' ganglions.

** Bycatch numbers extrapolated from 20-25 % sample.

Ver. Date 01/31/2011

2000 Stock Assessment Survey

Area 2C

Station Number	Date Fished	North		Depth (F)	Eff Skates Set*	Halibut (pounds)		Bycatch (numbers)**			
		Latitude	Longitude			Legal	Sublegal	Sablefish	P. Cod	Rockfish	
3053	6/25	55° 29.91'	134° 37.16'	W	108	7.0	3,377	336	35	10	0
3054	6/25	55° 29.82'	134° 54.12'	W	153	7.0	1,682	120	30	5	0
3055	7/23	55° 40.03'	134° 00.86'	W	101	7.1	2,578	133	0	5	76
3056	7/23	55° 39.69'	134° 18.81'	W	112	7.0	2,263	58	25	0	0
3057	7/24	55° 40.19'	134° 37.06'	W	109	7.0	2,518	103	45	15	0
3058	7/24	55° 40.20'	134° 55.09'	W	107	7.0	2,903	86	20	25	135
3059	7/15	55° 49.84'	133° 26.37'	W	37	7.0	247	0	0	0	90
3060	7/15	55° 49.98'	133° 44.34'	W	76	7.0	1,374	29	25	5	75
3061	7/14	55° 50.06'	134° 02.01'	W	134	7.0	2,419	22	25	0	75
3062	7/13	55° 50.45'	134° 38.11'	W	88	7.0	1,977	116	0	5	50
3063	7/6	55° 50.16'	134° 55.16'	W	98	7.0	4,288	244	0	0	5
3064	7/6	55° 50.20'	135° 12.87'	W	119	7.0	3,641	132	5	5	20
3065	7/15	55° 54.96'	133° 34.77'	W	37	7.0	1,554	15	5	10	45
3066	7/14	55° 59.88'	134° 02.20'	W	46	7.1	1,354	355	0	5	90
3067	7/14	55° 59.81'	134° 19.69'	W	49	7.0	2,953	115	0	0	95
3068	7/13	55° 59.60'	134° 39.03'	W	185	7.0	1,114	21	200	15	15
3069	7/13	56° 00.03'	134° 54.50'	W	187	7.0	468	0	120	0	120
3070	7/6	55° 59.95'	135° 12.67'	W	192	7.1	3,203	16	152	0	40
3071	7/16	56° 09.70'	133° 44.14'	W	158	7.1	830	62	25	5	0
3072	7/12	56° 09.81'	134° 20.00'	W	72	7.0	2,132	428	0	20	15
3073	7/1	56° 09.46'	134° 38.59'	W	120	7.0	2,193	121	25	40	40
3074	7/1	56° 10.05'	134° 55.76'	W	98	7.0	4,724	352	80	0	0
3075	7/5	56° 10.45'	135° 14.58'	W	143	7.0	3,729	28	35	10	5
3076	7/16	56° 20.05'	133° 43.77'	W	89	7.1	845	30	5	5	40
3077	7/12	56° 19.75'	134° 19.84'	W	76	7.0	778	119	0	35	65
3078	7/1	56° 19.64'	134° 56.55'	W	66	7.1	2,090	320	10	5	20
3079	7/5	56° 19.62'	135° 13.47'	W	84	7.0	1,692	143	5	30	105
3080	7/5	56° 19.52'	135° 31.79'	W	109	7.0	2,787	171	30	45	0
3081	7/16	56° 29.24'	133° 44.64'	W	52	7.1	1,093	21	0	0	0
3082	7/12	56° 30.00'	134° 19.91'	W	55	7.0	2,507	332	5	5	35
3083	6/1	56° 29.99'	135° 15.11'	W	58	7.0	1,363	582	0	10	20
3084	6/1	56° 30.00'	135° 33.19'	W	84	7.0	2,283	403	0	0	80
3085	6/1	56° 39.97'	135° 15.02'	W	22	7.0	1,775	50	0	0	30
3086	6/1	56° 40.00'	135° 34.00'	W	72	7.0	1,672	367	0	0	60
3087	6/2	56° 40.01'	135° 52.16'	W	130	7.0	1,400	286	60	5	25
3088	6/11	56° 50.02'	132° 49.88'	W	111	7.0	436	50	0	0	0
3089	6/2	56° 50.00'	135° 51.95'	W	100	7.0	1,877	459	5	5	0
3090	6/11	56° 56.98'	132° 58.00'	W	72	7.0	545	243	40	5	0
3091	6/12	56° 59.99'	134° 20.86'	W	185	7.0	418	66	130	0	0
3092	6/2	57° 00.01'	135° 53.02'	W	22	7.0	2,536	203	0	0	40
3093	6/11	57° 02.97'	133° 04.90'	W	76	7.0	822	90	5	5	0
3094	6/12	57° 10.00'	133° 44.62'	W	175	7.0	2,071	403	25	5	0
3095	6/12	57° 10.00'	134° 03.00'	W	146	7.0	2,233	333	40	10	5
3096	6/13	57° 09.58'	134° 39.94'	W	168	7.0	515	59	40	20	45
3097	6/3	57° 10.00'	135° 53.98'	W	39	7.0	1,635	284	0	0	50
3098	6/3	57° 10.00'	136° 12.05'	W	117	7.0	2,260	434	50	5	20
3099	6/10	57° 20.00'	133° 26.08'	W	76	7.0	388	18	0	0	0
3100	6/10	57° 20.02'	133° 45.11'	W	188	7.0	1,488	112	70	35	0
3101	6/13	57° 19.94'	134° 36.16'	W	173	7.0	1,132	98	10	0	40
3102	6/3	57° 19.92'	135° 54.97'	W	45	7.0	1,112	44	0	5	40
3103	6/3	57° 20.00'	136° 12.02'	W	94	7.0	2,760	526	10	30	65

*Standard skate = 1,800' groundline with 16/0 circle hooks spaced every 18' on 24' - 42' ganglions.

** Bycatch numbers extrapolated from 20-25 % sample.

Ver. Date 01/31/2011

2000 Stock Assessment Survey Area 2C

Station Number	Date Fished	North		Depth (F)	Eff Skates Set*	Halibut (pounds)		Bycatch (numbers)**		
		Latitude	Longitude			Legal	Sublegal	Sablefish	P. Cod	Rockfish
3104	6/10	57° 30.00'	133° 45.17' W	129	7.0	718	43	5	0	5
3105	6/13	57° 31.16'	134° 38.00' W	135	7.0	801	193	85	5	35
3106	6/4	57° 29.99'	136° 14.00' W	54	7.0	673	329	0	5	5
3107	6/9	57° 40.00'	133° 44.84' W	177	7.0	1,222	62	30	0	0
3108	6/4	57° 40.01'	136° 33.05' W	88	7.0	2,831	453	0	5	0
3109	6/9	57° 49.90'	133° 54.00' W	181	7.0	431	71	20	0	0
3110	6/4	57° 50.02'	136° 34.22' W	52	7.0	2,181	1,103	0	0	45
3111	6/28	57° 50.00'	136° 53.10' W	205	7.0	697	0	170	0	70
3112	6/9	58° 00.10'	134° 04.08' W	121	7.0	192	11	0	0	0
3113	6/24	58° 00.00'	136° 40.13' W	60	7.0	1,332	214	5	0	40
3114	6/17	58° 10.00'	135° 01.24' W	112	7.0	786	95	0	5	25
3115	6/17	58° 10.02'	135° 20.10' W	92	7.0	358	54	5	0	10
3116	6/24	58° 10.00'	136° 36.01' W	125	7.0	1,109	33	40	15	35
3117	6/8	58° 12.00'	134° 24.10' W	40	7.0	148	37	0	0	0
3118	6/8	58° 14.09'	134° 41.01' W	44	7.0	411	12	0	5	0
3119	6/17	58° 15.01'	135° 40.17' W	56	7.0	840	305	10	10	0
3120	6/24	58° 15.00'	136° 26.05' W	109	7.0	1,752	117	0	20	0
3121	6/8	58° 20.02'	134° 43.06' W	43	7.0	190	0	0	0	0
3122	6/14	58° 20.26'	135° 02.58' W	176	7.0	797	46	25	0	15
3123	6/14	58° 29.99'	135° 01.99' W	162	7.0	1,042	218	20	0	0
3124	6/14	58° 40.00'	135° 03.08' W	157	7.0	190	16	15	0	0

*Standard skate = 1,800' groundline with 16/0 circle hooks spaced every 18' on 24' - 42' gangions.

** Bycatch numbers extrapolated from 20-25 % sample.

Ver. Date 01/31/2011