

## 2001 IPHC Stock Assessment Survey

### Area 3A

Station Number	Date Fished	North Latitude	West Longitude	Depth (F)	Eff. Skates Set <sup>1</sup>	Halibut (pounds) <sup>2</sup>		Bycatch (numbers) <sup>3</sup>		
						Legal	Sublegal	Sablefish	P. Cod	Rockfish
4001	6/24	57° 50.00'	137° 13.42'	158	5.0	421	0	165	0	25
4002	6/27	58° 00.00'	136° 53.75'	224	5.0	41	0	120	0	20
4003	6/24	58° 00.00'	137° 12.12'	108	5.0	842	87	111	0	10
4004	6/24	58° 00.00'	137° 30.92'	88	5.0	1,376	173	10	0	56
4005	6/24	58° 00.01'	137° 49.87'	100	5.0	1,449	384	35	0	10
4006	6/28	58° 10.04'	136° 54.62'	108	5.0	820	73	55	0	10
4007	6/22	58° 10.00'	137° 11.05'	65	5.0	67	8	0	0	0
4008	6/22	58° 10.00'	137° 30.12'	77	5.0	757	130	0	0	0
4009	6/23	58° 10.01'	137° 49.36'	83	5.0	721	33	0	0	0
4010	6/23	58° 10.00'	138° 08.19'	79	5.0	1,098	224	0	0	0
4011	6/18	58° 10.00'	138° 27.02'	87	5.0	1,469	80	0	0	30
4012	6/18	58° 10.00'	138° 45.98'	98	5.0	1,012	237	5	0	30
4013	6/22	58° 20.00'	137° 10.45'	92	5.0	52	0	0	0	0
4014	6/22	58° 20.00'	137° 28.89'	100	5.0	0	0	0	0	0
4015	6/23	58° 20.01'	137° 47.95'	95	5.0	203	0	0	0	0
4016	6/23	58° 20.00'	138° 06.72'	70	5.0	133	73	0	0	0
4017	6/18	58° 20.01'	138° 26.12'	70	5.0	485	35	5	0	0
4018	6/18	58° 20.00'	138° 46.13'	63	5.0	1,791	358	0	0	49
4019	6/16	58° 20.00'	139° 04.97'	60	5.0	1,290	309	0	0	25
4020	6/16	58° 20.02'	139° 23.80'	144	5.0	1,631	20	92	0	10
4021	6/9	58° 30.00'	137° 28.13'	40	5.0	0	5	0	0	0
4022	6/9	58° 30.00'	137° 46.99'	85	5.0	0	0	0	0	0
4023	6/9	58° 30.00'	138° 07.06'	73	5.0	83	0	0	0	0
4024	6/17	58° 30.00'	138° 25.97'	62	5.0	744	198	0	0	0
4025	6/17	58° 30.00'	138° 44.99'	52	5.0	1,576	678	0	0	15
4026	6/16	58° 30.00'	139° 03.92'	56	5.0	141	69	0	0	0
4027	6/16	58° 30.00'	139° 22.81'	91	5.0	1,884	285	5	0	15
4028	6/15	58° 30.00'	139° 42.00'	135	5.0	1,027	32	64	0	0
4029	6/9	58° 40.01'	138° 06.00'	50	5.0	36	9	0	0	0
4030	6/17	58° 40.00'	138° 25.01'	72	5.0	12	0	0	0	0
4031	6/17	58° 40.00'	138° 43.95'	54	5.0	728	47	0	0	0
4032	6/15	58° 40.00'	139° 04.12'	82	5.0	1,511	164	0	0	0
4033	6/15	58° 40.00'	139° 23.02'	136	5.0	1,189	0	79	0	0
4034	6/15	58° 40.00'	139° 42.02'	102	5.0	1,136	148	20	0	0
4035	6/14	58° 40.00'	140° 00.92'	103	5.0	4,007	296	0	0	0
4036	6/10	58° 50.00'	138° 05.13'	29	5.0	0	0	0	0	0
4037	6/10	58° 50.00'	138° 24.02'	39	5.0	192	0	0	0	10
4038	6/11	58° 50.00'	138° 44.08'	67	5.0	0	0	0	0	0
4039	6/11	58° 50.00'	139° 02.84'	105	5.0	71	0	0	0	0
4040	6/14	58° 50.01'	139° 22.07'	74	5.0	254	30	0	0	10
4041	6/14	58° 50.00'	139° 42.06'	88	5.0	1,182	0	0	0	0
4042	6/14	58° 50.00'	140° 00.95'	94	5.0	1,739	118	5	0	0
4043	6/10	59° 00.00'	138° 24.16'	34	4.9	28	0	0	0	0
4044	6/11	59° 00.00'	138° 42.96'	85	5.0	59	0	0	0	0
4045	6/11	59° 00.00'	139° 02.06'	56	5.0	35	0	0	0	0
4046	6/12	59° 00.00'	139° 21.98'	61	5.0	54	0	0	0	0
4047	6/12	59° 00.00'	139° 41.02'	67	4.9	1,146	137	0	0	0
4048	6/12	59° 10.01'	139° 02.17'	30	5.0	0	0	0	0	0
4049	6/12	59° 10.00'	139° 20.95'	54	5.0	101	10	0	0	0
4051	6/27	58° 50.00'	140° 19.98'	101	5.0	1,106	181	25	0	5

## 2001 IPHC Stock Assessment Survey

### Area 3A

Station Number	Date Fished	North Latitude	West Longitude	Depth (F)	Eff. Skates Set <sup>1</sup>	Halibut (pounds) <sup>2</sup>		Bycatch (numbers) <sup>3</sup>		
						Legal	Sublegal	Sablefish	P. Cod	Rockfish
4052	6/30	58° 50.24'	140° 40.31'	105	5.1	1,201	133	35	0	5
4053	6/27	59° 00.13'	140° 00.99'	73	5.0	1,580	121	0	0	0
4054	6/27	58° 59.82'	140° 19.82'	86	5.0	1,071	104	0	0	10
4055	6/30	58° 59.68'	140° 38.54'	97	5.0	791	264	10	0	0
4056	6/30	58° 59.91'	140° 58.94'	150	5.1	2,332	441	35	5	0
4057	6/28	59° 10.23'	139° 40.95'	73	5.1	36	10	0	0	0
4058	6/28	59° 09.88'	140° 00.11'	64	5.1	1,202	368	0	0	0
4059	6/29	59° 10.07'	140° 20.02'	71	5.0	3,512	368	5	0	0
4060	6/29	59° 10.28'	140° 39.44'	82	5.0	475	117	0	0	0
4061	7/1	59° 09.93'	140° 59.25'	100	5.0	1,360	226	45	0	0
4062	7/1	59° 09.61'	141° 17.80'	182	5.0	1,053	11	90	0	0
4063	7/2	59° 12.53'	141° 38.70'	118	5.1	2,865	81	30	0	0
4064	6/28	59° 19.65'	139° 39.74'	88	5.1	62	0	0	0	0
4065	6/28	59° 19.55'	140° 00.09'	87	5.1	32	0	0	0	0
4066	6/29	59° 19.52'	140° 19.84'	68	5.0	507	64	0	0	0
4067	6/29	59° 19.83'	140° 38.79'	77	5.0	368	162	0	0	0
4068	7/1	59° 20.09'	140° 59.00'	86	5.0	2,251	353	5	0	0
4069	7/1	59° 20.07'	141° 18.17'	182	5.0	1,050	6	125	0	0
4070	7/2	59° 19.81'	141° 39.00'	103	5.1	1,640	133	0	0	0
4071	7/2	59° 19.68'	141° 58.64'	120	5.1	3,429	127	25	0	5
4072	7/5	59° 30.07'	140° 00.38'	61	5.0	0	0	0	0	0
4073	7/5	59° 30.07'	140° 19.45'	124	5.0	813	0	20	0	0
4074	7/11	59° 30.20'	140° 39.94'	153	5.0	255	0	55	0	5
4075	7/11	59° 30.21'	140° 58.27'	160	5.1	127	0	136	0	5
4076	7/10	59° 29.89'	141° 20.52'	88	5.0	111	0	0	0	0
4077	7/10	59° 30.38'	141° 36.14'	87	5.0	320	0	0	0	0
4078	7/7	59° 30.66'	141° 58.64'	96	5.1	962	16	0	0	0
4079	7/5	59° 39.98'	139° 59.62'	78	5.0	168	16	0	0	0
4080	7/11	59° 39.81'	140° 59.33'	31	5.0	44	29	0	0	0
4081	7/10	59° 39.58'	141° 20.43'	37	5.0	86	9	0	0	0
4082	7/10	59° 39.98'	141° 38.92'	52	5.0	123	0	0	0	0
4083	7/7	59° 40.08'	141° 58.62'	81	5.1	182	0	0	0	0
4084	7/9	59° 40.17'	142° 18.87'	117	5.1	1,040	9	0	0	0
4085	7/9	59° 40.02'	142° 37.86'	211	5.0	228	11	160	0	35
4086	7/14	59° 39.94'	142° 58.69'	107	5.0	2,260	128	10	5	0
4087	7/14	59° 39.82'	143° 15.98'	142	5.0	1,796	25	75	5	5
4088	7/15	59° 39.80'	143° 37.02'	78	5.1	2,609	72	0	5	56
4089	7/15	59° 39.80'	143° 57.14'	71	5.1	4,497	152	0	0	42
4090	7/16	59° 39.91'	144° 17.56'	88	5.0	1,493	64	0	0	0
4091	7/16	59° 40.01'	144° 36.61'	79	5.0	833	22	0	0	0
4092	7/7	59° 50.42'	142° 00.05'	37	5.0	475	89	0	0	0
4093	7/9	59° 49.93'	142° 19.13'	52	5.1	3,442	200	10	0	0
4094	7/9	59° 49.68'	142° 37.16'	85	5.0	3,357	39	0	0	0
4095	7/8	59° 50.60'	142° 56.95'	93	5.0	600	0	0	0	0
4096	7/14	59° 49.47'	143° 16.53'	110	5.0	1,207	116	5	0	0
4097	7/15	59° 49.95'	143° 39.67'	151	5.1	473	0	71	0	20
4098	7/15	59° 49.59'	143° 58.10'	52	5.1	584	129	0	0	0
4099	7/16	59° 50.05'	144° 18.36'	33	5.0	400	161	0	45	0
4100	7/8	59° 59.31'	142° 38.02'	46	5.0	79	40	0	0	0
4101	7/8	59° 59.42'	142° 58.87'	64	5.0	565	49	0	0	0

## 2001 IPHC Stock Assessment Survey

### Area 3A

Station Number	Date Fished	North Latitude	West Longitude	Depth (F)	Eff. Skates Set <sup>1</sup>	Halibut (pounds) <sup>2</sup>		Bycatch (numbers) <sup>3</sup>		
						Legal	Sublegal	Sablefish	P. Cod	Rockfish
4102	8/21	59° 19.99'	146° 16.24'	150		Ineffective Station <sup>4</sup>				
4103	8/21	59° 19.99'	146° 35.03'	79	4.9	1,317	57	5	0	10
4104	8/19	59° 20.00'	146° 55.05'	103	5.0	1,432	23	15	0	0
4105	8/19	59° 20.00'	147° 14.89'	100	5.0	773	58	15	0	0
4106	8/23	59° 29.99'	145° 16.01'	73	5.0	4,954	94	25	0	35
4107	8/22	59° 30.01'	145° 55.25'	91	5.0	3,464	99	0	0	5
4108	8/21	59° 29.94'	146° 34.98'	50	4.9	1,416	102	0	0	25
4109	8/19	59° 30.00'	146° 54.15'	102	4.9	119	15	0	0	0
4110	7/15	59° 30.05'	147° 14.02'	117	5.0	95	19	10	0	0
4111	8/19	59° 29.91'	147° 34.02'	62	5.0	866	105	0	0	0
4112	8/22	59° 40.02'	145° 34.50'	57	5.0	194	20	0	0	0
4113	8/22	59° 39.97'	145° 54.00'	43	5.0	390	376	0	0	0
4114	8/9	59° 39.98'	146° 14.02'	46	5.0	110	0	0	0	0
4115	8/21	59° 39.99'	146° 34.49'	48	5.0	501	31	0	0	20
4116	8/7	59° 40.04'	146° 53.01'	61	5.0	79	11	0	0	0
4117	8/7	59° 40.00'	147° 13.12'	97	5.0	1,077	38	5	0	0
4118	7/15	59° 40.05'	147° 33.00'	65	5.0	106	7	0	0	0
4119	7/16	59° 50.03'	144° 58.00'	107	5.0	236	18	10	10	0
4120	8/9	59° 50.01'	145° 53.04'	57	5.0	24	10	0	0	0
4121	8/9	59° 50.02'	146° 13.02'	35	5.0	139	93	0	0	0
4122	8/8	59° 49.98'	146° 32.97'	37	5.0	1,818	412	0	0	10
4123	8/8	59° 49.92'	146° 53.01'	42	5.0	0	46	0	0	0
4124	8/7	59° 50.00'	147° 13.18'	78	5.0	616	120	0	0	0
4125	7/16	60° 00.04'	144° 39.00'	124	5.0	126	19	5	20	0
4126	7/16	60° 00.00'	144° 59.01'	72	5.0	0	0	0	0	0
4127	7/16	59° 59.99'	145° 19.01'	66	5.0	31	0	0	0	0
4128	8/9	60° 00.03'	146° 12.01'	35	5.0	121	51	0	0	0
4129	8/8	59° 59.97'	146° 32.00'	35	5.0	79	105	0	0	0
4130	8/8	59° 59.93'	146° 52.02'	80	4.9	0	0	0	0	0
4131	8/7	59° 59.98'	147° 12.00'	102	5.0	44	0	0	5	0
4132	8/10	60° 10.01'	145° 30.98'	48	5.0	246	0	0	0	0
4133	8/10	60° 10.00'	145° 51.14'	59	5.0	151	18	0	0	0
4134	8/10	60° 09.99'	146° 11.09'	43	5.0	410	185	0	0	0
4135	8/15	60° 10.04'	147° 30.99'	37	5.0	737	360	0	0	10
4136	8/15	60° 10.04'	147° 51.00'	189	4.9	514	38	25	0	10
4137	8/15	60° 20.36'	147° 30.99'	71	5.0	1,042	75	10	20	20
4138	8/13	60° 30.08'	146° 29.01'	38	4.9	208	184	0	5	0
4139	8/13	60° 30.00'	146° 48.94'	218	5.0	378	0	30	0	0
4140	8/14	60° 30.04'	147° 10.02'	102	5.0	498	25	0	15	0
4141	8/14	60° 29.94'	147° 30.09'	112	5.0	173	4	10	5	15
4142	8/14	60° 29.04'	147° 50.01'	253	5.0	422	7	64	0	0
4143	8/13	60° 39.98'	146° 48.90'	226	5.0	701	0	80	0	5
4144	8/13	60° 40.03'	147° 09.00'	135	4.9	476	10	29	0	0
4145	8/17	60° 50.01'	147° 07.99'	130	5.0	1,268	8	25	25	20
4146	8/16	60° 49.94'	148° 10.00'	166	5.0	617	0	5	0	30
4147	8/5	58° 36.27'	148° 35.70'	93		Ineffective Station <sup>4</sup>				
4148	7/24	58° 39.94'	148° 52.56'	92	5.0	2,375	130	70	0	0
4149	8/5	58° 49.85'	148° 15.89'	150	5.0	2,523	37	255	0	10
4150	8/5	58° 49.69'	148° 33.88'	162	5.0	937	21	86	0	10

## 2001 IPHC Stock Assessment Survey

### Area 3A

Station Number	Date Fished	North Latitude	West Longitude	Depth (F)	Eff. Skates Set <sup>1</sup>	Halibut (pounds) <sup>2</sup>		Bycatch (numbers) <sup>3</sup>		
						Legal	Sublegal	Sablefish	P. Cod	Rockfish
4151	7/24	58° 50.00'	148° 52.80'	139	5.0	1,297	0	230	0	0
4152	7/24	58° 49.66'	149° 11.60'	110	5.1	1,656	9	209	10	0
4153	8/6	59° 01.36'	147° 54.77'	150	5.0	2,846	220	15	5	20
4154	8/4	59° 00.25'	148° 14.37'	118	5.1	5,086	52	25	40	0
4155	8/4	59° 00.29'	148° 34.41'	132	5.1	1,272	0	232	0	0
4156	7/25	59° 00.04'	148° 53.53'	114	5.1	1,378	0	207	0	0
4157	7/25	58° 59.90'	149° 10.33'	119	5.1	1,002	19	192	5	5
4158	7/23	59° 00.30'	149° 31.84'	124	5.1	732	30	80	0	0
4159	8/6	59° 09.70'	147° 35.61'	131	5.0	2,982	8	95	0	10
4160	8/6	59° 09.93'	147° 53.96'	110	5.1	1,204	15	40	0	0
4161	8/4	59° 09.42'	148° 13.65'	67	5.0	2,295	501	0	0	55
4162	8/4	59° 09.81'	148° 33.16'	86	5.1	3,790	57	15	0	0
4163	7/25	59° 09.73'	148° 52.75'	97	5.1	1,914	6	10	0	0
4164	7/25	59° 09.89'	149° 11.38'	87	5.1	3,915	128	15	0	5
4165	7/23	59° 09.62'	149° 32.62'	89	5.0	1,271	51	20	0	0
4166	7/23	59° 10.43'	149° 51.08'	72	5.1	1,072	131	0	0	0
4167	7/17	59° 20.17'	147° 34.75'	66	5.0	2,293	83	0	0	55
4168	7/17	59° 20.00'	147° 53.77'	98	5.1	796	5	10	0	0
4169	7/17	59° 19.83'	148° 12.14'	85	5.0	1,593	67	0	0	0
4170	8/3	59° 20.52'	148° 33.10'	49	5.1	2,490	424	0	0	31
4171	8/3	59° 20.27'	148° 52.53'	92	5.1	999	69	0	0	0
4172	7/26	59° 19.46'	149° 13.05'	98	5.1	1,112	80	76	20	0
4173	7/26	59° 20.02'	149° 31.37'	70	5.1	2,693	179	5	30	0
4174	7/22	59° 20.13'	149° 50.37'	101	5.1	639	0	45	25	0
4175	7/22	59° 20.05'	150° 09.98'	85	5.1	768	18	0	10	0
4176	7/18	59° 30.45'	147° 54.67'	64	5.0	791	57	0	0	0
4177	7/18	59° 29.91'	148° 12.06'	113	5.0	1,779	56	5	0	0
4178	8/3	59° 29.43'	148° 32.84'	54	5.1	460	1,128	0	0	0
4179	8/3	59° 29.87'	148° 51.07'	85	5.0	23	0	0	0	0
4180	7/26	59° 29.80'	149° 12.88'	123	5.0	1,197	8	40	0	5
4181	7/26	59° 30.02'	149° 31.31'	57	5.0	1,336	694	0	0	0
4182	7/22	59° 28.94'	149° 52.30'	108	5.0	722	13	84	64	5
4183	7/22	59° 30.09'	150° 10.74'	61	5.1	1,023	69	0	20	0
4184	7/18	59° 39.88'	147° 53.67'	35	5.0	1,173	13	0	0	40
4185	7/18	59° 39.48'	148° 12.61'	68	5.0	238	65	0	0	0
4186	7/29	59° 39.83'	148° 32.25'	114	5.0	162	17	20	0	5
4187	7/30	59° 40.03'	148° 52.02'	97	5.0	291	5	0	0	0
4188	7/30	59° 39.97'	149° 12.29'	113	5.0	334	11	40	0	0
4189	7/31	59° 40.53'	149° 31.46'	134	5.0	0	21	80	20	0
4190	7/29	59° 50.12'	148° 11.29'	44	5.1	1,001	240	5	26	0
4191	7/29	59° 49.97'	148° 32.14'	74	5.0	190	0	10	0	0
4192	7/30	59° 49.89'	148° 51.89'	95	5.1	131	0	10	0	0
4193	7/31	59° 49.55'	149° 13.38'	62	5.0	493	176	0	0	0
4194	7/31	59° 50.07'	149° 32.33'	75	5.0	217	31	5	5	0
4195	6/29	58° 00.02'	149° 13.00'	75	5.0	7,135	106	0	0	0
4196	6/29	58° 10.01'	148° 54.11'	71	5.0	3,641	236	0	79	10
4197	6/29	58° 10.00'	149° 13.20'	63	5.0	2,866	597	0	5	5
4198	6/29	58° 10.00'	149° 32.30'	59	5.0	2,783	335	0	0	20
4199	6/30	58° 09.89'	149° 51.00'	77	4.9	3,208	627	10	29	0
4200	6/28	58° 20.02'	148° 35.00'	98	5.0	3,147	46	25	55	0

## 2001 IPHC Stock Assessment Survey

### Area 3A

Station Number	Date Fished	North Latitude	West Longitude	Depth (F)	Eff. Skates Set <sup>1</sup>	Halibut (pounds) <sup>2</sup>		Bycatch (numbers) <sup>3</sup>		
						Legal	Sublegal	Sablefish	P. Cod	Rockfish
4201	6/28	58° 20.05'	148° 53.99'	69	5.0	2,528	373	0	40	5
4202	7/9	58° 20.00'	149° 13.00'	85	5.0	4,572	168	10	15	0
4203	7/9	58° 20.04'	149° 32.00'	83	5.0	2,005	157	25	0	0
4204	6/30	58° 19.99'	149° 51.09'	41	5.0	2,956	1,288	0	0	0
4205	6/30	58° 20.00'	150° 10.14'	28	4.9	2,248	828	0	0	0
4206	6/30	58° 20.01'	150° 29.09'	30	5.0	730	329	0	0	0
4207	6/28	58° 30.02'	148° 34.00'	72	5.0	4,720	190	0	10	5
4208	6/28	58° 30.10'	148° 53.02'	62	5.0	2,119	874	0	0	5
4209	7/9	58° 30.01'	149° 13.00'	67	5.0	1,418	212	0	65	0
4210	7/9	58° 29.99'	149° 31.98'	78	5.0	1,099	106	45	135	0
4211	7/8	58° 29.99'	149° 50.98'	76	5.0	976	77	0	95	0
4212	7/8	58° 30.00'	150° 09.91'	50	5.0	2,005	284	0	5	0
4213	7/8	58° 30.02'	150° 28.99'	48	5.0	1,001	765	0	0	0
4214	7/1	58° 29.92'	150° 48.00'	55	5.0	1,028	141	0	20	0
4215	7/10	58° 40.00'	149° 12.99'	74	5.0	1,862	130	5	15	20
4216	7/10	58° 40.04'	149° 32.00'	75	5.0	211	81	20	160	0
4217	7/10	58° 39.97'	149° 51.00'	83	5.0	1,010	35	30	5	0
4218	7/8	58° 40.04'	150° 10.00'	69	5.0	918	37	54	10	0
4219	7/1	58° 39.97'	150° 28.98'	109	5.0	355	0	20	0	0
4220	7/1	58° 40.00'	150° 49.04'	110	5.0	634	10	45	15	0
4221	7/1	58° 40.01'	151° 08.12'	104	4.9	687	0	24	29	0
4222	7/10	58° 50.02'	149° 31.83'	122	5.0	245	0	95	0	0
4223	7/14	58° 50.00'	149° 49.00'	132	5.0	494	17	54	0	5
4224	7/14	58° 49.94'	150° 10.00'	88	5.0	206	10	30	0	0
4225	7/7	58° 49.96'	150° 30.00'	91	3.8	649	9	62	14	0
4226	7/7	58° 49.96'	150° 49.02'	94	5.0	517	31	65	30	0
4227	7/2	58° 49.97'	151° 07.99'	77	5.0	2,426	18	5	10	0
4228	7/2	58° 50.00'	151° 28.02'	61	5.0	935	208	0	20	5
4229	7/14	58° 59.95'	149° 51.02'	122	5.0	90	0	25	0	0
4230	7/14	58° 59.93'	150° 11.00'	103	5.0	114	11	75	0	0
4231	7/7	59° 00.03'	150° 29.91'	66	5.0	292	79	0	0	0
4232	7/7	58° 59.99'	150° 49.88'	91	5.0	584	38	25	15	0
4233	7/2	59° 00.00'	151° 09.15'	81	5.0	1,313	18	10	35	15
4234	7/2	58° 59.99'	151° 27.79'	69	5.0	1,690	100	0	25	0
4235	7/5	59° 09.96'	150° 11.00'	68	5.0	296	62	0	5	0
4236	7/6	59° 10.02'	150° 29.99'	67	5.0	448	11	0	0	0
4237	7/6	59° 09.96'	150° 50.05'	63	5.0	758	42	0	0	5
4238	7/6	59° 10.00'	151° 09.00'	29	5.0	1,344	120	0	0	5
4239	7/6	59° 19.99'	150° 30.99'	133	5.0	1,361	26	15	109	10
4240	7/25	57° 20.03'	150° 46.00'	87	5.0	2,301	100	40	5	0
4241	7/24	57° 30.09'	150° 09.00'	243	5.0	61	0	30	0	0
4242	7/25	57° 29.98'	150° 28.00'	84	5.0	2,121	102	15	35	0
4243	7/25	57° 29.94'	150° 46.00'	53	5.0	3,420	369	0	0	0
4244	7/23	57° 39.99'	149° 50.00'	227	4.9	334	0	64	0	0
4245	7/24	57° 40.00'	150° 09.01'	115	5.0	3,199	23	45	5	0
4246	7/24	57° 40.01'	150° 27.99'	49	5.1	1,063	1,486	0	0	0
4247	7/26	57° 40.05'	150° 47.00'	46	5.1	3,576	742	0	0	0
4248	7/26	57° 40.06'	151° 05.00'	41	5.0	665	230	0	0	0
4249	7/26	57° 40.00'	151° 24.00'	35	5.0	1,300	688	0	6	0
4250	7/15	57° 50.04'	149° 32.00'	200	5.1	1,751	19	30	0	15

# 2001 IPHC Stock Assessment Survey

## Area 3A

Station Number	Date Fished	North Latitude	West Longitude	Depth (F)	Eff. Skates Set <sup>1</sup>	Halibut (pounds) <sup>2</sup>		Bycatch (numbers) <sup>3</sup>		
						Legal	Sublegal	Sablefish	P. Cod	Rockfish
4251	7/23	57° 50.04'	149° 49.99'	140	5.0	2,817	36	20	0	0
4252	7/23	57° 50.02'	150° 09.00'	108	5.0	2,267	120	45	15	0
4253	7/22	57° 49.89'	150° 28.00'	49	5.0	6,810	496	0	0	0
4254	7/22	57° 49.93'	150° 46.99'	46	5.0	2,320	803	0	0	0
4255	7/21	57° 49.89'	151° 06.00'	38	5.0	1,095	409	0	0	0
4256	7/21	57° 49.89'	151° 24.00'	30	5.0	324	292	0	0	0
4257	7/20	57° 49.95'	151° 43.00'	28	5.1	567	316	0	5	0
4258	7/7	57° 50.00'	152° 02.06'	49	5.0	881	81	30	10	0
4259	7/15	58° 00.01'	149° 31.99'	81	5.0	1,846	179	0	0	0
4260	7/14	58° 00.11'	149° 51.00'	126	5.0	2,062	31	115	10	0
4261	7/14	57° 59.95'	150° 09.00'	123	5.1	1,203	20	66	5	0
4262	7/13	57° 59.94'	150° 28.00'	89	5.0	721	27	50	0	0
4263	7/22	58° 00.04'	150° 47.00'	72	5.0	937	195	59	10	0
4264	7/21	57° 59.91'	151° 06.00'	43	5.0	1,381	751	0	10	0
4265	7/20	57° 59.98'	151° 25.00'	42	5.0	930	473	0	59	0
4266	7/20	57° 59.99'	151° 44.00'	62	5.0	845	198	15	20	0
4267	7/7	58° 00.00'	152° 02.93'	98	4.9	860	30	20	5	0
4268	7/7	58° 00.00'	152° 21.95'	111	4.9	810	49	5	44	0
4269	7/14	58° 09.98'	150° 10.00'	81	5.0	4,038	688	10	10	0
4270	7/13	58° 10.00'	150° 29.00'	63	5.1	3,664	504	0	0	0
4271	7/13	58° 10.04'	150° 47.99'	60	5.0	1,106	178	25	75	0
4272	7/12	58° 10.00'	151° 07.04'	80	5.0	593	20	50	0	0
4273	7/11	58° 10.00'	151° 24.98'	90	5.0	850	91	10	60	0
4274	7/11	58° 10.00'	151° 44.27'	33	4.8	6,129	138	0	0	0
4275	7/12	58° 20.00'	150° 48.02'	35	5.0	473	559	0	0	0
4276	7/12	58° 20.00'	151° 07.11'	70	4.9	1,157	116	10	5	0
4277	7/5	58° 19.88'	151° 26.00'	42	5.1	2,912	690	0	0	0
4278	7/11	58° 20.00'	151° 44.87'	30	5.0	4,791	222	0	5	0
4279	7/4	58° 29.97'	151° 07.00'	54	4.9	674	89	0	34	0
4280	7/4	58° 30.07'	151° 27.00'	92	5.0	1,212	57	5	69	0
4281	7/5	58° 29.98'	151° 46.00'	100	4.9	1,557	28	82	53	0
4282	7/4	58° 40.00'	151° 26.95'	101	5.0	861	0	25	50	0
4283	7/3	58° 39.98'	151° 45.94'	68	4.9	3,267	49	10	0	0
4284	7/3	58° 40.00'	152° 05.97'	69	4.9	1,368	19	20	0	0
4285	7/3	58° 50.00'	152° 05.53'	57	3.7	2,570	157	0	5	5
4286	7/31	56° 20.01'	152° 50.02'	61	5.0	3,071	529	0	10	0
4287	8/1	56° 19.98'	153° 08.02'	52	5.0	1,007	294	5	5	0
4288	8/1	56° 19.99'	153° 26.13'	32	5.0	2,996	568	0	0	0
4289	7/30	56° 30.02'	152° 15.00'	127	5.0	2,654	26	30	0	0
4290	7/31	56° 30.00'	152° 33.10'	146	5.0	3,125	70	60	0	5
4291	7/31	56° 30.00'	152° 51.02'	28	5.0	4,055	792	0	0	0
4292	8/1	56° 30.00'	153° 09.03'	39	5.1	1,447	1,129	0	0	0
4293	8/2	56° 30.00'	153° 27.05'	48	5.1	1,470	380	0	10	0
4294	8/2	56° 30.00'	153° 45.08'	35	5.0	2,974	52	0	35	0
4295	7/30	56° 40.00'	151° 57.00'	33		Ineffective Station <sup>4</sup>				
4296	7/30	56° 39.95'	152° 14.99'	25	5.0	2,396	1,031	0	0	0
4297	8/8	56° 39.98'	152° 34.00'	76	5.1	1,461	156	66	0	0
4298	8/8	56° 39.97'	152° 52.00'	38	5.0	1,361	442	0	0	0
4299	8/3	56° 39.98'	153° 10.00'	81	5.0	680	8	0	0	0
4300	8/3	56° 40.00'	153° 28.06'	78	5.1	1,351	30	0	40	0

## 2001 IPHC Stock Assessment Survey

### Area 3A

Station Number	Date Fished	North Latitude	West Longitude	Depth (F)	Eff. Skates Set <sup>1</sup>	Halibut (pounds) <sup>2</sup>		Bycatch (numbers) <sup>3</sup>		
						Legal	Sublegal	Sablefish	P. Cod	Rockfish
4301	8/2	56° 40.00'	153° 45.96'	44	4.9	3,156	319	0	5	0
4302	8/12	56° 49.99'	151° 40.00'	164	5.0	764	37	10	0	10
4303	8/12	56° 49.98'	151° 58.00'	42	5.0	3,309	1,075	0	0	0
4304	8/11	56° 50.03'	152° 15.99'	53	5.1	2,670	203	0	0	0
4305	8/8	56° 49.98'	152° 35.00'	74	5.0	632	30	15	5	0
4306	8/4	56° 49.94'	152° 52.99'	34	5.0	1,223	1,277	0	0	0
4307	8/4	56° 49.97'	153° 11.00'	44	5.0	4,350	224	0	5	0
4308	8/3	56° 49.93'	153° 29.00'	54	5.0	1,699	259	0	0	0
4309	8/12	57° 01.00'	151° 40.00'	45	5.0	2,425	730	0	0	0
4310	8/16	56° 59.99'	151° 59.00'	44	5.0	1,545	332	0	59	0
4311	8/11	57° 00.01'	152° 17.00'	41	5.0	632	54	0	0	0
4312	8/11	57° 00.00'	152° 35.00'	84	5.0	647	0	5	0	0
4313	8/4	56° 59.95'	152° 53.99'	59	5.1	1,871	198	5	20	0
4314	8/17	57° 09.96'	151° 04.00'	210		Ineffective Station <sup>4</sup>				
4315	8/17	57° 09.98'	151° 21.99'	69	5.0	4,025	626	0	0	0
4316	8/16	57° 10.10'	151° 41.00'	39	5.0	1,546	790	0	0	0
4317	8/16	57° 09.98'	151° 59.00'	37	5.0	3,247	205	0	25	0
4318	8/15	57° 09.90'	152° 17.99'	44	5.0	929	183	0	5	0
4319	8/15	57° 10.04'	152° 36.00'	52	5.0	813	87	0	45	0
4320	8/17	57° 19.99'	151° 04.00'	49	5.0	2,644	889	0	0	0
4321	8/18	57° 19.93'	151° 23.00'	72	5.0	2,419	402	10	20	0
4322	8/23	57° 19.91'	151° 41.00'	34	5.0	710	128	0	0	0
4323	8/23	57° 19.98'	152° 00.00'	40	5.1	1,326	116	0	15	0
4324	8/15	57° 20.05'	152° 18.00'	20	4.2	1,746	163	0	0	0
4325	8/18	57° 29.95'	151° 05.00'	43	5.0	2,897	569	0	30	0
4326	8/18	57° 29.96'	151° 22.99'	46	5.0	1,998	459	0	30	0
4327	8/24	57° 30.00'	151° 42.00'	62	5.0	1,037	586	10	25	0
4328	8/23	57° 30.00'	152° 01.01'	26	5.0	1,178	27	0	0	0
4329	8/24	57° 41.50'	151° 43.03'	33	5.1	1,359	327	0	0	0
4330	8/24	57° 40.00'	152° 01.00'	92	5.0	1,093	211	61	61	0
4331	6/6	57° 30.00'	154° 55.15'	125	4.9	433	27	63	24	0
4332	6/26	57° 40.00'	154° 35.03'	119	4.8	723	64	49	49	0
4333	6/26	57° 40.00'	154° 54.07'	129	5.0	531	10	40	5	0
4334	6/26	57° 40.00'	155° 13.09'	163	4.8	477	25	38	0	0
4335	6/24	57° 50.00'	154° 14.92'	112	5.2	1,033	189	71	15	0
4336	6/24	57° 50.00'	154° 34.03'	126	4.9	695	24	78	15	0
4337	6/24	57° 50.01'	154° 52.86'	158	5.0	958	82	40	0	0
4338	6/21	58° 00.00'	153° 37.13'	91	5.0	1,059	133	0	5	0
4339	6/21	58° 00.00'	153° 56.16'	108	5.1	893	69	13	0	0
4340	6/21	58° 00.00'	154° 14.06'	127	5.0	639	57	35	0	0
4341	6/20	58° 10.00'	153° 19.05'	63	4.9	548	390	0	5	0
4342	6/20	58° 10.00'	153° 37.92'	106	5.1	1,403	53	5	25	0
4343	6/20	58° 10.00'	153° 57.11'	116	5.0	1,050	71	64	10	0
4344	6/19	58° 20.00'	153° 20.14'	93	5.0	997	78	35	35	0
4345	6/19	58° 20.00'	153° 39.20'	93	4.9	1,079	77	0	98	0
4346	6/20	58° 20.00'	153° 57.86'	48		Ineffective Station <sup>4</sup>				
4347	6/10	58° 30.00'	153° 02.74'	92	4.9	998	113	20	49	0
4348	6/19	58° 30.00'	153° 20.91'	96	4.9	869	204	26	67	0
4349	6/19	58° 30.00'	153° 41.03'	50		Ineffective Station <sup>4</sup>				

## 2001 IPHC Stock Assessment Survey

### Area 3A

Station Number	Date Fished	North Latitude	West Longitude	Depth (F)	Eff. Skates Set <sup>1</sup>	Halibut (pounds) <sup>2</sup>		Bycatch (numbers) <sup>3</sup>		
						Legal	Sublegal	Sablefish	P. Cod	Rockfish
4350	6/10	58° 40.00'	152° 43.83'	111		Ineffective Station <sup>4</sup>				
4351	6/10	58° 40.00'	153° 03.00'	86		Ineffective Station <sup>4</sup>				
4352	6/10	58° 40.00'	153° 23.07'	25	5.0	994	189	0	76	0
4353	6/12	58° 50.00'	152° 26.21'	100		Ineffective Station <sup>4</sup>				
4354	6/11	58° 49.99'	152° 50.03'	91	5.0	617	35	15	5	0
4355	6/11	58° 50.00'	153° 03.94'	90	4.9	657	110	10	19	0
4356	6/12	59° 00.00'	151° 47.91'	72	4.9	1,527	147	0	5	0
4357	6/12	59° 00.00'	152° 07.05'	77	4.9	2,484	511	0	0	0
4358	6/12	59° 00.00'	152° 26.09'	77		Ineffective Station <sup>4</sup>				
4359	6/11	59° 00.00'	152° 45.77'	91		Ineffective Station <sup>4</sup>				
4360	6/11	59° 00.00'	153° 04.87'	84		Ineffective Station <sup>4</sup>				
4361	6/18	59° 10.00'	152° 07.89'	75	5.0	439	176	5	65	0
4362	6/18	59° 10.00'	152° 27.11'	54	5.0	340	106	0	54	0
4363	6/18	59° 10.00'	152° 46.97'	74		Ineffective Station <sup>4</sup>				
4364	6/25	59° 10.02'	153° 05.88'	48	5.1	1,505	81	0	26	0
4365	6/25	59° 10.00'	153° 25.90'	24	5.0	469	176	0	75	0
4366	6/13	59° 20.00'	152° 09.15'	37	4.9	1,931	806	0	0	0
4367	6/15	59° 20.00'	152° 27.96'	40	5.0	931	325	0	40	0
4368	6/15	59° 20.00'	152° 48.27'	42	5.0	365	171	0	15	0
4369	6/25	59° 20.01'	153° 07.72'	28	4.9	1,451	143	0	20	0
4370	6/13	59° 30.00'	151° 49.68'	42	5.0	718	231	0	5	0
4371	6/13	59° 30.00'	152° 08.62'	23	4.9	700	374	0	0	0
4372	6/15	59° 30.00'	152° 28.92'	29	5.0	986	134	0	54	0
4373	6/14	59° 30.00'	152° 49.23'	27	5.0	766	107	0	45	0
4374	6/14	59° 40.00'	152° 30.06'	43	5.0	1,241	286	0	21	0
4375	6/14	59° 50.00'	152° 10.96'	27	5.0	822	900	0	0	0
<b>Totals for Effective Stations (excl. ineffective stns):</b>						<b>458,680</b>	<b>60,270</b>	<b>6,896</b>	<b>3,488</b>	<b>1,136</b>

**Totals for all Stations (including ineffective stns):** **478,331** **61,229** **7,110** **4,007** **1,161**

<sup>1</sup> Standard skate = 1,800' groundline with 16/0 circle hooks every 18' on 24" - 42" gangions.

<sup>2</sup> Weights calculated from length-weight tables.

<sup>3</sup> Bycatch numbers extrapolated from 20% subsample.

<sup>4</sup> Station ineffective for stock assessment (caused by lost gear, snarls, predation, etc.)