

2002 IPHC Stock Assessment Survey

Area 3B

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Set ¹	Legal Halibut		Sublegal Halibut		Bycatch (numbers) ³		
						Lbs. ²	#'s	Lbs. ²	#'s	Sablefish	P. Cod	Rockfish
5001	7/30	55° 59.97'	153° 36.19'	52	5.0	4,139	170	359	47	0	0	0
5002	7/31	55° 59.99'	153° 54.06'	69	5.0	922	39	214	32	0	35	0
5003	7/31	56° 00.00'	154° 12.90'	60	5.0	2,217	94	131	15	0	0	5
5004	8/1	56° 00.00'	154° 29.89'	258	5.1	27	2	0	0	82	0	13
5005	8/2	56° 00.00'	154° 48.11'	118	4.9	158	8	21	2	0	106	0
5006	8/2	56° 00.00'	155° 06.30'	32	5.1	245	12	451	58	0	50	0
5007	7/30	56° 10.00'	153° 36.11'	84	5.0	1,883	102	226	25	10	0	0
5008	7/30	56° 10.04'	153° 53.04'	125	5.0	3,507	162	17	2	0	70	0
5009	7/31	56° 10.00'	154° 11.02'	66	5.0	457	32	636	80	0	5	5
5010	8/1	56° 10.00'	154° 28.99'	50	5.0	2,675	127	628	73	0	49	0
5011	8/1	56° 10.00'	154° 47.06'	44	4.9	205	13	336	43	0	5	0
5013	8/2	56° 10.00'	155° 23.09'	20	5.0	1,286	62	515	62	0	5	0
5014	8/3	56° 10.00'	155° 41.07'	32	5.1	1,030	44	365	47	0	0	0
5015	7/29	56° 19.98'	153° 50.97'	48	5.1	1,398	80	606	76	0	34	0
5016	7/29	56° 19.94'	154° 10.13'	51	4.3	1,226	57	235	29	0	10	0
5017	7/29	56° 19.98'	154° 28.00'	34	5.0	1,054	47	277	33	0	0	0
5018	8/3	56° 20.00'	155° 22.03'	25	5.0	503	30	647	83	0	20	0
5019	8/3	56° 20.00'	155° 40.03'	39	5.0	1,597	76	329	45	0	0	0
5020	7/19	56° 29.96'	155° 21.01'	28	5.0	812	41	403	50	0	165	0
5021	7/19	56° 29.99'	155° 39.09'	64	5.0	1,085	55	134	16	0	15	0
5022	7/17	56° 40.05'	155° 01.98'	22	5.1	1,648	49	136	18	0	45	0
5023	7/18	56° 40.01'	155° 20.00'	52	5.0	1,653	54	274	36	76	10	0
5025	7/17	56° 39.95'	155° 56.01'	159	5.1	979	49	68	7	0	15	0
5026	7/16	56° 49.94'	154° 24.00'	34	5.0	1,696	66	497	61	0	0	0
5027	7/16	56° 49.95'	154° 41.97'	25	5.1	841	44	298	39	0	130	0
5028	7/17	56° 50.01'	155° 00.00'	40	5.0	1,180	53	268	35	69	40	0
5029	7/17	56° 49.94'	155° 19.00'	125	5.0	622	30	77	8	0	5	0
5032	7/16	57° 00.21'	154° 41.01'	23	5.1	1,663	61	445	63	0	61	0
5033	7/9	57° 00.02'	154° 59.00'	59	5.1	1,133	56	343	48	65	35	0
5035	7/10	56° 59.80'	155° 35.98'	153	5.0	644	31	48	5	44	83	0
5036	7/11	56° 59.86'	155° 54.02'	164	4.9	376	18	10	1	0	0	0
5037	7/9	57° 09.92'	154° 40.00'	33	5.0	1,058	48	662	89	5	74	0
5038	7/9	57° 10.00'	154° 58.00'	108	4.9	709	42	75	8	31	99	0
5039	7/8	57° 09.92'	155° 16.00'	133	5.2	1,094	59	129	14	71	36	0
5040	7/10	57° 09.94'	155° 35.05'	147	5.1	754	36	28	3	76	96	0
5041	7/6	57° 09.91'	155° 53.02'	136	5.1	785	37	10	1	61	101	0
5043	7/8	57° 19.77'	155° 15.00'	133	5.1	731	34	23	3	76	24	0
5044	7/7	57° 19.98'	155° 33.98'	154	4.8	699	38	29	3	0	5	0
5045	7/6	57° 19.73'	155° 51.92'	57	4.8	1,116	73	628	77	0	91	0
5046	7/6	57° 20.27'	156° 10.95'	82	4.8	874	32	37	4	48	24	0
5047	7/7	57° 29.81'	155° 14.00'	139	5.0	1,295	58	17	2	137	0	0
5096	6/20	54° 50.00'	157° 33.02'	229	5.0	348	16	0	0	55	0	15
5098	6/20	54° 59.98'	157° 15.11'	104	5.0	720	38	127	14	30	30	5
5099	6/20	55° 00.00'	157° 32.08'	54	5.0	4,059	213	414	47	0	5	10
5100	6/21	54° 59.99'	157° 50.06'	44	5.0	2,937	169	878	103	0	0	0
5101	6/21	54° 59.81'	158° 06.99'	72	5.0	495	29	231	29	0	70	0
5102	6/18	55° 10.00'	156° 22.34'	275	5.0	522	25	11	1	74	0	10
5103	6/18	55° 10.00'	156° 39.28'	286	5.0	19	1	0	0	80	0	10
5104	6/19	55° 09.99'	156° 57.07'	85	5.0	1,151	63	171	18	0	183	0
5105	6/19	55° 10.01'	157° 13.98'	61	5.0	2,209	115	686	82	0	0	0

¹ Standard skate = 1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights are calculated from length-weight tables.

³ Bycatch numbers extrapolated from 20% subsample.

2002 IPHC Stock Assessment Survey

Area 3B

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Set ¹	Legal Halibut		Sublegal Halibut		Bycatch (numbers) ³		
						Lbs. ²	#'s	Lbs. ²	#'s	Sablefish	P. Cod	Rockfish
5106	7/2	55° 09.91'	157° 32.00'	47	5.0	1,750	102	953	117	0	0	0
5107	6/21	55° 10.00'	157° 48.98'	42	5.0	288	20	1,698	221	0	0	0
5108	6/21	55° 10.00'	158° 07.00'	55	5.0	1,784	93	738	100	0	5	0
5109	6/18	55° 20.05'	156° 39.00'	66	5.0	1,502	86	782	97	0	40	0
5110	6/19	55° 20.00'	156° 56.20'	50	5.0	1,892	94	796	101	0	35	0
5111	6/19	55° 20.00'	157° 14.21'	49	5.0	1,284	62	806	111	0	61	0
5112	7/2	55° 20.00'	157° 31.02'	47	5.0	550	37	1,280	164	0	0	0
5113	7/2	55° 20.03'	157° 49.01'	44	5.0	197	14	1,408	195	0	0	0
5114	7/3	55° 20.02'	158° 05.94'	59	4.9	2,070	86	599	75	0	0	0
5115	7/3	55° 20.01'	158° 24.10'	81	5.0	2,160	110	261	31	50	40	0
5117	6/22	55° 30.02'	156° 55.01'	47	5.0	2,462	125	685	83	0	5	0
5118	6/22	55° 29.91'	157° 13.00'	47	5.0	2,423	121	446	51	0	0	0
5119	7/2	55° 30.16'	157° 31.17'	52	5.0	268	18	986	128	0	100	0
5120	7/3	55° 30.05'	157° 48.00'	53	5.0	873	51	733	89	0	10	0
5121	7/3	55° 29.98'	158° 06.08'	71	5.0	808	51	340	39	5	15	0
5122	7/4	55° 30.05'	158° 24.05'	79	5.0	334	14	51	8	0	46	0
5123	6/30	55° 39.88'	156° 54.97'	48	5.0	2,830	140	1,030	127	0	0	0
5124	7/1	55° 40.01'	157° 13.13'	47	4.9	2,017	77	809	101	0	0	0
5125	7/1	55° 40.00'	157° 30.02'	55	5.0	2,214	110	535	65	0	0	0
5126	7/5	55° 40.01'	157° 47.92'	73	5.0	793	46	270	32	9	36	0
5127	7/5	55° 39.91'	158° 06.00'	69	5.0	925	51	165	19	0	110	0
5128	7/4	55° 40.00'	158° 22.99'	71	5.0	1,469	85	303	34	0	20	0
5129	7/4	55° 40.01'	158° 41.01'	50	5.0	1,701	77	1,177	148	0	0	0
5130	7/1	55° 50.14'	157° 11.98'	56	5.0	1,420	82	469	59	0	59	0
5131	7/1	55° 50.00'	157° 29.95'	55	5.0	1,435	65	568	74	0	5	0
5132	7/5	55° 50.00'	157° 47.98'	65	5.0	2,015	111	668	80	0	5	0
5133	7/5	55° 49.93'	158° 05.03'	45	5.0	2,734	122	799	99	0	0	0
5134	7/4	55° 49.83'	158° 22.90'	60	5.0	1,958	85	421	51	0	0	0
5135	7/6	55° 59.94'	157° 29.02'	61	5.0	1,134	50	340	43	0	40	5
5136	7/6	56° 00.01'	157° 47.12'	69	5.0	1,418	88	611	72	0	25	0
5137	7/6	55° 59.99'	158° 05.08'	47	5.0	1,596	60	430	55	0	0	0
5138	7/11	56° 09.98'	157° 47.09'	86	5.0	2,144	81	177	19	0	94	0
5139	7/11	56° 09.98'	158° 05.01'	36	5.0	1,246	53	238	31	0	35	0
5140	7/11	56° 20.05'	158° 03.94'	38	5.0	810	26	127	18	0	30	0
5141	7/10	54° 30.40'	159° 00.02'	136	5.0	1,120	61	34	4	98	0	0
5142	7/10	54° 29.92'	159° 17.18'	76	5.0	875	44	77	9	0	75	0
5143	7/9	54° 29.97'	159° 34.16'	59	5.0	3,318	159	444	54	0	5	0
5144	7/9	54° 30.07'	159° 51.05'	63	5.0	1,228	69	643	89	0	0	0
5145	7/9	54° 29.92'	160° 08.97'	65	5.0	1,740	94	400	49	0	99	0
5146	7/30	54° 40.49'	158° 24.99'	106	5.0	3,607	171	101	11	5	0	0
5147	7/29	54° 39.90'	158° 42.12'	55	5.0	3,825	187	396	48	0	0	0
5148	7/10	54° 39.84'	159° 00.05'	48	5.0	3,687	162	397	48	0	0	0
5149	7/10	54° 40.00'	159° 17.12'	39	5.0	1,697	70	403	49	0	0	0
5150	7/9	54° 40.06'	159° 34.06'	33	5.0	1,386	51	219	27	0	5	0
5151	7/8	54° 39.97'	159° 52.08'	40	5.0	2,430	98	538	71	0	0	0
5152	7/8	54° 40.03'	160° 09.16'	47	5.0	2,076	99	879	113	0	0	0
5153	7/30	54° 49.84'	158° 07.04'	53	5.0	799	46	312	38	0	0	0
5154	7/30	54° 49.91'	158° 24.94'	106	5.0	897	40	35	4	64	0	0
5155	7/29	54° 49.91'	158° 41.90'	53	5.0	1,523	63	806	102	0	0	0
5156	7/29	54° 49.97'	158° 59.84'	39	5.0	2,038	118	791	95	0	0	0

¹ Standard skate = 1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights are calculated from length-weight tables.

³ Bycatch numbers extrapolated from 20% subsample.

2002 IPHC Stock Assessment Survey

Area 3B

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Set ¹	Legal Halibut		Sublegal Halibut		Bycatch (numbers) ³		
						Lbs. ²	#'s	Lbs. ²	#'s	Sablefish	P. Cod	Rockfish
5157	7/8	54° 49.78'	159° 52.19'	29	5.0	1,810	72	313	41	0	168	0
5158	7/8	54° 49.97'	160° 09.11'	37	5.0	1,660	54	254	32	0	5	0
5159	6/17	54° 49.97'	160° 25.90'	46	5.0	782	31	245	34	0	109	0
5160	7/31	54° 59.91'	158° 24.93'	109	5.0	1,679	77	21	2	25	0	0
5161	7/31	54° 59.97'	158° 41.76'	68	5.0	4,825	214	438	51	0	35	0
5162	7/27	54° 59.99'	158° 58.98'	45	5.0	1,694	58	623	86	0	20	0
5163	7/27	55° 00.26'	159° 16.62'	24	5.0	2,599	73	103	12	0	5	0
5164	6/17	54° 59.98'	160° 27.10'	78	5.0	1,576	84	347	42	0	84	0
5165	6/17	55° 00.09'	160° 44.11'	48	5.0	1,558	77	696	92	0	5	0
5166	7/31	55° 10.03'	158° 24.12'	97	5.0	724	32	49	5	95	0	0
5167	7/31	55° 09.92'	158° 41.83'	109	5.0	484	17	0	0	115	0	0
5168	7/27	55° 10.00'	158° 59.05'	75	5.0	1,889	95	649	72	0	90	0
5169	7/27	55° 10.01'	159° 17.27'	38	5.0	3,013	147	662	79	0	40	0
5170	7/17	55° 20.06'	158° 41.98'	98	5.0	1,092	41	0	0	5	0	0
5171	7/17	55° 20.11'	158° 58.94'	98	5.0	2,039	76	18	2	34	0	0
5172	7/15	55° 20.08'	159° 17.04'	94	5.0	3,783	176	59	7	15	0	0
5173	7/16	55° 20.01'	159° 33.95'	74	5.0	1,675	85	72	8	5	30	0
5174	7/15	55° 19.96'	159° 51.87'	47	5.0	1,146	60	411	48	0	20	0
5175	7/17	55° 30.01'	158° 40.99'	86	5.0	1,040	42	17	2	5	0	0
5176	7/17	55° 29.88'	158° 59.01'	59	5.0	828	51	589	69	0	0	0
5177	7/15	55° 30.06'	159° 17.08'	64	5.0	2,281	107	349	42	0	10	0
5178	7/16	55° 29.86'	159° 33.69'	89	5.0	1,791	77	58	7	0	55	0
5179	7/15	55° 29.96'	159° 52.05'	89	5.0	1,803	73	112	12	0	110	0
5181	7/18	55° 40.03'	158° 58.93'	80	5.0	450	18	0	0	0	0	0
5182	7/18	55° 40.06'	159° 16.94'	56	5.0	1,644	78	712	85	0	5	0
5183	7/15	55° 39.97'	159° 51.95'	68	5.0	4,213	165	144	15	0	31	0
5184	7/18	55° 49.98'	158° 59.04'	66	5.0	3,350	167	69	7	0	35	0
5185	7/18	55° 50.06'	159° 16.40'	34	5.0	1,858	73	348	42	0	40	0
5186	6/27	53° 59.96'	163° 15.12'	45	5.0	1,341	77	409	58	0	125	5
5187	6/27	54° 00.01'	163° 32.01'	54	5.0	600	39	433	67	0	125	0
5188	6/27	53° 59.99'	163° 48.98'	50	5.0	577	34	271	37	0	79	0
5189	6/20	54° 09.96'	161° 34.21'	72	5.0	904	52	329	44	0	96	0
5190	6/20	54° 09.92'	161° 51.11'	44	5.0	3,830	165	376	45	0	0	5
5191	7/1	54° 10.02'	162° 08.00'	45	5.0	2,936	118	204	25	0	149	0
5192	7/1	54° 10.20'	162° 24.95'	60	5.0	1,412	68	261	34	0	106	10
5193	6/27	54° 09.90'	163° 49.89'	48	5.0	1,606	86	455	60	0	51	0
5194	6/18	54° 20.00'	160° 08.30'	170	5.0	365	22	37	4	10	0	5
5195	6/18	54° 20.00'	160° 26.17'	67	5.0	1,319	70	330	40	0	69	0
5196	6/18	54° 19.96'	160° 43.05'	57	5.0	3,921	218	234	27	0	134	15
5197	6/19	54° 20.12'	161° 00.12'	68	5.0	1,015	59	204	24	0	70	0
5198	6/19	54° 19.96'	161° 18.09'	65	5.0	3,788	203	376	45	0	76	10
5199	6/20	54° 19.95'	161° 34.00'	78	5.0	1,188	73	193	25	0	170	0
5200	6/20	54° 19.96'	161° 50.98'	41	5.0	2,835	143	354	43	0	0	0
5201	7/1	54° 19.94'	162° 09.00'	31	5.0	1,517	69	1,142	146	0	40	0
5202	6/28	54° 20.06'	163° 17.09'	27	5.0	1,871	54	178	27	0	205	0
5203	6/28	54° 20.00'	163° 34.01'	59	5.0	929	57	467	62	0	110	0
5204	6/26	54° 20.02'	163° 50.97'	60	5.0	1,317	75	725	100	0	124	0
5205	6/26	54° 20.08'	164° 09.22'	49	5.0	612	36	308	51	0	147	0
5206	6/13	54° 29.88'	160° 26.11'	78	5.0	1,047	63	192	22	0	50	0
5207	6/13	54° 30.03'	160° 43.29'	74	5.0	632	31	67	8	0	0	0

¹ Standard skate = 1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights are calculated from length-weight tables.

³ Bycatch numbers extrapolated from 20% subsample.

2002 IPHC Stock Assessment Survey

Area 3B

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Set ¹	Legal Halibut		Sublegal Halibut		Bycatch (numbers) ³		
						Lbs. ²	#'s	Lbs. ²	#'s	Sablefish	P. Cod	Rockfish
5208	6/19	54° 30.08'	161° 00.02'	69	5.0	1,625	87	453	59	0	69	0
5209	6/19	54° 29.95'	161° 18.09'	65	5.0	1,062	55	318	44	0	0	0
5210	7/2	54° 30.00'	161° 35.17'	36	5.0	3,099	114	970	132	0	0	0
5211	7/2	54° 30.03'	161° 52.10'	75	5.0	1,309	61	105	12	0	40	0
5212	6/21	54° 30.04'	162° 09.04'	74	5.0	1,738	86	303	35	0	109	0
5213	6/21	54° 30.23'	162° 26.06'	77	5.0	2,286	117	160	17	0	97	0
5214	6/28	54° 30.07'	163° 18.03'	38	5.0	1,078	56	858	118	0	40	0
5215	6/28	54° 29.99'	163° 35.04'	52	5.0	1,351	65	512	66	0	50	0
5216	6/26	54° 30.09'	163° 53.05'	50	5.0	1,070	63	1,066	156	0	0	0
5217	6/26	54° 30.01'	164° 10.06'	51	4.9	723	47	543	77	0	181	0
5218	6/13	54° 40.01'	160° 25.86'	54	5.0	1,751	85	586	71	0	15	0
5219	6/12	54° 39.92'	160° 42.84'	50	5.0	2,545	121	529	63	0	0	0
5220	6/12	54° 39.94'	161° 00.89'	49	5.0	1,463	73	477	64	0	5	0
5221	7/3	54° 39.97'	161° 17.93'	72	5.0	921	49	208	26	0	10	0
5222	7/2	54° 40.00'	161° 34.84'	36	5.0	3,430	111	870	112	0	5	10
5223	7/2	54° 40.01'	161° 52.99'	38	5.0	1,722	63	371	47	0	15	0
5224	6/29	54° 40.01'	162° 44.02'	47	5.0	385	20	172	24	0	20	0
5225	6/12	54° 50.09'	160° 44.15'	54	5.0	1,248	72	402	52	0	79	0
5226	6/12	54° 50.02'	161° 01.12'	55	4.9	1,269	62	452	58	0	10	0
5227	7/3	54° 50.06'	161° 17.98'	57	5.0	409	15	62	9	#N/A	#N/A	#N/A
5228	7/3	54° 49.92'	161° 35.83'	43	5.0	2,139	67	98	13	0	5	0
5229	6/29	54° 49.99'	162° 44.99'	28	5.0	882	33	222	27	0	20	0
5230	6/29	54° 49.96'	163° 03.01'	44	5.0	2,480	141	277	35	0	115	0
5231	6/11	55° 00.09'	161° 00.94'	51	5.0	1,986	72	284	39	0	0	5
5232	6/11	54° 59.90'	161° 19.16'	43	5.0	1,640	61	222	32	0	20	0
5233	6/11	55° 09.88'	161° 02.11'	73	5.0	250	15	15	2	0	235	0
5234	6/17	55° 19.98'	156° 03.05'	155	5.0	947	30	0	0	80	0	10
5235	6/18	55° 20.00'	156° 21.12'	95	5.0	2,108	94	67	8	30	45	0
5236	6/17	55° 29.99'	155° 45.08'	119	5.0	2,066	110	110	11	50	0	0
5237	6/17	55° 30.00'	156° 03.08'	110	5.0	642	38	138	18	119	15	0
5239	6/15	55° 40.00'	155° 25.91'	99	5.0	1,158	59	158	20	59	25	0
5240	6/15	55° 40.00'	155° 44.05'	68	5.0	1,994	110	596	78	0	0	0
5241	6/16	55° 40.25'	156° 01.99'	125	5.0	1,354	68	51	7	110	0	0
5243	6/30	55° 40.00'	156° 37.08'	131	5.0	832	36	49	5	135	15	0
5244	6/15	55° 50.00'	155° 06.47'	67	5.0	2,094	117	656	82	0	15	0
5245	6/15	55° 50.01'	155° 25.16'	27	5.0	375	23	285	37	0	100	0
5246	6/16	55° 50.02'	156° 01.00'	58	5.0	1,972	100	477	63	0	70	0
5249	6/30	55° 50.00'	156° 53.97'	74	5.0	2,505	127	405	45	0	84	0
5250	6/14	55° 59.99'	155° 41.70'	26	5.0	1,200	42	702	86	0	70	0
5251	6/14	55° 59.86'	156° 00.03'	42	5.0	376	18	415	66	0	178	0
5253	6/29	55° 59.93'	156° 36.02'	106	5.0	3,050	137	302	37	0	45	0
5254	7/14	56° 00.00'	157° 11.01'	63	5.0	1,441	80	671	78	0	40	0
5257	6/29	56° 10.03'	156° 35.01'	102	5.0	868	47	207	28	25	35	0
5258	7/14	56° 10.00'	156° 53.11'	45	5.0	1,178	42	186	24	0	0	0
5259	7/14	56° 10.04'	157° 11.00'	56	5.0	2,436	94	731	93	0	0	5
5260	7/6	56° 09.97'	157° 28.99'	85	5.0	1,171	58	68	8	0	80	0
5261	6/28	56° 20.05'	155° 58.00'	115	5.1	1,140	56	85	11	45	10	0
5263	7/13	56° 19.99'	156° 33.98'	100	5.0	1,223	58	59	7	60	70	0
5264	7/13	56° 20.01'	156° 52.12'	63	5.0	1,889	76	636	84	0	50	0
5265	7/14	56° 19.95'	157° 10.02'	96	5.0	1,245	47	26	3	0	144	0

¹ Standard skate = 1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights are calculated from length-weight tables.

³ Bycatch numbers extrapolated from 20% subsample.

2002 IPHC Stock Assessment Survey

Area 3B

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Set ¹	Legal Halibut		Sublegal Halibut		Bycatch (numbers) ³		
						Lbs. ²	#'s	Lbs. ²	#'s	Sablefish	P. Cod	Rockfish
5266	7/12	56° 20.00'	157° 27.84'	38	5.0	1,329	52	479	69	0	0	0
5267	7/11	56° 20.02'	157° 46.00'	28	5.0	1,265	49	316	49	0	0	0
5269	6/28	56° 29.99'	156° 14.93'	142	5.0	295	17	17	2	89	15	0
5270	7/13	56° 30.00'	156° 33.34'	104	5.0	796	38	19	3	60	25	0
5271	7/13	56° 30.01'	156° 51.02'	53	5.0	1,192	54	385	57	0	25	0
5272	7/12	56° 29.95'	157° 28.03'	81	5.0	1,756	74	93	12	0	65	0
5273	7/16	56° 40.02'	156° 14.02'	116	5.0	1,030	57	102	12	104	79	0
5274	7/15	56° 40.00'	156° 31.90'	85	5.0	754	29	191	25	45	94	0
5275	7/15	56° 40.06'	156° 51.01'	55	5.0	1,724	62	392	51	0	114	0
5276	7/12	56° 40.08'	157° 08.96'	75	5.0	938	43	176	22	0	139	0
5277	7/16	56° 50.00'	156° 13.21'	105	5.0	1,640	78	166	20	36	36	0
5278	7/15	56° 50.00'	156° 32.07'	62	5.0	1,637	63	497	65	0	95	0
5279	7/15	56° 50.00'	156° 50.12'	61	5.0	3,011	109	200	24	0	115	0
5280	7/16	56° 59.92'	156° 13.03'	87	5.0	643	29	107	16	45	158	0
214	Total Stations				Totals	325,172	15,279	76,982	9,789	2,722	8,839	158

¹ Standard skate =1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights are calculated from length-weight tables.

³ Bycatch numbers extrapolated from 20% subsample.