

2003 IPHC Stock Assessment Survey

Area 2 B

| Station | Date Fished | North Latitude | West Longitude | Depth (F) | Skates Set ¹ | Legal Halibut | | Sublegal Halibut | | Bycatch (numbers) | | |
|---------|-------------|----------------|----------------|-----------|-------------------------|-------------------|----|-------------------|----|-------------------|--------|----------|
| | | | | | | Lbs. ² | #s | Lbs. ² | #s | Sablefish | P. Cod | Rockfish |
| 2001 | 5/28 | 48° 20.41' | 125° 37.84' | 77 | 8.1 | 174 | 8 | 8 | 1 | 23 | 0 | 0 |
| 2002 | 5/29 | 48° 20.02' | 125° 52.17' | 142 | 8.0 | 137 | 5 | 11 | 1 | 151 | 0 | 10 |
| 2003 | 5/28 | 48° 30.27' | 125° 23.00' | 74 | 8.0 | 0 | 0 | 0 | 0 | 5 | 0 | 0 |
| 2004 | 5/28 | 48° 30.16' | 125° 38.52' | 53 | 8.0 | 15 | 1 | 11 | 1 | 0 | 0 | 0 |
| 2005 | 5/29 | 48° 29.96' | 125° 52.73' | 58 | 8.0 | 89 | 5 | 58 | 7 | 0 | 0 | 27 |
| 2006 | 5/29 | 48° 29.93' | 126° 07.64' | 107 | 8.0 | 374 | 17 | 0 | 0 | 219 | 0 | 6 |
| 2007 | 5/27 | 48° 39.06' | 125° 07.52' | 37 | 8.0 | 219 | 6 | 9 | 1 | 0 | 1 | 21 |
| 2008 | 5/27 | 48° 40.75' | 125° 23.55' | 48 | 8.0 | 257 | 15 | 101 | 12 | 1 | 0 | 3 |
| 2009 | 5/31 | 48° 39.81' | 125° 37.91' | 63 | 8.0 | 51 | 3 | 10 | 1 | 0 | 0 | 0 |
| 2010 | 5/31 | 48° 40.05' | 125° 52.77' | 40 | 8.0 | 164 | 10 | 27 | 3 | 0 | 0 | 0 |
| 2011 | 6/1 | 48° 39.89' | 126° 08.03' | 78 | 8.1 | 15 | 1 | 0 | 0 | 0 | 0 | 0 |
| 2012 | 5/31 | 48° 49.91' | 125° 36.16' | 25 | 8.0 | 475 | 14 | 0 | 0 | 0 | 0 | 3 |
| 2013 | 6/1 | 48° 49.75' | 125° 52.59' | 31 | 8.0 | 708 | 25 | 10 | 1 | 0 | 0 | 14 |
| 2014 | 6/1 | 48° 49.70' | 126° 07.89' | 60 | 8.0 | 39 | 1 | 18 | 2 | 0 | 0 | 0 |
| 2015 | 6/4 | 48° 49.61' | 126° 23.79' | 97 | 8.0 | 437 | 24 | 65 | 7 | 75 | 1 | 0 |
| 2016 | 6/4 | 49° 00.27' | 126° 08.88' | 40 | 8.0 | 46 | 3 | 62 | 8 | 0 | 0 | 0 |
| 2018 | 6/5 | 49° 00.00' | 126° 37.03' | 126 | 8.0 | 291 | 14 | 19 | 3 | 83 | 0 | 6 |
| 2019 | 6/6 | 49° 09.35' | 126° 23.31' | 51 | 8.0 | 79 | 5 | 55 | 9 | 0 | 0 | 0 |
| 2020 | 6/5 | 49° 10.19' | 126° 37.55' | 68 | 8.0 | 299 | 12 | 26 | 3 | 0 | 0 | 0 |
| 2021 | 6/5 | 49° 09.80' | 126° 52.32' | 93 | 8.0 | 74 | 5 | 63 | 7 | 16 | 0 | 0 |
| 2023 | 6/6 | 49° 19.91' | 126° 21.02' | 22 | 8.0 | 11 | 1 | 0 | 0 | 0 | 0 | 0 |
| 2024 | 6/6 | 49° 19.91' | 126° 37.65' | 38 | 8.0 | 494 | 13 | 9 | 1 | 0 | 0 | 17 |
| 2025 | 6/11 | 49° 20.16' | 126° 53.04' | 75 | 7.9 | 152 | 5 | 41 | 5 | 1 | 0 | 0 |
| 2026 | 6/15 | 49° 20.36' | 127° 08.41' | 95 | 8.0 | 266 | 11 | 10 | 1 | 121 | 0 | 1 |
| 2027 | 6/11 | 49° 30.48' | 126° 39.16' | 24 | 8.0 | 25 | 1 | 7 | 1 | 0 | 0 | 4 |
| 2028 | 6/11 | 49° 29.95' | 126° 52.34' | 49 | 8.0 | 17 | 1 | 16 | 2 | 0 | 0 | 0 |
| 2029 | 6/15 | 49° 29.71' | 127° 09.00' | 79 | 8.0 | 163 | 10 | 52 | 6 | 7 | 0 | 0 |
| 2030 | 6/16 | 49° 40.10' | 127° 09.20' | 63 | 8.0 | 39 | 3 | 213 | 29 | 2 | 0 | 0 |
| 2031 | 6/16 | 49° 39.94' | 127° 24.09' | 132 | 8.1 | 501 | 15 | 11 | 1 | 88 | 0 | 21 |
| 2032 | 6/17 | 49° 49.86' | 127° 24.16' | 44 | 8.0 | 311 | 16 | 102 | 13 | 0 | 0 | 1 |
| 2033 | 6/17 | 49° 49.77' | 127° 40.13' | 94 | 8.0 | 104 | 6 | 25 | 3 | 22 | 0 | 29 |
| 2034 | 6/17 | 49° 59.88' | 127° 40.28' | 47 | 8.1 | 786 | 42 | 237 | 27 | 0 | 0 | 3 |
| 2035 | 6/20 | 50° 18.91' | 128° 11.30' | 89 | 8.0 | 209 | 10 | 9 | 1 | 21 | 0 | 21 |
| 2037 | 6/20 | 50° 30.73' | 128° 26.66' | 102 | 8.0 | 559 | 17 | 30 | 4 | 38 | 1 | 19 |
| 2038 | 6/21 | 50° 39.86' | 128° 27.63' | 47 | 8.0 | 477 | 22 | 157 | 21 | 0 | 0 | 4 |
| 2039 | 6/21 | 50° 39.72' | 128° 43.81' | 106 | 8.0 | 71 | 5 | 18 | 2 | 15 | 0 | 16 |
| 2040 | 6/21 | 50° 49.85' | 128° 28.80' | 32 | 8.0 | 1,243 | 52 | 115 | 14 | 0 | 0 | 4 |
| 2041 | 6/29 | 51° 00.23' | 127° 57.83' | 64 | 8.0 | 623 | 42 | 238 | 30 | 36 | 3 | 1 |
| 2042 | 6/26 | 50° 59.91' | 128° 13.43' | 52 | 8.0 | 238 | 12 | 136 | 18 | 20 | 1 | 9 |
| 2043 | 6/29 | 51° 09.36' | 127° 56.17' | 67 | 8.0 | 176 | 13 | 138 | 15 | 1 | 0 | 0 |
| 2044 | 6/22 | 50° 50.11' | 128° 59.84' | 48 | 8.1 | 864 | 38 | 145 | 19 | 0 | 0 | 56 |
| 2045 | 6/23 | 50° 49.83' | 129° 15.69' | 67 | 6.1 | 958 | 42 | 216 | 29 | 0 | 0 | 5 |
| 2046 | 6/26 | 50° 59.98' | 128° 28.20' | 51 | 8.0 | 152 | 10 | 134 | 19 | 0 | 0 | 4 |
| 2047 | 6/22 | 50° 59.84' | 128° 45.10' | 37 | 8.0 | 1,036 | 40 | 249 | 31 | 0 | 0 | 16 |
| 2048 | 6/22 | 51° 00.02' | 128° 59.67' | 44 | 8.0 | 311 | 14 | 379 | 47 | 0 | 0 | 0 |
| 2049 | 6/23 | 50° 59.58' | 129° 15.97' | 87 | 8.0 | 230 | 13 | 319 | 39 | 28 | 0 | 0 |
| 2050 | 6/23 | 50° 59.88' | 129° 32.02' | 132 | 8.1 | 625 | 23 | 99 | 12 | 30 | 0 | 11 |
| 2051 | 6/29 | 51° 09.82' | 128° 12.48' | 56 | 8.0 | 281 | 18 | 131 | 16 | 0 | 0 | 10 |
| 2052 | 6/30 | 51° 09.66' | 128° 27.84' | 104 | 8.0 | 458 | 32 | 63 | 8 | 3 | 0 | 1 |
| 2053 | 6/30 | 51° 09.89' | 128° 43.98' | 54 | 8.0 | 149 | 12 | 278 | 39 | 0 | 0 | 0 |

¹ Standard skate = 1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights are calculated from length-weight tables.

2003 IPHC Stock Assessment Survey

Area 2 B

| Station | Date Fished | North Latitude | West Longitude | Depth (F) | Skates Set ¹ | Legal Halibut | | Sublegal Halibut | | Bycatch (numbers) | | |
|---------|-------------|----------------|----------------|-----------|-------------------------|-------------------|-----|-------------------|----|-------------------|--------|----------|
| | | | | | | Lbs. ² | #s | Lbs. ² | #s | Sablefish | P. Cod | Rockfish |
| 2054 | 7/2 | 51° 09.82' | 128° 59.77' | 72 | 8.0 | 674 | 39 | 326 | 40 | 1 | 1 | 0 |
| 2055 | 6/24 | 51° 10.20' | 129° 16.49' | 149 | 8.1 | 1,720 | 56 | 76 | 8 | 121 | 0 | 29 |
| 2056 | 6/24 | 51° 10.14' | 129° 31.55' | 154 | 8.0 | 286 | 11 | 62 | 7 | 124 | 0 | 0 |
| 2057 | 7/8 | 51° 20.00' | 127° 54.81' | 67 | 8.0 | 894 | 43 | 242 | 30 | 1 | 2 | 5 |
| 2058 | 7/8 | 51° 19.58' | 128° 11.06' | 41 | 8.0 | 339 | 15 | 174 | 23 | 0 | 0 | 0 |
| 2059 | 7/9 | 51° 19.89' | 128° 26.37' | 79 | 8.0 | 205 | 9 | 21 | 3 | 3 | 0 | 4 |
| 2060 | 6/30 | 51° 19.71' | 128° 43.46' | 111 | 8.0 | 1,228 | 50 | 59 | 7 | 90 | 0 | 2 |
| 2061 | 7/2 | 51° 19.81' | 128° 58.73' | 134 | 8.0 | 412 | 19 | 69 | 8 | 78 | 0 | 20 |
| 2062 | 7/2 | 51° 20.02' | 129° 15.20' | 124 | 8.0 | 110 | 8 | 75 | 8 | 29 | 0 | 3 |
| 2063 | 6/24 | 51° 20.14' | 129° 30.94' | 109 | 8.0 | 1,209 | 55 | 134 | 14 | 32 | 0 | 20 |
| 2064 | 6/25 | 51° 19.84' | 129° 46.72' | 131 | 8.0 | 283 | 15 | 72 | 8 | 65 | 0 | 7 |
| 2065 | 7/8 | 51° 29.89' | 128° 10.98' | 47 | 8.0 | 1,131 | 40 | 181 | 23 | 0 | 0 | 14 |
| 2066 | 7/9 | 51° 29.78' | 128° 27.66' | 103 | 8.0 | 21 | 1 | 0 | 0 | 5 | 0 | 3 |
| 2067 | 7/1 | 51° 30.31' | 128° 43.11' | 43 | 8.1 | 55 | 3 | 62 | 7 | 0 | 0 | 0 |
| 2068 | 7/1 | 51° 30.01' | 128° 59.19' | 24 | 8.0 | 199 | 10 | 22 | 3 | 0 | 0 | 2 |
| 2069 | 7/3 | 51° 30.05' | 129° 15.22' | 28 | 8.0 | 153 | 2 | 8 | 1 | 0 | 0 | 1 |
| 2070 | 7/3 | 51° 29.67' | 129° 29.75' | 54 | 8.0 | 2,142 | 113 | 674 | 78 | 0 | 0 | 73 |
| 2071 | 6/25 | 51° 29.80' | 129° 47.40' | 93 | 8.0 | 951 | 43 | 189 | 22 | 49 | 0 | 72 |
| 2072 | 6/25 | 51° 30.13' | 130° 01.82' | 188 | 8.1 | 375 | 16 | 25 | 3 | 105 | 0 | 62 |
| 2073 | 7/10 | 51° 40.77' | 128° 25.55' | 78 | 8.0 | 103 | 6 | 16 | 2 | 3 | 0 | 0 |
| 2074 | 7/1 | 51° 39.95' | 128° 58.83' | 28 | 8.0 | 195 | 13 | 95 | 11 | 0 | 0 | 0 |
| 2075 | 7/3 | 51° 39.90' | 129° 15.53' | 31 | 8.0 | 261 | 17 | 77 | 9 | 0 | 0 | 0 |
| 2076 | 7/4 | 51° 39.98' | 129° 30.97' | 54 | 8.0 | 214 | 15 | 352 | 45 | 0 | 0 | 1 |
| 2077 | 7/4 | 51° 40.06' | 129° 47.12' | 142 | 8.0 | 706 | 23 | 67 | 8 | 69 | 0 | 19 |
| 2078 | 7/10 | 51° 50.22' | 128° 26.16' | 89 | 8.1 | 283 | 17 | 154 | 18 | 12 | 0 | 0 |
| 2079 | 7/10 | 51° 50.08' | 128° 41.73' | 62 | 8.0 | 392 | 30 | 715 | 90 | 0 | 0 | 0 |
| 2080 | 7/5 | 51° 49.69' | 128° 58.01' | 44 | 8.1 | 353 | 21 | 75 | 9 | 0 | 0 | 45 |
| 2081 | 7/5 | 51° 50.16' | 129° 14.71' | 68 | 8.0 | 386 | 24 | 102 | 12 | 0 | 0 | 0 |
| 2082 | 7/4 | 51° 49.94' | 129° 32.04' | 141 | 8.0 | 489 | 22 | 0 | 0 | 43 | 0 | 14 |
| 2083 | 7/11 | 52° 00.38' | 128° 40.80' | 88 | 8.0 | 526 | 28 | 178 | 23 | 5 | 0 | 16 |
| 2084 | 7/11 | 51° 59.51' | 128° 57.83' | 72 | 8.0 | 798 | 48 | 223 | 28 | 1 | 0 | 3 |
| 2085 | 7/5 | 51° 59.90' | 129° 13.90' | 97 | 8.1 | 18 | 1 | 30 | 4 | 3 | 0 | 1 |
| 2086 | 7/11 | 52° 09.82' | 128° 40.70' | 118 | 8.0 | 608 | 19 | 8 | 1 | 7 | 0 | 9 |
| 2087 | 7/5 | 51° 39.93' | 130° 03.01' | 190 | 8.0 | 85 | 5 | 20 | 2 | 101 | 0 | 29 |
| 2088 | 7/6 | 51° 39.95' | 130° 19.00' | 141 | 8.0 | 64 | 3 | 39 | 4 | 72 | 0 | 61 |
| 2089 | 7/5 | 51° 49.95' | 129° 47.00' | 142 | 8.1 | 546 | 20 | 62 | 7 | 38 | 0 | 8 |
| 2090 | 7/5 | 51° 49.97' | 130° 03.00' | 99 | 8.0 | 2,553 | 92 | 142 | 16 | 31 | 2 | 60 |
| 2091 | 7/6 | 51° 50.00' | 130° 19.00' | 117 | 8.0 | 1,903 | 96 | 548 | 64 | 15 | 2 | 46 |
| 2092 | 7/6 | 51° 50.03' | 130° 35.00' | 163 | 8.0 | 1,513 | 70 | 316 | 36 | 10 | 0 | 18 |
| 2093 | 7/7 | 51° 50.08' | 130° 52.02' | 101 | 8.0 | 2,364 | 57 | 102 | 11 | 4 | 0 | 244 |
| 2094 | 8/9 | 51° 59.86' | 129° 30.00' | 111 | 8.0 | 680 | 31 | 131 | 15 | 55 | 1 | 35 |
| 2095 | 8/8 | 51° 59.98' | 129° 47.00' | 62 | 8.0 | 1,862 | 67 | 480 | 60 | 0 | 0 | 42 |
| 2096 | 8/8 | 52° 00.11' | 130° 03.00' | 75 | 8.0 | 1,198 | 69 | 725 | 86 | 0 | 0 | 0 |
| 2097 | 7/8 | 52° 00.12' | 130° 19.00' | 193 | 8.0 | 0 | 0 | 0 | 0 | 121 | 0 | 4 |
| 2098 | 7/7 | 52° 00.05' | 130° 35.00' | 137 | 8.0 | 1,742 | 56 | 168 | 20 | 25 | 3 | 5 |
| 2099 | 7/7 | 51° 59.86' | 130° 52.00' | 102 | 8.0 | 816 | 36 | 233 | 27 | 0 | 1 | 9 |
| 2100 | 8/11 | 52° 10.04' | 128° 57.00' | 85 | 8.0 | 1,916 | 83 | 190 | 21 | 3 | 0 | 70 |
| 2101 | 8/11 | 52° 10.04' | 129° 14.00' | 92 | 8.0 | 51 | 4 | 7 | 1 | 6 | 0 | 0 |
| 2102 | 8/9 | 52° 09.95' | 129° 30.00' | 113 | 8.0 | 265 | 15 | 66 | 7 | 40 | 0 | 3 |
| 2103 | 8/9 | 52° 10.04' | 129° 46.00' | 109 | 7.9 | 1,120 | 45 | 146 | 18 | 5 | 0 | 2 |

¹ Standard skate = 1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights are calculated from length-weight tables.

2003 IPHC Stock Assessment Survey

Area 2 B

| Station | Date Fished | North Latitude | West Longitude | Depth (F) | Skates Set ¹ | Legal Halibut | | Sublegal Halibut | | Bycatch (numbers) | | |
|---------|-------------|----------------|----------------|-----------|-------------------------|-------------------|----|-------------------|-----|-------------------|--------|----------|
| | | | | | | Lbs. ² | #s | Lbs. ² | #s | Sablefish | P. Cod | Rockfish |
| 2104 | 8/8 | 52° 10.11' | 130° 03.00' | 87 | 8.0 | 463 | 31 | 324 | 39 | 2 | 2 | 0 |
| 2105 | 7/8 | 52° 10.16' | 130° 19.00' | 216 | 8.0 | 38 | 1 | 0 | 0 | 176 | 0 | 19 |
| 2106 | 7/8 | 52° 10.03' | 130° 35.00' | 105 | 8.0 | 915 | 41 | 126 | 15 | 14 | 4 | 22 |
| 2107 | 7/10 | 52° 09.84' | 130° 52.00' | 121 | 8.0 | 406 | 22 | 91 | 10 | 14 | 0 | 8 |
| 2108 | 8/11 | 52° 19.90' | 129° 13.00' | 80 | 8.0 | 483 | 25 | 103 | 12 | 1 | 0 | 31 |
| 2109 | 8/10 | 52° 19.89' | 129° 30.00' | 94 | 8.0 | 486 | 16 | 53 | 7 | 5 | 0 | 34 |
| 2110 | 8/10 | 52° 20.05' | 129° 46.00' | 113 | 7.9 | 787 | 38 | 67 | 8 | 0 | 0 | 228 |
| 2111 | 8/7 | 52° 19.98' | 130° 03.00' | 127 | 8.0 | 929 | 38 | 61 | 7 | 7 | 1 | 34 |
| 2112 | 8/7 | 52° 20.03' | 130° 19.00' | 191 | 8.0 | 530 | 13 | 13 | 2 | 90 | 0 | 15 |
| 2113 | 7/10 | 52° 19.97' | 130° 35.00' | 91 | 8.0 | 1,500 | 54 | 85 | 10 | 6 | 3 | 6 |
| 2114 | 7/10 | 52° 19.98' | 130° 52.00' | 79 | 8.0 | 542 | 40 | 289 | 33 | 2 | 0 | 0 |
| 2115 | 8/10 | 52° 30.10' | 129° 32.00' | 48 | 8.0 | 615 | 22 | 71 | 9 | 0 | 0 | 24 |
| 2116 | 7/17 | 52° 29.94' | 129° 46.00' | 99 | 8.0 | 2,839 | 97 | 61 | 7 | 7 | 7 | 47 |
| 2117 | 7/17 | 52° 30.08' | 130° 02.00' | 146 | 8.0 | 635 | 22 | 16 | 2 | 19 | 0 | 10 |
| 2118 | 8/7 | 52° 30.09' | 130° 19.00' | 136 | 8.0 | 447 | 15 | 25 | 3 | 37 | 2 | 8 |
| 2119 | 7/15 | 52° 29.88' | 130° 35.00' | 65 | 8.0 | 1,320 | 51 | 272 | 31 | 0 | 0 | 62 |
| 2120 | 7/15 | 52° 29.88' | 130° 52.00' | 58 | 8.0 | 625 | 28 | 238 | 29 | 0 | 0 | 5 |
| 2121 | 7/17 | 52° 40.01' | 129° 46.00' | 107 | 8.0 | 732 | 20 | 0 | 0 | 6 | 0 | 29 |
| 2122 | 7/16 | 52° 40.08' | 130° 02.00' | 144 | 8.0 | 502 | 13 | 15 | 2 | 56 | 0 | 19 |
| 2123 | 7/16 | 52° 39.97' | 130° 19.00' | 121 | 8.0 | 119 | 6 | 9 | 1 | 23 | 1 | 10 |
| 2124 | 7/15 | 52° 39.89' | 130° 35.00' | 82 | 8.0 | 1,517 | 70 | 116 | 13 | 1 | 1 | 18 |
| 2125 | 7/18 | 52° 50.03' | 130° 02.00' | 141 | 8.0 | 111 | 4 | 9 | 1 | 62 | 0 | 53 |
| 2126 | 7/16 | 52° 49.98' | 130° 19.00' | 114 | 8.0 | 111 | 4 | 0 | 0 | 25 | 0 | 14 |
| 2127 | 7/18 | 52° 59.93' | 129° 45.00' | 98 | 8.0 | 372 | 13 | 61 | 7 | 16 | 1 | 60 |
| 2128 | 7/18 | 52° 59.95' | 130° 02.00' | 105 | 8.0 | 828 | 26 | 0 | 0 | 7 | 0 | 60 |
| 2129 | 7/9 | 52° 30.07' | 131° 08.01' | 55 | 8.0 | 1,998 | 98 | 310 | 42 | 0 | 0 | 40 |
| 2130 | 7/9 | 52° 30.02' | 131° 25.00' | 83 | 8.0 | 1,077 | 39 | 70 | 8 | 1 | 0 | 13 |
| 2131 | 7/14 | 52° 40.00' | 130° 52.00' | 50 | 8.0 | 536 | 33 | 562 | 68 | 0 | 0 | 0 |
| 2132 | 7/9 | 52° 40.07' | 131° 08.00' | 39 | 8.0 | 474 | 20 | 141 | 18 | 0 | 0 | 2 |
| 2133 | 7/14 | 52° 49.66' | 130° 35.02' | 63 | 8.0 | 501 | 33 | 203 | 23 | 0 | 0 | 21 |
| 2134 | 7/14 | 52° 49.80' | 130° 52.05' | 27 | 8.0 | 349 | 14 | 15 | 3 | 0 | 0 | 0 |
| 2135 | 7/13 | 52° 59.96' | 130° 18.01' | 113 | 8.0 | 421 | 15 | 0 | 0 | 23 | 0 | 66 |
| 2136 | 7/13 | 52° 59.94' | 130° 35.00' | 49 | 8.0 | 276 | 19 | 218 | 30 | 0 | 1 | 0 |
| 2137 | 7/13 | 53° 09.86' | 130° 18.00' | 89 | 8.0 | 671 | 24 | 79 | 9 | 0 | 2 | 22 |
| 2138 | 8/2 | 53° 09.96' | 130° 35.00' | 103 | 8.0 | 0 | 0 | 0 | 0 | 14 | 0 | 17 |
| 2139 | 8/1 | 53° 09.97' | 130° 52.00' | 56 | 8.0 | 384 | 17 | 55 | 8 | 0 | 3 | 0 |
| 2140 | 8/2 | 53° 20.00' | 130° 18.00' | 58 | 8.0 | 1,135 | 51 | 229 | 27 | 0 | 1 | 5 |
| 2141 | 8/2 | 53° 19.95' | 130° 35.00' | 48 | 8.0 | 580 | 41 | 518 | 60 | 0 | 0 | 22 |
| 2142 | 8/1 | 53° 19.92' | 130° 52.00' | 76 | 8.0 | 356 | 16 | 19 | 2 | 3 | 2 | 9 |
| 2143 | 7/22 | 53° 19.91' | 132° 49.00' | 78 | 8.0 | 1,613 | 68 | 538 | 65 | 0 | 0 | 29 |
| 2144 | 7/22 | 53° 19.95' | 133° 06.00' | 140 | 8.0 | 340 | 12 | 10 | 1 | 50 | 0 | 49 |
| 2145 | 8/1 | 53° 29.96' | 130° 52.00' | 52 | 8.0 | 168 | 11 | 218 | 29 | 0 | 0 | 0 |
| 2146 | 7/22 | 53° 30.05' | 133° 06.00' | 204 | 8.0 | 321 | 13 | 53 | 6 | 93 | 0 | 154 |
| 2147 | 7/31 | 53° 39.89' | 130° 35.00' | 18 | 8.0 | 314 | 19 | 231 | 34 | 0 | 0 | 0 |
| 2148 | 7/31 | 53° 39.84' | 130° 51.98' | 27 | 8.0 | 535 | 29 | 260 | 34 | 0 | 0 | 0 |
| 2149 | 7/23 | 53° 39.95' | 133° 07.01' | 79 | 8.0 | 1,162 | 54 | 738 | 88 | 0 | 0 | 37 |
| 2150 | 7/31 | 53° 49.89' | 130° 52.00' | 50 | 8.0 | 142 | 10 | 173 | 22 | 18 | 2 | 2 |
| 2151 | 7/23 | 53° 59.75' | 133° 25.00' | 42 | 8.0 | 3,294 | 88 | 75 | 9 | 0 | 0 | 60 |
| 2152 | 7/30 | 54° 10.01' | 130° 35.00' | 56 | 8.0 | 286 | 15 | 97 | 11 | 36 | 0 | 2 |
| 2153 | 7/27 | 54° 10.04' | 132° 00.00' | 36 | 8.0 | 84 | 7 | 881 | 111 | 0 | 0 | 0 |

¹ Standard skate = 1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights are calculated from length-weight tables.

2003 IPHC Stock Assessment Survey

Area 2 B

| Station | Date Fished | North Latitude | West Longitude | Depth (F) | Skates Set ¹ | Legal Halibut | | Sublegal Halibut | | Bycatch (numbers) | | | | |
|------------|-----------------|----------------|----------------|-----------|-------------------------|-------------------|-----|-------------------|--------------|-------------------|--------------|--------------|-----------|--------------|
| | | | | | | Lbs. ² | #'s | Lbs. ² | #'s | Sablefish | P. Cod | Rockfish | | |
| 2154 | 7/26 | 54° 09.95' | 132° 17.00' | 48 | 8.0 | 243 | 17 | 658 | 84 | 0 | 0 | 0 | | |
| 2155 | 7/26 | 54° 09.97' | 132° 34.00' | 44 | 8.0 | 249 | 17 | 512 | 72 | 0 | 1 | 0 | | |
| 2156 | 7/24 | 54° 10.04' | 133° 09.00' | 39 | 8.0 | 927 | 36 | 201 | 24 | 0 | 0 | 19 | | |
| 2157 | 7/25 | 54° 10.00' | 133° 26.00' | 213 | 8.0 | 250 | 6 | 24 | 3 | 77 | 0 | 56 | | |
| 2158 | 7/30 | 54° 20.36' | 130° 35.00' | 54 | 8.0 | 203 | 10 | 149 | 20 | 26 | 1 | 14 | | |
| 2159 | 8/4 | 54° 19.83' | 131° 09.00' | 35 | 7.9 | 594 | 43 | 658 | 81 | 0 | 2 | 0 | | |
| 2160 | 8/3 | 54° 20.05' | 131° 26.00' | 94 | 8.0 | 248 | 15 | 157 | 19 | 50 | 3 | 19 | | |
| 2161 | 8/3 | 54° 19.95' | 131° 43.00' | 104 | 8.0 | 495 | 21 | 122 | 14 | 27 | 0 | 22 | | |
| 2162 | 7/27 | 54° 19.95' | 132° 01.00' | 133 | 8.0 | 350 | 11 | 11 | 2 | 106 | 1 | 15 | | |
| 2163 | 7/27 | 54° 20.03' | 132° 18.00' | 121 | 8.0 | 1,079 | 29 | 85 | 10 | 64 | 5 | 19 | | |
| 2164 | 7/26 | 54° 19.93' | 132° 35.00' | 143 | 8.0 | 293 | 11 | 66 | 7 | 131 | 1 | 49 | | |
| 2165 | 7/24 | 54° 20.09' | 132° 52.00' | 210 | 8.0 | 385 | 10 | 29 | 3 | 123 | 0 | 33 | | |
| 2166 | 7/24 | 54° 19.99' | 133° 09.00' | 249 | 8.0 | 604 | 14 | 0 | 0 | 131 | 0 | 40 | | |
| 2167 | 7/25 | 54° 19.98' | 133° 26.00' | 121 | 8.0 | 1,263 | 34 | 86 | 11 | 10 | 3 | 208 | | |
| 2168 | 7/25 | 54° 19.97' | 133° 43.00' | 132 | 8.0 | 1,902 | 68 | 345 | 40 | 10 | 3 | 3 | | |
| 2169 | 7/30 | 54° 29.73' | 130° 35.00' | 62 | 8.0 | 86 | 4 | 26 | 3 | 88 | 5 | 1 | | |
| 2170 | 8/4 | 54° 29.93' | 131° 09.00' | 76 | 8.0 | 973 | 66 | 348 | 40 | 22 | 0 | 0 | | |
| 2171 | 8/4 | 54° 30.00' | 131° 26.00' | 62 | 8.0 | 905 | 36 | 150 | 18 | 16 | 2 | 44 | | |
| 2172 | 8/3 | 54° 29.92' | 131° 44.00' | 184 | 8.0 | 270 | 9 | 17 | 2 | 95 | 0 | 4 | | |
| 169 | Stations | | | | | Totals | | 98,059 | 4,207 | 23,508 | 2,877 | 4,168 | 79 | 3,316 |

¹ Standard skate =1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights are calculated from length-weight tables.