

2008 IPHC Stock Assessment Survey

Area 2C

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Set ¹	Legal Halibut		Sublegal Halibut		Bycatch (numbers)		
						Lbs. ²	#'s	Lbs. ²	#'s	Sablefish	P. Cod	Rockfish
2153	7/27	54° 09.97'	-132° 00.00'	37	5.0	50	4	671	106	0	3	0
2154	7/24	54° 10.01'	-132° 17.00'	51	5.0	148	11	228	34	0	7	1
3001	6/5	54° 29.98'	-132° 01.02'	151	5.0	163	6	16	2	28	0	9
3002	6/5	54° 29.99'	-132° 17.96'	195	4.3	32	2	0	0	34	0	7
3003	6/6	54° 30.02'	-132° 35.05'	205	5.0	231	10	15	2	35	0	11
3005	6/7	54° 30.02'	-133° 10.11'	102	5.0	478	20	133	16	2	1	43
3006	6/27	54° 29.96'	-133° 27.03'	164	5.0	357	11	110	13	43	0	13
3007	6/27	54° 29.98'	-133° 43.99'	139	5.0	914	20	195	25	18	1	4
3008	5/29	54° 40.02'	-130° 50.03'	158	5.0	81	3	0	0	3	0	0
3009	5/29	54° 39.98'	-131° 07.94'	118	5.0	174	8	115	15	24	1	5
3010	5/29	54° 40.00'	-131° 24.99'	127	5.0	239	17	343	43	45	0	3
3011	6/5	54° 40.01'	-131° 41.94'	220	5.0	150	5	7	1	46	0	2
3012	6/5	54° 40.05'	-131° 59.20'	100	5.0	549	26	292	40	1	4	12
3013	6/6	54° 40.01'	-132° 17.24'	60	5.0	776	27	306	42	0	4	10
3014	6/6	54° 40.03'	-132° 34.03'	113	5.1	115	4	0	0	0	1	1
3015	6/7	54° 40.01'	-132° 51.12'	75	5.0	656	18	83	11	0	2	12
3016	6/7	54° 40.00'	-133° 09.12'	119	5.1	536	18	40	6	1	1	16
3017	6/27	54° 40.00'	-133° 26.09'	166	5.1	1,901	76	328	39	57	0	29
3018	6/27	54° 39.99'	-133° 42.97'	129	5.0	1,031	25	63	8	6	0	8
3019	6/25	54° 39.98'	-133° 59.98'	123	5.0	1,011	21	117	15	16	0	12
3020	5/28	54° 49.99'	-131° 06.90'	136	5.0	88	5	36	5	2	0	0
3021	5/30	54° 50.00'	-131° 42.04'	235	5.0	279	14	18	3	93	0	9
3022	6/6	54° 50.01'	-132° 34.00'	170	5.0	307	12	16	2	26	0	10
3023	6/7	54° 50.00'	-133° 08.96'	107	5.0	488	24	59	7	2	3	31
3024	6/8	54° 50.00'	-133° 25.97'	67	5.0	181	13	516	77	1	11	1
3025	6/8	54° 50.00'	-133° 42.95'	76	5.0	2,180	77	907	111	0	4	13
3026	6/25	54° 49.99'	-134° 01.04'	106	5.0	713	18	295	37	20	1	20
3027	5/28	54° 59.98'	-131° 06.07'	134	5.0	149	8	23	3	0	0	0
3028	5/30	55° 00.02'	-131° 40.98'	119	5.0	156	7	165	21	18	5	25
3029	6/8	55° 00.00'	-133° 26.05'	52	5.0	1,009	46	348	45	0	0	25
3030	6/8	54° 59.95'	-133° 43.02'	57	5.0	541	31	1,057	152	0	0	0
3031	5/28	55° 10.06'	-131° 05.99'	94	5.0	183	6	55	8	0	2	12
3032	5/30	55° 10.03'	-131° 41.00'	74	5.0	200	5	0	0	0	1	4
3033	5/31	55° 09.97'	-131° 56.05'	184	5.0	1,165	41	242	33	43	0	24
3034	6/9	55° 10.01'	-133° 26.02'	47	5.0	851	33	72	10	0	0	42
3035	5/31	55° 19.96'	-131° 57.99'	222	5.0	69	3	0	0	19	0	9
3036	5/31	55° 29.02'	-131° 57.97'	149	5.0	126	7	58	7	20	0	35
3037	6/1	55° 40.05'	-132° 15.07'	223	5.0	158	8	57	7	39	0	20
3038	6/1	55° 44.94'	-132° 27.01'	136	5.0	361	13	59	7	12	1	36
3039	6/1	55° 50.00'	-132° 14.97'	124	5.0	333	13	74	10	7	1	6
3040	6/2	55° 59.97'	-132° 32.01'	119	5.0	438	14	50	6	0	3	14
3041	6/2	56° 01.02'	-132° 44.99'	200	5.0	216	10	10	1	39	0	3
3042	6/2	56° 10.99'	-132° 50.08'	78	5.0	339	12	49	6	0	4	8
3043	6/25	54° 59.99'	-134° 01.14'	84	5.0	521	25	465	60	0	3	13
3044	6/25	55° 00.00'	-134° 18.03'	117	5.0	675	24	120	15	16	0	3
3045	6/9	55° 10.00'	-133° 43.02'	87	5.0	234	18	280	40	0	10	0
3046	6/26	55° 10.00'	-134° 01.04'	93	5.0	364	13	321	42	0	3	7
3047	6/9	55° 20.02'	-133° 44.03'	40	5.0	314	16	566	89	0	0	9
3048	6/26	55° 19.97'	-134° 00.95'	65	5.0	213	17	629	90	0	1	0
3049	6/26	55° 19.99'	-134° 19.03'	102	5.1	798	27	138	16	4	1	32

¹ Standard skate = 1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights are calculated from length-weight tables.

2008 IPHC Stock Assessment Survey

Area 2C

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Set ¹	Legal Halibut		Sublegal Halibut		Bycatch (numbers)		
						Lbs. ²	#'s	Lbs. ²	#'s	Sablefish	P. Cod	Rockfish
3050	6/26	55° 19.99'	-134° 36.02'	113	5.0	697	25	111	12	13	1	15
3051	6/23	55° 30.02'	-134° 01.00'	50	5.0	382	19	461	61	0	0	8
3052	6/23	55° 29.99'	-134° 19.00'	92	5.0	346	16	55	8	0	2	13
3053	6/24	55° 29.98'	-134° 37.06'	110	5.0	357	11	88	12	13	1	0
3054	6/24	55° 29.99'	-134° 54.08'	159	5.0	1,127	39	73	8	39	0	4
3055	6/23	55° 39.99'	-134° 01.10'	104	5.0	704	33	95	12	8	3	19
3056	6/23	55° 40.00'	-134° 19.19'	114	5.1	807	37	54	7	4	0	1
3057	6/24	55° 39.99'	-134° 36.95'	113	5.0	1,015	39	50	7	9	7	9
3058	6/24	55° 40.01'	-134° 55.00'	109	5.0	314	13	30	4	9	0	39
3059	6/10	55° 50.00'	-133° 25.99'	40	5.0	641	25	56	6	0	7	20
3060	6/10	55° 50.00'	-133° 44.04'	72	5.0	975	23	83	10	0	1	20
3061	6/10	55° 49.98'	-134° 02.01'	157	5.0	672	29	7	1	25	2	9
3062	6/14	55° 50.00'	-134° 36.98'	81	5.1	1,039	18	36	4	0	0	32
3063	6/15	55° 50.00'	-134° 55.08'	101	5.0	150	6	40	5	1	5	55
3064	6/15	55° 50.01'	-135° 13.01'	127	5.1	354	18	104	12	8	0	4
3065	6/10	55° 55.00'	-133° 35.00'	44	5.0	357	20	103	15	0	13	12
3066	6/14	56° 00.00'	-134° 01.97'	55	5.0	218	9	147	22	0	12	2
3067	6/14	56° 00.00'	-134° 20.02'	51	5.0	515	20	229	31	0	3	27
3068	6/14	56° 00.00'	-134° 37.97'	206	5.0	933	39	195	23	93	0	8
3069	6/15	55° 59.99'	-134° 54.97'	197	5.0	426	16	28	4	112	0	12
3070	6/15	56° 00.02'	-135° 12.94'	201	5.0	1,463	50	39	5	84	0	18
3071	6/19	56° 10.01'	-133° 44.02'	165	5.1	652	24	28	3	11	7	7
3072	6/18	56° 09.69'	-134° 19.98'	69	5.0	958	44	354	46	0	3	9
3073	6/17	56° 10.00'	-134° 38.12'	140	5.0	1,005	35	278	35	40	14	30
3074	6/17	56° 10.00'	-134° 55.94'	100	5.0	1,055	59	575	71	14	3	0
3075	6/16	56° 10.00'	-135° 13.90'	154	5.0	558	19	113	15	79	1	0
3076	6/19	56° 20.01'	-133° 44.06'	115	5.0	294	13	30	4	9	17	14
3077	6/18	56° 20.03'	-134° 20.04'	84	5.0	439	18	179	25	2	21	5
3078	6/17	56° 20.01'	-134° 56.00'	58	5.0	320	10	116	17	3	2	25
3079	6/16	56° 20.00'	-135° 14.13'	87	5.0	972	34	265	34	1	15	23
3080	6/16	56° 19.99'	-135° 32.09'	110	5.0	227	12	148	18	39	5	0
3081	6/19	56° 29.00'	-133° 43.97'	45	5.0	377	13	150	21	1	7	8
3082	6/18	56° 29.88'	-134° 20.95'	112	5.1	347	19	461	60	30	21	1
3083	7/30	56° 30.00'	-135° 15.10'	59	5.0	459	25	246	33	0	0	17
3084	7/30	56° 30.00'	-135° 33.02'	84	5.0	354	13	71	10	0	3	105
3085	7/30	56° 40.12'	-135° 15.01'	22	5.0	379	14	21	4	0	0	9
3086	7/31	56° 40.00'	-135° 33.96'	74	5.0	499	15	82	10	0	1	47
3087	7/31	56° 40.00'	-135° 51.94'	132	5.0	385	21	50	6	44	2	23
3088	8/12	56° 50.00'	-132° 50.01'	114	4.9	681	39	376	44	0	0	0
3089	7/31	56° 50.00'	-135° 52.06'	103	5.0	396	17	61	8	14	1	5
3090	8/12	56° 57.00'	-132° 58.05'	74	5.0	123	9	74	11	1	0	0
3091	8/10	57° 00.00'	-134° 20.90'	192	5.0	332	14	19	2	127	0	11
3092	7/29	57° 00.00'	-136° 00.17'	57	5.0	417	15	271	34	0	0	58
3093	8/12	57° 03.00'	-133° 05.12'	78	5.0	129	5	50	8	6	2	0
3094	8/10	57° 10.00'	-133° 44.93'	181	5.0	531	20	34	5	86	3	14
3095	8/10	57° 09.98'	-134° 02.52'	167	5.0	421	19	62	8	100	0	16
3096	8/11	57° 09.95'	-134° 39.93'	198	5.0	547	15	18	2	73	1	47
3097	7/29	57° 10.00'	-135° 54.10'	36	5.0	423	12	260	34	0	0	27
3098	7/29	57° 10.00'	-136° 11.97'	116	5.0	726	33	100	12	35	3	12
3099	8/9	57° 20.00'	-133° 26.16'	76	5.0	480	23	542	84	0	0	0

¹ Standard skate = 1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights are calculated from length-weight tables.

2008 IPHC Stock Assessment Survey

Area 2C

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Set ¹	Legal Halibut		Sublegal Halibut		Bycatch (numbers)		
						Lbs. ²	#'s	Lbs. ²	#'s	Sablefish	P. Cod	Rockfish
3100	8/9	57° 20.00'	-133° 45.31'	198	5.0	328	13	49	7	119	1	9
3101	8/11	57° 20.00'	-134° 35.99'	193	5.0	484	17	38	4	107	3	19
3102	8/2	57° 19.96'	-135° 55.00'	51	5.0	593	14	71	9	1	2	15
3103	8/2	57° 20.00'	-136° 12.92'	96	5.0	333	18	121	16	11	5	48
3104	8/9	57° 30.00'	-133° 44.88'	121	5.0	484	24	227	30	43	11	6
3105	8/11	57° 30.94'	-134° 38.00'	150	5.0	328	13	196	27	33	7	18
3106	8/2	57° 30.00'	-136° 14.04'	52	5.0	810	25	215	31	0	0	13
3107	8/8	57° 40.00'	-133° 45.04'	183	5.0	1,071	55	146	17	1	0	4
3108	7/28	57° 40.00'	-136° 33.05'	90	5.0	606	31	240	28	0	1	1
3109	8/8	57° 49.98'	-133° 54.00'	186	5.0	1,622	81	157	18	0	0	6
3110	7/28	57° 50.00'	-136° 34.09'	54	5.0	786	31	469	58	0	0	14
3111	7/28	57° 49.99'	-136° 53.13'	215	5.0	118	4	0	0	41	0	66
3112	8/8	57° 59.83'	-134° 03.83'	124	5.0	544	30	112	13	0	0	1
3113	8/3	58° 00.00'	-136° 39.83'	54	5.0	565	18	134	17	0	0	53
3114	8/4	58° 10.00'	-135° 01.46'	109	5.0	744	26	202	27	4	8	9
3115	8/4	58° 10.00'	-135° 20.13'	95	5.0	259	17	68	8	17	0	3
3117	8/6	58° 12.00'	-134° 24.12'	41	5.0	103	5	35	4	0	0	0
3118	8/6	58° 13.82'	-134° 41.00'	41	5.0	276	15	46	6	0	2	0
3119	8/4	58° 15.00'	-135° 40.33'	58	5.0	449	20	332	46	1	8	0
3120	8/3	58° 15.17'	-136° 26.00'	117	2.5	485	13	10	2	2	2	0
3121	8/6	58° 19.93'	-134° 43.01'	41	5.0	364	15	72	9	0	0	0
3122	8/5	58° 20.07'	-135° 02.69'	149	5.0	792	26	37	4	52	0	14
3123	8/5	58° 29.99'	-135° 02.02'	166	5.0	843	38	298	36	21	0	9
3124	8/5	58° 40.00'	-135° 03.07'	162	5.0	497	30	46	6	16	0	0
124 Total Effective 2C Stations					Totals	64,705	2,585	20,184	2,684	2,322	318	1,757

¹ Standard skate =1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights are calculated from length-weight tables.