

# 2010 IPHC Stock Assessment Survey

## Area 2B

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Set <sup>1</sup>	Legal Halibut		Sublegal Halibut		Bycatch (numbers)		
						Lbs. <sup>2</sup>	#'s	Lbs. <sup>2</sup>	#'s	Sablefish	P. Cod	Rockfish
2001	6/4	48° 19.98'	-125° 38.01'	76	8.0	0	0	0	0	0	0	0
2002	6/5	48° 20.04'	-125° 53.00'	173	8.0	282	13	26	3	144	0	21
2003	6/4	48° 30.19'	-125° 23.02'	76	8.0	35	2	0	0	0	0	0
2004	6/4	48° 28.50'	-125° 38.31'	52	7.9	28	2	24	3	0	0	0
2005	6/5	48° 30.00'	-125° 53.11'	58	8.0	0	0	11	1	0	0	7
2006	6/5	48° 30.01'	-126° 08.02'	109	8.0	1,299	67	232	25	101	5	6
2007	6/3	48° 40.00'	-125° 07.46'	36	8.0	192	10	48	6	0	0	36
2008	6/3	48° 40.00'	-125° 22.71'	35	8.0	1,238	82	519	63	0	0	11
2009	6/3	48° 40.00'	-125° 38.00'	68	7.9	91	4	10	1	1	0	1
2010	6/9	48° 40.00'	-125° 53.16'	40	8.0	50	4	198	24	0	0	0
2011	6/6	48° 40.00'	-126° 08.19'	79	8.0	28	2	18	2	10	1	3
2012	6/9	48° 49.78'	-125° 40.66'	28	8.0	1,377	71	179	20	0	0	14
2013	6/9	48° 50.00'	-125° 52.83'	32	8.0	1,049	59	245	28	0	0	16
2014	6/6	48° 50.00'	-126° 08.31'	60	8.0	74	5	45	5	0	0	0
2015	6/6	48° 50.00'	-126° 23.07'	98	8.0	392	23	107	13	118	0	4
2016	6/8	49° 00.00'	-126° 08.04'	39	8.0	514	31	384	46	0	0	0
2017	6/8	49° 00.00'	-126° 22.42'	74	8.1	234	11	53	6	2	1	0
2018	6/7	49° 00.01'	-126° 37.83'	132	8.0	77	4	27	3	132	0	6
2019	6/8	49° 10.00'	-126° 23.20'	46	8.0	136	9	249	29	0	0	0
2020	6/7	49° 10.00'	-126° 38.05'	68	8.0	232	13	43	5	0	0	0
2021	6/7	49° 10.00'	-126° 52.94'	97	8.0	120	8	46	5	21	0	0
2023	6/12	49° 20.00'	-126° 22.91'	21	8.0	638	35	178	22	0	0	1
2024	6/12	49° 20.00'	-126° 37.99'	38	7.2	3,610	115	27	3	1	0	52
2025	6/14	49° 20.00'	-126° 53.00'	75	8.0	106	6	0	0	3	0	0
2026	6/14	49° 20.00'	-127° 08.85'	100	8.0	469	21	26	3	74	0	0
2027	6/12	49° 29.96'	-126° 38.03'	22	8.0	2,022	88	131	16	0	0	8
2028	6/14	49° 29.98'	-126° 52.50'	47	8.0	18	1	82	10	0	0	0
2029	6/16	49° 30.00'	-127° 08.73'	79	8.0	28	2	0	0	28	1	1
2030	6/16	49° 40.00'	-127° 08.84'	62	8.0	110	8	164	19	1	0	0
2031	6/16	49° 39.97'	-127° 23.64'	101	8.0	159	7	30	3	133	0	22
2032	6/17	49° 50.00'	-127° 24.16'	44	8.0	660	42	199	23	0	0	0
2033	6/17	49° 50.00'	-127° 39.52'	89	8.0	11	1	31	4	0	0	17
2034	6/17	50° 00.00'	-127° 39.85'	46	8.0	515	29	435	52	0	0	2
2035	6/18	50° 19.95'	-128° 11.00'	89	8.0	1,453	67	174	18	0	0	53
2037	6/18	50° 29.96'	-128° 27.00'	103	8.0	1,099	62	409	47	29	0	89
2038	6/21	50° 40.00'	-128° 28.17'	48	8.0	355	21	679	84	2	0	23
2039	6/21	50° 40.00'	-128° 43.92'	104	8.0	78	5	25	3	11	0	14
2040	6/21	50° 50.11'	-128° 27.99'	35	8.0	819	41	465	56	0	0	2
2041	6/22	50° 59.50'	-127° 57.00'	62	8.0	457	18	252	32	8	1	0
2042	6/22	51° 00.03'	-128° 13.01'	57	8.0	350	26	395	47	17	1	14
2043	6/22	51° 09.80'	-127° 55.98'	68	8.0	227	15	152	18	17	0	1
2044	7/6	50° 50.00'	-128° 59.92'	48	8.0	1,278	47	116	15	0	0	35
2045	7/6	50° 49.99'	-129° 15.53'	65	8.0	1,313	62	521	70	0	0	38
2046	6/23	51° 00.20'	-128° 28.00'	52	8.0	393	25	463	56	0	0	0
2047	6/24	51° 00.00'	-128° 44.16'	35	8.0	780	40	216	26	0	0	6
2048	7/6	50° 59.98'	-129° 00.39'	46	8.0	379	26	520	64	0	1	0
2049	7/5	51° 00.00'	-129° 15.83'	87	8.0	304	20	259	33	21	0	0
2050	7/5	50° 59.99'	-129° 31.87'	131	8.0	1,039	42	198	23	79	0	115
2051	6/23	51° 10.00'	-128° 11.82'	55	8.0	351	17	168	20	0	0	2

<sup>1</sup> Standard skate = 1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

<sup>2</sup> Weights are calculated from length-weight tables.

# 2010 IPHC Stock Assessment Survey

## Area 2B

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Set <sup>1</sup>	Legal Halibut		Sublegal Halibut		Bycatch (numbers)		
						Lbs. <sup>2</sup>	#'s	Lbs. <sup>2</sup>	#'s	Sablefish	P. Cod	Rockfish
2052	6/23	51° 10.22'	-128° 27.99'	105	8.0	112	9	59	7	4	0	2
2053	6/30	51° 10.02'	-128° 44.00'	53	8.0	106	8	762	94	0	0	0
2054	7/4	51° 10.00'	-128° 59.92'	73	8.0	327	23	497	60	9	0	0
2055	7/4	51° 10.00'	-129° 15.59'	142	8.0	1,061	66	285	31	96	0	9
2056	7/5	51° 10.00'	-129° 32.04'	156	8.0	1,361	82	599	69	68	0	2
2057	7/9	51° 20.00'	-127° 55.03'	73	8.0	782	34	109	16	8	4	25
2058	7/9	51° 19.99'	-128° 11.11'	45	8.0	160	12	646	84	0	0	12
2059	6/30	51° 20.00'	-128° 27.38'	83	8.0	49	3	162	19	19	2	0
2060	6/30	51° 20.00'	-128° 43.24'	115	8.0	566	31	172	19	29	0	19
2061	7/4	51° 20.00'	-128° 58.90'	135	8.0	299	19	94	12	57	0	19
2062	7/1	51° 20.00'	-129° 15.03'	128	8.0	156	11	179	20	50	0	5
2063	8/3	51° 20.01'	-129° 31.19'	113	8.0	233	13	195	22	59	0	21
2064	8/3	51° 19.96'	-129° 46.95'	132	8.0	256	10	73	8	66	0	11
2065	7/9	51° 30.08'	-128° 11.00'	44	8.0	779	31	335	45	0	0	83
2066	7/10	51° 30.00'	-128° 27.31'	102	8.0	145	7	17	2	122	0	10
2067	7/10	51° 30.00'	-128° 43.00'	47	8.0	96	7	115	14	0	0	0
2068	7/1	51° 29.99'	-128° 59.09'	25	8.0	1,244	68	421	48	0	0	0
2069	7/1	51° 30.00'	-129° 16.03'	27	8.0	576	32	146	16	0	0	17
2070	8/3	51° 29.96'	-129° 30.99'	55	8.0	2,199	125	1,075	126	0	0	90
2071	7/2	51° 30.00'	-129° 47.02'	93	8.0	2,012	90	167	19	23	0	101
2072	7/2	51° 29.99'	-130° 03.00'	165	8.0	539	18	8	1	42	0	30
2073	7/10	51° 40.00'	-128° 26.06'	77	8.0	681	30	125	15	3	0	6
2074	7/11	51° 40.00'	-128° 59.12'	29	8.0	282	19	105	12	0	0	0
2075	7/11	51° 39.98'	-129° 15.73'	30	8.0	203	13	186	23	0	0	0
2076	8/2	51° 39.86'	-129° 30.96'	53	8.0	137	11	531	68	0	0	0
2077	7/2	51° 40.02'	-129° 47.00'	142	8.0	228	16	85	11	84	0	24
2078	7/12	51° 49.90'	-128° 25.99'	87	8.0	304	21	108	12	6	0	14
2079	7/12	51° 50.00'	-128° 42.30'	54	8.0	159	13	873	109	0	1	0
2080	7/11	51° 49.98'	-128° 58.04'	45	8.0	362	21	118	14	0	0	28
2081	8/2	51° 49.97'	-129° 13.92'	67	8.0	274	19	226	28	0	0	1
2082	8/2	51° 49.92'	-129° 30.99'	137	8.0	26	2	11	2	53	0	39
2083	7/12	51° 59.99'	-128° 41.78'	89	8.0	166	8	39	5	2	0	13
2084	7/13	52° 00.00'	-128° 58.00'	75	8.0	467	31	389	48	0	0	3
2085	7/30	52° 00.04'	-129° 14.04'	98	8.0	362	23	79	10	12	0	1
2086	7/13	52° 10.00'	-128° 40.84'	119	8.0	78	6	37	4	11	0	14
2087	7/22	51° 40.02'	-130° 02.65'	196	8.0	131	5	41	5	90	0	24
2088	7/22	51° 40.00'	-130° 20.15'	142	8.0	902	35	48	5	19	0	56
2089	8/1	51° 50.00'	-129° 47.12'	140	8.0	104	5	63	8	38	0	8
2090	8/1	51° 50.09'	-130° 02.98'	100	8.0	1,594	77	216	25	27	0	136
2091	7/22	51° 50.03'	-130° 18.83'	117	8.0	2,388	93	156	18	16	1	70
2092	7/21	51° 50.01'	-130° 34.59'	159	8.0	2,068	91	271	30	64	0	8
2093	7/21	51° 49.99'	-130° 52.11'	97	8.0	2,188	55	50	6	20	0	281
2094	7/30	52° 00.01'	-129° 29.33'	115	8.0	739	35	161	19	48	2	34
2095	8/1	51° 59.91'	-129° 46.91'	63	8.0	805	36	648	86	0	0	148
2096	7/31	51° 59.99'	-130° 03.25'	81	8.0	965	58	756	103	0	0	1
2097	7/31	51° 59.99'	-130° 19.63'	200	8.0	56	2	18	2	102	0	5
2098	7/21	52° 00.20'	-130° 35.15'	139	8.0	1,505	57	182	25	56	0	5
2099	7/20	52° 00.45'	-130° 52.01'	103	8.0	1,100	38	216	26	0	0	2
2100	7/13	52° 10.00'	-128° 56.80'	90	8.0	547	26	176	21	0	2	57

<sup>1</sup> Standard skate = 1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

<sup>2</sup> Weights are calculated from length-weight tables.

# 2010 IPHC Stock Assessment Survey

## Area 2B

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Set <sup>1</sup>	Legal Halibut		Sublegal Halibut		Bycatch (numbers)		
						Lbs. <sup>2</sup>	#'s	Lbs. <sup>2</sup>	#'s	Sablefish	P. Cod	Rockfish
2101	7/30	52° 10.54'	-129° 14.23'	94	8.0	79	4	39	4	19	0	9
2102	7/29	52° 09.77'	-129° 29.94'	114	8.0	73	3	9	1	15	0	31
2103	7/29	52° 10.72'	-129° 46.36'	109	8.0	684	30	132	15	2	3	16
2104	7/31	52° 10.00'	-130° 02.69'	93	8.0	660	47	576	70	0	0	2
2105	7/23	52° 10.35'	-130° 19.00'	238	8.0	169	3	0	0	154	0	17
2106	7/20	52° 10.54'	-130° 35.15'	106	8.0	3,678	133	350	39	2	0	10
2107	7/20	52° 10.20'	-130° 52.08'	121	8.0	2,607	101	142	16	24	2	14
2108	7/14	52° 19.84'	-129° 13.00'	83	8.0	1,311	72	748	88	0	2	83
2109	7/14	52° 19.70'	-129° 30.02'	97	8.0	564	17	83	10	3	2	56
2110	7/29	52° 19.80'	-129° 45.95'	116	8.0	784	41	83	9	0	2	180
2111	7/28	52° 19.86'	-130° 03.01'	123	8.0	1,134	41	73	9	2	1	11
2112	7/23	52° 20.27'	-130° 19.02'	193	8.0	219	7	0	0	103	0	43
2113	7/23	52° 20.31'	-130° 35.01'	91	8.0	1,381	61	233	27	0	1	22
2114	7/19	52° 20.09'	-130° 52.06'	79	8.0	895	51	376	43	16	11	2
2115	7/14	52° 30.02'	-129° 31.74'	45	8.0	951	44	441	53	0	0	32
2116	7/24	52° 29.96'	-129° 46.04'	97	8.0	2,084	71	109	13	13	4	77
2117	7/28	52° 29.77'	-130° 02.00'	146	8.0	839	29	19	2	25	0	28
2118	7/28	52° 29.74'	-130° 18.98'	143	8.0	72	2	14	2	77	0	17
2119	7/19	52° 29.85'	-130° 34.84'	68	8.0	2,072	80	329	39	0	1	81
2120	7/19	52° 30.16'	-130° 52.05'	58	8.0	1,221	49	232	28	0	2	24
2121	7/24	52° 40.14'	-129° 46.04'	104	8.0	404	11	9	1	8	0	51
2122	7/24	52° 39.91'	-130° 01.98'	145	8.0	318	10	11	1	23	0	6
2123	7/18	52° 40.00'	-130° 19.34'	118	8.0	407	17	35	4	40	0	33
2124	7/18	52° 40.00'	-130° 35.29'	80	8.0	2,254	98	255	30	4	9	28
2125	7/15	52° 50.00'	-130° 02.10'	141	8.0	0	0	0	0	45	0	36
2126	7/18	52° 50.00'	-130° 18.84'	117	8.0	181	7	29	3	32	0	9
2127	7/15	53° 00.00'	-129° 44.82'	123	8.0	39	2	40	5	23	0	54
2128	7/15	53° 00.00'	-130° 01.59'	92	8.0	446	15	19	2	4	1	13
2129	8/27	52° 29.88'	-131° 07.92'	46	8.0	943	43	273	31	0	0	37
2130	8/27	52° 29.98'	-131° 24.89'	63	8.1	796	39	65	8	0	0	10
2131	8/26	52° 39.80'	-130° 51.80'	51	8.0	1,337	67	597	72	0	0	1
2132	8/27	52° 39.70'	-131° 07.79'	37	8.0	1,397	52	146	17	0	0	6
2133	8/26	52° 49.95'	-130° 35.23'	62	8.1	920	35	159	19	0	0	36
2134	8/26	52° 49.71'	-130° 51.67'	27	8.0	940	40	119	14	0	0	0
2135	8/25	52° 59.79'	-130° 18.04'	113	8.0	128	5	10	1	63	0	63
2136	8/25	53° 00.00'	-130° 34.49'	48	8.0	203	14	226	28	0	0	0
2137	8/25	53° 10.07'	-130° 17.82'	84	8.0	550	17	0	0	3	0	31
2138	8/24	53° 10.02'	-130° 35.05'	102	8.1	152	6	0	0	36	0	17
2139	8/22	53° 10.00'	-130° 52.09'	56	8.0	423	26	243	26	0	0	0
2140	8/24	53° 20.04'	-130° 18.23'	62	8.1	1,590	79	270	32	0	3	5
2141	8/24	53° 19.98'	-130° 34.66'	38	8.0	2,332	97	1,085	126	0	0	45
2142	8/22	53° 19.82'	-130° 51.88'	74	8.1	629	39	275	30	18	2	10
2143	8/8	53° 20.08'	-132° 49.21'	74	8.0	1,089	48	381	46	0	0	33
2144	8/8	53° 20.01'	-133° 05.67'	125	8.0	624	25	33	4	25	0	2
2145	8/22	53° 29.83'	-130° 51.70'	51	8.0	251	19	757	91	2	0	0
2146	8/8	53° 30.56'	-133° 04.71'	163	8.0	313	13	0	0	79	0	85
2147	8/21	53° 40.19'	-130° 35.05'	24	8.0	510	32	374	49	0	1	1
2148	8/21	53° 39.92'	-130° 51.73'	23	8.0	559	33	476	59	0	1	2
2149	8/9	53° 40.01'	-133° 06.72'	77	8.0	3,243	137	1,186	139	0	0	96

<sup>1</sup> Standard skate = 1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

<sup>2</sup> Weights are calculated from length-weight tables.

# 2010 IPHC Stock Assessment Survey

## Area 2B

Station	Date Fished	North Latitude	West Longitude	Depth (F)	Skates Set <sup>1</sup>	Legal Halibut		Sublegal Halibut		Bycatch (numbers)		
						Lbs. <sup>2</sup>	#'s	Lbs. <sup>2</sup>	#'s	Sablefish	P. Cod	Rockfish
2150	8/21	53° 49.97'	-130° 51.68'	46	8.0	1,326	89	664	76	18	9	0
2151	8/9	53° 59.90'	-133° 24.80'	40	8.1	1,871	71	204	22	0	0	51
2152	8/18	54° 10.07'	-130° 35.23'	60	8.1	97	3	68	9	10	2	8
2153	8/15	54° 10.07'	-132° 00.34'	41	8.0	384	29	1,851	262	0	7	0
2154	8/15	54° 09.96'	-132° 16.77'	50	8.0	253	18	1,093	162	0	20	0
2155	8/12	54° 10.15'	-132° 34.20'	47	8.0	157	13	1,066	147	0	0	0
2156	8/11	54° 09.79'	-133° 09.11'	36	8.0	1,329	49	214	25	0	0	34
2157	8/10	54° 10.15'	-133° 26.18'	213	8.0	62	3	10	1	50	0	28
2158	8/18	54° 20.03'	-130° 34.97'	54	8.0	305	10	86	11	6	4	20
2159	8/17	54° 19.98'	-131° 08.95'	36	8.0	687	51	1,293	158	0	1	0
2160	8/17	54° 19.86'	-131° 25.86'	93	8.1	480	35	380	43	28	2	99
2161	8/16	54° 20.16'	-131° 42.91'	104	8.0	1,506	95	536	58	19	2	23
2162	8/15	54° 20.04'	-132° 00.75'	136	8.0	500	20	57	7	162	1	24
2163	8/12	54° 20.11'	-132° 18.30'	115	8.0	945	34	52	6	28	1	15
2164	8/12	54° 20.18'	-132° 35.27'	148	8.0	343	13	52	6	150	0	30
2165	8/11	54° 20.10'	-132° 52.97'	219	8.0	583	14	26	3	96	0	12
2166	8/11	54° 20.21'	-133° 08.76'	252	8.0	424	12	0	0	116	0	37
2167	8/10	54° 20.04'	-133° 26.34'	126	8.0	927	41	51	6	18	0	126
2168	8/10	54° 20.08'	-133° 42.98'	134	8.0	2,291	93	291	33	54	2	4
2169	8/18	54° 29.94'	-130° 35.12'	58	8.0	585	20	88	11	26	4	2
2170	8/17	54° 29.95'	-131° 08.84'	76	8.0	1,079	74	694	77	11	15	0
2171	8/16	54° 29.93'	-131° 25.97'	57	8.0	1,505	69	222	27	3	6	69
2172	8/16	54° 30.13'	-131° 44.20'	186	8.0	107	6	0	0	118	0	5
<b>170 Total Effective 2B Stations</b>					<b>Totals</b>	<b>120,539</b>	<b>5,628</b>	<b>40,864</b>	<b>4,983</b>	<b>4,029</b>	<b>147</b>	<b>4,106</b>

<sup>1</sup> Standard skate = 1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

<sup>2</sup> Weights are calculated from length-weight tables.