

2012 IPHC Stock Assessment Survey

Area 2C

Station	Date Fished	North Latitude	West Longitude	Depth (fm)	Skates Set ¹	O32 Halibut		U32 Halibut		Bycatch (numbers) ³		
						Lbs. ²	#'s	Lbs. ²	#'s	Sablefish	P. Cod	Rockfish
3001	7/15	54° 30.00'	-132° 01.02'	152	4.0	509	18	10	1	54	0	0
3003	7/16	54° 30.07'	-132° 32.43'	204	4.0	355	13	3	1	50	0	10
3005	7/19	54° 30.01'	-133° 11.01'	132	4.0	1,809	67	141	19	0	0	0
3006	7/19	54° 30.05'	-133° 26.91'	165	4.0	726	26	38	5	30	0	5
3007	7/18	54° 30.00'	-133° 42.94'	139	4.0	1,134	53	204	23	15	0	15
3008	5/31	54° 40.00'	-130° 49.39'	170	4.0	95	4	0	0	0	0	0
3009	5/31	54° 40.00'	-131° 07.66'	118	3.9	123	9	77	10	10	0	5
3010	5/31	54° 39.99'	-131° 25.50'	127	4.0	143	10	141	16	10	5	0
3011	7/15	54° 40.02'	-131° 41.09'	232	3.9	291	13	10	1	49	0	0
3012	7/15	54° 40.01'	-131° 59.82'	94	4.0	554	30	113	13	5	20	0
3013	7/16	54° 39.97'	-132° 16.17'	60	4.0	1,093	34	176	22	0	15	0
3014	5/28	54° 40.00'	-132° 34.38'	101	4.0	699	18	55	8	0	0	5
3015	5/28	54° 39.98'	-132° 51.66'	78	4.0	585	26	157	21	0	24	29
3016	7/19	54° 40.00'	-133° 08.49'	124	3.9	658	22	26	4	5	10	34
3017	5/27	54° 40.02'	-133° 24.81'	168	3.9	1,021	40	240	28	25	0	15
3018	7/18	54° 40.00'	-133° 44.18'	131	4.0	738	25	135	17	0	0	5
3019	7/18	54° 39.98'	-134° 00.70'	123	4.0	1,319	52	300	39	5	5	10
3020	6/1	54° 50.02'	-131° 07.80'	134	4.0	229	10	43	6	20	0	0
3021	5/29	54° 49.99'	-131° 41.83'	255	3.9	264	12	20	2	34	0	5
3022	5/28	54° 48.98'	-132° 34.00'	166	4.0	238	12	0	0	20	0	10
3023	5/27	54° 50.00'	-133° 09.17'	118	4.0	252	15	58	8	5	15	10
3024	5/27	54° 50.03'	-133° 26.67'	69	4.0	53	4	326	48	0	20	0
3025	7/17	54° 50.04'	-133° 42.62'	76	4.0	2,208	77	325	36	0	0	30
3026	6/4	54° 49.99'	-134° 00.55'	106	3.9	911	39	146	19	0	0	5
3027	6/1	54° 59.84'	-131° 06.01'	132	4.0	498	24	47	7	10	0	0
3028	5/29	55° 00.38'	-131° 41.00'	102	4.0	333	17	250	33	20	5	20
3029	7/17	55° 00.33'	-133° 26.23'	46	4.0	1,121	39	183	24	0	0	64
3030	7/17	54° 59.94'	-133° 43.03'	58	4.0	354	21	438	62	0	0	0
3031	6/1	55° 09.21'	-131° 05.99'	95	3.9	465	18	62	8	10	0	5
3032	5/29	55° 09.49'	-131° 40.98'	67	4.0	203	7	0	0	0	0	30
3033	5/30	55° 10.52'	-131° 56.00'	183	4.0	681	28	95	11	20	10	15
3034	6/5	55° 10.00'	-133° 26.47'	46	4.0	966	37	90	12	0	0	54
3035	5/30	55° 20.09'	-131° 56.10'	225	4.0	23	1	0	0	15	0	0
3036	5/30	55° 29.04'	-131° 58.03'	156	4.0	196	7	37	6	10	0	5
3037	7/12	55° 39.39'	-132° 14.67'	204	4.0	252	8	4	1	30	0	30
3038	7/12	55° 44.31'	-132° 26.60'	124	4.0	387	12	40	5	20	0	10
3039	7/12	55° 50.00'	-132° 15.02'	123	4.0	749	29	88	11	5	10	0
3040	7/11	56° 00.00'	-132° 33.15'	134	4.0	390	16	50	6	5	0	5
3041	7/11	56° 00.16'	-132° 44.11'	199	4.0	133	5	0	0	35	0	0
3042	7/11	56° 11.00'	-132° 51.09'	117	4.0	290	11	100	11	25	0	5
3043	6/4	55° 00.00'	-134° 00.17'	81	3.9	751	34	133	18	0	0	74
3044	6/4	55° 00.00'	-134° 18.73'	120	4.0	532	17	61	7	0	0	0
3045	6/5	55° 10.01'	-133° 44.10'	85	4.0	487	38	474	57	0	0	0
3046	6/5	55° 10.01'	-134° 00.74'	93	4.0	732	30	162	21	0	10	5
3047	6/6	55° 20.00'	-133° 45.09'	46	4.0	165	11	409	65	0	0	0
3048	6/6	55° 20.00'	-134° 00.92'	65	4.0	206	15	565	83	0	0	0
3049	6/7	55° 20.00'	-134° 18.93'	103	3.9	689	26	76	9	0	5	5
3050	6/7	55° 19.99'	-134° 34.77'	111	4.0	959	46	248	29	0	0	15
3051	6/6	55° 30.00'	-134° 02.49'	50	4.0	964	34	341	50	0	0	15
3052	6/9	55° 30.00'	-134° 19.25'	95	4.0	284	11	52	6	0	5	0

¹ Standard skate = 1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights are calculated from length-weight tables.

³ Bycatch numbers extrapolated from 20% subsample.

2012 IPHC Stock Assessment Survey

Area 2C

Station	Date Fished	North Latitude	West Longitude	Depth (fm)	Skates Set ¹	O32 Halibut		U32 Halibut		Bycatch (numbers) ³		
						Lbs. ²	#'s	Lbs. ²	#'s	Sablefish	P. Cod	Rockfish
3053	6/7	55° 29.98'	-134° 36.02'	111	4.0	1,079	45	147	18	45	0	0
3054	6/8	55° 30.00'	-134° 52.80'	163	3.9	618	29	112	14	44	0	5
3055	6/9	55° 39.98'	-134° 00.16'	99	3.9	59	4	19	2	0	0	0
3056	6/9	55° 40.00'	-134° 20.33'	117	4.0	1,179	63	125	15	0	0	0
3057	6/8	55° 40.00'	-134° 36.78'	114	4.0	315	15	134	20	0	10	0
3058	6/8	55° 40.00'	-134° 55.91'	111	4.0	2,107	77	214	27	5	0	56
3059	7/9	55° 50.00'	-133° 27.10'	43	3.9	187	9	10	1	0	0	0
3060	7/9	55° 50.00'	-133° 43.92'	82	4.0	303	10	53	7	0	0	10
3061	7/8	55° 49.98'	-134° 02.00'	163	4.0	615	19	14	2	20	5	25
3062	6/13	55° 49.71'	-134° 37.07'	92	3.9	118	2	22	4	5	25	5
3063	6/12	55° 49.98'	-134° 56.34'	104	4.0	795	36	139	19	0	0	0
3064	6/12	55° 50.00'	-135° 12.71'	124	3.9	1,154	50	248	33	0	5	5
3065	7/9	55° 55.00'	-133° 34.70'	47	4.0	387	21	74	9	5	5	10
3066	7/8	56° 00.50'	-134° 02.00'	40	4.0	1,297	28	319	42	0	0	15
3067	7/8	56° 00.00'	-134° 18.71'	40	4.0	1,035	26	107	15	0	0	50
3068	6/13	56° 00.00'	-134° 37.60'	209	4.0	1,458	49	60	7	64	0	15
3069	6/13	56° 00.00'	-134° 53.47'	181	4.0	493	17	12	2	68	0	112
3070	6/12	56° 00.00'	-135° 12.74'	203	4.0	917	25	0	0	45	0	30
3071	7/10	56° 10.56'	-133° 44.00'	180	4.0	460	15	40	4	10	5	0
3072	7/7	56° 10.00'	-134° 20.00'	70	4.0	754	29	217	27	0	20	5
3073	6/15	56° 10.54'	-134° 38.01'	121	3.9	1,174	35	98	14	34	10	5
3074	6/15	56° 09.97'	-134° 55.98'	102	4.0	2,679	135	392	48	20	5	0
3075	6/14	56° 09.51'	-135° 14.02'	164	3.9	415	18	59	9	30	0	0
3076	7/10	56° 20.67'	-133° 44.02'	76	4.0	933	24	53	7	5	20	5
3077	7/7	56° 19.27'	-134° 20.01'	107	4.0	336	14	88	13	10	15	30
3078	6/15	56° 19.90'	-134° 56.00'	66	4.0	467	11	105	19	0	10	20
3079	6/14	56° 20.58'	-135° 14.00'	85	4.0	629	28	88	13	0	10	15
3080	6/14	56° 20.00'	-135° 30.94'	109	4.0	648	25	138	22	0	0	5
3081	7/10	56° 28.45'	-133° 43.97'	64	4.0	335	12	29	3	0	5	5
3082	7/7	56° 30.52'	-134° 20.00'	45	4.0	1,146	42	373	50	0	0	15
3083	6/16	56° 29.95'	-135° 14.98'	59	4.0	575	21	240	37	0	0	40
3084	6/16	56° 30.16'	-135° 33.02'	88	4.0	230	11	58	9	0	0	50
3085	6/16	56° 40.48'	-135° 15.02'	24	3.9	1,357	23	49	7	0	0	0
3086	6/17	56° 39.30'	-135° 34.02'	76	3.9	990	32	62	10	0	0	65
3087	6/17	56° 40.66'	-135° 52.01'	136	3.9	300	14	59	7	5	15	10
3088	7/4	56° 49.98'	-132° 49.01'	111	4.0	444	19	43	6	0	0	0
3089	6/17	56° 49.39'	-135° 52.00'	105	4.0	977	40	151	21	15	0	0
3090	7/4	56° 57.18'	-132° 59.16'	78	4.0	427	21	223	32	0	0	0
3091	7/1	56° 59.98'	-134° 20.03'	192	4.0	301	10	51	7	158	0	0
3092	6/20	57° 00.00'	-136° 01.44'	59	3.9	384	14	110	17	0	0	54
3093	7/4	57° 02.98'	-133° 04.06'	69	3.9	440	16	88	12	0	0	0
3094	7/1	57° 10.00'	-133° 43.95'	180	4.0	475	28	137	17	59	0	0
3095	7/1	57° 10.00'	-134° 02.99'	163	4.0	594	29	140	17	40	30	0
3096	6/30	57° 10.69'	-134° 39.82'	157	4.0	503	15	70	10	25	15	25
3097	6/20	57° 09.96'	-135° 54.00'	37	4.0	641	20	130	21	0	5	20
3098	6/20	57° 10.89'	-136° 12.00'	115	4.0	399	23	150	20	0	10	10
3099	7/2	57° 20.00'	-133° 27.23'	82	3.9	234	11	155	22	0	29	0
3100	7/2	57° 19.95'	-133° 45.00'	180	4.0	903	49	128	17	50	20	5
3101	6/30	57° 19.92'	-134° 36.08'	189	4.0	470	15	34	5	45	10	10
3102	6/21	57° 20.52'	-135° 54.96'	75	3.9	149	8	78	11	5	29	15

¹ Standard skate =1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights are calculated from length-weight tables.

³ Bycatch numbers extrapolated from 20% subsample.

2012 IPHC Stock Assessment Survey

Area 2C

Station	Date Fished	North Latitude	West Longitude	Depth (fm)	Skates Set ¹	O32 Halibut		U32 Halibut		Bycatch (numbers) ³		
						Lbs. ²	#'s	Lbs. ²	#'s	Sablefish	P. Cod	Rockfish
3103	6/21	57° 20.00'	-136° 11.58'	94	4.0	657	22	165	23	0	20	25
3104	7/2	57° 30.02'	-133° 46.07'	145	4.0	781	42	134	17	20	10	0
3105	6/30	57° 31.00'	-134° 38.00'	148	4.0	245	15	150	23	50	30	5
3106	6/21	57° 30.00'	-136° 14.00'	52	4.0	865	26	222	35	0	5	10
3107	7/3	57° 39.98'	-133° 44.75'	179	4.0	579	33	263	30	0	0	5
3108	6/22	57° 40.01'	-136° 32.84'	91	4.0	588	41	565	72	0	0	0
3109	7/3	57° 49.97'	-133° 54.00'	182	4.0	412	22	18	3	0	0	5
3110	6/22	57° 50.00'	-136° 34.53'	58	4.0	1,132	40	318	42	0	0	35
3111	6/22	57° 50.00'	-136° 53.72'	220	3.9	121	6	18	2	59	0	20
3112	7/3	57° 59.40'	-134° 03.29'	126	3.9	126	8	54	7	0	0	0
3113	6/23	58° 00.48'	-136° 40.00'	54	3.9	1,469	62	375	48	0	0	5
3114	6/24	58° 10.00'	-135° 02.98'	89	3.9	470	25	244	33	0	15	5
3115	6/24	58° 09.99'	-135° 20.00'	96	4.0	415	24	106	14	0	5	5
3116	6/23	58° 10.02'	-136° 37.32'	75	4.0	1,139	28	43	7	20	0	0
3117	6/29	58° 12.00'	-134° 24.93'	39	4.0	88	4	16	2	0	10	0
3118	6/29	58° 13.38'	-134° 41.00'	40	4.0	493	18	62	7	0	15	0
3119	6/24	58° 15.01'	-135° 38.94'	59	3.9	389	19	531	76	0	29	0
3120	6/23	58° 14.85'	-136° 25.74'	111	3.9	1,839	46	195	28	10	59	0
3121	6/29	58° 20.57'	-134° 42.98'	44	3.9	163	9	36	4	0	0	0
3122	6/25	58° 20.53'	-135° 02.83'	237	3.9	535	22	33	5	83	0	10
3123	6/25	58° 30.05'	-135° 02.06'	162	4.0	754	42	237	30	35	5	0
3124	6/25	58° 41.13'	-135° 02.80'	149	4.0	510	29	101	13	0	0	0
122 Total Effective 2C Stations					Totals	77,475	3,086	16,284	2,181	1,624	670	1,419

¹ Standard skate =1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights are calculated from length-weight tables.

³ Bycatch numbers extrapolated from 20% subsample.