

**2012 IPHC Stock Assessment Survey
Area 3B**

Station	Date Fished	North Latitude	West Longitude	Depth (fm)	Skates Set ¹	O32 Halibut		U32 Halibut		Bycatch (numbers) ³		
						Lbs. ²	#'s	Lbs. ²	#'s	Sablefish	P. Cod	Rockfish
5001	6/3	55° 59.99'	-153° 36.12'	53	4.0	468	25	280	42	0	0	0
5002	6/3	56° 00.02'	-153° 54.75'	72	4.0	165	12	210	35	0	0	0
5003	6/6	55° 59.95'	-154° 11.96'	61	4.0	432	25	406	56	0	0	0
5004	6/6	56° 00.57'	-154° 29.96'	203	4.0	170	12	74	8	45	0	5
5005	6/7	55° 59.34'	-154° 47.99'	134	4.0	55	4	53	6	99	0	0
5006	6/7	55° 59.99'	-155° 04.64'	36	4.0	64	5	261	50	0	69	0
5007	6/4	56° 10.00'	-153° 34.97'	79	4.0	105	7	214	32	0	50	0
5008	6/4	56° 10.00'	-153° 52.67'	125	3.9	946	70	471	56	5	0	20
5009	6/5	56° 09.36'	-154° 11.02'	67	4.0	305	19	336	48	0	80	0
5010	6/6	56° 09.41'	-154° 28.98'	53	4.0	744	42	601	83	0	35	0
5011	6/7	56° 09.98'	-154° 46.61'	48	4.0	277	17	333	47	0	69	0
5013	6/8	56° 09.92'	-155° 21.86'	21	4.0	11	1	104	16	0	178	0
5014	6/8	56° 10.54'	-155° 41.25'	36	4.0	225	10	106	16	0	135	0
5015	6/4	56° 20.54'	-153° 51.01'	49	4.0	422	18	468	73	0	15	0
5016	6/5	56° 19.93'	-154° 10.00'	51	4.0	287	16	309	45	0	79	0
5017	6/5	56° 20.00'	-154° 29.46'	32	4.0	52	3	137	23	0	40	0
5018	6/8	56° 19.99'	-155° 22.23'	26	4.0	83	4	153	26	0	99	0
5019	6/8	56° 20.20'	-155° 39.82'	42	4.0	640	27	132	23	0	0	0
5020	6/11	56° 30.84'	-155° 21.00'	29	4.0	134	6	380	61	0	129	0
5021	6/10	56° 30.05'	-155° 39.01'	64	4.0	535	34	304	41	0	149	0
5022	6/11	56° 40.11'	-155° 03.15'	25	4.0	169	8	241	37	0	109	0
5023	6/11	56° 39.49'	-155° 20.00'	51	4.0	269	19	256	32	0	149	0
5024	6/10	56° 39.41'	-155° 38.02'	131	4.0	434	28	184	23	10	15	0
5025	6/10	56° 39.77'	-155° 56.02'	160	4.0	109	7	122	16	30	0	0
5026	6/24	56° 49.41'	-154° 23.98'	34	4.0	196	11	473	64	0	79	0
5027	6/24	56° 50.66'	-154° 42.02'	35	3.9	92	7	220	33	0	74	0
5028	6/23	56° 50.01'	-155° 00.26'	41	4.0	552	34	480	68	0	20	0
5029	6/23	56° 50.01'	-155° 19.13'	127	4.0	433	25	150	19	25	10	0
5030	6/18	56° 50.02'	-155° 36.34'	153	4.0	328	19	99	12	15	0	0
5031	6/18	56° 50.55'	-155° 55.03'	164	4.0	155	9	36	5	45	0	0
5032	6/24	57° 00.01'	-154° 42.12'	27	4.0	153	9	367	58	0	10	0
5033	6/23	57° 00.04'	-154° 57.80'	53	4.0	293	22	378	51	0	69	0
5034	6/23	56° 59.98'	-155° 16.98'	140	4.0	243	16	128	17	5	30	0
5035	6/18	56° 59.97'	-155° 34.87'	156	4.0	407	19	58	9	15	5	0
5036	6/18	57° 00.43'	-155° 54.00'	165	4.0	217	11	41	6	59	0	0
5037	6/16	57° 10.01'	-154° 38.99'	25	4.0	453	30	386	56	0	41	0
5038	6/16	57° 09.48'	-154° 58.02'	111	4.0	324	24	506	71	0	25	0
5039	6/17	57° 09.85'	-155° 15.98'	137	4.0	457	27	179	22	20	25	0
5040	6/17	57° 09.89'	-155° 35.03'	151	4.0	201	12	43	6	40	5	0
5041	6/21	57° 10.10'	-155° 52.99'	138	4.0	505	25	104	15	40	50	0
5042	6/16	57° 20.05'	-154° 57.01'	110	4.0	394	27	217	27	5	153	0
5043	6/17	57° 20.00'	-155° 16.16'	138	4.0	471	22	78	11	25	0	0
5044	6/22	57° 19.84'	-155° 33.75'	158	4.0	256	16	67	10	15	35	0
5045	6/21	57° 19.37'	-155° 51.19'	82	4.0	313	14	223	30	0	74	5
5046	6/21	57° 19.99'	-156° 12.27'	86	4.0	266	15	104	14	0	69	0
5047	6/22	57° 30.03'	-155° 13.72'	144	4.0	384	20	50	6	25	35	0
5048	6/22	57° 30.00'	-155° 32.09'	169	4.0	440	25	313	36	25	25	0
5096	7/19	54° 49.90'	-157° 33.00'	238	4.0	0	0	10	1	50	0	25
5097	8/8	54° 50.54'	-157° 50.01'	85	3.9	372	28	461	58	10	69	0
5098	7/19	55° 00.82'	-157° 14.93'	99	4.0	100	8	197	25	5	45	0

¹ Standard skate =1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights are calculated from length-weight tables.

³ Bycatch numbers extrapolated from 20% subsample.

**2012 IPHC Stock Assessment Survey
Area 3B**

Station	Date Fished	North Latitude	West Longitude	Depth (fm)	Skates Set ¹	O32 Halibut		U32 Halibut		Bycatch (numbers) ³		
						Lbs. ²	#'s	Lbs. ²	#'s	Sablefish	P. Cod	Rockfish
5099	7/19	54° 59.97'	-157° 32.72'	55	4.0	1,089	68	494	63	0	54	0
5100	8/8	54° 59.98'	-157° 49.85'	46	4.0	691	38	203	25	0	78	5
5101	8/8	55° 00.03'	-158° 06.09'	71	4.0	109	8	147	25	0	54	0
5102	7/6	55° 10.00'	-156° 22.00'	290	3.9	0	0	0	0	29	0	0
5103	7/2	55° 10.01'	-156° 40.49'	284	4.0	0	0	0	0	54	0	0
5104	7/2	55° 10.52'	-156° 57.00'	81	4.0	195	14	577	72	0	45	0
5105	7/19	55° 08.13'	-157° 14.00'	67	4.0	261	17	326	46	0	144	5
5106	7/18	55° 10.36'	-157° 32.00'	47	4.0	906	50	751	105	0	25	0
5107	7/25	55° 10.01'	-157° 48.53'	44	4.0	347	25	550	78	0	0	0
5108	7/25	55° 09.32'	-158° 07.03'	56	4.0	260	16	434	60	0	64	0
5109	7/2	55° 20.02'	-156° 38.09'	70	4.0	192	12	213	30	0	139	5
5110	7/2	55° 20.48'	-156° 56.01'	52	4.0	466	28	325	45	40	0	0
5111	7/18	55° 20.12'	-157° 12.52'	50	4.0	223	13	169	29	0	134	0
5112	7/18	55° 20.26'	-157° 30.97'	47	4.0	115	7	407	65	0	114	0
5113	7/25	55° 19.55'	-157° 49.00'	46	4.0	150	10	374	69	0	35	0
5114	7/24	55° 20.18'	-158° 06.60'	58	4.0	227	16	511	78	0	50	0
5115	7/24	55° 19.25'	-158° 24.04'	82	4.0	280	19	406	57	0	25	0
5116	7/1	55° 29.99'	-156° 38.02'	100	4.0	98	6	92	11	64	30	0
5117	7/14	55° 30.40'	-156° 54.99'	49	4.0	550	35	707	100	0	20	0
5118	7/17	55° 30.01'	-157° 14.70'	48	4.0	450	25	469	72	0	79	0
5119	7/17	55° 29.70'	-157° 31.00'	52	4.0	294	15	406	69	0	50	0
5120	7/26	55° 30.31'	-157° 48.00'	55	4.0	240	19	491	71	0	45	0
5121	7/26	55° 30.38'	-158° 06.00'	72	3.9	430	29	584	76	0	59	0
5122	7/27	55° 30.81'	-158° 24.00'	80	4.0	340	21	452	57	0	120	0
5123	7/14	55° 40.35'	-156° 55.00'	50	4.0	108	7	679	123	0	25	0
5124	7/17	55° 40.15'	-157° 13.01'	47	4.0	260	14	382	78	0	15	0
5125	7/17	55° 40.15'	-157° 29.96'	55	4.0	437	30	451	67	0	64	0
5126	7/26	55° 38.97'	-157° 48.00'	74	4.0	108	8	228	34	0	64	0
5127	7/26	55° 40.00'	-158° 05.21'	71	4.0	172	12	94	15	0	50	0
5128	7/27	55° 39.92'	-158° 22.25'	72	4.0	158	11	232	35	0	59	0
5129	7/27	55° 40.00'	-158° 38.97'	52	3.9	186	15	655	98	0	78	0
5130	7/15	55° 49.95'	-157° 12.00'	55	4.0	107	9	417	65	0	125	0
5131	7/15	55° 50.16'	-157° 29.99'	55	4.0	173	13	623	91	0	54	0
5132	7/15	55° 50.65'	-157° 47.98'	59	4.0	56	3	369	68	0	104	0
5133	7/16	55° 50.18'	-158° 04.98'	43	4.0	425	26	690	116	0	0	0
5134	7/16	55° 49.32'	-158° 22.92'	59	4.0	740	42	336	50	0	84	0
5135	7/13	56° 00.61'	-157° 29.00'	60	4.0	350	21	466	62	0	104	0
5136	7/16	56° 00.42'	-157° 47.02'	69	3.9	263	19	610	86	0	64	0
5137	7/16	56° 00.96'	-158° 05.00'	48	4.0	289	14	315	49	0	45	0
5138	7/12	56° 09.21'	-157° 47.02'	94	4.0	341	16	291	44	0	99	0
5139	7/12	56° 10.00'	-157° 59.38'	65	4.0	916	34	226	30	0	65	0
5140	7/12	56° 19.93'	-158° 04.00'	33	4.0	534	23	248	36	0	10	0
5141	8/9	54° 29.98'	-158° 59.23'	168	3.9	141	10	92	10	19	0	15
5142	8/10	54° 30.01'	-159° 18.17'	80	4.0	225	16	260	33	15	50	0
5143	8/10	54° 29.99'	-159° 34.11'	63	4.0	625	38	328	37	0	188	5
5144	8/11	54° 29.98'	-159° 49.85'	67	4.0	141	8	467	75	0	15	0
5145	8/11	54° 29.99'	-160° 09.13'	67	4.0	446	34	587	83	0	50	0
5146	8/9	54° 39.98'	-158° 25.21'	116	4.0	1,049	72	499	59	20	35	10
5147	8/9	54° 40.00'	-158° 43.05'	58	4.0	633	42	389	47	0	139	10
5148	8/9	54° 39.50'	-158° 59.99'	52	4.0	834	50	393	48	0	139	0

¹ Standard skate =1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights are calculated from length-weight tables.

³ Bycatch numbers extrapolated from 20% subsample.

**2012 IPHC Stock Assessment Survey
Area 3B**

Station	Date Fished	North Latitude	West Longitude	Depth (fm)		O32 Halibut		U32 Halibut		Bycatch (numbers) ³		
						Lbs. ²	#'s	Lbs. ²	#'s	Sablefish	P. Cod	Rockfish
5149	8/10	54° 39.52'	-159° 16.95'	42	4.0	404	22	668	89	0	40	5
5150	8/10	54° 40.62'	-159° 34.05'	29	4.0	691	32	354	47	0	50	10
5151	8/12	54° 39.98'	-159° 52.02'	42	4.0	702	35	471	59	0	54	0
5152	8/11	54° 39.70'	-160° 09.03'	51	4.0	817	52	457	62	0	79	0
5153	8/8	54° 49.99'	-158° 07.05'	56	4.0	449	30	425	63	0	59	5
5154	8/7	54° 50.53'	-158° 25.01'	109	4.0	346	22	200	24	74	0	0
5155	8/7	54° 50.00'	-158° 42.90'	54	3.9	661	30	300	45	0	103	0
5156	8/6	54° 49.99'	-158° 59.99'	41	3.9	115	8	248	46	0	34	0
5157	8/12	54° 50.75'	-159° 51.98'	31	4.0	0	0	167	34	0	120	0
5158	8/12	54° 50.00'	-160° 08.08'	38	4.0	95	7	230	34	0	64	0
5159	8/13	54° 50.02'	-160° 26.19'	47	4.0	323	23	345	45	0	59	0
5160	8/7	55° 00.02'	-158° 23.96'	111	4.0	290	18	82	9	94	0	0
5161	8/7	55° 00.04'	-158° 43.00'	69	4.0	577	40	557	77	0	74	0
5162	8/6	55° 00.00'	-158° 58.98'	47	4.0	275	16	487	79	0	5	0
5163	8/6	54° 59.51'	-159° 15.62'	27	4.0	255	12	127	20	0	72	0
5164	8/13	54° 59.98'	-160° 25.73'	53	4.0	355	27	601	82	0	25	0
5165	8/13	55° 00.00'	-160° 45.14'	50	3.9	549	32	614	89	0	5	0
5166	7/24	55° 09.58'	-158° 23.99'	101	4.0	176	12	223	26	20	0	0
5167	8/1	55° 10.18'	-158° 42.01'	111	4.0	158	10	43	5	15	0	0
5168	8/1	55° 10.15'	-158° 59.00'	80	4.0	859	53	348	43	0	54	0
5169	7/30	55° 10.01'	-159° 17.27'	40	4.0	708	35	498	71	0	5	0
5170	8/1	55° 20.00'	-158° 42.09'	100	4.0	103	5	36	5	0	35	0
5171	7/31	55° 20.36'	-158° 59.13'	100	4.0	264	18	8	2	5	10	0
5172	7/31	55° 20.00'	-159° 15.22'	98	4.0	268	15	60	7	0	10	0
5173	7/30	55° 19.35'	-159° 34.02'	78	4.0	452	33	358	46	0	15	0
5174	7/30	55° 20.84'	-159° 52.07'	42	4.0	265	14	566	91	0	20	0
5175	7/27	55° 30.00'	-158° 42.55'	88	4.0	239	13	71	8	5	5	0
5176	7/31	55° 30.02'	-159° 00.19'	63	4.0	163	13	545	78	0	50	0
5177	7/31	55° 29.99'	-159° 17.03'	66	4.0	508	30	661	89	0	40	0
5178	7/29	55° 30.00'	-159° 35.12'	92	4.0	570	32	338	41	0	40	0
5179	7/29	55° 29.99'	-159° 50.84'	92	4.0	831	47	420	52	0	89	0
5181	7/28	55° 40.00'	-158° 58.69'	84	4.0	624	29	267	32	0	25	0
5182	7/28	55° 40.00'	-159° 17.31'	58	4.0	657	33	366	57	0	20	0
5183	7/28	55° 40.27'	-159° 52.00'	70	4.0	957	52	387	50	0	99	0
5184	7/28	55° 49.15'	-158° 59.01'	70	4.0	950	53	784	106	0	45	0
5185	7/28	55° 50.00'	-159° 16.25'	38	4.0	229	12	298	45	0	59	0
5186	8/5	54° 00.00'	-163° 15.06'	46	4.0	247	17	257	34	0	70	5
5187	8/5	54° 00.00'	-163° 31.02'	56	4.0	33	2	192	30	0	84	0
5188	8/21	54° 00.58'	-163° 49.00'	51	4.0	47	4	80	9	0	40	0
5189	8/7	54° 10.61'	-161° 34.00'	73	4.0	90	6	172	26	50	10	0
5190	8/6	54° 10.00'	-161° 50.16'	45	3.9	875	57	559	67	0	49	5
5191	8/6	54° 10.61'	-162° 07.99'	45	4.0	774	44	384	45	0	74	10
5192	8/6	54° 10.00'	-162° 24.06'	101	4.0	50	4	220	28	55	20	10
5193	8/21	54° 09.98'	-163° 50.00'	49	4.0	115	8	348	50	0	25	0
5194	8/8	54° 20.00'	-160° 06.99'	185	3.9	13	1	26	3	25	0	0
5195	8/8	54° 20.01'	-160° 27.05'	68	4.0	393	23	353	51	5	50	0
5196	8/8	54° 20.00'	-160° 44.07'	58	4.0	344	25	358	44	0	69	15
5197	8/10	54° 19.42'	-161° 00.00'	74	4.0	101	7	139	19	0	69	0
5198	8/7	54° 20.02'	-161° 17.18'	59	4.1	505	32	425	56	0	71	0
5199	8/7	54° 19.98'	-161° 33.99'	80	4.0	363	25	233	30	20	40	0

¹ Standard skate =1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights are calculated from length-weight tables.

³ Bycatch numbers extrapolated from 20% subsample.

**2012 IPHC Stock Assessment Survey
Area 3B**

Station	Date Fished	North Latitude	West Longitude	Depth (fm)	Skates Set ¹	O32 Halibut		U32 Halibut		Bycatch (numbers) ³		
						Lbs. ²	#'s	Lbs. ²	#'s	Sablefish	P. Cod	Rockfish
5200	8/17	54° 19.94'	-161° 51.00'	40	4.0	765	44	597	78	0	65	0
5201	8/18	54° 19.37'	-162° 08.99'	32	3.9	635	22	351	52	0	24	0
5202	8/20	54° 19.41'	-163° 16.98'	29	3.9	219	14	198	24	0	29	0
5203	8/20	54° 19.99'	-163° 34.00'	60	3.9	195	13	505	68	0	49	0
5204	8/21	54° 20.56'	-163° 51.01'	62	4.0	171	13	499	74	0	5	0
5205	8/22	54° 20.00'	-164° 07.96'	52	3.9	50	3	351	52	0	29	0
5206	8/9	54° 29.98'	-160° 26.13'	81	3.9	243	16	279	35	10	54	0
5207	8/9	54° 29.99'	-160° 42.02'	77	4.0	112	6	83	10	10	10	0
5208	8/10	54° 30.65'	-161° 00.00'	72	4.1	304	21	384	52	5	51	0
5209	8/10	54° 30.00'	-161° 18.07'	65	4.0	165	9	241	37	0	45	0
5210	8/17	54° 30.01'	-161° 35.99'	38	4.0	234	12	323	47	0	35	0
5211	8/17	54° 30.00'	-161° 52.00'	77	4.0	375	25	438	52	0	20	0
5212	8/18	54° 30.53'	-162° 08.99'	77	4.0	222	14	198	25	0	85	0
5213	8/18	54° 29.34'	-162° 26.00'	78	3.9	860	52	468	59	0	19	0
5214	8/20	54° 30.55'	-163° 18.00'	43	4.0	375	23	419	59	0	50	0
5215	8/20	54° 29.94'	-163° 35.00'	53	3.9	95	7	422	63	0	25	0
5216	8/22	54° 30.50'	-163° 53.00'	46	4.0	394	24	351	52	0	30	0
5217	8/21	54° 30.01'	-164° 11.07'	53	4.0	206	14	301	41	0	45	0
5218	8/9	54° 39.40'	-160° 26.00'	57	4.0	533	33	306	40	0	20	0
5219	8/12	54° 40.00'	-160° 43.03'	52	4.1	562	32	241	33	0	71	0
5220	8/12	54° 40.00'	-161° 01.09'	50	4.0	355	17	263	36	0	45	0
5221	8/11	54° 40.57'	-161° 18.00'	68	3.9	161	10	235	34	0	68	0
5222	8/16	54° 39.99'	-161° 36.05'	31	4.0	180	7	383	60	0	15	0
5223	8/16	54° 39.99'	-161° 51.96'	41	4.0	169	7	209	29	0	30	15
5224	8/19	54° 40.00'	-162° 44.00'	47	4.0	53	4	152	25	0	10	0
5225	8/12	54° 50.54'	-160° 43.51'	53	3.9	181	14	464	74	0	25	0
5226	8/11	54° 50.61'	-161° 01.00'	53	4.0	508	26	350	52	0	45	0
5227	8/11	54° 50.04'	-161° 18.00'	56	4.0	150	7	149	24	0	10	0
5228	8/16	54° 49.99'	-161° 36.01'	44	4.0	156	8	160	25	0	80	0
5229	8/19	54° 50.60'	-162° 45.00'	29	4.0	238	11	210	28	0	35	0
5230	8/19	54° 49.99'	-163° 01.93'	41	4.0	829	54	555	73	0	35	0
5231	8/15	55° 00.00'	-161° 02.20'	60	4.0	380	20	254	33	0	0	0
5232	8/15	55° 00.00'	-161° 17.93'	55	4.0	202	10	282	42	0	0	5
5233	8/15	55° 10.50'	-161° 01.44'	66	4.0	286	15	281	40	0	20	0
5234	7/6	55° 20.00'	-156° 03.91'	156	4.0	208	13	0	0	104	0	10
5235	7/6	55° 19.88'	-156° 21.01'	97	4.0	593	40	455	53	15	40	0
5236	7/3	55° 30.01'	-155° 45.00'	121	4.0	76	5	123	16	0	40	10
5237	7/3	55° 30.02'	-156° 04.15'	113	4.0	108	7	153	25	15	45	0
5238	7/1	55° 30.64'	-156° 20.01'	122	4.0	130	7	43	6	89	0	0
5239	7/5	55° 40.63'	-155° 25.99'	92	4.0	68	5	313	44	0	79	0
5240	7/3	55° 39.31'	-155° 44.00'	75	4.0	271	21	303	41	0	158	0
5241	7/3	55° 39.98'	-156° 02.02'	128	3.9	129	9	62	7	69	29	0
5242	7/1	55° 40.11'	-156° 19.00'	142	4.0	220	14	63	8	20	15	0
5243	7/1	55° 39.48'	-156° 36.98'	134	4.0	121	8	34	4	45	5	0
5244	7/5	55° 50.00'	-155° 05.94'	68	4.0	570	38	642	88	0	30	0
5245	7/5	55° 49.99'	-155° 26.07'	23	4.0	16	1	176	30	0	129	0
5246	7/4	55° 49.85'	-156° 00.99'	58	3.9	973	69	775	97	0	49	0
5247	6/30	55° 49.98'	-156° 20.29'	135	4.0	177	10	6	1	35	10	0
5248	6/30	55° 49.99'	-156° 36.16'	126	4.0	141	8	72	9	25	10	0
5249	7/14	55° 50.80'	-156° 53.98'	80	4.0	214	17	432	60	0	74	0

¹ Standard skate =1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights are calculated from length-weight tables.

³ Bycatch numbers extrapolated from 20% subsample.

**2012 IPHC Stock Assessment Survey
Area 3B**

Station	Date Fished	North Latitude	West Longitude	Depth (fm)	Skates Set ¹	O32 Halibut		U32 Halibut		Bycatch (numbers) ³			
						Lbs. ²	#'s	Lbs. ²	#'s	Sablefish	P. Cod	Rockfish	
5250	7/4	55° 59.98'	-155° 42.12'	25	3.9	73	3	196	35	0	39	0	
5251	7/4	56° 00.51'	-156° 00.02'	44	4.0	347	22	485	72	0	50	0	
5252	6/30	56° 00.01'	-156° 17.14'	117	4.0	170	9	41	5	35	30	0	
5253	6/30	56° 00.00'	-156° 33.39'	108	4.0	673	33	125	15	0	54	0	
5254	7/13	56° 00.06'	-157° 09.57'	61	4.0	110	8	300	44	0	153	0	
5255	6/9	56° 10.14'	-155° 58.98'	120	4.0	387	28	209	26	10	50	0	
5256	6/9	56° 09.39'	-156° 16.97'	124	4.0	321	17	67	8	69	45	0	
5257	6/29	56° 10.04'	-156° 36.26'	92	4.0	292	19	180	25	0	40	0	
5258	6/29	56° 10.57'	-156° 53.00'	46	4.0	104	5	145	21	0	114	0	
5259	7/13	56° 10.00'	-157° 11.98'	59	4.0	885	37	330	49	0	84	0	
5260	7/13	56° 09.73'	-157° 29.01'	87	4.0	993	62	363	47	0	40	0	
5261	6/9	56° 20.70'	-155° 57.99'	116	4.0	186	11	136	16	20	10	0	
5262	6/9	56° 20.53'	-156° 16.01'	156	4.0	72	5	37	5	40	20	0	
5263	6/29	56° 20.04'	-156° 34.86'	99	4.0	320	19	129	20	0	69	0	
5264	6/29	56° 20.05'	-156° 52.02'	63	4.0	405	25	371	50	0	50	0	
5265	7/11	56° 19.39'	-157° 10.05'	96	4.0	679	34	401	52	0	30	0	
5266	7/11	56° 20.98'	-157° 28.09'	34	4.0	1,169	43	376	59	0	0	5	
5267	7/12	56° 20.12'	-157° 46.03'	29	4.0	506	28	557	81	0	0	0	
5268	6/10	56° 29.43'	-155° 57.02'	133	4.0	248	17	119	15	15	5	0	
5269	6/19	56° 29.94'	-156° 15.00'	144	4.0	106	8	63	10	15	50	0	
5270	6/28	56° 30.00'	-156° 34.09'	105	4.0	721	36	284	35	0	40	0	
5271	6/28	56° 30.09'	-156° 51.00'	56	3.9	274	16	288	42	0	29	0	
5272	7/11	56° 29.98'	-157° 29.04'	88	4.0	392	24	272	35	0	95	0	
5273	6/19	56° 39.34'	-156° 14.02'	124	3.9	360	22	69	10	15	54	0	
5274	6/19	56° 39.99'	-156° 31.87'	85	3.9	483	27	331	41	0	39	0	
5275	6/28	56° 40.01'	-156° 52.15'	61	4.0	351	23	473	64	0	20	0	
5276	6/28	56° 40.00'	-157° 10.23'	82	4.0	370	20	136	17	0	69	0	
5277	6/20	56° 49.52'	-156° 12.97'	108	4.0	713	40	280	39	0	59	0	
5278	6/20	56° 49.99'	-156° 31.01'	69	4.0	390	17	135	19	0	78	0	
5279	6/20	56° 50.00'	-156° 50.01'	61	4.0	281	13	176	24	0	89	0	
5280	6/20	56° 59.65'	-156° 12.97'	89	4.0	215	13	181	28	0	104	0	
231 Total Effective 3B Stations						Totals	79,743	4,705	69,085	9,743	1,876	11,060	217

¹ Standard skate =1,800' groundline with 16/0 circle hooks spaced every 18' on 24"-42" gangions.

² Weights are calculated from length-weight tables.

³ Bycatch numbers extrapolated from 20% subsample.