

4A Edge Stations (57)

Station Number	Stat Area	North Latitude	West Longitude	Depth (F)	Purpose Code	ADFG Area	Date Fished	Skates ³	Halibut (lbs) ¹		Halibut (Pcs)		Bycatch (Pcs) ²	
									Legal	Sub	Legal	Sub	P.Cod	Rockfish
7001	543165	54° 30'	165° 44'	205	SG	655409	7/16	7	27	68	1	13	7	0
7002	543166	54° 30'	166° 19'	270	SG	665401	7/11	7	112	15	7	1	0	21
7003	543166	54° 30'	166° 36'	265	SG	665401	7/11	7	0	0	0	0	0	0
7004	543166	54° 30'	166° 53'	261	SG	665401	7/11	7	0	0	0	0	0	21
7006	543165	54° 40'	165° 26'	110	SG	655430	6/24	7	0	22	0	4	118	0
7007	543165	54° 40'	165° 43'	181	SG	655430	6/24	7	0	293	0	39	55	0
7008	543166	54° 40'	166° 01'	182	SG	665430	7/16	7	94	81	7	8	0	0
7009	543166	54° 40'	166° 18'	180	SG	665430	7/15	7	243	61	14	7	0	0
7010	543166	54° 40'	166° 35'	184	SG	665430	7/15	7	365	71	21	7	0	0
7011	543166	54° 40'	166° 53'	207	SG	665430	7/10	7	84	13	6	1	0	21
7012	543167	54° 40'	167° 10'	248	SG	675430	7/10	7	0	0	0	0	0	21
7013	543165	54° 50'	165° 25'	84	SG	655430	6/24	7	0	31	0	6	28	0
7014	543165	54° 50'	165° 43'	84	SG	655430	6/24	7	0	107	0	20	98	0
7015	543166	54° 50'	166° 00'	103	SG	665430	7/16	7	36	0	3	0	35	0
7016	543166	54° 50'	166° 18'	91	SG	665430	7/15	7	79	0	4	0	14	0
7017	543166	54° 50'	166° 35'	107	SG	665430	7/15	7	119	0	6	0	13	0
7018	543166	54° 50'	166° 52'	143	SG	665430	7/10	7	68	15	4	1	42	0
7019	543167	54° 50'	167° 10'	194	SG	675430	7/10	7	140	0	10	0	0	0
7021	550166	55° 00'	166° 34'	80	SG	665500	7/9	7	392	61	22	7	112	0
7022	550166	55° 00'	166° 52'	84	SG	665500	7/9	7	339	51	17	6	97	0
7023	550167	55° 00'	167° 09'	96	SG	675500	7/8	7	399	73	22	8	14	0
7024	550167	55° 00'	167° 27'	159	SG	675500	7/8	7	1,788	115	97	13	14	0
7025	550166	55° 10'	166° 34'	77	SG	665500	7/9	7	261	91	13	11	55	0
7026	550166	55° 10'	166° 51'	79	SG	665500	7/9	7	303	120	18	14	69	0
7027	550167	55° 10'	167° 09'	82	SG	675500	7/8	7	311	96	17	11	35	0
7028	550167	55° 10'	167° 26'	89	SG	675500	7/8	7	35	13	3	1	83	0
7029	550167	55° 10'	167° 44'	167	SG	675500	6/25	7	1,685	158	91	17	21	0
7030	550167	55° 20'	167° 44'	89	SG	675500	6/25	7	275	67	17	7	154	0
7031	550168	55° 20'	168° 01'	199	SG	685500	6/25	7	224	52	14	6	7	21
7032	553168	55° 30'	168° 01'	79	SG	685530	7/7	7	0	27	0	3	159	0
7033	553168	55° 30'	168° 19'	136	SG	685530	7/7	7	238	0	10	0	111	0
7034	553168	55° 40'	168° 37'	80	SG	685530	7/7	7	17	8	1	1	154	0
7035	553168	55° 50'	168° 37'	79	SG	685530	7/6	7	207	66	13	10	118	0
7036	553168	55° 50'	168° 52'	125	SG	685530	7/6	7	114	50	6	6	104	0
7037	560168	56° 00'	168° 19'	87	SG	685600	6/26	7	0	79	0	13	35	0
7038	560168	56° 00'	168° 37'	129	SG	685600	7/6	7	320	0	18	0	76	0
7039	560169	56° 00'	169° 48'	118	SG	695600	7/5	7	104	48	6	6	56	0
7040	560170	56° 00'	170° 06'	109	SG	705600	7/5	7	240	11	11	1	159	0
7041	560168	56° 10'	168° 01'	79	SG	685600	6/27	8	88	37	6	5	63	0
7042	560168	56° 10'	168° 19'	91	SG	685600	6/27	7	192	121	10	15	42	0
7043	560168	56° 10'	168° 37'	167	SG	685600	6/26	7	480	0	22	0	35	47
7044	560168	56° 10'	168° 55'	142	SG	685600	6/26	7	538	0	29	0	28	0
7045	560169	56° 10'	169° 31'	258	SG	695600	7/5	7	388	0	18	0	0	14
7046	560170	56° 10'	170° 42'	76	SG	705600	7/2	7	185	44	7	6	284	0
7047	560168	56° 20'	168° 01'	78	SG	685600	6/27	8	152	51	8	6	214	0
7048	560168	56° 20'	168° 19'	86	SG	685600	6/27	8	233	50	11	8	96	0
7049	560169	56° 20'	169° 13'	76	SG	695600	6/28	7	130	17	6	3	56	0
9501	563169	56° 20'	169° 28'	81	SG	695600	6/28	8	150	49	8	8	32	0
9502	563169	56° 25'	169° 20'	62	SG	695600	6/28	8	197	22	10	3	55	0
9503	563169	56° 25'	169° 38'	53	SG	695600	6/28	8	674	93	29	11	198	0
9504	563169	56° 30'	169° 14'	51	SG	695631	7/4	8	296	92	13	13	72	0
9505	563169	56° 30'	169° 30'	44	SG	695631	7/4	8	2,021	64	64	8	63	0
9506	563169	56° 30'	169° 49'	48	SG	695631	7/3	8	558	150	29	18	24	0
9507	563169	56° 35'	169° 22'	29	SG	695631	7/4	8	1,414	28	45	3	152	0
9508	563169	56° 40'	169° 12'	38	SG	695631	7/4	8	653	195	32	30	40	0
9509	563169	56° 40'	169° 30'	43	SG	695631	7/3	8	18	23	2	3	127	0
9510	563169	56° 40'	169° 48'	42	SG	695631	7/3	8	246	104	13	14	120	0
Totals:									17,231	3,102	839	403	3,745	165

¹ Halibut weights listed here are calculated from length-weight tables.² Bycatch numbers extrapolated from 20% subsample.³ 8 skates will be fished on stations in area 4C and the closed area

4D Edge Stations (68)

Station Number	Stat Area	North Latitude	West Longitude	Depth (F)	Purpose Code	ADFG Area	Date Fished	Skates	Halibut (lbs) ¹		Halibut (Pcs)		Bycatch (Pcs) ²	
									Legal	Sub	Legal	Sub	P. Cod	Rockfish
7050	563171	56° 20'	171° 19'	78	SG	715600	8/3	8	0	0	0	0	246	0
7051	563171	56° 30'	171° 37'	81	SG	715630	8/3	8	0	15	0	2	103	0
7052	563171	56° 30'	171° 55'	168	SG	715630	8/3	8	16	6	1	1	45	0
7053	563173	56° 40'	173° 07'	89	SG	735630	8/2	8	15	11	1	1	107	0
7054	563173	56° 50'	173° 25'	252	SG	735630	8/2	8	0	0	0	0	0	11
7055	570173	57° 00'	173° 25'	108	SG	735700	8/2	8	74	9	5	1	69	0
7056	570173	57° 00'	173° 43'	267	SG	735700	8/1	8	0	0	0	0	0	0
7057	570173	57° 10'	173° 43'	80	SG	735700	8/1	8	0	7	0	1	102	0
7058	570173	57° 20'	173° 43'	75	SG	735700	8/1	8	0	27	0	5	91	0
7059	573173	57° 40'	173° 43'	74	SG	735730	7/31	8	165	28	5	5	97	0
7060	573173	57° 50'	173° 43'	84	SG	735730	7/31	8	0	5	0	1	124	0
7061	580174	58° 20'	174° 20'	122	SG	745800	8/13	8	646	112	39	13	85	34
7062	580175	58° 20'	175° 17'	192	SG	755800	8/12	8	1,121	166	65	18	11	11
7063	583174	58° 30'	174° 20'	78	SG	745830	8/13	8	0	0	0	0	136	0
7064	583175	58° 30'	175° 18'	98	SG	755830	8/12	8	135	50	6	6	164	0
7065	583175	58° 30'	175° 37'	98	SG	755830	7/27	8	45	11	3	1	119	0
7067	583174	58° 40'	174° 20'	89	SG	745830	8/13	8	51	9	3	1	28	0
7068	583174	58° 40'	174° 39'	115	SG	745830	8/11	8	33	11	1	1	6	0
7069	583174	58° 40'	174° 59'	128	SG	745830	8/11	8	90	20	5	2	28	0
7070	583174	58° 40'	175° 18'	127	SG	755830	8/12	8	93	32	5	3	56	0
7071	583175	58° 40'	175° 56'	76	SG	755830	7/27	8	14	0	1	0	63	0
7072	583176	58° 40'	176° 16'	76	SG	765830	7/27	8	20	21	1	3	86	0
7073	583177	58° 40'	177° 13'	78	SG	775830	7/18	8	115	101	6	11	204	6
7074	583177	58° 50'	177° 33'	74	SG	775830	7/18	8	65	37	1	7	57	0
7075	583177	58° 50'	177° 53'	210	SG	775830	7/18	8	285	33	15	3	6	17
7076	590177	59° 00'	177° 54'	75	SG	775900	7/19	8	337	84	9	11	40	0
7077	590178	59° 00'	178° 13'	117	SG	785900	7/19	8	323	25	14	3	91	0
7078	590176	59° 10'	176° 56'	79	SG	765900	7/26	8	225	73	11	11	129	0
7079	590177	59° 10'	177° 16'	82	SG	775900	7/26	8	241	72	11	10	192	0
7080	590177	59° 10'	177° 35'	91	SG	775900	7/22	8	0	38	0	6	51	0
7081	590177	59° 10'	177° 55'	100	SG	775900	7/22	8	157	158	9	21	57	0
7082	590178	59° 10'	178° 14'	75	SG	785900	7/19	8	413	237	19	30	11	0
7083	590176	59° 20'	176° 57'	80	SG	765900	7/25	8	367	65	19	7	130	0
7084	590177	59° 20'	177° 17'	87	SG	775900	7/26	8	115	38	7	5	68	0
7085	590177	59° 20'	177° 36'	144	SG	775900	7/22	8	224	20	11	2	17	0
7086	593176	59° 30'	176° 38'	77	SG	765930	7/25	8	40	0	1	0	74	0
7087	593176	59° 30'	176° 58'	83	SG	765930	7/25	8	64	12	3	1	84	0
7088	593177	59° 30'	177° 18'	85	SG	775930	7/24	8	115	43	6	6	85	0
7089	593177	59° 30'	177° 37'	127	SG	775930	7/23	8	225	55	11	8	96	0
7090	593177	59° 30'	177° 57'	220	SG	775930	7/23	8	958	32	48	3	0	0
7091	593178	59° 30'	178° 17'	143	SG	785930	7/20	8	1,516	180	62	19	45	0
7092	593176	59° 40'	176° 59'	85	SG	765930	7/24	8	59	29	2	5	141	0
7093	593177	59° 40'	177° 19'	112	SG	775930	7/24	8	0	34	0	5	39	0
7094	593177	59° 40'	177° 39'	126	SG	775930	7/23	8	24	9	1	1	74	0
7095	593177	59° 40'	177° 58'	91	SG	775930	7/20	8	110	172	6	22	103	0
7096	593178	59° 40'	178° 18'	90	SG	785930	7/20	8	173	136	10	19	73	0
7097	593177	59° 50'	177° 59'	78	SG	775930	7/21	8	0	0	0	0	130	0
7098	593178	59° 50'	178° 19'	79	SG	785930	7/21	8	257	61	14	8	73	0
7099	593178	59° 50'	178° 39'	83	SG	785930	7/21	8	27	102	2	14	51	0
9511	570170	57° 00'	170° 10'	36	SG	705701	8/16	8	30	46	2	7	23	0
9512	570170	57° 00'	170° 29'	42	SG	705701	8/16	8	361	122	22	15	34	0
9513	570170	57° 05'	170° 03'	32	SG	705701	8/4	8	150	98	8	15	68	0
9514	570170	57° 05'	170° 38'	40	SG	705701	8/14	8	272	59	17	7	6	0
9515	570170	57° 10'	170° 29'	31	SG	705703	8/16	8	566	91	18	11	136	0
9516	570170	57° 15'	170° 20'	13	SG	705703	8/15	8	1,761	66	74	10	6	0
9517	570170	57° 15'	170° 40'	39	SG	705701	8/14	8	622	88	31	10	57	0
9518	570169	57° 20'	169° 55'	32	SG	695700	8/4	8	343	129	11	19	97	0
9519	570170	57° 20'	170° 13'	29	SG	705701	8/15	8	1,222	134	51	16	0	0
9520	570170	57° 20'	170° 30'	35	SG	705701	8/15	8	529	95	30	11	0	0
9521	600172	60° 10'	172° 20'	30	SG	726001	8/9	8	112	0	5	0	166	0
9522	600172	60° 10'	172° 41'	29	SG	726003	8/9	8	86	0	2	0	86	0
9523	600172	60° 20'	172° 04'	32	SG	726001	8/9	8	0	0	0	0	23	0
9524	600172	60° 20'	172° 46'	10	SG	726002	8/10	8	4,170	283	202	33	6	0
9525	600173	60° 20'	173° 04'	27	SG	736001	8/10	8	127	24	5	2	166	0
9526	603172	60° 30'	172° 26'	29	SG	726031	8/8	8	0	0	0	0	17	0
9527	603172	60° 30'	172° 45'	18	SG	726032	8/8	8	707	70	37	10	51	0
9528	603173	60° 30'	173° 07'	12	SG	736032	8/10	8	2,459	54	98	7	0	0
9530	603172	60° 40'	172° 47'	22	SG	726031	8/8	8	446	29	10	5	166	0
Totals:									22,914	3,772	1,065	485	4,993	79

¹ Halibut weights listed here are calculated from length-weight tables.² Bycatch numbers extrapolated from 20% subsample.

Adak Stations (45)

Station Number	Stat Area	North Latitude	West Longitude	Depth (F)	Purpose Code	ADFG Area	Date Fished	Skates	Halibut (lbs) ¹		Halibut (Pcs)		Bycatch (Pcs) ²	
									Legal	Sub	Legal	Sub	P.Cod	Rockfish
6067	440	51° 10'	179° 00'	82	SG	795102	8/10	7	0	0	0	0	0	28
6069	430	51° 30'	176° 52'	135	SG	765132	7/23	7	521	67	35	7	35	78
6070	440	51° 30'	178° 29'	112	SG	785131	8/24	7	1,164	105	62	11	0	0
6071	440	51° 30'	178° 45'	45	SG	785134	8/23	7	295	140	18	18	163	0
6072	420	51° 40'	175° 48'	195	SG	755132	7/25	7	390	0	20	0	0	14
6073	420	51° 40'	176° 04'	147	SG	765132	7/24	7	658	11	38	1	0	0
6074	420	51° 40'	176° 20'	78	SG	765132	7/24	7	115	87	7	14	48	7
6075	430	51° 40'	177° 09'	60	SG	775132	7/22	7	94	21	3	3	7	0
6076	430	51° 40'	177° 25'	61	SG	775132	7/22	7	191	55	10	7	0	0
6077	430	51° 40'	178° 13'	58	SG	785131	8/22	7	709	312	45	38	21	0
6078	440	51° 40'	178° 29'	121	SG	785131	8/22	7	1,122	227	66	25	21	0
6079	410	51° 50'	174° 27'	115	SG	745131	6/29	7	500	346	29	41	0	0
6080	410	51° 50'	174° 43'	116	SG	745131	6/28	7	386	149	24	17	0	0
6081	420	51° 50'	175° 00'	110	SG	755132	7/4	7	988	174	52	21	0	0
6082	420	51° 50'	175° 16'	105	SG	755132	7/5	7	414	72	22	8	7	0
6083	420	51° 50'	175° 32'	92	SG	755132	7/5	7	809	333	38	41	7	0
6084	420	51° 50'	175° 48'	67	SG	755132	7/25	7	37	168	3	22	0	0
6085	400	52° 00'	173° 22'	43	SG	735203	6/30	7	385	195	18	27	215	0
6086	410	52° 00'	173° 38'	43	SG	735130	6/20	7	952	209	46	27	177	0
6087	410	52° 00'	173° 54'	43	SG	735203	6/20	7	1,302	358	45	49	16	0
6088	410	52° 00'	174° 11'	53	SG	745131	6/29	7	15	171	1	31	0	0
6089	410	52° 00'	174° 27'	43	SG	745203	6/28	7	243	207	11	25	92	0
6090	410	52° 00'	174° 59'	46	SG	745203	7/4	7	78	108	6	15	49	0
6091	520176	52° 00'	176° 21'	100	SG	765203	7/6	7	505	108	32	13	21	0
6092	520279	52° 00'	279° 27'	49	SG	805202	8/20	7	127	0	4	0	0	0
6093	400	52° 10'	172° 49'	75	SG	725201	7/2	7	898	293	49	32	166	0
6094	520173	52° 10'	173° 05'	47	SG	735201	6/18	7	1,195	311	53	42	120	0
6095	520173	52° 10'	173° 21'	51	SG	735201	6/18	7	494	203	29	27	57	0
6096	520173	52° 10'	173° 54'	50	SG	735202	6/19	7	720	417	39	50	118	0
6097	520174	52° 10'	174° 43'	72	SG	745205	6/12	7	353	229	22	25	41	0
6098	520174	52° 10'	174° 59'	64	SG	745206	6/12	7	729	444	34	56	0	0
6099	520175	52° 10'	175° 15'	128	SG	755201	6/12	7	1,003	27	39	3	63	0
6100	520175	52° 10'	175° 48'	131	SG	755201	6/11	7	455	89	29	10	8	15
6101	520279	52° 10'	279° 28'	120	SG	805201	8/19	7	234	0	4	0	0	0
6102	520179	52° 10'	179° 42'	151	SG	795200	8/17	7	522	0	11	0	0	14
6103	520279	52° 10'	279° 44'	52	SG	805201	8/18	7	278	0	11	0	0	0
6104	520179	52° 10'	179° 58'	53	SG	795200	8/17	7	52	0	3	0	7	0
6105	520173	52° 20'	173° 53'	59	SG	735201	6/14	7	830	661	38	88	0	0
6106	520179	52° 20'	179° 41'	146	SG	795200	8/17	7	0	0	0	0	0	7
6107	520279	52° 20'	279° 45'	75	SG	805201	8/16	7	83	0	3	0	0	0
6108	520179	52° 20'	179° 57'	68	SG	795200	8/16	7	0	0	0	0	0	0
6109	523173	52° 30'	173° 37'	127	SG	735230	6/14	7	327	51	20	6	20	0
6110	523179	52° 30'	179° 41'	52	SG	795230	8/15	7	126	0	6	0	7	0
6111	523279	52° 30'	279° 46'	206	SG	805230	8/16	7	0	0	0	0	0	7
6112	523179	52° 40'	179° 25'	63	SG	795230	7/13	7	49	0	1	0	7	0
Totals:									20,346	6,345	1,026	799	1,491	170

¹ Halibut weights listed here are calculated from length-weight tables.² Bycatch numbers extrapolated from 20% subsample.

Albatross Stations (45)

Station Number	Stat Area	North Latitude	West Longitude	Depth (F)	Purpose Code	ADFG Area	Date Fished	Skates	Halibut (lbs) ¹		Halibut (Pcs)		Bycatch (Pcs) ²	
									Legal	Sub	Legal	Sub	P. Cod	Rockfish
4286	280	56° 20'	152° 50'	56	SG	525600	6/16	7	1,710	1,014	99	122	7	0
4287	280	56° 20'	153° 08'	52	SG	535602	6/16	7	1,065	502	76	63	0	0
4288	280	56° 20'	153° 26'	33	SG	535602	6/17	7	784	107	35	17	0	0
4289	280	56° 30'	152° 15'	82	SG	525630	6/11	7	819	840	62	94	7	14
4290	280	56° 30'	152° 33'	144	SG	525630	6/11	7	1,269	431	76	48	0	20
4291	280	56° 30'	152° 51'	28	SG	525630	6/10	7	1,060	596	48	77	0	0
4292	280	56° 30'	153° 09'	41	SG	535632	6/16	7	350	240	14	36	73	0
4293	280	56° 30'	153° 27'	49	SG	535632	6/20	7	295	324	17	46	7	0
4294	280	56° 30'	153° 45'	36	SG	535632	6/20	7	1,218	145	57	20	7	0
4295	280	56° 40'	151° 57'	32	SG	515630	6/12	7	1,233	574	69	76	14	14
4296	280	56° 40'	152° 15'	18	SG	525630	6/11	7	1,592	126	69	17	0	0
4297	280	56° 40'	152° 34'	74	SG	525630	6/10	7	203	581	14	69	0	0
4298	280	56° 40'	152° 52'	39	SG	525630	6/10	7	804	419	36	56	0	0
4299	280	56° 40'	153° 10'	81	SG	535632	6/9	7	164	0	8	0	0	0
4300	280	56° 40'	153° 28'	78	SG	535632	6/9	7	852	386	46	52	0	0
4301	280	56° 40'	153° 46'	42	SG	535632	6/20	7	1,064	303	36	45	0	0
4302	280	56° 50'	151° 40'	141	SG	515630	6/13	7	278	395	18	43	35	0
4303	280	56° 50'	151° 58'	42	SG	515630	6/12	7	2,967	558	106	70	7	0
4304	280	56° 50'	152° 16'	54	SG	525630	6/12	7	1,409	816	85	101	7	0
4305	280	56° 50'	152° 35'	75	SG	525630	6/8	7	1,186	589	67	74	0	0
4306	280	56° 50'	152° 53'	35	SG	525630	6/8	7	671	486	38	62	0	0
4307	280	56° 50'	153° 11'	49	SG	535632	6/9	7	736	503	50	64	14	0
4308	280	56° 50'	153° 29'	55	SG	535632	6/9	7	461	602	25	85	7	0
4309	270	57° 00'	151° 40'	40	SG	515700	6/13	7	1,952	726	91	83	0	62
4310	280	57° 00'	151° 59'	45	SG	515700	6/13	7	729	517	38	69	7	0
4311	280	57° 00'	152° 17'	42	SG	525702	5/31	7	490	598	27	85	0	0
4312	280	57° 00'	152° 35'	84	SG	525702	6/8	7	354	192	22	22	0	0
4313	280	57° 00'	152° 54'	60	SG	525702	6/8	7	545	350	31	49	0	0
4314	270	57° 10'	151° 04'	202	SG	515700	6/2	7	265	375	18	42	7	0
4315	270	57° 10'	151° 22'	71	SG	515700	6/2	7	1,071	1,008	73	118	0	0
4316	270	57° 10'	151° 41'	41	SG	515700	6/1	7	985	366	55	49	0	0
4317	270	57° 10'	151° 59'	39	SG	515700	6/1	7	701	162	34	21	0	0
4318	280	57° 10'	152° 18'	43	SG	525702	5/31	7	233	364	11	55	20	0
4319	280	57° 10'	152° 36'	54	SG	525702	5/31	7	62	212	4	36	49	0
4320	270	57° 20'	151° 04'	50	SG	515700	6/3	7	897	553	56	69	0	0
4321	270	57° 20'	151° 23'	74	SG	515700	6/2	7	1,882	963	116	113	27	0
4322	270	57° 20'	151° 41'	35	SG	515700	6/1	7	427	331	22	50	0	0
4323	270	57° 20'	152° 00'	41	SG	525702	5/30	7	677	247	35	38	48	0
4324	270	57° 20'	152° 18'	23	SG	525701	5/30	7	1,034	110	34	15	0	0
4325	270	57° 30'	151° 05'	44	SG	515730	6/3	7	1,139	793	64	94	0	0
4326	270	57° 30'	151° 23'	46	SG	515730	6/3	7	589	644	41	87	0	0
4327	270	57° 30'	151° 42'	61	SG	515730	5/29	7	366	863	25	118	27	0
4328	270	57° 30'	152° 01'	27	SG	525732	5/30	7	1,923	107	64	14	0	0
4329	270	57° 40'	151° 43'	37	SG	515730	5/29	7	308	553	20	91	0	0
4330	270	57° 40'	152° 01'	96	SG	525732	5/29	7	1,193	644	71	85	55	0
Totals:									40,013	21,218	2,104	2,738	424	109

¹ Halibut weights listed here are calculated from length-weight tables.² Bycatch numbers extrapolated from 20% subsample.

Attu Stations (44)

Station Number	Stat Area	North Latitude	West Longitude	Depth (F)	Purpose Code	ADFG Area	Date Fished	Skates	Halibut (lbs) ¹		Halibut (Pcs)		Bycatch (Pcs) ²	
									Legal	Sub	Legal	Sub	P.Cod	Rockfish
6113	450	51° 20'	279° 07'	50	SG	805103	8/7	7	0	0	0	0	7	0
6114	460	51° 30'	278° 36'	70	SG	815131	8/6	7	104	0	3	0	21	28
6115	450	51° 30'	278° 52'	70	SG	815133	8/6	7	126	0	1	0	7	7
6116	470	51° 40'	275° 39'	87	SG	845130	6/27	7	0	0	0	0	0	0
6117	460	51° 40'	278° 04'	156	SG	815131	8/4	7	42	0	1	0	0	21
6118	460	51° 40'	278° 21'	71	SG	815131	8/5	7	58	13	3	1	0	0
6119	470	51° 50'	275° 39'	64	SG	845130	6/27	7	103	0	3	0	0	35
6120	470	51° 50'	275° 56'	66	SG	845130	6/28	7	0	0	0	0	0	0
6121	460	51° 50'	277° 33'	54	SG	825132	7/19	7	101	0	3	0	89	69
6122	513277	51° 50'	277° 49'	58	SG	825132	7/19	7	97	0	3	0	0	0
6123	513278	51° 50'	278° 21'	129	SG	815134	8/3	7	77	10	1	1	7	14
6124	470	52° 00'	275° 56'	56	SG	845202	6/28	7	588	0	8	0	0	70
6125	470	52° 00'	276° 45'	50	SG	835200	7/15	7	60	0	3	0	92	7
6126	520277	52° 00'	277° 17'	52	SG	825201	7/16	7	369	0	8	0	178	0
6127	520277	52° 00'	277° 50'	63	SG	825201	7/19	7	0	0	0	0	0	0
6128	520278	52° 00'	278° 22'	83	SG	815202	8/3	7	594	0	20	0	0	0
6129	490	52° 10'	273° 46'	80	SG	865203	6/16	7	0	0	0	0	132	7
6130	480	52° 10'	275° 07'	93	SG	845202	6/24	7	0	0	0	0	0	0
6131	480	52° 10'	275° 23'	201	SG	845202	6/25	7	0	0	0	0	0	62
6132	490	52° 20'	273° 29'	41	SG	865204	6/16	7	116	37	3	6	187	0
6133	490	52° 20'	273° 45'	40	SG	865204	6/17	7	699	14	18	1	280	0
6134	480	52° 20'	274° 02'	77	SG	855200	6/17	7	35	10	1	1	184	0
6135	480	52° 20'	274° 18'	109	SG	855200	6/23	7	146	22	8	3	208	0
6137	490	52° 30'	272° 56'	159	SG	875232	6/15	7	18	10	1	1	0	62
6138	490	52° 30'	273° 12'	61	SG	865233	6/18	7	24	38	1	6	104	0
6139	490	52° 30'	273° 29'	84	SG	865232	6/18	7	17	0	1	0	41	0
6140	480	52° 30'	274° 02'	67	SG	855231	6/17	7	440	13	18	1	187	0
6141	480	52° 30'	274° 18'	63	SG	855231	6/23	7	69	0	3	0	62	0
6142	523274	52° 30'	274° 34'	192	SG	855231	6/23	7	193	0	10	0	0	27
6143	523274	52° 30'	274° 51'	144	SG	855231	6/21	7	375	0	15	0	0	0
6144	490	52° 40'	272° 55'	66	SG	875232	6/15	7	517	86	22	10	249	0
6145	490	52° 40'	273° 12'	54	SG	865233	6/18	7	72	65	3	8	42	0
6146	490	52° 40'	273° 28'	50	SG	865233	6/18	7	15	19	1	3	173	0
6147	490	52° 40'	273° 45'	56	SG	865233	6/20	7	543	31	24	4	27	0
6148	523274	52° 40'	274° 01'	40	SG	855233	6/20	7	119	32	3	4	35	0
6149	523274	52° 40'	274° 18'	25	SG	855231	6/21	7	** Ineffective station (Soak time too long)					
6150	500	52° 50'	272° 05'	138	SG	875232	6/13	7	686	109	43	13	28	56
6151	500	52° 50'	272° 22'	192	SG	875232	6/14	7	0	0	0	0	0	55
6152	490	52° 50'	272° 38'	55	SG	875231	6/14	7	399	30	14	4	118	0
6153	523273	52° 50'	273° 45'	65	SG	865233	6/20	7	19	0	1	0	236	0
6154	500	53° 00'	270° 58'	283	SG	895300	6/12	7	0	0	0	0	0	14
6155	530272	53° 00'	272° 21'	106	SG	875301	6/14	7	676	58	32	7	111	14
6156	500	53° 10'	270° 57'	65	SG	895300	6/12	7	91	0	3	0	0	0
6157	510	53° 20'	270° 39'	156	SG	895300	6/12	7	0	0	0	0	0	0
Totals:									7,592	598	286	76	2,805	548

¹ Halibut weights listed here are calculated from length-weight tables.² Bycatch numbers extrapolated from 20% subsample.

Charlotte Inside Stations (47)

Station Number	Stat Area	North Latitude	West Longitude	Depth (F)	Purpose Code	DFO Area	Date Fished	Skates	Halibut (lbs) ¹		Halibut (Pcs)		Bycatch (Pcs)	
									Legal	Sub	Legal	Sub	P. Cod	Rockfish
2129	112	52° 30'	131° 08'	44	SG	102-2	7/20	7	789	60	38	7	0	0
2130	112	52° 30'	131° 25'	68	SG	2-12	7/20	7	1,597	79	66	8	0	0
2131	112	52° 40'	130° 52'	51	SG	102-2	7/19	7	914	364	46	45	0	0
2132	112	52° 40'	131° 08'	39	SG	102-2	7/19	7	920	109	25	13	0	0
2133	112	52° 50'	130° 35'	63	SG	106-2	7/18	7	369	160	24	20	0	0
2134	112	52° 50'	130° 52'	26	SG	102-2	7/19	7	105	14	4	1	0	0
2135	112	53° 00'	130° 18'	115	SG	106-1	7/18	7	273	13	10	1	0	0
2136	112	53° 00'	130° 35'	50	SG	106-1	7/18	7	73	58	4	7	4	4
2137	112	53° 10'	130° 18'	112	SG	105-2	7/17	7	0	0	0	0	0	0
2139	121	53° 10'	130° 52'	58	SG	105-2	7/16	7	160	23	11	3	0	0
2140	121	53° 20'	130° 18'	60	SG	5-22	7/17	7	1,941	226	94	25	0	0
2141	121	53° 20'	130° 35'	57	SG	105-2	7/17	7	2,757	378	105	43	3	3
2142	121	53° 20'	130° 52'	67	SG	105-2	7/16	7	393	94	24	10	1	1
2145	121	53° 30'	130° 52'	51	SG	105-1	7/16	7	72	142	6	18	6	6
2147	121	53° 40'	130° 35'	23	SG	5-11	7/15	7	121	31	7	6	0	0
2148	121	53° 40'	130° 52'	26	SG	105-1	7/15	7	705	216	29	29	0	0
2150	121	53° 50'	130° 52'	47	SG	105-1	7/15	7	903	646	55	76	1	1
2152	134	54° 10'	130° 35'	59	SG	4-9	7/11	7	124	44	10	6	1	1
2285	121	52° 49.97'	131° 24.54'		SG	102-2		7	* New station					
2287	112	52° 49.99'	131° 08.00'		SE	102-2		7	* New station					
2288	121	52° 59.97'	131° 24.54'		SE	102-2		7	* New station					
2289	121	52° 59.97'	131° 08.61'		SE	102-2		7	* New station					
2292	121	52° 59.99'	130° 52.00'		SG	102-2		7	* New station					
2295	121	53° 09.94'	131° 41.15'		SE	102-2		7	* New station					
2296	121	53° 09.96'	131° 25.34'		SE	102-2		7	* New station					
2297	121	53° 09.98'	131° 08.67'		SE	102-2		7	* New station					
2299	112	53° 09.99'	130° 02.00'		SG	106-1		7	* New station					
2302	121	53° 19.94'	131° 42.20'		SE	102-1		7	* New station					
2304	121	53° 19.96'	131° 25.47'		SE	102-1		7	* New station					
2305	121	53° 19.98'	131° 08.74'		SE	105-2		7	* New station					
2308	121	53° 29.94'	131° 42.40'		SE	102-1		7	* New station					
2309	121	53° 29.96'	131° 25.60'		SE	102-1		7	* New station					
2310	122	53° 29.97'	130° 01.20'		SG	5-17		7	* New station					
2311	121	53° 29.98'	131° 08.80'		SG	105-1		7	* New station					
2312	121	53° 39.96'	131° 25.73'		SE	102-1		7	* New station					
2313	121	53° 39.98'	131° 08.87'		SG	105-1		7	* New station					
2314	133	53° 40.00'	131° 42.93'		SE	102-1		7	* New station					
2315	122	53° 49.95'	130° 01.13'		SE	5-23		7	* New station					
2316	133	53° 49.97'	131° 25.93'		SE	102-1		7	* New station					
2317	122	53° 49.97'	130° 18.07'		SG	5-2		7	* New station					
2318	133	53° 49.98'	131° 08.93'		SG	105-1		7	* New station					
2320	133	53° 49.99'	131° 42.93'		SE	102-1		7	* New station					
2322	133	53° 59.97'	131° 09.00'		SE	104-3		7	* New station					
2324	133	53° 59.99'	130° 52.00'		SG	104-3		7	* New station					
2325	134	54° 09.98'	130° 17.93'		SE	4-12		7	* New station					
2327	133	54° 09.99'	130° 51.86'		SG	4-2		7	* New station					
2336	122	53° 54.83'	130° 11.14'		ES	5-1		7	* New station					
Totals:									12,216	2,657	557	318	17	17

¹ Halibut weights listed here are calculated from length-weight tables.

Charlotte North Stations (40)

Station Number	Stat Area	North Latitude	West Longitude	Depth (F)	Purpose Code	DFO Area	Date Fished	Skates	Halibut (lbs) ¹		Halibut (Pcs)		Bycatch (Pcs)	
									Legal	Sub	Legal	Sub	P. Cod	Rockfish
2143	130	53° 20'	132° 49'	77	SG	142-2	7/7	7	1,475	348	43	46	0	0
2144	130	53° 20'	133° 06'	129	SG	142-2	7/7	7	2,196	41	87	4	0	0
2146	130	53° 30'	133° 06'	199	SG	142-2	7/8	7	591	20	24	3	0	0
2149	130	53° 40'	133° 07'	77	SG	142-2	7/8	7	1,826	420	73	49	0	0
2151	130	54° 00'	133° 25'	41	SG	101-2	7/6	7	3,266	529	171	57	0	0
2153	132	54° 10'	132° 00'	39	SG	101-7	7/10	7	64	572	6	83	11	11
2154	132	54° 10'	132° 17'	50	SG	101-7	7/9	7	185	424	14	56	8	8
2155	132	54° 10'	132° 34'	46	SG	101-7	7/9	7	51	351	4	56	6	6
2156	130	54° 10'	133° 09'	34	SG	101-2	7/5	7	1,856	240	63	29	0	0
2157	131	54° 10'	133° 26'	215	SG	101-2	7/6	7	622	0	25	0	0	0
2158	134	54° 20'	130° 35'	48	SG	4-9	7/11	7	605	96	21	11	1	1
2159	133	54° 20'	131° 09'	35	SG	104-2	7/14	7	143	1,070	11	134	0	0
2160	133	54° 20'	131° 26'	95	SG	101-10	7/14	7	957	473	66	53	1	1
2161	132	54° 20'	131° 43'	101	SG	101-10	7/10	7	872	402	53	45	1	1
2162	132	54° 20'	132° 01'	134	SG	101-6	7/10	7	1,711	46	67	6	0	0
2163	132	54° 20'	132° 18'	115	SG	101-6	7/9	7	1,121	73	52	8	1	1
2164	132	54° 20'	132° 35'	142	SG	101-6	7/9	7	997	27	29	3	0	0
2165	132	54° 20'	132° 52'	212	SG	101-6	7/5	7	275	66	7	8	0	0
2166	135	54° 20'	133° 09'	252	SG	101-3	7/5	7	966	39	25	4	0	0
2167	131	54° 20'	133° 26'	126	SG	101-3	7/6	7	3,097	92	118	10	4	4
2168	131	54° 20'	133° 43'	135	SG	101-3	7/6	7	2,666	337	130	39	6	6
2169	134	54° 30'	130° 35'	62	SG	4-5	7/11	7	0	0	0	0	0	0
2170	133	54° 30'	131° 09'	76	SG	103-0	7/14	7	964	295	59	32	1	1
2171	133	54° 30'	131° 26'	72	SG	101-9	7/14	7	1,281	201	63	24	3	3
2172	132	54° 30'	131° 44'	184	SG	101-9	7/10	7	578	10	27	1	0	0
2290	120	52° 59.97'	132° 15.60'		SE	2-53		7	* New station					
2293	120	52° 59.99'	132° 32.27'		SG	142-2		7	* New station					
2300	120	53° 10.01'	132° 49.00'		DE	142-2		7	* New station					
2321	130	53° 50.01'	133° 25.00'		SG	101-1		7	* New station					
2323	130	53° 59.98'	133° 08.00'		SE	1-1		7	* New station					
2326	132	54° 09.98'	132° 51.93'		SG	1-7		7	* New station					
2328	133	54° 10.01'	131° 09.00'		SE	104-2		7	* New station					
2329	133	54° 10.01'	131° 26.00'		SE	104-5		7	* New station					
2330	131	54° 10.01'	133° 43.00'		SG	101-2		7	* New station					
2331	134	54° 19.98'	130° 17.86'		SG	4-10		7	* New station					
2332	134	54° 19.98'	130° 51.86'		SG	4-1		7	* New station					
2333	134	54° 29.98'	130° 51.79'		SE	4-1		7	* New station					
2334	134	54° 39.99'	130° 35.00'		SG	3-3		7	* New station					
2335	134	54° 59.94'	130° 00.37'		SG	3-12		7	* New station					
2337	134	54° 48.63'	130° 15.80'		ES	3-7		7	* New station					
Totals:									28,366	6,173	1,238	763	45	45

¹ Halibut weights listed here are calculated from length-weight tables.

Chignik Stations (45)

Station Number	Stat Area	North Latitude	West Longitude	Depth (F)	Purpose Code	ADFG Area	Date Fished	Skates	Halibut (lbs) ¹		Halibut (Pcs)		Bycatch (Pcs) ²	
									Legal	Sub	Legal	Sub	P. Cod	Rockfish
5096	310	54° 50'	157° 33'	219	SG	575432	6/30	7	54	38	4	4	0	0
5097	310	54° 50'	157° 50'	88	SG	575432	7/1	7	134	110	10	14	21	0
5098	310	55° 00'	157° 15'	104	SG	575502	6/30	7	129	20	8	3	21	0
5099	310	55° 00'	157° 32'	54	SG	575501	6/30	7	93	40	7	6	83	7
5100	310	55° 00'	157° 50'	44	SG	575501	7/1	7	1,854	432	98	52	7	7
5101	310	55° 00'	158° 07'	72	SG	585502	7/1	7	246	554	18	77	14	0
5102	300	55° 10'	156° 22'	280	SG	565501	6/28	7	91	0	6	0	0	0
5103	300	55° 10'	156° 39'	289	SG	565501	6/28	7	61	28	4	3	0	0
5104	300	55° 10'	156° 57'	85	SG	565501	6/29	7	400	323	28	38	42	0
5105	310	55° 10'	157° 14'	61	SG	575502	6/29	7	530	546	32	71	104	0
5106	310	55° 10'	157° 32'	46	SG	575501	7/8	7	3,466	439	169	59	14	0
5107	310	55° 10'	157° 49'	43	SG	575501	7/2	7	1,179	262	57	34	0	0
5108	310	55° 10'	158° 07'	55	SG	585502	7/2	7	537	690	35	95	21	0
5109	300	55° 20'	156° 39'	66	SG	565501	6/28	7	498	406	32	50	280	0
5110	300	55° 20'	156° 56'	51	SG	565501	6/29	7	757	600	46	80	14	7
5111	310	55° 20'	157° 14'	48	SG	575502	7/8	7	970	584	63	80	35	0
5112	310	55° 20'	157° 31'	47	SG	575501	7/8	7	1,118	394	56	56	7	0
5113	310	55° 20'	157° 49'	44	SG	575501	7/2	7	409	449	18	69	14	0
5114	310	55° 20'	158° 06'	58	SG	585502	7/3	7	196	420	13	60	89	0
5115	310	55° 20'	158° 24'	80	SG	585502	7/3	7	18	403	1	56	21	0
5116	300	55° 30'	156° 38'	96	SG	565533	7/9	7	** Ineffective Station (Gear Issues)					
5117	300	55° 30'	156° 55'	48	SG	565533	7/9	7	1,492	377	74	45	0	14
5118	300	55° 30'	157° 13'	47	SG	575532	7/10	7	961	673	57	97	14	0
5119	310	55° 30'	157° 31'	51	SG	575531	7/10	7	239	723	11	101	76	0
5120	310	55° 30'	157° 48'	51	SG	575531	7/11	7	314	443	22	62	83	0
5121	310	55° 30'	158° 06'	70	SG	585532	7/7	7	63	300	4	45	63	0
5122	310	55° 30'	158° 24'	79	SG	585532	7/3	7	301	313	20	42	90	0
5123	300	55° 40'	156° 55'	48	SG	565533	7/9	7	905	763	49	111	76	0
5124	300	55° 40'	157° 13'	47	SG	575532	7/10	7	485	615	22	94	28	0
5125	300	55° 40'	157° 30'	54	SG	575531	7/11	7	313	383	18	57	118	0
5126	310	55° 40'	157° 48'	72	SG	575531	7/11	7	215	353	14	52	55	0
5127	310	55° 40'	158° 06'	70	SG	585532	7/12	7	199	280	13	41	34	0
5128	300	55° 40'	158° 23'	71	SG	585532	7/4	7	125	222	8	35	28	0
5129	310	55° 40'	158° 41'	49	SG	585532	7/4	7	612	577	32	91	117	0
5130	300	55° 50'	157° 12'	56	SG	575532	7/13	7	141	383	10	60	144	0
5131	300	55° 50'	157° 30'	55	SG	575531	7/13	7	165	141	10	22	105	0
5132	310	55° 50'	157° 48'	67	SG	575531	7/12	7	116	279	8	38	21	0
5133	310	55° 50'	158° 05'	44	SG	585532	7/12	7	645	684	35	111	89	0
5134	310	55° 50'	158° 23'	59	SG	585532	7/4	7	521	291	29	42	21	0
5135	300	56° 00'	157° 29'	65	SG	575604	7/13	7	17	328	1	50	166	0
5136	300	56° 00'	157° 47'	68	SG	575604	6/4	7	194	222	11	34	7	0
5137	310	56° 00'	158° 05'	47	SG	585602	6/4	7	272	61	10	10	35	0
5138	300	56° 10'	157° 47'	86	SG	575604	6/3	7	692	56	24	8	28	0
5139	310	56° 10'	158° 05'	43	SG	585601	6/3	7	746	66	25	13	49	0
5140	300	56° 20'	158° 04'	34	SG	585601	6/3	7	551	13	20	3	69	0
Totals:									23,028	15,286	1,236	2,167	2,300	35

¹ Halibut weights listed here are calculated from length-weight tables.² Bycatch numbers extrapolated from 20% subsample.

Fairweather Stations (49)

Station Number	Stat Area	North Latitude	West Longitude	Depth (F)	Purpose Code	ADFG Area	Date Fished	Skates	Halibut (lbs) ¹		Halibut (Pcs)		Bycatch (Pcs) ₂	
									Legal	Sub	Legal	Sub	P. Cod	Rockfish
4002	185	58° 00'	136° 54'	229	SG	365801	6/23	7	214	24	7	3	0	7
4002	185	58° 00'	136° 54'	229	SG	365801	6/23	7	214	24	7	3	0	7
4003	185	58° 00'	137° 12'	109	SG	375801	6/23	7	3,067	448	195	48	0	21
4004	185	58° 00'	137° 31'	90	SG	375801	7/28	7	2,770	484	153	57	0	62
4005	185	58° 00'	137° 50'	99	SG	375801	6/24	7	660	563	42	64	7	21
4006	185	58° 10'	136° 55'	110	SG	365801	7/28	7	1,286	28	67	3	0	0
4007	185	58° 10'	137° 11'	66	SG	375801	7/28	7	1,312	224	50	25	0	7
4008	185	58° 10'	137° 30'	78	SG	375801	6/24	7	746	193	38	27	0	0
4009	185	58° 10'	137° 49'	84	SG	375801	6/24	7	1,079	115	55	13	0	0
4010	185	58° 10'	138° 08'	81	SG	385800	6/25	7	0	22	0	3	0	0
4011	185	58° 10'	138° 27'	88	SG	385800	6/25	7	1,172	146	42	17	0	55
4012	190	58° 10'	138° 46'	101	SG	385800	6/28	7	2,856	375	119	45	0	118
4013	185	58° 20'	137° 10'	93	SG	375801	7/29	7	107	0	4	0	0	14
4014	185	58° 20'	137° 29'	103	SG	375801	7/29	7	0	0	0	0	0	0
4015	185	58° 20'	137° 48'	95	SG	375801	7/27	7	133	0	3	0	0	0
4016	185	58° 20'	138° 07'	70	SG	385800	6/25	7	0	8	0	1	0	0
4017	190	58° 20'	138° 26'	71	SG	385800	6/25	7	0	0	0	0	0	0
4018	190	58° 20'	138° 46'	68	SG	385800	6/28	7	1,266	237	41	34	0	76
4019	190	58° 20'	139° 05'	62	SG	395800	6/28	7	1,759	385	81	52	0	83
4020	190	58° 20'	139° 24'	150	SG	395800	6/28	7	970	81	48	8	0	7
4021	185	58° 30'	137° 28'	83	SG	375832	7/29	7	40	0	1	0	0	0
4022	185	58° 30'	137° 47'	86	SG	375831	7/27	7	0	0	0	0	0	0
4023	190	58° 30'	138° 07'	74	SG	385831	7/27	7	0	0	0	0	0	0
4024	190	58° 30'	138° 26'	65	SG	385831	7/27	7	294	696	15	94	0	42
4025	190	58° 30'	138° 45'	52	SG	385831	7/26	7	760	253	28	36	0	49
4026	190	58° 30'	139° 04'	56	SG	395830	7/26	7	161	195	7	32	0	0
4027	190	58° 30'	139° 23'	93	SG	395830	6/27	7	1,836	396	73	50	0	55
4028	190	58° 30'	139° 42'	136	SG	395830	6/27	7	808	205	43	25	0	0
4029	190	58° 40'	138° 06'	52	SG	385831	6/26	7	199	26	6	4	0	14
4030	190	58° 40'	138° 25'	72	SG	385831	6/26	7	0	0	0	0	0	0
4031	190	58° 40'	138° 44'	56	SG	385831	7/26	7	660	298	20	49	7	21
4032	190	58° 40'	139° 04'	82	SG	395830	7/26	7	686	556	50	67	7	0
4033	190	58° 40'	139° 23'	140	SG	395830	6/27	7	1,447	148	73	17	0	14
4034	190	58° 40'	139° 42'	104	SG	395830	7/24	7	784	46	34	6	0	14
4035	200	58° 40'	140° 01'	105	SG	405830	7/24	7	3,059	525	125	60	0	0
4036	190	58° 50'	138° 05'	28	SG	385831	6/26	7	40	79	1	15	0	0
4037	190	58° 50'	138° 24'	38	SG	385831	6/26	7	270	31	10	4	0	7
4038	190	58° 50'	138° 44'	68	SG	385831	7/25	7	21	44	1	7	0	0
4039	190	58° 50'	139° 03'	107	SG	395830	6/29	7	27	44	1	6	0	0
4040	190	58° 50'	139° 22'	74	SG	395830	7/24	7	59	25	4	3	0	0
4041	200	58° 50'	139° 42'	88	SG	395830	7/24	7	602	105	21	11	0	7
4042	200	58° 50'	140° 01'	97	SG	405830	7/23	7	1,947	248	63	31	0	0
4043	190	59° 00'	138° 24'	33	SG	385901	7/25	7	32	33	1	10	0	0
4044	190	59° 00'	138° 43'	86	SG	385901	7/25	7	65	0	1	0	0	0
4045	190	59° 00'	139° 02'	57	SG	395901	6/29	7	93	24	3	3	0	0
4046	190	59° 00'	139° 22'	61	SG	395901	6/29	7	19	81	1	13	0	0
4047	200	59° 00'	139° 41'	66	SG	395901	7/23	7	238	132	11	17	0	0
4048	190	59° 10'	139° 02'	30	SG	395901	7/13	7	74	28	4	4	0	0
4049	200	59° 10'	139° 21'	55	SG	395901	7/13	7	0	0	0	0	0	0
Totals:									33,837	7,576	1,550	966	21	701

¹ Halibut weights listed here are calculated from length-weight tables.² Bycatch numbers extrapolated from 20% subsample.

Goose Is. Stations (58)

Station Number	Stat Area	North Latitude	West Longitude	Depth (F)	Purpose Code	DFO Area	Date Fished	Skates	Halibut (lbs) ¹		Halibut (Pcs)		Bycatch (Pcs)	
									Legal	Sub	Legal	Sub	P.Cod	Rockfish
2044	90	50° 50'	129° 00'	47	SG	127-4	6/18	7	264	56	11	8	0	0
2045	90	50° 50'	129° 16'	66	SG	127-4	6/18	7	1,876	85	63	11	0	0
2046	91	51° 00'	128° 28'	53	SG	111-0	6/17	7	60	69	3	10	0	0
2047	91	51° 00'	128° 44'	37	SG	111-0	6/17	7	652	92	21	11	0	0
2048	91	51° 00'	129° 00'	45	SG	111-0	6/18	7	239	45	10	6	0	0
2049	90	51° 00'	129° 16'	87	SG	111-0	6/19	7	34	56	3	7	1	1
2050	90	51° 00'	129° 32'	135	SG	130-1	6/19	7	697	70	25	7	0	0
2051	91	51° 10'	128° 12'	53	SG	111-0	6/25	7	440	144	15	20	0	0
2052	91	51° 10'	128° 28'	105	SG	111-0	6/17	7	40	21	3	3	0	0
2053	91	51° 10'	128° 44'	53	SG	111-0	6/20	7	35	55	1	7	0	0
2054	91	51° 10'	129° 00'	72	SG	111-0	6/20	7	144	135	8	17	4	4
2055	91	51° 10'	129° 16'	132	SG	111-0	6/19	7	479	131	28	14	0	0
2056	100	51° 10'	129° 32'	155	SG	111-0	6/21	7	191	22	10	3	0	0
2057	91	51° 20'	127° 55'	71	SG	10-1	6/25	7	197	15	7	1	0	0
2058	91	51° 20'	128° 11'	48	SG	110-0	6/25	7	123	59	7	8	0	0
2059	91	51° 20'	128° 27'	81	SG	110-0	6/26	7	36	9	1	1	0	0
2060	91	51° 20'	128° 43'	110	SG	110-0	6/20	7	1,045	264	64	29	1	1
2061	91	51° 20'	128° 59'	129	SG	110-0	6/20	7	135	129	10	14	1	1
2062	91	51° 20'	129° 15'	123	SG	110-0	6/21	7	134	77	10	8	0	0
2063	102	51° 20'	129° 31'	107	SG	110-0	6/21	7	378	61	24	7	0	0
2064	102	51° 20'	129° 47'	128	SG	110-0	7/7	7	292	14	15	1	0	0
2065	91	51° 30'	128° 11'	51	SG	108-1	6/26	7	1,021	163	45	21	0	0
2066	91	51° 30'	128° 27'	102	SG	108-1	6/26	7	22	0	1	0	0	0
2067	102	51° 30'	128° 43'	48	SG	108-1	7/5	7	144	174	10	24	0	0
2068	102	51° 30'	128° 59'	24	SG	108-1	7/5	7	126	55	8	7	0	0
2069	102	51° 30'	129° 15'	26	SG	108-1	7/6	7	195	14	8	1	0	0
2070	102	51° 30'	129° 31'	61	SG	108-1	7/6	7	1,496	102	62	11	0	0
2071	102	51° 30'	129° 47'	91	SG	108-2	7/7	7	1,712	189	94	20	0	0
2072	102	51° 30'	130° 03'	137	SG	108-2	7/7	7	561	14	27	1	0	0
2073	91	51° 40'	128° 26'	77	SG	108-1	6/28	7	84	25	7	3	0	0
2074	102	51° 40'	128° 59'	27	SG	108-1	7/5	7	37	9	3	1	0	0
2075	102	51° 40'	129° 15'	31	SG	108-2	7/6	7	67	21	4	3	0	0
2076	102	51° 40'	129° 31'	52	SG	108-2	7/6	7	151	303	11	36	0	0
2077	102	51° 40'	129° 47'	126	SG	108-2	7/9	7	810	96	48	11	0	0
2078	91	51° 50'	128° 26'	64	SG	7-26	6/28	7	126	38	6	4	0	0
2079	102	51° 50'	128° 42'	56	SG	107-2	6/28	7	49	154	4	21	0	0
2080	102	51° 50'	128° 58'	50	SG	107-2	7/10	7	543	199	38	24	0	0
2081	102	51° 50'	129° 14'	67	SG	107-2	7/10	7	42	57	3	7	0	0
2082	102	51° 50'	129° 31'	138	SG	107-2	7/9	7	258	10	17	1	0	0
2083	102	52° 00'	128° 42'	90	SG	107-2	7/27	7	58	111	4	13	0	0
2084	102	52° 00'	128° 58'	79	SG	107-2	7/27	7	854	479	55	60	0	0
2085	102	52° 00'	129° 14'	93	SG	107-2	7/10	7	0	13	0	1	0	0
2086	102	52° 10'	128° 41'	123	SG	7-1	7/27	7	134	0	6	0	0	0
2253	90	50° 40.01'	129° 00.00'		DE	127-4		7	* New station					
2258	90	50° 50.01'	129° 32.00'		SG	127-4		7	* New station					
2261	100	50° 59.98'	129° 47.88'		DE	130-1		7	* New station					
2262	100	51° 09.99'	130° 02.94'		DE	130-1		7	* New station					
2263	100	51° 10.01'	129° 47.00'		DE	130-1		7	* New station					
2264	92	51° 19.98'	127° 39.01'		SE	10-4		7	* New station					
2265	100	51° 20.01'	130° 03.00'		SG	130-2		7	* New station					
2266	92	51° 39.95'	127° 22.84'		SE	9-6		7	* New station					
2267	92	51° 39.97'	127° 54.89'		SG	8-16		7	* New station					
2268	91	51° 39.99'	128° 11.00'		SE	8-1		7	* New station					
2269	102	51° 39.99'	128° 43.00'		SG	108-1		7	* New station					
2270	92	51° 49.97'	127° 54.89'		SG	8-4		7	* New station					
2272	92	52° 09.89'	126° 50.43'		SE	8-12		7	* New station					
2275	92	52° 19.89'	127° 06.19'		SE	8-15		7	* New station					
2338	92	51° 28.83'	127° 35.20'		ES	9-2		7	* New station					
Totals:									15,982	3,836	799	466	8	8

¹ Halibut weights listed here are calculated from length-weight tables.

Gore Pt. Stations (45)

Station Number	Stat Area	North Latitude	West Longitude	Depth (F)	Purpose Code	ADFG Area	Date Fished	Skates	Halibut (lbs) ¹		Halibut (Pcs)		Bycatch (Pcs) ²	
									Legal	Sub	Legal	Sub	P.Cod	Rockfish
4195	250	58° 00'	149° 13'	76	SG	495800	6/12	7	1,908	1,391	137	157	0	28
4196	250	58° 10'	148° 54'	72	SG	485800	6/12	7	2,213	1,062	154	119	0	0
4197	250	58° 10'	149° 13'	64	SG	495800	6/12	7	2,196	1,068	137	123	0	14
4198	260	58° 10'	149° 32'	59	SG	495800	6/11	7	865	693	63	88	0	21
4199	260	58° 10'	149° 51'	75	SG	495800	6/11	7	629	797	43	97	0	7
4200	250	58° 20'	148° 35'	110	SG	485800	6/18	7	781	464	53	52	76	0
4201	250	58° 20'	148° 54'	69	SG	485800	6/18	7	690	744	41	84	0	0
4202	250	58° 20'	149° 13'	85	SG	495800	6/9	7	46	67	3	8	7	0
4203	250	58° 20'	149° 32'	83	SG	495800	6/11	7	659	558	43	70	55	0
4204	260	58° 20'	149° 51'	43	SG	495800	6/11	7	871	553	59	66	0	28
4205	260	58° 20'	150° 10'	28	SG	505800	6/10	7	719	818	34	104	0	0
4206	260	58° 20'	150° 29'	31	SG	505800	6/10	7	101	108	8	14	0	0
4207	250	58° 30'	148° 34'	72	SG	485831	6/18	7	929	685	60	84	0	0
4208	250	58° 30'	148° 53'	62	SG	485831	6/18	7	970	477	57	60	0	7
4209	250	58° 30'	149° 13'	67	SG	495832	6/9	7	0	0	0	0	0	0
4210	250	58° 30'	149° 32'	76	SG	495832	6/9	7	0	37	0	4	0	0
4211	260	58° 30'	149° 51'	75	SG	495832	6/9	7	73	90	6	10	0	0
4212	260	58° 30'	150° 10'	50	SG	505832	6/10	7	15	171	1	24	0	0
4213	260	58° 30'	150° 29'	47	SG	505832	6/10	7	20	34	1	4	0	0
4214	260	58° 30'	150° 48'	56	SG	505832	6/2	7	203	209	11	27	0	21
4215	250	58° 40'	149° 13'	75	SG	495832	6/17	7	204	51	13	6	0	0
4216	250	58° 40'	149° 32'	73	SG	495832	6/8	7	18	37	1	4	0	0
4217	250	58° 40'	149° 51'	81	SG	495832	6/8	7	17	68	1	8	0	0
4218	260	58° 40'	150° 10'	68	SG	505832	6/4	7	174	166	13	20	0	0
4219	260	58° 40'	150° 29'	110	SG	505832	6/4	7	0	0	0	0	0	0
4220	260	58° 40'	150° 49'	111	SG	505832	6/2	7	74	18	6	3	0	0
4221	260	58° 40'	151° 08'	105	SG	515833	6/2	7	86	40	6	4	0	0
4222	250	58° 50'	149° 32'	122	SG	495832	6/8	7	108	14	6	1	0	0
4223	250	58° 50'	149° 51'	130	SG	495832	6/8	7	369	69	22	7	0	0
4224	260	58° 50'	150° 10'	89	SG	505832	6/4	7	67	0	4	0	7	0
4225	260	58° 50'	150° 30'	94	SG	505832	6/3	7	104	92	7	10	0	0
4226	260	58° 50'	150° 49'	97	SG	505832	6/3	7	16	53	1	6	0	0
4227	260	58° 50'	151° 08'	79	SG	515833	6/1	7	15	47	1	6	0	0
4228	260	58° 50'	151° 28'	60	SG	515833	6/1	7	0	100	0	14	0	14
4229	250	59° 00'	149° 51'	122	SG	495901	5/30	7	256	51	15	7	0	0
4230	250	59° 00'	150° 11'	105	SG	505901	5/30	7	75	67	6	7	0	0
4231	260	59° 00'	150° 30'	65	SG	505902	6/3	7	197	62	14	7	0	0
4232	260	59° 00'	150° 50'	90	SG	505902	6/3	7	643	332	36	39	7	0
4233	260	59° 00'	151° 09'	83	SG	515902	6/1	7	128	0	7	0	0	0
4234	260	59° 00'	151° 28'	70	SG	515904	6/1	7	195	46	11	7	0	0
4235	250	59° 10'	150° 11'	69	SG	505901	5/30	7	882	707	56	88	0	0
4236	260	59° 10'	150° 30'	68	SG	505902	5/31	7	293	721	22	99	0	0
4237	260	59° 10'	150° 50'	54	SG	505902	5/31	7	1,595	577	73	69	7	49
4238	260	59° 10'	151° 09'	30	SG	515901	5/31	7	1,318	253	53	35	0	14
4239	250	59° 20'	150° 31'	114	SG	505907	5/31	7	1,748	176	67	22	124	7
Totals:									22,471	13,774	1,355	1,663	283	208

¹ Halibut weights listed here are calculated from length-weight tables.² Bycatch numbers extrapolated from 20% subsample.

Ketchikan Stations (51)

Station Number	Stat Area	North Latitude	West Longitude	Depth (F)	Purpose Code	ADFG Area	Date Fished	Skates	Halibut (lbs) ¹		Halibut (Pcs)		Bycatch (Pcs) ²	
									Legal	Sub	Legal	Sub	P. Cod	Rockfish
3001	142	54° 30'	132° 01'	155	SG	325431	8/14	7	2,375	28	71	3	7	21
3002	142	54° 30'	132° 18'	197	SG	325431	8/14	7	952	13	32	1	0	7
3003	142	54° 30'	132° 35'	204	SG	325431	8/15	7	1,012	0	24	0	0	14
3004	142	54° 30'	132° 52'	204	SG	325434		7	* Last fished in 1998					
3005	142	54° 30'	133° 10'	117	SG	335431	8/20	7	3,077	26	88	3	0	75
3006	140	54° 30'	133° 27'	166	SG	335431	8/19	7	2,367	0	52	0	0	0
3007	140	54° 30'	133° 44'	139	SG	335431	8/19	7	4,799	167	134	18	0	7
3008	142	54° 40'	130° 50'	158	SG	305431	8/5	7	708	7	17	1	0	0
3009	142	54° 40'	131° 08'	115	SG	315432	8/5	7	824	168	46	20	0	7
3010	142	54° 40'	131° 25'	117	SG	315431	8/5	7	565	37	31	4	7	14
3011	142	54° 40'	131° 42'	221	SG	315431	8/4	7	1,007	25	56	3	0	0
3012	142	54° 40'	131° 59'	102	SG	315431	8/4	7	2,540	128	91	15	7	34
3013	142	54° 40'	132° 17'	62	SG	325431	8/14	7	1,898	589	83	69	0	0
3014	142	54° 40'	132° 34'	116	SG	325431	8/15	7	798	108	34	11	21	49
3015	141	54° 40'	132° 51'	75	SG	325432	8/20	7	1,242	177	42	21	0	35
3016	141	54° 40'	133° 09'	124	SG	335431	8/20	7	1,011	51	34	7	28	7
3017	141	54° 40'	133° 26'	166	SG	335431	8/16	7	1,634	37	34	4	0	35
3018	140	54° 40'	133° 43'	132	SG	335431	8/19	7	2,811	46	78	6	21	7
3019	140	54° 40'	134° 00'	124	SG	345430	8/18	7	2,217	156	69	17	21	7
3020	142	54° 50'	131° 07'	135	SG	315432	8/6	7	1,144	81	36	8	0	0
3021	142	54° 50'	131° 42'	246	SG	315432	8/4	7	1,005	38	45	4	0	14
3022	144	54° 50'	132° 34'	181	SG	325433	8/15	7	901	0	32	0	7	7
3023	141	54° 50'	133° 09'	118	SG	335431	8/16	7	1,254	24	38	3	0	7
3024	141	54° 50'	133° 26'	70	SG	335431	8/16	7	434	531	32	67	7	0
3025	140	54° 50'	133° 43'	76	SG	335431	8/18	7	5,882	214	157	25	0	34
3026	140	54° 50'	134° 01'	107	SG	345430	8/18	7	1,211	121	38	13	14	14
3027	143	55° 00'	131° 06'	132	SG	315501	8/6	7	1,427	101	55	11	7	0
3028	143	55° 00'	131° 41'	121	SG	315502	8/7	7	483	160	29	18	0	28
3029	141	55° 00'	133° 26'	53	SG	335502	8/17	7	3,758	301	106	38	0	76
3030	140	55° 00'	133° 43'	58	SG	335501	8/17	7	824	808	35	115	0	0
3031	143	55° 10'	131° 06'	94	SG	315501	8/6	7	1,895	101	50	13	7	0
3032	143	55° 10'	131° 41'	69	SG	315502	8/7	7	45	0	1	0	0	21
3034	141	55° 10'	133° 26'	38	SG	335504	8/17	7	3,873	0	91	0	0	42
3035	143	55° 20'	131° 58'	223	SG	315502	8/8	7	238	0	7	0	0	0
3036	143	55° 29'	131° 58'	155	SG	315502	8/8	7	481	27	13	3	14	14
3037	153	55° 40'	132° 15'	220	SG	325531	8/3	7	403	0	13	0	0	14
3038	153	55° 45'	132° 27'	137	ES	325531	8/3	7	533	36	18	4	21	42
3039	153	55° 50'	132° 15'	110	SG	325532	8/3	7	508	74	22	8	14	7
3040	153	56° 00'	132° 32'	114	SG	325602	8/9	7	2,151	48	67	6	35	14
3041	153	56° 01'	132° 45'	202	ES	325602	8/9	7	330	13	13	1	0	7
3042	153	56° 11'	132° 50'	66	SG	325602	8/9	7	2,197	35	62	4	14	21
3201	140	54° 30.01'	134° 00.00'		SG	345430		7	* New station					
3202	142	54° 49.99'	131° 25.00'		SE	315432		7	* New station					
3204	142	54° 59.95'	130° 15.23'		SG	305431		7	* New station					
3205	144	54° 59.97'	132° 51.58'		SG	325433		7	* New station					
3206	143	54° 59.98'	131° 58.42'		SG	315432		7	* New station					
3207 ³	143	54° 59.98'	131° 23.58'		SG	315432		7	* New station					
3209	143	55° 10.01'	131° 58.00'		SG	315502		7	* New station					
3210	142	55° 19.93'	130° 00.37'		SG	305503		7	* New station					
3221	152	56° 20.97'	132° 31.97'		SG	325601		7	* New station					
3244	142	55° 10.12'	130° 07.34'		ES	305503		7	* New station					
Totals:									62,817	4,473	1,975	545	250	678

¹ Halibut weights listed here are calculated from length-weight tables.² Bycatch numbers extrapolated from 20% subsample.³ Inside Annette Island Metlakatla reserve.

Ommaney Stations (55)

Station Number	Stat Area	North Latitude	West Longitude	Depth (F)	Purpose Code	ADFG Area	Date Fished	Skates	Halibut (lbs) ¹		Halibut (Pcs)		Bycatch (Pcs) ²	
									Legal	Sub	Legal	Sub	P. Cod	Rockfish
3043	140	55° 00'	134° 01'	83	SG	345500	7/1	7	2,105	414	70	48	0	14
3044	140	55° 00'	134° 18'	117	SG	345500	7/1	7	1,215	76	39	8	21	0
3045	141	55° 10'	133° 43'	87	SG	335501	6/30	7	621	250	41	32	0	0
3046	150	55° 10'	134° 01'	93	SG	345500	7/1	7	626	292	43	34	0	0
3047	151	55° 20'	133° 44'	40	SG	335505	6/30	7	823	139	32	17	0	21
3048	150	55° 20'	134° 01'	64	SG	345500	6/30	7	574	1,001	28	132	0	0
3049	150	55° 20'	134° 19'	100	SG	345500	6/23	7	1,809	166	60	20	0	42
3050	150	55° 20'	134° 36'	110	SG	345500	6/23	7	1,913	67	74	8	0	98
3051	151	55° 30'	134° 01'	48	SG	345536	6/29	7	1,395	568	53	71	0	49
3052	150	55° 30'	134° 19'	90	SG	345537	6/23	7	1,656	432	92	50	0	7
3053	150	55° 30'	134° 37'	111	SG	345537	6/22	7	2,127	354	105	42	0	0
3054	150	55° 30'	134° 54'	158	SG	345537	6/22	7	2,734	72	116	8	0	0
3055	151	55° 40'	134° 01'	104	SG	345536	6/29	7	2,275	372	113	42	0	77
3056	150	55° 40'	134° 19'	114	SG	345536	6/29	7	805	36	39	4	0	49
3057	150	55° 40'	134° 37'	111	SG	345537	6/22	7	2,191	113	81	14	7	0
3058	150	55° 40'	134° 55'	108	SG	345537	6/22	7	3,593	247	119	29	0	70
3059	151	55° 50'	133° 26'	42	SG	335534	6/28	7	125	38	4	4	0	0
3060	151	55° 50'	133° 44'	68	SG	335533	6/28	7	1,016	104	46	13	0	42
3061	151	55° 50'	134° 02'	146	SG	345535	6/28	7	2,220	20	83	4	7	57
3062	150	55° 50'	134° 37'	84	SG	345533	6/20	7	2,816	159	76	18	0	42
3063	150	55° 50'	134° 55'	101	SG	345537	6/21	7	2,959	143	85	18	0	35
3064	150	55° 50'	135° 13'	126	SG	355530	6/21	7	3,407	163	132	18	0	28
3065	151	55° 55'	133° 35'	42	ES	335534	6/28	7	499	24	17	3	0	42
3066	152	56° 00'	134° 02'	54	SG	345604	6/20	7	1,571	530	83	66	0	7
3067	151	56° 00'	134° 20'	49	SG	345603	6/20	7	2,193	610	67	80	7	28
3068	150	56° 00'	134° 38'	207	SG	345603	6/20	7	4,134	113	125	14	0	21
3069	150	56° 00'	134° 55'	196	SG	345607	6/21	7	2,241	24	70	3	0	49
3070	160	56° 00'	135° 13'	199	SG	355601	6/21	7	2,187	146	77	15	0	42
3071	152	56° 10'	133° 44'	180	SG	335601	6/27	7	879	134	42	14	0	0
3072	151	56° 10'	134° 20'	75	SG	345603	6/19	7	3,120	521	157	63	21	14
3073	161	56° 10'	134° 38'	140	SG	345603	6/15	7	2,132	156	80	17	14	14
3074	160	56° 10'	134° 56'	101	SG	345607	6/15	7	2,775	573	123	70	0	14
3075	160	56° 10'	135° 14'	155	SG	355601	6/16	7	1,479	30	57	4	0	0
3076	152	56° 20'	133° 44'	108	SG	335601	6/27	7	165	0	3	0	0	7
3077	161	56° 20'	134° 20'	87	SG	345603	6/19	7	1,084	267	43	34	42	14
3078	160	56° 20'	134° 56'	56	SG	355602	6/15	7	3,206	238	63	34	0	49
3079	160	56° 20'	135° 14'	86	SG	355601	6/16	7	1,214	296	59	36	0	7
3080	160	56° 20'	135° 32'	110	SG	355601	6/16	7	1,381	244	74	29	28	0
3081	152	56° 29'	133° 44'	43	SG	335601	6/27	7	744	0	25	0	35	7
3082	161	56° 30'	134° 20'	53	SG	345631	6/19	7	946	698	50	90	0	0
3203	140	54° 50.01'	134° 18.00'		DE	345430		7	* New station					
3208	150	55° 09.99'	134° 18.00'		DE	345500		7	* New station					
3211	151	55° 19.99'	133° 26.00'		SG	335506		7	* New station					
3212	151	55° 29.97'	133° 08.43'		SE	335506		7	* New station					
3213	151	55° 29.97'	133° 26.36'		SE	335506		7	* New station					
3214	151	55° 39.98'	133° 43.28'		SE	335532		7	* New station					
3215	160	55° 59.98'	135° 30.87'		DE	355530		7	* New station					
3216	151	55° 59.99'	133° 26.00'		SE	335534		7	* New station					
3217	152	56° 09.99'	134° 02.00'		SE	345604		7	* New station					
3218	160	56° 10.01'	135° 32.00'		DE	355601		7	* New station					
3219	161	56° 19.99'	134° 38.00'		SG	345603		7	* New station					
3220	152	56° 20.97'	133° 08.03'		SG	335602		7	* New station					
3222	161	56° 29.97'	134° 37.89'		SG	345603		7	* New station					
3223	152	56° 39.98'	133° 08.19'		SE	335633		7	* New station					
3245	152	56° 30.67'	133° 03.68'		ES	335602		7	* New station					
Totals:									70,957	9,826	2,748	1,207	182	946

¹ Halibut weights listed here are calculated from length-weight tables.² Bycatch numbers extrapolated from 20% subsample.

Oregon Stations (47)

Station Number	Stat Area	North Latitude	West Longitude	Depth (F)	Purpose Code	Date Fished	Skates	Halibut (lbs) ¹		Halibut (Pcs)		Bycatch (Pcs) ²	
								Legal	Sub	Legal	Sub	P. Cod	Rockfish
1001	8	42° 00'	124° 27'	50	SG	6/9	8	45	0	3	0	0	0
1002	8	42° 10'	124° 27'	51	SG	6/10	8	178	14	5	1	0	0
1003	8	42° 20'	124° 41'	158	SG	6/10	8	38	0	1	0	0	0
1004	9	42° 30'	124° 41'	63	SG	6/12	8	999	48	36	5	0	0
1005	9	42° 40'	124° 40'	78	SG	6/11	8	385	25	15	3	0	0
1006	9	42° 50'	124° 40'	44	SG	6/15	8	228	0	9	0	0	0
1007	9	42° 50'	124° 54'	212	SG	6/11	8	0	0	0	0	0	0
1008	9	43° 00'	124° 40'	70	SG	6/15	8	22	25	1	3	0	0
1009	9	43° 00'	124° 54'	210	SG	6/15	8	0	0	0	0	0	0
1010	9	43° 10'	124° 40'	80	SG	6/17	8	210	0	7	0	0	48
1011	9	43° 20'	124° 40'	100	SG	6/16	8	103	0	4	0	0	0
1012	10	43° 30'	124° 26'	61	SG	6/19	8	308	67	15	9	0	0
1013	9	43° 30'	124° 40'	201	SG	6/18	8	30	0	1	0	0	0
1014	10	43° 40'	124° 26'	66	SG	6/19	8	284	70	15	8	0	0
1015	10	43° 40'	124° 40'	223	SG	6/18	8	0	0	0	0	0	0
1016	10	43° 50'	124° 26'	66	SG	6/20	8	82	0	5	0	0	0
1017	10	43° 50'	124° 40'	195	SG	6/26	8	0	0	0	0	0	7
1018	10	44° 00'	124° 26'	67	SG	6/25	8	143	0	5	0	0	0
1019	10	44° 00'	124° 40'	75	SG	6/27	8	0	14	0	1	0	0
1020	10	44° 00'	124° 54'	48	SG	6/26	8	1,874	72	76	8	0	54
1021	10	44° 10'	124° 12'	30	SG	6/25	8	32	0	1	0	0	0
1022	10	44° 10'	124° 26'	54	SG	6/25	8	0	0	0	0	0	0
1023	10	44° 10'	124° 40'	64	SG	6/27	8	73	0	4	0	0	0
1024	10	44° 10'	124° 54'	68	SG	6/27	8	1,809	14	78	2	0	35
1025	10	44° 20'	124° 12'	29	SG	6/24	8	39	0	1	0	0	0
1026	10	44° 20'	124° 26'	48	SG	6/24	8	409	47	16	5	0	0
1027	10	44° 20'	124° 40'	52	SG	7/7	8	3,148	74	115	8	0	20
1028	20	44° 30'	124° 12'	31	SG	6/24	8	219	0	5	0	0	0
1029	20	44° 30'	124° 40'	110	SG	7/6	8	93	0	3	0	0	0
1030	20	44° 40'	124° 11'	34	SG	7/8	8	114	0	4	0	0	0
1031	20	44° 40'	124° 25'	52	SG	7/8	8	504	22	17	3	0	7
1032	20	44° 40'	124° 40'	157	SG	7/6	8	140	11	5	1	0	0
1033	20	44° 40'	124° 54'	283	SG	7/6	8	0	0	0	0	0	0
1034	20	44° 50'	124° 11'	44	SG	7/3	8	0	0	0	0	0	0
1035	20	44° 50'	124° 25'	82	SG	7/3	8	454	77	20	8	0	0
1036	20	44° 50'	124° 39'	191	SG	7/1	8	92	0	4	0	0	13
1037	20	45° 00'	124° 11'	61	SG	7/3	8	102	26	4	3	0	0
1038	20	45° 00'	124° 25'	147	SG	7/2	8	103	0	4	0	0	0
1039	20	45° 00'	124° 39'	252	SG	7/1	8	0	0	0	0	0	0
1040	20	45° 10'	124° 11'	73	SG	7/27	8	63	0	4	0	0	0
1041	20	45° 10'	124° 25'	203	SG	7/2	8	0	0	0	0	0	0
1042	20	45° 20'	124° 11'	72	SG	7/27	8	135	0	5	0	0	0
1101	9	43° 20'	124° 26'	21	SG	6/17	8	0	0	0	0	0	0
1102	10	43° 50'	124° 12'	19	SG	6/20	8	107	0	4	0	0	0
1103	10	44° 00'	124° 12'	29	SG	6/20	8	0	0	0	0	0	0
1104	20	44° 30'	124° 26'	37	SG	7/8	8	370	11	16	1	0	7
1105	10	44° 30'	124° 54'	240	SG	7/7	8	0	0	0	0	0	0
Totals:								12,935	617	510	70	0	190

¹ Halibut weights listed here are calculated from length-weight tables.² Bycatch numbers extrapolated from 20% subsample.

Portlock Stations (46)

Station Number	Stat Area	North Latitude	West Longitude	Depth (F)	Purpose Code	ADFG Area	Date Fished	Skates	Halibut (lbs) ¹		Halibut (Pcs)		Bycatch (Pcs) ²	
									Legal	Sub	Legal	Sub	P. Cod	Rockfish
4240	270	57° 20'	150° 46'	87	SG	505700	5/29	7	1,039	1,124	74	130	14	7
4241	260	57° 30'	150° 09'	245	SG	505730	5/30	7	1,652	620	116	70	0	0
4242	270	57° 30'	150° 28'	88	SG	505730	5/31	7	406	942	29	115	35	0
4243	270	57° 30'	150° 46'	53	SG	505730	5/31	7	1,068	861	71	109	14	0
4244	260	57° 40'	149° 50'	240	SG	495730	5/30	7	1,077	515	74	56	0	14
4245	260	57° 40'	150° 09'	116	SG	505730	5/30	7	729	852	50	98	54	0
4246	260	57° 40'	150° 28'	53	SG	505730	5/31	7	1,550	1,312	108	164	0	0
4247	270	57° 40'	150° 47'	48	SG	505730	6/1	7	2,622	911	147	108	0	0
4248	270	57° 40'	151° 05'	41	SG	515730	6/21	7	426	203	25	22	0	0
4249	270	57° 40'	151° 24'	35	SG	515730	6/21	7	381	89	18	11	0	0
4250	260	57° 50'	149° 32'	209	SG	495730	6/10	7	1,812	522	111	56	0	21
4251	260	57° 50'	149° 50'	140	SG	495730	6/10	7	1,449	1,129	108	125	0	0
4252	260	57° 50'	150° 09'	110	SG	505730	6/11	7	730	506	49	59	42	0
4253	260	57° 50'	150° 28'	50	SG	505730	6/11	7	2,554	1,233	153	155	0	0
4254	260	57° 50'	150° 47'	47	SG	505730	6/1	7	1,480	1,181	87	144	0	0
4255	270	57° 50'	151° 06'	39	SG	515730	6/1	7	1,224	1,434	66	193	0	0
4256	270	57° 50'	151° 24'	30	SG	515730	6/21	7	489	1,263	32	172	0	0
4257	270	57° 50'	151° 43'	30	SG	515730	6/2	7	715	589	38	84	21	0
4258	270	57° 50'	152° 02'	51	SG	525732	6/2	7	791	645	46	83	14	0
4259	260	58° 00'	149° 32'	79	SG	495800	6/10	7	257	450	20	52	7	0
4260	260	58° 00'	149° 51'	128	SG	495800	6/9	7	1,307	415	80	45	21	0
4261	260	58° 00'	150° 09'	130	SG	505800	6/9	7	405	495	29	55	21	0
4262	260	58° 00'	150° 28'	90	SG	505800	6/11	7	408	388	27	45	28	0
4263	260	58° 00'	150° 47'	71	SG	505800	6/12	7	1,606	729	106	91	21	0
4264	260	58° 00'	151° 06'	45	SG	515802	6/12	7	1,831	848	105	97	0	0
4265	270	58° 00'	151° 25'	43	SG	515802	6/20	7	812	797	56	109	0	0
4266	270	58° 00'	151° 44'	63	SG	515802	6/20	7	612	1,205	42	151	35	0
4267	270	58° 00'	152° 03'	97	SG	525807	6/3	7	529	369	22	46	14	0
4268	270	58° 00'	152° 22'	119	SG	525805	6/3	7	685	196	36	24	49	0
4269	260	58° 10'	150° 10'	76	SG	505800	6/9	7	2,175	1,207	144	130	0	0
4270	260	58° 10'	150° 29'	61	SG	505800	6/8	7	334	97	20	11	0	0
4271	260	58° 10'	150° 48'	60	SG	505800	6/8	7	157	146	11	18	0	0
4272	260	58° 10'	151° 07'	79	SG	515802	6/12	7	209	57	14	7	0	0
4273	270	58° 10'	151° 25'	90	SG	515802	6/19	7	1,730	1,291	113	146	28	0
4274	270	58° 10'	151° 44'	35	SG	515801	6/20	7	2,489	472	94	66	0	7
4275	260	58° 20'	150° 48'	36	SG	505800	6/8	7	0	356	0	53	0	0
4276	260	58° 20'	151° 07'	69	SG	515802	6/13	7	41	39	3	4	0	0
4277	260	58° 20'	151° 26'	39	SG	515802	6/19	7	2,649	1,396	189	160	0	0
4278	270	58° 20'	151° 45'	31	SG	515801	6/19	7	1,288	251	45	32	0	0
4279	260	58° 30'	151° 07'	56	SG	515833	6/13	7	109	163	8	20	0	0
4280	260	58° 30'	151° 27'	95	SG	515833	6/18	7	801	427	55	49	14	0
4281	260	58° 30'	151° 46'	97	SG	515833	6/18	7	1,354	158	74	18	21	0
4282	260	58° 40'	151° 27'	103	SG	515833	6/18	7	349	365	22	41	14	0
4283	260	58° 40'	151° 46'	69	SG	515833	6/17	7	2,766	1,004	175	120	7	0
4284	260	58° 40'	152° 06'	71	SG	525833	6/17	7	1,065	489	66	62	0	0
4285	260	58° 50'	152° 06'	55	SG	525833	6/17	7	1,015	783	49	108	0	28
Totals:									49,176	30,525	3,009	3,713	473	77

¹ Halibut weights listed here are calculated from length-weight tables.² Bycatch numbers extrapolated from 20% subsample.

Puget Sound Stations (14)

Station Number	Stat Area	North Latitude	West Longitude	Depth (F)	Purpose Code	Date Fished	Skates	Halibut (lbs) ¹		Halibut (Pcs)		Bycatch (Pcs) ²	
								Legal	Sub	Legal	Sub	P. Cod	Rockfish
1116	50	47° 20'	122° 28'	45	SG	9/7	7	0	0	0	0	0	0
1117	50	47° 29'	122° 27'	81	SG	9/7	7	0	0	0	0	0	0
1118	50	47° 50'	122° 25'	91	SG	9/6	7	0	0	0	0	0	0
1119	50	47° 51'	122° 39'	38	SG	9/6	7	0	0	0	0	0	0
1121	50	48° 10'	122° 55'	44	SG	9/5	7	43	0	1	0	0	0
1122	50	48° 10'	123° 22'	50	SG	9/4	7	73	0	4	0	0	0
1123	50	48° 10'	123° 38'	34	SG	9/4	7	186	0	5	0	0	0
1124	50	48° 20'	122° 55'	51	SG	9/5	7	117	0	5	0	0	0
1125	50	48° 20'	123° 08'	64	SG	9/5	7	205	10	8	1	0	0
1127	50	48° 40'	123° 08'	45	SG	9/3	7	0	0	0	0	0	0
1128	50	48° 50'	122° 53'	40	SG	9/2	7	0	0	0	0	0	0
1621	50	48° 10'	122° 25'	13	SE	9/8	7	0	0	0	0	0	0
1623	50	48° 30'	123° 08'	124	SG	9/3	7	154	0	4	0	0	0
1624	50	49° 00'	122° 53'	15	SE	9/2	7	0	0	0	0	0	0
Totals:								778	10	26	1	0	0

¹ Halibut weights listed here are calculated from length-weight tables.² Station 1621 bycatch numbers extrapolated from 20% subsample.

PWS Stations (45)

Station Number	Stat Area	North Latitude	West Longitude	Depth (F)	Purpose Code	ADFG Area	Date Fished	Skates	Halibut (lbs) ¹		Halibut (Pcs)		Bycatch (Pcs) ²	
									Legal	Sub	Legal	Sub	P.Cod	Rockfish
4102	230	59° 20'	146° 16'	156	SG	465901	7/12	7	1,412	136	83	14	0	69
4103	230	59° 20'	146° 35'	80	SG	465901	7/12	7	924	459	56	53	0	7
4104	240	59° 20'	146° 55'	104	SG	465904	7/12	7	1,275	211	73	25	0	0
4105	240	59° 20'	147° 15'	101	SG	475900	7/5	7	191	114	14	13	0	0
4106	230	59° 30'	145° 16'	72	SG	455930	7/11	7	1,456	515	76	63	0	97
4107	230	59° 30'	145° 55'	92	SG	455930	7/11	7	882	305	56	34	7	0
4108	230	59° 30'	146° 35'	52	SG	465932	7/3	7	0	34	0	4	0	0
4109	240	59° 30'	146° 54'	98	SG	465933	7/3	7	363	131	21	14	0	0
4110	240	59° 30'	147° 14'	96	SG	475931	7/4	7	70	0	4	0	0	0
4111	240	59° 30'	147° 34'	63	SG	475931	7/4	7	81	62	7	8	0	0
4112	230	59° 40'	145° 34'	59	SG	455930	7/11	7	419	104	17	13	0	0
4113	230	59° 40'	145° 54'	45	SG	455930	7/13	7	2,187	451	80	57	0	0
4114	230	59° 40'	146° 14'	47	SG	465932	7/13	7	123	385	7	55	0	0
4115	230	59° 40'	146° 34'	48	SG	465932	7/3	7	439	337	15	45	0	21
4116	240	59° 40'	146° 53'	60	SG	465933	7/3	7	219	0	6	0	0	0
4117	240	59° 40'	147° 13'	101	SG	475931	7/4	7	1,035	165	67	18	0	0
4118	240	59° 40'	147° 33'	65	SG	475931	7/4	7	1,318	346	84	42	0	0
4119	230	59° 50'	144° 58'	107	SG	445931	7/10	7	1,248	102	49	13	56	0
4120	230	59° 50'	145° 53'	57	SG	455930	7/13	7	192	53	8	7	0	0
4121	230	59° 50'	146° 13'	34	SG	465932	7/9	7	583	1,120	36	155	0	7
4122	230	59° 50'	146° 33'	37	SG	465932	7/9	7	1,508	245	63	36	0	49
4123	240	59° 50'	146° 53'	43	SG	465933	7/6	7	382	699	18	115	0	0
4124	240	59° 50'	147° 13'	82	SG	475931	7/6	7	1,852	271	104	31	7	27
4125	220	60° 00'	144° 39'	124	SG	446001	7/10	7	1,362	203	71	22	28	0
4126	230	60° 00'	144° 59'	71	SG	446001	7/10	7	2,904	265	133	31	0	0
4127	230	60° 00'	145° 19'	66	SG	456004	7/10	7	725	122	34	15	0	0
4128	230	60° 00'	146° 12'	34	SG	466001	7/9	7	1,488	184	48	28	0	7
4129	230	60° 00'	146° 32'	37	SG	466001	7/9	7	103	682	3	119	0	0
4130	230	60° 00'	146° 52'	78	SG	466001	7/6	7	728	107	25	13	0	0
4131	240	60° 00'	147° 12'	101	SG	476001	7/6	7	1,300	257	66	29	28	0
4132	230	60° 10'	145° 31'	48	SG	456001	7/18	7	568	179	25	25	0	0
4133	230	60° 10'	145° 51'	59	SG	456001	7/18	7	1,156	100	50	13	0	0
4134	230	60° 10'	146° 11'	44	SG	466001	7/18	7	1,800	457	88	59	0	0
4135	242	60° 10'	147° 31'	36	SG	476003	7/19	7	1,443	296	56	36	7	7
4136	242	60° 10'	147° 51'	189	SG	476004	7/19	7	1,655	455	85	56	21	0
4137	242	60° 20'	147° 31'	74	SG	476007	7/19	7	874	177	38	22	7	14
4138	232	60° 30'	146° 29'	35	SG	466031	7/20	7	1,051	234	45	31	0	0
4139	232	60° 30'	146° 49'	218	SG	466032	7/20	7	1,800	193	108	22	0	0
4140	242	60° 30'	147° 10'	103	SG	476031	7/16	7	662	365	43	45	7	0
4141	242	60° 30'	147° 30'	113	SG	476032	7/16	7	164	178	11	21	28	42
4142	242	60° 29'	147° 50'	252	SG	476006	7/17	7	418	243	27	31	0	0
4143	232	60° 40'	146° 49'	226	SG	466032	7/20	7	1,291	643	88	76	0	21
4144	242	60° 40'	147° 09'	137	SG	476035	7/16	7	1,173	219	62	29	14	0
4145	242	60° 50'	147° 08'	190	SG	476035	7/16	7	969	364	49	49	34	7
4146	242	60° 50'	148° 10'	182	SG	486034	7/17	7	620	91	21	11	7	7
Totals:									42,413	12,258	2,120	1,599	250	381

¹ Halibut weights listed here are calculated from length-weight tables.² Bycatch numbers extrapolated from 20% subsample.

Sanak Stations (48)

Station Number	Stat Area	North Latitude	West Longitude	Depth (F)	Purpose Code	ADFG Area	Date Fished	Skates	Halibut (lbs) ¹		Halibut (Pcs)		Bycatch (Pcs) ²	
									Legal	Sub	Legal	Sub	P. Cod	Rockfish
5186	340	54° 00'	163° 15'	46	SG	635400	6/22	7	165	489	11	73	312	0
5187	340	54° 00'	163° 32'	54	SG	635400	6/22	7	38	389	3	67	98	0
5188	340	54° 00'	163° 49'	51	SG	635400	6/22	7	80	345	4	56	97	0
5189	330	54° 10'	161° 34'	74	SG	615400	6/10	7	202	420	15	60	49	0
5190	330	54° 10'	161° 51'	45	SG	615400	6/10	7	612	748	35	99	35	21
5191	340	54° 10'	162° 08'	47	SG	625402	6/11	7	214	302	14	45	97	14
5192	340	54° 10'	162° 25'	91	SG	625402	6/11	7	0	55	0	7	154	0
5193	340	54° 10'	163° 50'	49	SG	635400	6/22	7	66	410	6	67	83	0
5194	320	54° 20'	160° 08'	177	SG	605400	6/7	7	56	174	4	22	0	14
5195	330	54° 20'	160° 26'	69	SG	605400	6/7	7	277	653	18	90	159	0
5196	330	54° 20'	160° 43'	58	SG	605400	6/9	7	433	655	32	87	104	0
5197	330	54° 20'	161° 00'	71	SG	615400	6/9	7	237	993	17	134	98	0
5198	330	54° 20'	161° 17'	59	SG	615400	6/13	7	515	780	31	108	76	0
5199	330	54° 20'	161° 34'	80	SG	615400	6/10	7	174	437	13	56	70	7
5200	330	54° 20'	161° 51'	40	SG	615400	6/10	7	450	536	20	77	201	0
5201	330	54° 20'	162° 09'	32	SG	625402	6/11	7	1,262	289	46	53	0	0
5202	340	54° 20'	163° 17'	27	SG	635400	6/21	7	414	171	20	25	14	0
5203	340	54° 20'	163° 34'	60	SG	635400	6/21	7	115	389	4	64	84	0
5204	340	54° 20'	163° 51'	62	SG	635400	6/23	7	190	368	10	60	140	0
5205	340	54° 20'	164° 09'	50	SG	645401	6/23	7	29	233	1	49	132	0
5206	320	54° 30'	160° 26'	81	SG	605431	6/7	7	192	409	14	59	76	0
5207	330	54° 30'	160° 43'	77	SG	605431	6/9	7	181	293	13	45	49	0
5208	330	54° 30'	161° 00'	72	SG	615431	6/9	7	208	316	10	52	21	0
5209	330	54° 30'	161° 18'	66	SG	615431	6/13	7	160	349	7	52	91	0
5210	330	54° 30'	161° 35'	36	SG	615431	6/13	7	736	635	35	102	0	0
5211	330	54° 30'	161° 52'	77	SG	615431	6/12	7	293	456	18	62	14	0
5212	330	54° 30'	162° 09'	78	SG	625433	6/12	7	475	354	31	48	42	0
5213	340	54° 30'	162° 26'	81	SG	625435	6/12	7	432	383	25	50	35	7
5214	340	54° 30'	163° 18'	38	SG	635435	6/21	7	356	487	21	71	97	0
5215	340	54° 30'	163° 35'	52	SG	635435	6/21	7	180	278	11	48	7	0
5216	340	54° 30'	163° 53'	52	SG	635435	6/23	7	262	426	11	70	49	0
5217	340	54° 30'	164° 10'	51	SG	645431	6/23	7	50	494	4	80	42	0
5218	320	54° 40'	160° 26'	55	SG	605431	6/7	7	193	740	11	116	49	0
5219	330	54° 40'	160° 43'	52	SG	605431	6/8	7	348	489	18	85	42	0
5220	330	54° 40'	161° 01'	51	SG	615431	6/8	7	178	330	8	57	21	0
5221	330	54° 40'	161° 18'	76	SG	615431	6/14	7	234	416	15	62	62	0
5222	330	54° 40'	161° 35'	37	SG	615431	6/13	7	511	382	21	57	7	7
5223	330	54° 40'	161° 53'	30	SG	615431	6/12	7	533	373	18	57	0	0
5224	340	54° 40'	162° 44'	47	SG	625435	6/20	7	55	154	3	27	55	0
5225	320	54° 50'	160° 44'	56	SG	605431	6/8	7	154	347	7	53	49	0
5226	330	54° 50'	161° 01'	57	SG	615431	6/8	7	53	298	4	50	21	0
5227	330	54° 50'	161° 18'	57	SG	615431	6/14	7	131	493	8	71	42	0
5228	330	54° 50'	161° 36'	46	SG	615431	6/14	7	1,519	255	41	41	0	0
5229	340	54° 50'	162° 45'	30	SG	625436	6/20	7	656	184	20	31	35	0
5230	340	54° 50'	163° 03'	45	SG	635433	6/20	7	970	422	49	56	104	0
5231	330	55° 00'	161° 01'	51	SG	615505	6/15	7	515	507	21	73	35	0
5232	330	55° 00'	161° 19'	47	SG	615505	6/14	7	1,369	315	39	46	35	0
5233	320	55° 10'	161° 02'	64	SG	615503	6/15	7	658	175	24	25	196	0
Totals:									17,131	19,597	812	2,947	3,275	70

¹ Halibut weights listed here are calculated from length-weight tables.² Bycatch numbers extrapolated from 20% subsample.

Semidi Stations (47)

Station Number	Stat Area	North Latitude	West Longitude	Depth (F)	Purpose Code	ADFG Area	Date Fished	Skates	Halibut (lbs) ¹		Halibut (Pcs)		Bycatch (Pcs)	
									Legal	Sub	Legal	Sub	P.Cod	Rockfish
5234	300	55° 20'	156° 03'	153	SG	565502	6/8	7	1,658	712	109	81	13	13
5235	300	55° 20'	156° 21'	94	SG	565501	6/8	7	194	235	14	28	17	17
5236	300	55° 30'	155° 45'	120	SG	555532	6/2	7	133	195	8	24	55	55
5237	300	55° 30'	156° 03'	111	SG	565534	6/2	7	234	126	15	17	42	42
5238	300	55° 30'	156° 20'	120	SG	565534	6/8	7	1,051	470	71	56	13	13
5239	300	55° 40'	155° 26'	102	SG	555532	6/1	7	158	247	13	36	116	116
5240	300	55° 40'	155° 44'	71	SG	555532	6/2	7	646	648	34	88	111	111
5241	300	55° 40'	156° 02'	126	SG	565534	6/3	7	157	219	11	27	11	11
5242	300	55° 40'	156° 19'	139	SG	565534	6/3	7	610	280	38	32	0	0
5243	300	55° 40'	156° 37'	131	SG	565533	6/9	7	864	479	60	56	1	1
5244	290	55° 50'	155° 07'	66	SG	555532	6/1	7	466	1,148	34	158	6	6
5245	300	55° 50'	155° 25'	26	SG	555532	6/1	7	133	15	6	3	0	0
5246	300	55° 50'	156° 01'	60	SG	565534	6/11	7	666	923	45	122	34	34
5247	300	55° 50'	156° 19'	132	SG	565534	6/3	7	288	276	20	36	1	1
5248	300	55° 50'	156° 36'	125	SG	565533	6/9	7	467	817	34	101	8	8
5249	300	55° 50'	156° 54'	74	SG	565533	6/9	7	226	602	17	81	88	88
5250	300	56° 00'	155° 42'	26	SG	555600	6/11	7	19	233	1	39	55	55
5251	300	56° 00'	156° 00'	41	SG	565604	6/11	7	256	715	17	112	35	35
5252	300	56° 00'	156° 18'	116	SG	565604	6/7	7	721	424	46	53	66	66
5253	300	56° 00'	156° 36'	107	SG	565602	6/7	7	495	436	28	59	77	77
5254	300	56° 00'	157° 11'	63	SG	575605	6/12	7	135	603	8	92	48	48
5255	300	56° 10'	155° 59'	121	SG	555600	6/16	7	699	840	43	102	109	109
5256	300	56° 10'	156° 17'	128	SG	565604	6/7	7	760	802	52	97	18	18
5257	300	56° 10'	156° 35'	103	SG	565603	6/7	7	107	274	7	41	31	31
5258	300	56° 10'	156° 53'	45	SG	565602	6/17	7	247	130	11	22	11	11
5259	300	56° 10'	157° 11'	55	SG	575605	6/12	7	281	399	13	64	126	126
5260	300	56° 10'	157° 29'	85	SG	575604	6/12	7	351	266	20	32	18	18
5261	290	56° 20'	155° 58'	115	SG	555600	6/16	7	141	176	10	24	4	4
5262	300	56° 20'	156° 16'	156	SG	565604	6/16	7	79	51	4	6	1	1
5263	300	56° 20'	156° 34'	100	SG	565603	6/16	7	585	713	39	85	28	28
5264	300	56° 20'	156° 52'	65	SG	565603	6/17	7	515	692	29	102	25	25
5265	300	56° 20'	157° 10'	94	SG	575605	6/17	7	965	206	60	28	34	34
5266	300	56° 20'	157° 28'	36	SG	575604	6/13	7	1,070	313	38	48	1	1
5267	300	56° 20'	157° 46'	29	SG	575603	6/13	7	1,059	127	31	20	43	43
5268	290	56° 30'	155° 57'	135	SG	555630	6/18	7	37	112	3	14	3	3
5269	300	56° 30'	156° 15'	142	SG	565635	6/18	7	169	195	11	25	8	8
5270	300	56° 30'	156° 33'	106	SG	565634	6/19	7	302	401	21	52	8	8
5271	300	56° 30'	156° 51'	54	SG	565634	6/19	7	229	560	15	91	39	39
5272	300	56° 30'	157° 28'	81	SG	575633	6/13	7	453	325	24	39	22	22
5273	290	56° 40'	156° 14'	117	SG	565635	6/18	7	243	356	17	48	6	6
5274	300	56° 40'	156° 32'	84	SG	565634	6/19	7	1,170	678	62	87	14	14
5275	300	56° 40'	156° 51'	55	SG	565634	6/20	7	177	586	13	80	15	15
5276	300	56° 40'	157° 09'	85	SG	575632	6/20	7	330	220	21	29	18	18
5277	290	56° 50'	156° 13'	104	SG	565635	6/21	7	1,233	491	67	63	15	15
5278	290	56° 50'	156° 32'	63	SG	565633	6/21	7	898	711	43	97	31	31
5279	300	56° 50'	156° 50'	64	SG	565633	6/20	7	244	719	17	95	38	38
5280	290	57° 00'	156° 13'	86	SG	565702	6/21	7	647	384	39	51	49	49
Totals:									22,571	20,532	1,338	2,744	1,513	1,513

¹ Halibut weights listed here are calculated from length-weight tables.

Seward Stations (48)

Station Number	Stat Area	North Latitude	West Longitude	Depth (F)	Purpose Code	ADFG Area	Date Fished	Skates	Halibut (lbs) ¹		Halibut (Pcs)		Bycatch (Pcs) ²	
									Legal	Sub	Legal	Sub	P. Cod	Rockfish
4147	250	58° 40'	148° 34'	130	SG	485831	6/19	7	616	211	42	24	14	0
4148	250	58° 40'	148° 53'	92	SG	485831	6/17	7	643	301	45	35	7	0
4149	240	58° 50'	148° 15'	151	SG	485831	6/19	7	1,370	387	92	42	0	0
4150	250	58° 50'	148° 34'	160	SG	485831	6/19	7	376	78	20	8	0	21
4151	250	58° 50'	148° 53'	140	SG	485831	6/17	7	148	63	8	7	0	0
4152	250	58° 50'	149° 12'	113	SG	495832	6/17	7	87	15	4	1	0	0
4153	240	59° 00'	147° 55'	240	SG	475900	6/20	7	574	160	32	18	0	14
4154	240	59° 00'	148° 14'	119	SG	485901	6/20	7	2,318	294	134	31	0	0
4155	250	59° 00'	148° 34'	132	SG	485901	6/24	7	452	90	31	10	0	0
4156	250	59° 00'	148° 53'	116	SG	485902	6/24	7	232	67	15	7	0	0
4157	250	59° 00'	149° 12'	116	SG	495901	6/21	7	260	0	17	0	0	0
4158	250	59° 00'	149° 32'	127	SG	495901	6/21	7	424	75	22	8	0	0
4159	240	59° 10'	147° 35'	134	SG	475900	7/5	7	1,317	346	77	38	0	35
4160	240	59° 10'	147° 54'	110	SG	475900	6/20	7	696	171	45	18	0	0
4161	240	59° 10'	148° 14'	68	SG	485901	6/20	7	1,109	445	60	52	0	62
4162	250	59° 10'	148° 33'	83	SG	485901	6/24	7	311	104	17	11	7	0
4163	250	59° 10'	148° 53'	97	SG	485902	6/24	7	119	0	7	0	0	0
4164	250	59° 10'	149° 12'	85	SG	495901	6/21	7	283	43	11	6	0	7
4165	250	59° 10'	149° 32'	87	SG	495901	6/21	7	173	24	8	3	0	0
4166	250	59° 10'	149° 51'	75	SG	495901	5/30	7	0	21	0	3	0	0
4167	240	59° 20'	147° 34'	67	SG	475900	7/5	7	1,741	274	85	36	0	14
4168	240	59° 20'	147° 54'	99	SG	475900	6/25	7	1,345	229	73	25	0	0
4169	240	59° 20'	148° 13'	86	SG	485901	6/25	7	848	220	42	25	0	0
4170	240	59° 20'	148° 33'	51	SG	485901	6/26	7	682	59	21	8	0	21
4171	250	59° 20'	148° 53'	92	SG	485902	6/26	7	874	224	45	24	0	0
4172	250	59° 20'	149° 12'	103	SG	495901	6/13	7	1,162	351	69	43	0	0
4173	250	59° 20'	149° 32'	69	SG	495901	6/13	7	1,769	880	118	108	0	0
4174	250	59° 20'	149° 51'	104	SG	495901	6/16	7	724	112	41	13	0	0
4175	250	59° 20'	150° 11'	88	SG	505901	6/16	7	846	343	50	41	14	0
4176	240	59° 30'	147° 53'	61	SG	475931	6/25	7	432	63	15	10	0	0
4177	240	59° 30'	148° 13'	114	SG	485931	6/25	7	78	18	4	3	7	0
4178	240	59° 30'	148° 33'	54	SG	485931	6/26	7	398	500	22	73	0	0
4179	250	59° 30'	148° 52'	91	SG	485934	6/26	7	43	9	3	1	0	0
4180	240	59° 30'	149° 12'	124	SG	495931	6/13	7	907	206	62	24	0	7
4181	250	59° 30'	149° 32'	57	SG	495932	6/13	7	539	896	29	125	0	0
4182	250	59° 30'	149° 52'	112	SG	495933	6/16	7	2,078	469	109	53	28	0
4183	250	59° 30'	150° 11'	75	SG	505932	6/16	7	111	101	7	15	0	0
4184	240	59° 40'	147° 53'	39	SG	475931	7/2	7	3,145	378	118	48	0	14
4185	240	59° 40'	148° 13'	71	SG	485931	7/2	7	217	415	14	59	0	0
4186	240	59° 40'	148° 32'	115	SG	485931	6/27	7	15	0	1	0	0	0
4187	250	59° 40'	148° 52'	99	SG	485934	6/27	7	0	0	0	0	0	0
4188	250	59° 40'	149° 12'	115	SG	495931	6/28	7	856	177	41	21	0	0
4189	250	59° 40'	149° 32'	159	SG	495932	6/28	7	779	197	42	22	7	0
4190	240	59° 50'	148° 12'	48	SG	485931	7/2	7	446	639	24	97	0	0
4191	240	59° 50'	148° 32'	73	SG	485931	6/27	7	58	0	4	0	0	0
4192	240	59° 50'	148° 52'	93	SG	485934	6/27	7	254	74	10	8	14	7
4193	250	59° 50'	149° 12'	83	SG	495938	6/28	7	1,153	318	66	42	14	0
4194	250	59° 50'	149° 32'	86	SG	495938	6/28	7	800	159	32	21	14	0
Totals:									33,808	10,206	1,835	1,267	125	201

¹ Halibut weights listed here are calculated from length-weight tables.² Bycatch numbers extrapolated from 20% subsample.

Shelikof Stations (45)

Station Number	Stat Area	North Latitude	West Longitude	Depth (F)	Purpose Code	ADFG Area	Date Fished	Skates	Halibut (lbs) ¹		Halibut (Pcs)		Bycatch (Pcs) ²	
									Legal	Sub	Legal	Sub	P. Cod	Rockfish
4331	281	57° 30'	154° 55'	127	SG	545732	8/31	7	119	111	7	14	0	0
4332	281	57° 40'	154° 35'	120	SG	545732	9/1	7	51	79	4	10	0	0
4333	281	57° 40'	154° 54'	128	SG	545732	8/31	7	115	0	7	0	0	0
4334	281	57° 40'	155° 13'	161	SG	555733	8/31	7	91	57	6	7	0	0
4335	281	57° 50'	154° 15'	112	SG	545732	8/30	7	** Ineffective Station (Sand Fleas)					
4336	281	57° 50'	154° 34'	126	SG	545732	9/1	7	405	88	22	11	0	0
4337	281	57° 50'	154° 53'	157	SG	545732	9/1	7	158	87	10	11	0	0
4338	281	58° 00'	153° 37'	89	SG	535802	8/27	7	341	245	25	31	7	0
4339	281	58° 00'	153° 56'	108	SG	535802	8/30	7	535	128	29	17	0	0
4340	281	58° 00'	154° 14'	124	SG	545804	8/30	7	302	24	15	3	0	0
4341	271	58° 10'	153° 19'	65	SG	535803	8/27	7	19	439	1	62	7	0
4342	271	58° 10'	153° 38'	108	SG	535802	8/27	7	254	92	14	11	0	0
4343	281	58° 10'	153° 57'	116	SG	535802	8/26	7	497	237	24	28	0	0
4344	271	58° 20'	153° 20'	95	SG	535802	8/25	7	510	138	20	18	0	0
4345	271	58° 20'	153° 39'	96	SG	535802	8/26	7	560	277	32	34	0	0
4346	271	58° 20'	153° 58'	48	SG	535801	8/26	7	165	56	6	7	0	0
4347	271	58° 30'	153° 02'	90	SG	535831	8/19	7	281	280	17	34	0	0
4348	271	58° 30'	153° 21'	98	SG	535831	8/25	7	328	131	18	15	7	0
4349	271	58° 30'	153° 41'	54	SG	535832	8/25	7	87	37	4	4	0	0
4350	271	58° 40'	152° 44'	108	SG	525833	8/20	7	635	417	39	50	35	0
4351	271	58° 40'	153° 03'	84	SG	535831	8/19	7	1,349	100	74	13	28	0
4352	271	58° 40'	153° 23'	24	SG	535832	8/19	7	86	58	4	11	0	0
4353	261	58° 50'	152° 26'	98	SG	525833	8/18	7	1,148	649	76	70	63	0
4354	271	58° 50'	152° 45'	103	SG	525833	8/20	7	1,655	686	97	81	14	0
4355	271	58° 50'	153° 04'	88	SG	535831	8/20	7	1,064	163	46	20	7	0
4356	260	59° 00'	151° 48'	72	SG	515904	8/17	7	1,088	1,153	73	154	0	0
4357	261	59° 00'	152° 07'	77	SG	525836	8/17	7	2,538	605	105	81	42	0
4358	261	59° 00'	152° 27'	80	SG	525902	8/18	7	350	637	24	74	7	0
4359	271	59° 00'	152° 46'	91	SG	525902	8/18	7	800	216	43	25	21	0
4360	261	59° 00'	153° 05'	85	SG	535901	8/11	7	1,288	182	50	21	28	0
4361	261	59° 10'	152° 08'	75	SG	525902	8/17	7	453	887	24	129	21	0
4362	261	59° 10'	152° 27'	55	SG	525902	8/10	7	174	340	14	53	0	0
4363	261	59° 10'	152° 47'	77	SG	525902	8/10	7	1,795	581	101	69	7	0
4364	261	59° 10'	153° 06'	48	SG	535901	8/11	7	485	135	18	21	7	0
4365	261	59° 10'	153° 26'	22	SG	535901	8/11	7	598	56	20	7	0	0
4366	261	59° 20'	152° 09'	38	SG	525902	8/9	7	153	850	8	134	0	0
4367	261	59° 20'	152° 28'	39	SG	525902	8/10	7	138	143	4	22	0	0
4368	261	59° 20'	152° 48'	42	SG	525902	8/6	7	104	338	6	59	0	0
4369	261	59° 20'	153° 08'	26	SG	535906	8/6	7	458	55	17	8	0	0
4370	261	59° 30'	151° 50'	45	SG	515936	8/8	7	412	251	20	38	0	0
4371	261	59° 30'	152° 09'	23	SG	525931	8/9	7	216	665	14	94	0	0
4372	261	59° 30'	152° 29'	29	SG	525931	8/9	7	237	50	8	6	0	0
4373	261	59° 30'	152° 49'	27	SG	525931	8/6	7	240	8	10	1	0	0
4374	261	59° 40'	152° 30'	44	SG	525931	8/16	7	1,839	395	91	48	0	0
4375	261	59° 50'	152° 11'	27	SG	525931	8/16	7	872	553	41	77	0	0
Totals:									24,990	12,679	1,288	1,683	300	0

¹ Halibut weights listed here are calculated from length-weight tables.² Bycatch numbers extrapolated from 20% subsample.

Shumagin Stations (44)

Station Number	Stat Area	North Latitude	West Longitude	Depth (F)	Purpose Code	ADFG Area	Date Fished	Skates	Halibut (lbs) ¹		Halibut (Pcs)		Bycatch (Pcs) ²	
									Legal	Sub	Legal	Sub	P. Cod	Rockfish
5141	320	54° 30'	159° 00'	172	SG	595431	6/19	7	206	76	13	8	0	21
5142	320	54° 30'	159° 17'	80	SG	595431	6/19	7	213	461	15	63	83	0
5143	320	54° 30'	159° 34'	62	SG	595431	6/18	7	712	593	45	74	123	7
5144	320	54° 30'	159° 51'	65	SG	595431	6/17	7	195	437	14	63	55	0
5145	320	54° 30'	160° 09'	66	SG	605431	6/17	7	205	450	13	64	117	0
5146	310	54° 40'	158° 25'	117	SG	585431	6/21	7	785	232	50	27	21	0
5147	320	54° 40'	158° 42'	57	SG	585431	6/20	7	887	624	52	81	69	14
5148	320	54° 40'	159° 00'	50	SG	595431	6/19	7	999	366	52	48	14	0
5149	320	54° 40'	159° 17'	40	SG	595431	6/18	7	970	274	43	39	7	0
5150	320	54° 40'	159° 34'	35	SG	595431	6/18	7	923	153	32	25	14	21
5151	320	54° 40'	159° 52'	42	SG	595431	6/16	7	1,717	310	59	46	14	0
5152	320	54° 40'	160° 09'	49	SG	605431	6/17	7	424	636	18	87	126	0
5153	310	54° 50'	158° 07'	54	SG	585432	6/21	7	718	434	49	57	28	0
5154	310	54° 50'	158° 25'	109	SG	585431	6/21	7	390	139	25	18	0	0
5155	310	54° 50'	158° 42'	54	SG	585431	6/20	7	664	464	36	62	35	0
5156	320	54° 50'	159° 00'	39	SG	595431	6/20	7	335	382	17	56	139	0
5157	320	54° 50'	159° 52'	30	SG	595432	6/16	7	424	120	15	21	69	0
5158	320	54° 50'	160° 09'	38	SG	605431	6/16	7	120	103	6	22	21	0
5159	320	54° 50'	160° 26'	47	SG	605431	6/15	7	43	316	3	48	166	0
5160	310	55° 00'	158° 25'	114	SG	585502	6/22	7	903	172	53	20	14	14
5161	310	55° 00'	158° 42'	69	SG	585501	6/22	7	113	364	7	55	69	0
5162	320	55° 00'	158° 59'	46	SG	585501	6/10	7	132	200	6	39	125	0
5163	320	55° 00'	159° 17'	22	SG	595502	6/10	7	2,731	40	70	4	0	0
5164	320	55° 00'	160° 27'	63	SG	605503	6/15	7	205	424	11	56	91	0
5165	320	55° 00'	160° 44'	47	SG	605503	6/15	7	365	306	18	46	28	0
5166	310	55° 10'	158° 24'	101	SG	585502	6/8	7	140	76	8	10	0	0
5167	310	55° 10'	158° 42'	112	SG	585502	6/8	7	515	266	29	31	14	0
5168	310	55° 10'	158° 59'	76	SG	585501	6/10	7	257	359	17	53	55	0
5169	320	55° 10'	159° 17'	38	SG	595505	6/11	7	677	150	27	22	7	0
5170	310	55° 20'	158° 42'	100	SG	585502	6/8	7	449	156	22	18	0	0
5171	310	55° 20'	158° 59'	102	SG	585502	6/9	7	358	38	18	4	0	0
5172	320	55° 20'	159° 17'	97	SG	595505	6/9	7	392	235	24	29	7	0
5173	320	55° 20'	159° 34'	76	SG	595504	6/11	7	395	378	22	52	21	7
5174	320	55° 20'	159° 52'	46	SG	595503	6/12	7	263	153	7	22	62	0
5175	310	55° 30'	158° 41'	87	SG	585532	6/7	7	679	232	39	29	0	0
5176	310	55° 30'	158° 59'	60	SG	585532	6/7	7	341	561	20	81	0	0
5177	320	55° 30'	159° 17'	66	SG	595532	6/9	7	313	465	22	64	35	0
5178	320	55° 30'	159° 34'	92	SG	595505	6/11	7	495	408	25	49	49	0
5179	320	55° 30'	159° 52'	92	SG	595504	6/12	7	502	330	25	43	55	0
5181	310	55° 40'	158° 59'	83	SG	585532	6/7	7	922	458	45	64	49	0
5182	310	55° 40'	159° 17'	57	SG	595532	6/6	7	479	182	20	27	28	0
5183	320	55° 40'	159° 52'	71	SG	595533	6/12	7	662	90	31	13	139	0
5184	310	55° 50'	158° 59'	69	SG	585531	6/6	7	947	80	39	11	69	0
5185	310	55° 50'	159° 17'	29	SG	595531	6/6	7	601	22	17	4	35	0
									24,764	12,716	1,180	1,758	2,051	83

¹ Halibut weights listed here are calculated from length-weight tables.² Bycatch numbers extrapolated from 20% subsample.

Sitka Stations (59)

Station Number	Stat Area	North Latitude	West Longitude	Depth (F)	Purpose Code	ADFG Area	Date Fished	Skates	Halibut (lbs) ¹		Halibut (Pcs)		Bycatch (Pcs) ²	
									Legal	Sub	Legal	Sub	P.Cod	Rockfish
3083	160	56° 30'	135° 15'	58	SG	355631	6/14	7	1,599	718	76	94	0	14
3084	160	56° 30'	135° 33'	81	SG	355631	6/14	7	1,733	187	78	24	0	133
3085	160	56° 40'	135° 15'	22	SG	355633	6/14	7	2,131	28	53	3	0	0
3086	160	56° 40'	135° 34'	73	SG	355631	6/13	7	2,963	288	97	38	0	85
3087	160	56° 40'	135° 52'	130	SG	355631	6/13	7	1,612	116	76	13	0	28
3088	162	56° 50'	132° 50'	113	SG	325631	5/28	7	492	84	17	11	0	0
3089	160	56° 50'	135° 52'	103	SG	355631	6/13	7	959	234	49	27	0	14
3090	162	56° 57'	132° 58'	72	ES	325631	5/28	7	553	115	21	14	0	0
3091	162	57° 00'	134° 21'	189	SG	345702	5/29	7	2,324	352	147	42	14	7
3092	170	57° 00'	136° 00'	55	SG	365701	6/10	7	2,260	593	77	73	0	35
3093	162	57° 03'	133° 05'	75	ES	335701	5/28	7	415	24	14	3	0	0
3094	162	57° 10'	133° 45'	181	SG	335701	5/29	7	2,668	542	158	62	0	0
3095	162	57° 10'	134° 03'	158	SG	345702	5/29	7	2,405	361	132	43	35	7
3096	161	57° 10'	134° 40'	194	SG	345701	5/30	7	731	73	21	8	0	28
3097	170	57° 10'	135° 54'	36	SG	355702	6/10	7	1,538	166	38	24	0	49
3098	170	57° 10'	136° 12'	115	SG	365701	6/10	7	2,192	311	123	35	21	0
3099	163	57° 20'	133° 26'	74	SG	335703	5/31	7	84	0	3	0	0	0
3100	163	57° 20'	133° 45'	194	SG	335701	5/31	7	3,414	364	178	41	14	0
3102	170	57° 20'	135° 55'	46	SG	355703	6/9	7	812	31	22	6	21	0
3103	170	57° 20'	136° 13'	95	SG	365701	6/9	7	2,248	563	134	63	0	9
3104	163	57° 30'	133° 45'	130	SG	335731	5/31	7	1,080	213	48	27	0	0
3105	171	57° 31'	134° 38'	153	SG	345731	5/30	7	475	101	21	13	21	28
3106	170	57° 30'	136° 14'	51	SG	365731	6/9	7	1,434	262	48	35	0	14
3107	173	57° 40'	133° 45'	180	SG	335732	6/1	7	1,350	178	70	20	0	0
3108	170	57° 40'	136° 33'	89	SG	365731	6/8	7	666	438	38	56	0	0
3110	181	57° 50'	136° 34'	52	SG	365734	6/8	7	2,036	538	81	78	0	14
3111	181	57° 50'	136° 53'	207	SG	365731	6/8	7	234	52	11	6	0	21
3112	173	58° 00'	134° 04'	122	SG	345801	6/1	7	199	0	7	0	0	0
3113	181	58° 00'	136° 40'	63	ES	365801	6/7	7	2,232	731	95	97	7	21
3114	171	58° 10'	135° 01'	106	SG	345803	6/6	7	822	92	22	13	35	14
3115	182	58° 10'	135° 20'	94	SG	355801	6/6	7	490	140	22	20	21	7
3116	181	58° 09'	136° 36'	147	SG	365804	6/7	7	1,487	65	52	8	7	35
3117	173	58° 12'	134° 24'	40	ES	345801	6/2	7	33	0	1	0	0	0
3118	173	58° 14'	134° 41'	42	ES	345801	6/2	7	120	13	3	1	0	0
3119	182	58° 15'	135° 40'	60	ES	355801	6/6	7	707	344	29	49	36	0
3120	181	58° 15'	136° 26'	114	ES	365804	6/7	7	3,429	172	83	25	0	0
3121	173	58° 20'	134° 43'	41	SG	345801	6/2	7	133	0	3	0	0	0
3122	171	58° 20'	135° 02'	280	SG	345803	6/5	7	648	32	32	3	0	0
3123	183	58° 30'	135° 02'	158	SG	345803	6/5	7	749	132	42	17	0	0
3124	183	58° 40'	135° 03'	158	SG	355830	6/5	7	0	31	0	4	0	0
3224	161	56° 49.98'	134° 39.27'		SG	345631		7	* New Station					
3225	160	56° 49.99'	135° 34.00'		SG	355633		7	* New Station					
3226	170	56° 59.97'	135° 33.65'		SE	355635		7	* New Station					
3227	162	56° 59.98'	134° 02.65'		SE	345702		7	* New Station					
3228	161	57° 00.01'	134° 40.00'		DE	345701		7	* New Station					
3230	170	57° 09.98'	135° 35.57'		SE	355706		7	* New Station					
3231	171	57° 19.99'	134° 40.00'		DE	345701		7	* New Station					
3232	170	57° 29.99'	135° 55.00'		SG	365732		7	* New Station					
3233	170	57° 30.01'	136° 33.00'		DE	365731		7	* New Station					
3234	173	57° 39.98'	134° 03.68'		SE	345732		7	* New Station					
3235	170	57° 39.99'	136° 14.00'		SE	365733		7	* New Station					
3236	173	57° 49.99'	133° 45.00'		SG	335732		7	* New Station					
3237	171	57° 50.96'	134° 56.69'		SG	355733		7	* New Station					
3238	173	57° 59.98'	133° 45.14'		SG	335732		7	* New Station					
3239	182	58° 19.95'	135° 57.93'		SG	355801		7	* New Station					
3242	183	58° 59.96'	135° 22.31'		SG	355830		7	* New Station					
3243	183	59° 19.95'	135° 22.31'		SG	355900		7	* New Station					
3246	171	58° 00.78'	134° 52.62'		ES	345803		7	* New Station					
3248	183	59° 09.66'	135° 19.40'		ES	355900		7	* New Station					
Totals:									51,455	8,682	2,221	1,092	232	564

¹ Halibut weights listed here are calculated from length-weight tables.² Bycatch numbers extrapolated from 20% subsample.

St. James Stations (57)

Station Number	Stat Area	North Latitude	West Longitude	Depth (F)	Purpose Code	DFO Area	Date Fished	Skates	Halibut (lbs) ¹		Halibut (Pcs)		Bycatch (Pcs)	
									Legal	Sub	Legal	Sub	P.Cod	Rockfish
2087	102	51° 40'	130° 03'	192	SG	108-2	7/8	7	126	0	7	0	0	0
2088	102	51° 40'	130° 19'	143	SG	108-2	7/8	7	621	27	28	3	0	0
2089	102	51° 50'	129° 47'	140	SG	107-2	7/9	7	25	0	1	0	0	0
2090	102	51° 50'	130° 03'	97	SG	102-3	7/8	7	2,272	227	115	25	0	0
2091	102	51° 50'	130° 19'	115	SG	102-3	7/8	7	1,762	155	78	17	0	0
2092	102	51° 50'	130° 35'	162	SG	102-3	7/17	7	570	89	27	10	0	0
2093	110	51° 50'	130° 52'	113	SG	130-3	7/17	7	2,123	30	73	4	0	0
2095	102	52° 00'	129° 47'	64	SG	107-2	7/28	7	401	127	17	17	0	0
2096	102	52° 00'	130° 03'	77	SG	102-3	7/28	7	485	211	17	28	0	0
2097	102	52° 00'	130° 19'	183	SG	102-3	7/18	7	387	0	20	0	0	0
2098	112	52° 00'	130° 35'	140	SG	102-3	7/17	7	1,055	15	62	1	0	0
2099	112	52° 00'	130° 52'	82	SG	102-3	7/17	7	1,839	232	73	29	0	0
2100	102	52° 10'	128° 57'	91	SG	107-1	7/27	7	36	26	3	3	0	0
2101	102	52° 10'	129° 14'	93	SG	107-1	7/26	7	38	21	3	3	0	0
2103	102	52° 10'	129° 46'	112	SG	107-1	7/28	7	230	97	14	11	0	0
2104	102	52° 10'	130° 03'	91	SG	102-2	7/28	7	381	339	28	41	0	0
2105	112	52° 10'	130° 19'	214	SG	102-2	7/18	7	40	0	1	0	0	0
2106	112	52° 10'	130° 35'	106	SG	102-2	7/18	7	3,375	571	203	67	0	0
2107	112	52° 10'	130° 52'	122	SG	102-2	7/16	7	1,051	85	43	10	0	0
2108	102	52° 20'	129° 13'	75	SG	106-2	7/26	7	777	348	39	36	1	1
2109	102	52° 20'	129° 30'	83	SG	106-2	7/26	7	880	97	41	11	0	0
2110	102	52° 20'	129° 46'	111	SG	106-2	7/25	7	124	165	8	20	0	0
2111	112	52° 20'	130° 03'	110	SG	106-2	7/25	7	564	122	32	14	0	0
2112	112	52° 20'	130° 19'	197	SG	102-2	7/19	7	208	0	6	0	0	0
2113	112	52° 20'	130° 35'	90	SG	102-2	7/19	7	1,681	396	91	45	0	0
2114	112	52° 20'	130° 52'	80	SG	102-2	7/16	7	148	68	8	7	0	0
2115	102	52° 30'	129° 32'	53	SG	106-2	7/24	7	759	122	39	15	0	0
2117	112	52° 30'	130° 02'	146	SG	106-2	7/25	7	191	0	8	0	0	0
2118	112	52° 30'	130° 19'	143	SG	106-2	7/19	7	426	14	13	1	0	0
2119	112	52° 30'	130° 35'	67	SG	102-2	7/19	7	820	463	53	55	0	0
2120	112	52° 30'	130° 52'	55	SG	102-2	7/16	7	864	10	27	1	0	0
2121	112	52° 40'	129° 46'	103	SG	106-2	7/24	7	400	0	15	0	0	0
2122	112	52° 40'	130° 02'	145	SG	106-2	7/24	7	0	0	0	0	0	0
2123	112	52° 40'	130° 19'	118	SG	106-2	7/15	7	362	0	14	0	0	0
2124	112	52° 40'	130° 35'	79	SG	102-2	7/15	7	1,207	131	53	14	0	0
2125	112	52° 50'	130° 02'	141	SG	106-2	7/14	7	17	0	1	0	0	0
2126	112	52° 50'	130° 19'	115	SG	106-2	7/15	7	236	14	10	1	0	0
2127	112	53° 00'	129° 45'	72	SG	106-1	7/14	7	689	75	29	8	0	0
2128	112	53° 00'	130° 02'	106	SG	106-1	7/14	7	162	0	10	0	0	0
2271	110	51° 59.98'	131° 08.23'		SG	142-1		7	* New Station					
2273	110	52° 09.98'	131° 08.29'		SE	2-18		7	* New Station					
2274	110	52° 10.01'	131° 25.00'		SG	142-1		7	* New Station					
2276	102	52° 19.99'	128° 57.00'		SG	106-2		7	* New Station					
2277	112	52° 20.01'	131° 08.00'		SG	2-14		7	* New Station					
2278	102	52° 29.99'	129° 13.00'		SG	106-2		7	* New Station					
2279	103	52° 39.97'	128° 56.58'		SG	6-16		7	* New Station					
2280	102	52° 39.97'	129° 15.52'		SG	6-13		7	* New Station					
2283	103	52° 49.95'	129° 12.92'		SG	6-11		7	* New Station					
2284	112	52° 49.97'	129° 29.46'		SG	106-2		7	* New Station					
2286	112	52° 49.99'	129° 46.00'		SG	106-2		7	* New Station					
2291	114	52° 59.98'	129° 28.40'		SG	6-10		7	* New Station					
2294	103	53° 09.92'	128° 38.32'		SG	6-20		7	* New Station					
2298	114	53° 09.99'	129° 45.00'		SE	6-9		7	* New Station					
2301	114	53° 19.93'	128° 54.86'		SG	6-3		7	* New Station					
2303	114	53° 19.95'	129° 11.60'		SG	6-6		7	* New Station					
2306	114	53° 19.99'	129° 45.00'		SG	5-17		7	* New Station					
2307	114	53° 29.94'	129° 11.60'		SG	6-2		7	* New Station					
Totals:									27,330	4,276	1,310	498	1	1

¹ Halibut weights listed here are calculated from length-weight tables.

Trinity Stations (47)

Station Number	Stat Area	North Latitude	West Longitude	Depth (F)	Purpose Code	ADFG Area	Date Fished	Skates	Halibut (lbs) ¹		Halibut (Pcs)		Bycatch (Pcs) ²	
									Legal	Sub	Legal	Sub	P.Cod	Rockfish
5001	290	56° 00'	153° 36'	50	SG	535602	6/17	7	1,295	826	74	101	0	7
5002	290	56° 00'	153° 54'	65	SG	535602	6/18	7	175	300	10	42	27	0
5003	290	56° 00'	154° 13'	60	SG	545602	6/18	7	1,341	780	81	91	0	0
5004	290	56° 00'	154° 30'	252	SG	545602	6/18	7	235	170	18	18	0	21
5005	290	56° 00'	154° 48'	107	SG	545602	6/24	7	271	223	20	25	21	0
5006	290	56° 00'	155° 06'	32	SG	555600	6/24	7	97	308	6	52	69	0
5007	290	56° 10'	153° 36'	83	SG	535602	6/17	7	670	733	50	90	0	0
5008	290	56° 10'	153° 53'	122	SG	535602	6/19	7	1,444	486	94	53	7	0
5009	290	56° 10'	154° 11'	64	SG	545602	6/19	7	336	344	21	52	0	0
5010	290	56° 10'	154° 29'	41	SG	545602	6/23	7	258	949	18	139	0	0
5011	290	56° 10'	154° 47'	41	SG	545602	6/23	7	70	224	4	39	7	0
5013	290	56° 10'	155° 23'	18	SG	555600	6/24	7	169	164	11	24	0	0
5014	290	56° 10'	155° 41'	34	SG	555600	6/25	7	193	318	10	52	0	0
5015	290	56° 20'	153° 51'	49	SG	535602	6/19	7	624	608	31	87	0	0
5016	290	56° 20'	154° 10'	50	SG	545602	6/19	7	322	326	18	45	41	0
5017	290	56° 20'	154° 28'	38	SG	545602	6/23	7	540	353	32	46	97	0
5018	290	56° 20'	155° 22'	27	SG	555600	6/25	7	101	175	6	28	0	0
5019	290	56° 20'	155° 40'	39	SG	555600	6/25	7	16	255	1	49	35	0
5020	290	56° 30'	155° 21'	31	SG	555630	6/26	7	97	55	6	10	28	0
5021	290	56° 30'	155° 39'	70	SG	555630	6/27	7	77	333	6	46	55	0
5022	290	56° 40'	155° 02'	23	SG	555630	6/26	7	760	71	22	10	21	0
5023	290	56° 40'	155° 20'	46	SG	555630	6/26	7	95	287	6	42	28	0
5024	290	56° 40'	155° 38'	130	SG	555630	6/27	7	173	200	11	24	14	0
5025	290	56° 40'	155° 56'	160	SG	555630	6/27	7	112	151	7	20	0	0
5026	290	56° 50'	154° 24'	33	SG	545631	7/6	7	1,346	246	57	34	7	0
5027	290	56° 50'	154° 42'	29	SG	545631	7/6	7	290	144	13	25	7	0
5028	290	56° 50'	155° 00'	41	SG	555630	7/5	7	550	567	27	81	14	0
5029	290	56° 50'	155° 19'	123	SG	555630	7/5	7	203	148	13	20	0	0
5030	290	56° 50'	155° 37'	155	SG	555630	6/28	7	309	110	18	14	0	0
5031	290	56° 50'	155° 55'	166	SG	555630	6/28	7	642	342	39	41	0	0
5032	290	57° 00'	154° 41'	23	SG	545702	7/6	7	419	114	17	20	0	0
5033	290	57° 00'	154° 59'	67	SG	545702	7/5	7	115	213	8	31	0	0
5034	290	57° 00'	155° 18'	137	SG	555701	7/5	7	194	118	11	14	0	0
5035	290	57° 00'	155° 36'	152	SG	555701	7/3	7	80	86	6	11	0	0
5036	290	57° 00'	155° 54'	167	SG	555701	6/28	7	947	398	63	49	0	0
5037	290	57° 10'	154° 40'	33	SG	545702	7/4	7	654	284	28	41	0	0
5038	290	57° 10'	154° 58'	107	SG	545702	7/4	7	108	93	8	11	0	0
5039	290	57° 10'	155° 16'	135	SG	555701	7/3	7	127	24	8	3	0	0
5040	290	57° 10'	155° 35'	147	SG	555701	7/3	7	90	125	6	15	0	0
5041	290	57° 10'	155° 53'	144	SG	555701	7/2	7	417	325	21	36	7	0
5042	290	57° 20'	154° 57'	104	SG	545702	7/4	7	269	292	20	36	42	0
5043	290	57° 20'	155° 15'	136	SG	555701	7/1	7	166	145	10	17	0	0
5044	290	57° 20'	155° 34'	154	SG	555701	7/1	7	84	91	4	10	0	0
5045	290	57° 20'	155° 52'	55	SG	555701	7/2	7	340	395	22	53	7	0
5046	290	57° 20'	156° 11'	137	SG	565704	7/2	7	512	305	28	39	21	0
5047	290	57° 30'	155° 14'	142	SG	555733	7/1	7	126	202	7	25	0	0
5048	290	57° 30'	155° 33'	165	SG	555733	7/1	7	298	259	17	32	0	0
Totals:									17,758	13,666	1,014	1,841	555	28

¹ Halibut weights listed here are calculated from length-weight tables.² Bycatch numbers extrapolated from 20% subsample.

Unalaska Stations (66)

Station Number	Stat Area	North Latitude	West Longitude	Depth (F)	Purpose Code	ADFG Area	Date Fished	Skates	Halibut (lbs) ¹		Halibut (Pcs)		Bycatch (Pcs) ²	
									Legal	Sub	Legal	Sub	P. Cod	Rockfish
6001	380	52° 30'	169° 41'	134	SG	695239	8/2	7	476	331	28	39	28	14
6002	380	52° 30'	169° 58'	131	SG	695239	8/1	7	833	222	46	27	27	0
6003	390	52° 30'	170° 46'	83	SG	705233	7/31	7	927	829	52	125	63	0
6004	380	52° 40'	169° 09'	59	SG	695239	8/3	7	752	284	45	38	173	7
6005	380	52° 40'	169° 25'	93	SG	695239	8/2	7	951	484	63	62	126	28
6006	380	52° 40'	169° 45'	39	SG	695239	8/2	7	1,629	318	83	42	126	7
6007	380	52° 40'	169° 58'	155	SG	695239	8/1	7	1,319	50	83	6	35	7
6008	390	52° 40'	170° 48'	46	SG	705233	7/31	7	521	406	28	67	49	0
6009	523171	52° 43'	171° 22'	88	SG	715231	7/30	7	878	659	55	81	28	0
6010	370	52° 50'	168° 36'	54	SG	685231	8/3	7	627	423	31	53	315	7
6011	380	52° 50'	168° 52'	30	SG	685231	8/3	7	657	335	25	50	35	0
6012	523170	52° 50'	170° 16'	83	SG	705232	8/1	7	1,386	401	67	49	173	0
6013	523171	52° 50'	171° 21'	98	SG	715231	7/30	7	0	0	0	0	49	0
6014	523171	52° 49'	171° 35'	132	SG	715231	7/30	7	66	0	4	0	35	0
6015	370	53° 00'	167° 29'	100	SG	675302	8/8	7	27	61	1	11	49	0
6016	370	53° 00'	167° 46'	56	SG	675302	8/8	7	72	306	6	49	301	7
6017	370	53° 00'	168° 02'	64	SG	685301	8/7	7	56	252	3	36	203	0
6018	370	53° 00'	168° 19'	46	SG	685302	8/7	7	393	220	17	38	21	0
6019	530169	53° 00'	169° 09'	101	SG	695301	7/28	7	830	170	46	21	255	0
6020	530169	53° 00'	169° 59'	64	SG	695301	7/29	7	784	555	42	77	21	0
6021	530170	53° 00'	170° 15'	103	SG	705300	7/29	7	3,220	649	164	77	62	0
6022	360	53° 10'	166° 56'	114	SG	665301	8/9	7	0	33	0	7	0	0
6023	370	53° 10'	167° 12'	61	SG	675302	8/9	7	142	122	8	21	152	0
6024	370	53° 10'	167° 29'	50	SG	675302	8/8	7	194	124	11	20	62	0
6025	370	53° 10'	167° 46'	44	SG	675302	8/8	7	332	237	13	41	63	0
6026	370	53° 10'	168° 02'	35	SG	685301	8/7	7	30	73	1	14	0	0
6027	530168	53° 10'	168° 52'	111	SG	685303	7/28	7	980	246	56	28	189	0
6028	530169	53° 10'	169° 42'	164	SG	695301	7/29	7	929	15	41	1	133	7
6029	360	53° 20'	166° 05'	263	SG	665301	8/10	7	0	0	0	0	0	55
6030	360	53° 20'	166° 22'	136	SG	665301	8/10	7	0	0	0	0	0	14
6031	360	53° 20'	166° 38'	74	SG	665301	8/10	7	86	36	3	8	125	0
6032	360	53° 20'	166° 55'	50	SG	665301	8/9	7	338	183	21	27	62	0
6033	370	53° 20'	167° 12'	41	SG	675301	8/9	7	0	59	0	10	0	0
6034	530168	53° 20'	168° 36'	44	SG	685303	7/28	7	515	123	18	17	168	0
6035	360	53° 30'	165° 48'	115	SG	655330	7/23	7	15	0	1	0	99	0
6036	360	53° 30'	166° 04'	73	SG	665331	7/23	7	17	116	1	20	180	0
6037	360	53° 30'	166° 21'	64	SG	665331	8/10	7	55	91	4	15	90	0
6038	533167	53° 30'	167° 28'	45	SG	675333	7/27	7	293	170	11	27	7	0
6039	350	53° 40'	164° 38'	191	SG	645331	7/22	7	0	0	0	0	0	21
6040	350	53° 40'	164° 55'	181	SG	645332	7/22	7	0	0	0	0	0	7
6041	350	53° 40'	165° 13'	195	SG	655330	7/22	7	64	0	3	0	0	7
6042	350	53° 40'	165° 30'	89	SG	655330	7/22	7	0	73	0	13	49	0
6043	350	53° 40'	165° 47'	68	SG	655330	7/23	7	15	415	1	67	84	0
6044	360	53° 40'	166° 04'	47	SG	665331	7/23	7	99	414	4	69	0	0
6045	533167	53° 40'	167° 11'	35	SG	675332	7/27	7	1,113	212	45	29	35	0
6046	533167	53° 40'	167° 28'	229	SG	675333	7/27	7	27	22	1	3	63	14
6047	350	53° 50'	163° 48'	49	SG	635330	7/20	7	693	422	42	55	126	42
6048	350	53° 50'	164° 05'	43	SG	645331	7/20	7	1,827	295	94	38	139	42
6049	350	53° 50'	164° 22'	48	SG	645331	7/20	7	361	394	18	59	132	0
6050	350	53° 50'	164° 39'	54	SG	645331	7/21	7	85	269	4	50	97	0
6051	350	53° 50'	164° 56'	62	SG	645332	7/18	7	46	160	3	25	69	0
6052	350	53° 50'	165° 12'	59	SG	655330	7/18	7	16	129	1	22	118	0
6053	350	53° 50'	165° 29'	50	SG	655330	7/17	7	55	306	3	53	166	0
6054	360	53° 50'	165° 46'	41	SG	655330	7/17	7	139	420	8	71	56	0
6055	360	53° 50'	166° 03'	41	SG	665332	8/11	7	526	299	21	50	0	0
6056	360	53° 50'	166° 20'	140	SG	665333	8/11	7	76	159	4	21	126	7
6057	350	54° 00'	164° 06'	41	SG	645401	7/19	7	186	160	8	28	83	0
6058	350	54° 00'	164° 23'	57	SG	645401	7/21	7	35	240	3	50	166	0
6059	350	54° 00'	164° 40'	53	SG	645401	7/21	7	71	279	6	53	62	0
6060	350	54° 00'	164° 57'	44	SG	645408	7/18	7	53	152	1	35	69	0
6061	350	54° 00'	165° 12'	40	SG	655330	7/18	7	1,160	216	36	36	84	0
6062	350	54° 00'	165° 29'	41	SG	655404	7/17	7	33	325	3	59	62	0
6063	350	54° 00'	165° 46'	52	SG	655330	7/17	7	2,475	211	87	36	28	0
6064	350	54° 10'	164° 07'	38	SG	645401	7/19	7	221	144	4	27	180	0
6065	350	54° 10'	164° 25'	49	SG	645401	7/19	7	18	219	1	42	112	0
6066	350	54° 10'	164° 42'	40	SG	645401	7/21	7	343	350	14	62	14	0
Totals:									30,066	14,867	1,495	2,257	5,626	292

¹ Halibut weights listed here are calculated from length-weight tables.² Bycatch numbers extrapolated from 20% subsample.

Vancouver Inside Stations (41)

Station Number	Stat Area	North Latitude	West Longitude	Depth (F)	Purpose Code	DFO Area	Date Fished	Skates	Halibut (lbs)		Halibut (Pcs)		Bycatch (Pcs)	
									Legal	Sub	Legal	Sub	P.Cod	Rockfish
2201	61	48° 19.90'	123° 21.63'		SG	19-3		7	* New station					
2202	61	48° 19.92'	123° 36.66'		SE	20-5		7	* New station					
2203	61	48° 19.93'	123° 51.69'		SG	20-5		7	* New station					
2204	61	48° 19.95'	124° 06.72'		SG	20-4		7	* New station					
2206	61	48° 29.96'	124° 21.71'		SE	20-3		7	* New station					
2207	61	48° 29.97'	124° 36.79'		SG	20-1		7	* New station					
2211	61	48° 49.86'	123° 05.55'		SG	18-1		7	* New station					
2212	61	48° 49.88'	123° 20.73'		SG	18-2		7	* New station					
2215	61	48° 59.87'	123° 20.43'		SG	29-4		7	* New station					
2216	61	48° 59.89'	123° 35.66'		SG	17-3		7	* New station					
2219	61	49° 09.86'	123° 20.17'		SG	29-3		7	* New station					
2220	61	49° 09.88'	123° 35.45'		SG	29-3		7	* New station					
2222	61	49° 19.86'	123° 19.96'		SG	29-3		7	* New station					
2223	61	49° 19.87'	123° 35.30'		SG	29-2		7	* New station					
2224	61	49° 19.89'	123° 50.63'		SG	17-11		7	* New station					
2225	61	49° 19.91'	124° 05.97'		SG	17-11		7	* New station					
2226	61	49° 29.85'	123° 19.81'		SE	28-2		7	* New station					
2227	61	49° 29.90'	124° 05.97'		SG	16-2		7	* New station					
2228	61	49° 29.91'	124° 35.76'		SG	14-5		7	* New station					
2229	61	49° 39.88'	123° 50.58'		SG	16-6		7	* New station					
2230	61	49° 39.90'	124° 35.76'		SG	14-6		7	* New station					
2231	61	49° 39.92'	124° 51.15'		SG	14-9		7	* New station					
2234	61	49° 49.86'	124° 04.83'		SG	16-12		7	* New station					
2235	71	49° 49.88'	124° 51.06'		SG	14-13		7	* New station					
2236	61	49° 49.89'	124° 35.76'		SG	15-1		7	* New station					
2238	71	49° 59.87'	124° 51.06'		SG	15-3		7	* New station					
2239	71	49° 59.89'	125° 05.59'		SG	13-1		7	* New station					
2243	71	50° 19.87'	125° 05.53'		SG	13-18		7	* New station					
2244	71	50° 29.86'	125° 04.56'		SG	13-21		7	* New station					
2245	81	50° 29.90'	126° 21.49'		SG	12-3		7	* New station					
2246	81	50° 29.92'	126° 37.20'		SG	12-3		7	* New station					
2249	81	50° 39.88'	126° 05.72'		SG	12-27		7	* New station					
2250	81	50° 39.90'	126° 37.27'		SE	12-39		7	* New station					
2251	81	50° 39.92'	126° 53.03'		SE	12-6		7	* New station					
2252	81	50° 39.96'	127° 09.53'		SE	12-8		7	* New station					
2254	81	50° 49.95'	127° 09.48'		SG	12-7		7	* New station					
2255	81	50° 49.97'	127° 25.30'		SG	12-9		7	* New station					
2259	81	50° 59.83'	125° 34.02'		SG	12-33		7	* New station					
2260	91	50° 59.98'	127° 41.12'		SG	11-2		7	* New station					
2339	81	50° 51.93'	125° 39.01'		ES	12-31		7	* New station					
2340	81	50° 37.68'	126° 21.23'		ES	12-26		7	* New station					
Totals:									0	0	0	0	0	0

Vancouver Outside Stations (58)

Station Number	Stat Area	North Latitude	West Longitude	Depth (F)	Purpose Code	DFO Area	Date Fished	Skates	Halibut (lbs) ¹		Halibut (Pcs)		Bycatch (Pcs)	
									Legal	Sub	Legal	Sub	P.Cod	Rockfish
2001	60	48° 20'	125° 38'	76	SG	123-9	5/31	7	0	0	0	0	0	0
2002	60	48° 20'	125° 53'	100	SG	123-9	5/31	7	0	0	0	0	0	0
2003	60	48° 30'	125° 23'	79	SG	121-3	5/30	7	370	267	27	29	0	0
2004	60	48° 30'	125° 38'	55	SG	123-8	5/31	7	158	131	10	15	0	0
2005	60	48° 30'	125° 53'	57	SG	123-8	5/31	7	428	75	23	8	0	0
2006	60	48° 30'	126° 08'	107	SG	123-9	6/1	7	0	0	0	0	0	0
2007	60	48° 40'	125° 07'	33	SG	121-2	5/30	7	396	0	13	0	1	1
2008	60	48° 40'	125° 23'	37	SG	123-2	5/30	7	880	150	38	17	0	0
2009	60	48° 40'	125° 38'	68	SG	123-4	6/2	7	49	12	3	1	0	0
2010	60	48° 40'	125° 53'	40	SG	123-8	6/1	7	300	217	15	28	0	0
2011	60	48° 40'	126° 08'	78	SG	124-1	6/1	7	0	14	0	1	0	0
2012	60	48° 50'	125° 37'	25	SG	123-5	6/2	7	417	0	11	0	0	0
2013	60	48° 50'	125° 53'	32	SG	124-1	6/2	7	574	0	14	0	0	0
2014	60	48° 50'	126° 08'	58	SG	124-2	6/3	7	0	76	0	10	3	3
2015	60	48° 50'	126° 23'	90	SG	124-2	6/3	7	197	35	10	4	0	0
2016	60	49° 00'	126° 08'	38	SG	124-3	6/3	7	210	63	8	8	0	0
2017	70	49° 00'	126° 23'	76	SG	124-3	6/3	7	90	59	7	7	0	0
2018	70	49° 00'	126° 38'	83	SG	124-3	6/4	7	0	0	0	0	0	0
2019	70	49° 10'	126° 23'	46	SG	124-3	6/7	7	26	14	1	1	0	0
2020	70	49° 10'	126° 38'	67	SG	124-3	6/4	7	0	104	0	13	0	0
2021	70	49° 10'	126° 53'	95	SG	125-5	6/4	7	15	27	1	3	0	0
2023	70	49° 20'	126° 23'	21	SG	124-3	6/7	7	228	11	8	1	0	0
2024	70	49° 20'	126° 38'	51	SG	125-5	6/7	7	77	40	4	6	0	0
2025	70	49° 20'	126° 53'	76	SG	125-5	6/8	7	0	26	0	3	0	0
2026	70	49° 20'	127° 09'	97	SG	125-5	6/9	7	423	164	29	18	3	3
2027	70	49° 30'	126° 38'	21	SG	125-1	6/8	7	354	0	11	0	0	0
2028	70	49° 30'	126° 53'	48	SG	125-5	6/8	7	31	56	1	8	0	0
2029	70	49° 30'	127° 09'	79	SG	125-5	6/9	7	33	91	3	11	0	0
2030	70	49° 40'	127° 09'	62	SG	125-4	6/9	7	35	226	3	29	3	3
2031	80	49° 40'	127° 24'	91	SG	126-2	6/10	7	274	126	13	15	1	1
2032	80	49° 50'	127° 24'	44	SG	126-1	6/10	7	141	113	10	13	0	0
2033	80	49° 50'	127° 40'	92	SG	126-2	6/10	7	0	34	0	4	0	0
2034	80	50° 00'	127° 40'	45	SG	126-1	6/10	7	475	138	22	17	0	0
2035	80	50° 20'	128° 11'	84	SG	127-2	6/11	7	390	176	24	21	3	3
2037	90	50° 30'	128° 27'	100	SG	127-4	6/11	7	349	34	17	4	0	0
2038	91	50° 40'	128° 28'	48	SG	127-3	6/12	7	179	211	13	28	0	0
2039	90	50° 40'	128° 44'	102	SG	127-4	6/12	7	159	89	7	10	0	0
2040	91	50° 50'	128° 28'	32	SG	111-0	6/12	7	529	108	18	11	0	0
2041	91	51° 00'	127° 57'	60	SG	11-1	6/16	7	664	38	18	6	0	0
2042	91	51° 00'	128° 13'	56	SG	111-0	6/16	7	300	9	15	1	0	0
2043	91	51° 10'	127° 56'	68	SG	10-1	6/16	7	321	261	22	31	0	0
2205	60	48° 20.01'	126° 08.00'		DE	123-9		7	* New Station					
2208	60	48° 29.98'	125° 07.92'		SG	121-2		7	* New Station					
2209	60	48° 39.98'	124° 51.87'		SE	21-0		7	* New Station					
2210	60	48° 40.01'	126° 23.00'		DE	124-2		7	* New Station					
2213	60	48° 49.99'	125° 23.00'		SG	123-3		7	* New Station					
2214	70	48° 50.01'	126° 38.00'		DE	124-2		7	* New Station					
2217	60	48° 59.99'	125° 53.00'		SG	124-1		7	* New Station					
2218	70	49° 00.01'	126° 53.00'		DE	124-4		7	* New Station					
2221	70	49° 09.99'	126° 08.00'		SG	124-3		7	* New Station					
2232	70	49° 39.97'	126° 07.61'		SG	25-1		7	* New Station					
2233	80	49° 40.01'	127° 40.00'		DE	126-2		7	* New Station					
2237	80	49° 49.99'	127° 09.00'		SE	125-3		7	* New Station					
2240	80	50° 00.01'	128° 11.00'		DE	127-2		7	* New Station					
2242	80	50° 09.99'	127° 55.34'		SG	27-4		7	* New Station					
2247	80	50° 29.96'	127° 39.58'		SE	27-7		7	* New Station					
2341	70	49° 38.56'	126° 27.08'		ES	25-3		7	* New Station					
2342	80	50° 27.39'	127° 56.65'		ES	27-2		7	* New Station					
Totals:									9,073	3,194	421	385	14	14

¹ Halibut weights listed here are calculated from length-weight tables.

Washington Stations (83)

Station Number	Stat Area	North Latitude	West Longitude	Depth (F)	Purpose Code	WDFW Area	Date Fished	Skates	Halibut (lbs) ¹		Halibut (Pcs)		Bycatch (Pcs) ²	
									Legal	Sub	Legal	Sub	P. Cod	Rockfish
1043	20	45° 20'	124° 25'	198	SG	61	7/27	8	0	0	0	0	0	7
1044	20	45° 20'	124° 39'	252	SG	61	7/28	8	0	0	0	0	0	0
1045	30	45° 30'	124° 11'	68	SG	61	7/29	8	66	27	4	3	0	0
1046	30	45° 30'	124° 25'	112	SG	61	7/28	8	241	45	16	5	0	0
1047	30	45° 30'	124° 39'	256	SG	61	7/28	8	0	0	0	0	0	0
1048	30	45° 40'	124° 10'	58	SG	61	7/29	8	76	0	4	0	0	0
1049	30	45° 40'	124° 25'	92	SG	61	7/29	8	0	11	0	1	0	0
1050	30	45° 40'	124° 39'	182	SG	61	7/30	8	0	0	0	0	0	13
1051	30	45° 50'	124° 10'	53	SG	61	7/31	8	175	11	8	1	0	0
1052	30	45° 50'	124° 25'	82	SG	61	7/30	8	0	0	0	0	0	0
1053	30	45° 50'	124° 39'	111	SG	61	7/30	8	215	22	11	3	0	0
1054	30	46° 00'	124° 10'	48	SG	61	7/31	8	0	13	0	1	0	0
1055	30	46° 00'	124° 24'	77	SG	61	7/31	8	0	0	0	0	0	0
1056	30	46° 00'	124° 39'	103	SG	61	8/1	8	114	12	7	1	0	0
1057	30	46° 10'	124° 39'	137	SG	61	8/1	8	195	11	11	1	0	20
1058	30	46° 20'	124° 24'	65	SG	60A-2	8/2	8	44	20	1	3	0	0
1059	40	46° 30'	124° 24'	52	SG	60A-2	8/11	8	21	0	1	0	0	0
1060	40	46° 40'	124° 24'	45	SG	60A-2	8/11	8	111	0	7	0	0	0
1061	40	46° 40'	124° 38'	74	SG	60A-2	8/11	8	0	0	0	0	0	0
1062	40	46° 50'	124° 24'	38	SG	60A-2	8/5	8	0	0	0	0	0	0
1063	40	46° 50'	124° 38'	65	SG	60A-2	8/12	8	77	37	5	4	0	0
1064	40	46° 50'	124° 53'	108	SG	60A-2	8/12	8	79	0	5	0	0	0
1065	40	47° 00'	124° 24'	29	SG	60A-1	8/6	8	0	0	0	0	0	0
1066	40	47° 00'	124° 38'	51	SG	60A-1	8/6	8	0	0	0	0	0	0
1067	40	47° 00'	124° 53'	91	SG	60A-1	8/10	8	206	86	11	9	0	0
1068	40	47° 10'	124° 24'	24	SG	60A-1	8/7	8	0	0	0	0	0	0
1069	40	47° 10'	124° 38'	47	SG	60A-1	8/7	8	0	0	0	0	0	0
1070	40	47° 10'	124° 53'	84	SG	60A-1	8/10	8	30	67	1	8	0	0
1071	40	47° 20'	124° 38'	47	SG	59A-2	8/9	8	0	0	0	0	0	0
1072	50	47° 30'	124° 53'	94	SG	59A-2	8/15	8	136	93	8	11	0	0
1073	50	47° 40'	124° 38'	26	SG	59A-2	8/16	8	0	0	0	0	0	0
1074	50	47° 40'	124° 53'	61	SG	59A-2	8/15	8	0	0	0	0	0	0
1075	50	47° 50'	124° 53'	53	SG	59A-1	8/16	8	47	0	3	0	0	0
1076	50	47° 50'	125° 08'	154	SG	59A-1	8/17	8	114	59	7	7	0	0
1077	50	48° 00'	124° 53'	35	SG	59A-1	8/23	8	109	38	5	4	0	0
1078	50	48° 00'	125° 08'	78	SG	59A-1	8/24	8	98	0	5	0	0	0
1079	50	48° 00'	125° 38'	184	SG	58B	8/18	8	34	0	3	0	0	0
1080	50	48° 10'	124° 53'	32	SG	59A-1	8/24	8	133	12	5	1	0	0
1081	50	48° 10'	125° 08'	86	SG	58B	8/25	8	110	0	4	0	0	0
1082	50	48° 10'	125° 23'	61	SG	58B	8/19	8	242	44	11	5	0	0
1083	50	48° 10'	125° 38'	92	SG	58B	8/19	8	129	11	8	1	0	0
1084	50	48° 20'	125° 23'	66	SG	58B	8/19	8	251	36	15	4	0	0
1107	30	46° 10'	124° 10'	31	SG	61	8/2	8	36	0	1	0	0	0
1108	30	46° 10'	124° 24'	67	SG	61	8/1	8	39	0	3	0	0	0
1115	50	47° 30'	124° 38'	36	SG	59A-2	8/8	8	0	0	0	0	0	0
1126	50	48° 19'	124° 23'	33	SG	23C	8/20	8	82	0	3	0	0	0
1509	50	48° 05'	125° 16'	129	DG	58B	8/26	8	246	140	13	16	0	0
1513	50	48° 15'	125° 16'	65	DG	58B	8/29	8	512	111	27	12	0	0
1515	50	48° 15'	125° 31'	76	DG	58B	8/28	8	49	14	3	1	0	0
1517	50	48° 20'	124° 53'	112	SG	59A-1	8/22	8	179	0	8	0	0	0
1519	50	48° 20'	125° 08'	72	SG	58B	8/25	8	65	50	4	5	0	0
1522	50	48° 25'	125° 01'	117	DG	58B	8/22	8	71	0	3	0	0	0
1525	50	48° 30'	124° 53'	61	SG	58B	8/22	8	15	0	1	0	0	0
1527	50	48° 08'	125° 19'	79	RI	58B	8/26	3	97	0	5	0	0	0
1528	50	48° 08'	125° 23'	62	RI	58B	8/26	3	87	48	4	5	0	0
1529	50	48° 08'	125° 27'	67	RI	58B	8/26	3	36	12	2	2	0	0
1530	50	48° 10'	125° 19'	99	RI	58B	8/29	3	127	7	5	1	2	2
1531	50	48° 10'	125° 27'	67	RI	58B	8/28	3	21	6	2	1	0	0
1532	50	48° 13'	125° 19'	71	RI	58B	8/29	3	11	0	1	0	1	1
1533	50	48° 13'	125° 23'	58	RI	58B	8/28	3	0	27	0	4	0	0
1534	50	48° 13'	125° 27'	71	RI	58B	8/28	3	17	13	2	2	6	6
1874	40	46° 55'	124° 46'	79	DG	60A-1	8/12	8	31	17	1	3	0	0
1875	40	46° 55'	124° 31'	45	DG	60A-1	8/5	8	0	0	0	0	0	0
1876	40	46° 55'	124° 17'	22	DG	60A-1	8/5	8	0	0	0	0	0	0
1877	40	47° 05'	124° 46'	67	DG	60A-1	8/10	8	0	0	0	0	0	0
1878	40	47° 05'	124° 31'	38	DG	60A-1	8/6	8	0	0	0	0	0	0
1879	40	47° 15'	125° 00'	247	DG	60A-1	8/9	8	53	0	1	0	0	0
1880	40	47° 15'	124° 46'	73	DG	60A-1	8/9	8	18	0	1	0	0	0
1881	40	47° 15'	124° 31'	32	DG	60A-1	8/7	8	0	0	0	0	0	0
1882	50	47° 25'	124° 46'	70	DG	59A-2	8/8	8	458	151	24	21	0	0
1883	50	47° 25'	124° 31'	25	DG	59A-2	8/8	8	0	0	0	0	0	0
1884	50	47° 35'	125° 00'	100	DG	59A-2	8/15	8	67	10	4	1	0	0
1885	50	47° 35'	124° 46'	50	DG	59A-2	8/15	8	0	0	0	0	0	0
1886	50	47° 45'	125° 01'	79	DG	59A-1	8/17	8	0	0	0	0	0	0
1887	50	47° 45'	124° 46'	40	DG	59A-1	8/16	8	0	0	0	0	0	0
1888	50	47° 55'	125° 31'	227	DG	58B	8/18	8	174	0	9	0	0	0
1889	50	47° 55'	125° 16'	184	DG	59A-1	8/17	8	578	13	27	1	0	0
1890	50	47° 55'	125° 01'	63	DG	59A-1	8/23	8	117	49	7	7	1	1
1891	50	47° 55'	124° 46'	22	DG	59A-1	8/23	8	304	0	13	0	0	0
1892	50	48° 05'	125° 31'	81	DG	58B	8/18	8	412	41	19	4	0	0
1894	50	48° 05'	125° 01'	119	DG	59A-1	8/24	8	88	0	5	0	0	0
1897	50	48° 15'	125° 01'	189	DG	59A-1	8/25	8	20	0	1	0	0	0
1899	50	48° 25'	124° 45'	114	DG	59B	8/20	8	** Ineffective Station (Gear Issues)					
Totals:									7,063	1,367	364	162	10	50

¹ Halibut weights listed here are calculated from length-weight tables.² Stations 1043-1058, 1107, and 1108 bycatch numbers extrapolated from 20% subsample.

Yakutat Stations (51)

Station Number	Stat Area	North Latitude	West Longitude	Depth (F)	Purpose Code	ADFG Area	Date Fished	Skates	Halibut (lbs) ¹		Halibut (Pcs)		Bycatch (Pcs) ²	
									Legal	Sub	Legal	Sub	P.Cod	Rockfish
4051	200	58° 50'	140° 20'	101	SG	405830	7/3	7	2,530	232	104	27	21	0
4052	200	58° 50'	140° 40'	107	SG	405830	7/3	7	2,934	390	119	50	0	0
4053	200	59° 00'	140° 01'	74	SG	405900	7/23	7	1,494	272	46	38	0	21
4054	200	59° 00'	140° 20'	84	SG	405900	7/3	7	1,288	219	48	28	7	0
4055	200	59° 00'	140° 39'	98	SG	405900	7/3	7	2,664	460	108	55	7	7
4056	200	59° 00'	140° 59'	106	SG	405900	7/4	7	1,264	299	69	39	0	0
4057	200	59° 10'	139° 41'	73	SG	395901	7/13	7	210	151	8	18	0	0
4058	200	59° 10'	140° 00'	64	SG	405900	7/9	7	699	701	29	99	0	0
4059	200	59° 10'	140° 20'	71	SG	405900	7/9	7	2,325	448	76	67	0	0
4060	200	59° 10'	140° 39'	82	SG	405900	7/5	7	954	265	39	34	0	0
4061	200	59° 10'	140° 59'	99	SG	405900	7/4	7	3,301	382	126	45	0	7
4062	200	59° 10'	141° 18'	188	SG	415900	7/4	7	1,455	86	69	10	0	0
4063	210	59° 10'	141° 38'	120	SG	415900	7/6	7	4,559	432	288	48	0	7
4064	200	59° 20'	139° 40'	83	SG	395901	7/13	7	45	0	1	0	0	0
4065	200	59° 20'	140° 00'	88	SG	405900	7/12	7	0	0	0	0	0	0
4066	200	59° 20'	140° 20'	70	SG	405900	7/9	7	872	274	32	38	0	0
4067	200	59° 20'	140° 39'	78	SG	405900	7/5	7	1,345	320	49	42	7	0
4068	200	59° 20'	140° 59'	88	SG	405900	7/5	7	1,323	385	66	50	0	0
4069	210	59° 20'	141° 18'	183	SG	415900	7/5	7	710	73	36	8	0	0
4070	210	59° 20'	141° 38'	104	SG	415900	7/6	7	1,228	141	55	17	0	0
4071	210	59° 20'	141° 58'	119	SG	415900	7/6	7	2,404	504	136	57	0	0
4072	200	59° 30'	140° 00'	62	SG	405933	7/12	7	0	0	0	0	0	0
4073	200	59° 30'	140° 19'	125	SG	405933	7/8	7	103	13	3	1	0	7
4074	200	59° 30'	140° 39'	153	SG	405933	7/8	7	324	40	17	4	0	7
4075	200	59° 30'	140° 59'	162	SG	405933	7/8	7	1,008	71	45	7	0	14
4076	210	59° 30'	141° 19'	91	SG	415931	7/14	7	103	19	3	3	0	0
4077	210	59° 30'	141° 38'	89	SG	415931	7/7	7	107	0	3	0	0	0
4078	210	59° 30'	141° 58'	97	SG	415931	7/7	7	589	34	20	4	0	0
4079	200	59° 40'	139° 59'	80	SG	395931	7/12	7	671	74	18	8	55	0
4080	210	59° 40'	140° 59'	30	SG	405933	7/14	7	41	25	3	3	0	0
4081	210	59° 40'	141° 19'	37	SG	415931	7/14	7	48	0	3	0	0	0
4082	210	59° 40'	141° 38'	51	SG	415931	7/7	7	43	10	1	1	0	0
4083	210	59° 40'	141° 58'	80	SG	415931	7/7	7	33	0	1	0	0	0
4084	210	59° 40'	142° 18'	120	SG	425931	7/18	7	1,152	86	60	10	0	0
4085	210	59° 40'	142° 38'	214	SG	425931	7/18	7	527	60	25	7	0	21
4086	220	59° 40'	142° 58'	111	SG	425931	7/15	7	3,091	212	143	24	0	0
4087	220	59° 40'	143° 17'	149	SG	435931	7/15	7	1,724	44	63	6	0	14
4088	220	59° 40'	143° 37'	81	SG	435931	7/16	7	1,864	74	71	10	0	0
4089	220	59° 40'	143° 57'	70	SG	435931	7/16	7	1,673	0	52	0	0	7
4090	220	59° 40'	144° 17'	90	SG	445931	7/17	7	361	33	17	4	0	0
4091	220	59° 40'	144° 37'	80	SG	445931	7/17	7	134	36	7	4	0	0
4092	210	59° 50'	141° 59'	38	SG	415931	7/22	7	517	34	13	4	0	0
4093	210	59° 50'	142° 18'	48	SG	425931	7/18	7	1,764	36	57	4	0	0
4094	210	59° 50'	142° 38'	91	SG	425931	7/18	7	460	38	15	4	0	0
4095	220	59° 50'	142° 58'	95	SG	425931	7/15	7	2,315	38	84	4	0	0
4096	220	59° 50'	143° 18'	122	SG	435931	7/15	7	761	104	31	11	0	0
4097	220	59° 50'	143° 38'	154	SG	435931	7/16	7	432	22	21	3	0	35
4098	220	59° 50'	143° 58'	52	SG	435931	7/16	7	521	159	24	18	0	0
4099	220	59° 50'	144° 18'	35	SG	445931	7/17	7	1,453	474	57	70	14	0
4100	210	60° 00'	142° 39'	43	SG	426002	7/22	7	1,192	56	35	10	0	0
4101	220	60° 00'	142° 59'	62	SG	426002	7/22	7	653	8	20	1	0	0
Totals:									57,268	7,836	2,415	997	110	146

¹ Halibut weights listed here are calculated from length-weight tables.² Bycatch numbers extrapolated from 20% subsample.