



Station Tables

2023 FISS Projections

Washington Stations (24)

| Station Number | IPHC Stat Area | North Latitude | West Longitude | Depth (F) | Purpose Code | WDFW Area | Date Fished ³ | Skates | Pacific halibut (lb) ¹ | | Pacific halibut (pieces) | | Byproduct (pieces) | |
|----------------|----------------|----------------|----------------|-----------|--------------|-----------|--------------------------|--------|-----------------------------------|--------------|--------------------------|------------|--------------------------|-----------------------|
| | | | | | | | | | O32 | U32 | O32 | U32 | Pacific Cod ² | Rockfish ² |
| 1072 | 50 | 47° 30' | 124° 53' | 91 | SG | 59A-2 | 6/12 | 6 | 52 | 53 | 5 | 6 | 0 | 15 |
| 1073 | 50 | 47° 40' | 124° 38' | 25 | SG | 59A-2 | 6/12 | 6 | 552 | 29 | 24 | 5 | 0 | 0 |
| 1074 | 50 | 47° 40' | 124° 53' | 61 | SG | 59A-2 | 6/2 | 6 | 234 | 209 | 17 | 35 | 0 | 0 |
| 1075 | 50 | 47° 50' | 124° 53' | 52 | SG | 59A-1 | 6/2 | 6 | 398 | 213 | 30 | 32 | 7 | 0 |
| 1076 | 50 | 47° 50' | 125° 08' | 156 | SG | 59A-1 | 6/2 | 6 | 131 | 13 | 8 | 2 | 0 | 0 |
| 1077 | 50 | 48° 00' | 124° 53' | 35 | SG | 59A-1 | 6/1 | 6 | 357 | 288 | 24 | 42 | 0 | 7 |
| 1078 | 50 | 48° 00' | 125° 08' | 78 | SG | 59A-1 | 6/1 | 6 | 656 | 493 | 54 | 62 | 0 | 0 |
| 1079 | 50 | 48° 00' | 125° 38' | 185 | SG | 58B | 6/8 | 6 | 159 | 0 | 8 | 0 | 0 | 0 |
| 1080 | 50 | 48° 10' | 124° 53' | 31 | SG | 59A-1 | 6/1 | 6 | 131 | 97 | 11 | 14 | 0 | 0 |
| 1081 | 50 | 48° 10' | 125° 08' | 76 | SG | 58B | 6/3 | 6 | 596 | 128 | 36 | 17 | 0 | 0 |
| 1082 | 50 | 48° 10' | 125° 23' | 62 | SG | 58B | 6/3 | 6 | 416 | 415 | 26 | 53 | 0 | 24 |
| 1083 | 50 | 48° 10' | 125° 38' | 94 | SG | 58B | 6/8 | 6 | 1,147 | 179 | 89 | 21 | 0 | 15 |
| 1084 | 50 | 48° 20' | 125° 23' | 66 | SG | 58B | 6/8 | 6 | 75 | 34 | 5 | 5 | 0 | 0 |
| 1517 | 50 | 48° 20' | 124° 53' | 109 | SG | 59A-1 | 6/11 | 6 | 271 | 0 | 9 | 0 | 0 | 0 |
| 1519 | 50 | 48° 20' | 125° 08' | 71 | SG | 58B | 6/11 | 6 | 353 | 70 | 21 | 8 | 0 | 0 |
| 1525 | 50 | 48° 30' | 124° 53' | 51 | SG | 58B | 6/11 | 6 | 70 | 30 | 3 | 5 | 0 | 0 |
| 1527 | 50 | 48° 08' | 125° 19' | 78 | RI | 58B | 6/7 | 4 | 116 | 90 | 8 | 12 | 1 | 17 |
| 1528 | 50 | 48° 08' | 125° 23' | 62 | RI | 58B | 6/7 | 4 | 131 | 197 | 9 | 25 | 0 | 25 |
| 1529 | 50 | 48° 08' | 125° 27' | 68 | RI | 58B | 6/7 | 4 | 212 | 74 | 9 | 10 | 0 | 30 |
| 1530 | 50 | 48° 10' | 125° 19' | 100 | RI | 58B | 6/7 | 4 | 69 | 12 | 5 | 2 | 0 | 4 |
| 1531 | 50 | 48° 10' | 125° 27' | 68 | RI | 58B | 6/6 | 4 | 304 | 141 | 20 | 17 | 0 | 55 |
| 1532 | 50 | 48° 13' | 125° 19' | 73 | RI | 58B | 6/6 | 4 | 0 | 16 | 0 | 2 | 0 | 0 |
| 1533 | 50 | 48° 13' | 125° 23' | 58 | RI | 58B | 6/6 | 4 | 221 | 180 | 15 | 25 | 0 | 2 |
| 1534 | 50 | 48° 13' | 125° 27' | 71 | RI | 58B | 6/6 | 4 | 46 | 35 | 4 | 5 | 0 | 4 |
| Totals | | | | | | | | | 6,695 | 2,996 | 436 | 400 | 8 | 198 |

¹ Pacific halibut weights determined by using best net weight available.

² Pacific cod and rockfish numbers extrapolated from 20% subsample.

³ Data for stations from 2022 FISS.



Station Tables

2023 FISS Projections
Vancouver Outside Stations (58)

| Station Number | IPHC Stat Area | North Latitude | West Longitude | Depth (F) | DFO Area | Date Fished ³ | Skates | Pacific halibut (lb) ¹ | | Pacific halibut (pieces) | | Byproduct (pieces) | |
|----------------|----------------|----------------|----------------|-----------|----------|--------------------------|--------|-----------------------------------|--------------|--------------------------|------------|--------------------------|-----------------------|
| | | | | | | | | O32 | U32 | O32 | U32 | Pacific Cod ² | Rockfish ² |
| 2001 | 60 | 48° 20' | 125° 38' | 76 | 123-9 | 7/30 | 8 | 50 | 0 | 2 | 0 | 0 | 5 |
| 2002 | 60 | 48° 20' | 125° 53' | 195 | 123-9 | 6/1 | 8 | 0 | 0 | 0 | 0 | 0 | 0 ³ |
| 2003 | 60 | 48° 30' | 125° 23' | 74 | 121-3 | 7/31 | 8 | 47 | 0 | 3 | 0 | 0 | 0 |
| 2004 | 60 | 48° 30' | 125° 38' | 55 | 123-8 | 7/30 | 8 | 182 | 82 | 9 | 10 | 0 | 0 |
| 2005 | 60 | 48° 30' | 125° 53' | 58 | 123-8 | 7/30 | 8 | 53 | 30 | 2 | 4 | 0 | 15 |
| 2006 | 60 | 48° 30' | 126° 08' | 107 | 123-9 | 7/29 | 8 | 25 | 0 | 1 | 0 | 0 | 5 |
| 2007 | 60 | 48° 40' | 125° 07' | 34 | 121-2 | 7/31 | 8 | 568 | 91 | 25 | 12 | 0 | 25 |
| 2008 | 60 | 48° 40' | 125° 23' | 34 | 123-2 | 7/26 | 8 | 1,772 | 315 | 69 | 44 | 0 | 25 |
| 2009 | 60 | 48° 40' | 125° 38' | 55 | 123-4 | 7/26 | 8 | 268 | 82 | 14 | 9 | 0 | 0 |
| 2010 | 60 | 48° 40' | 125° 53' | 40 | 123-8 | 6/1 | 8 | 130 | 458 | 10 | 64 | 0 | 0 ³ |
| 2011 | 60 | 48° 40' | 126° 08' | 77 | 124-1 | 6/1 | 8 | 0 | 17 | 0 | 2 | 0 | 0 ³ |
| 2012 | 60 | 48° 50' | 125° 37' | 24 | 123-5 | 5/31 | 8 | 2,487 | 95 | 74 | 12 | 0 | 20 ³ |
| 2013 | 60 | 48° 50' | 125° 53' | 32 | 124-1 | 7/25 | 8 | 1,341 | 53 | 48 | 6 | 0 | 5 |
| 2014 | 60 | 48° 50' | 126° 08' | 55 | 124-2 | 5/31 | 8 | 54 | 297 | 4 | 38 | 0 | 0 ³ |
| 2015 | 60 | 48° 50' | 126° 23' | 95 | 124-2 | 7/29 | 8 | 145 | 8 | 8 | 1 | 5 | 5 |
| 2016 | 60 | 49° 00' | 126° 08' | 37 | 124-3 | 5/31 | 8 | 299 | 44 | 14 | 6 | 0 | 0 ³ |
| 2017 | 70 | 49° 00' | 126° 23' | 75 | 124-2 | 6/2 | 8 | 0 | 88 | 0 | 12 | 0 | 0 ³ |
| 2018 | 70 | 49° 00' | 126° 38' | 127 | 124-2 | 6/4 | 8 | 352 | 70 | 20 | 8 | 0 | 0 ³ |
| 2019 | 70 | 49° 10' | 126° 23' | 46 | 124-3 | 6/2 | 8 | 0 | 87 | 0 | 12 | 0 | 0 ³ |
| 2020 | 70 | 49° 10' | 126° 38' | 68 | 124-3 | 6/4 | 8 | 146 | 112 | 12 | 16 | 10 | 0 ³ |
| 2021 | 70 | 49° 10' | 126° 53' | 93 | 125-5 | 7/24 | 8 | 129 | 85 | 8 | 10 | 0 | 0 |
| 2023 | 70 | 49° 20' | 126° 23' | 21 | 124-3 | 6/2 | 8 | 167 | 54 | 6 | 6 | 0 | 0 ^{3,4} |
| 2024 | 70 | 49° 20' | 126° 38' | 53 | 125-5 | 7/24 | 8 | 73 | 93 | 6 | 14 | 0 | 0 ⁵ |
| 2025 | 70 | 49° 20' | 126° 53' | 72 | 125-5 | 7/24 | 8 | 473 | 602 | 37 | 74 | 0 | 0 |
| 2026 | 70 | 49° 20' | 127° 09' | 99 | 125-5 | 6/5 | 8 | 280 | 0 | 12 | 0 | 0 | 0 ³ |
| 2027 | 70 | 49° 30' | 126° 38' | 22 | 125-1 | 6/3 | 8 | 74 | 64 | 6 | 8 | 0 | 0 ³ |
| 2028 | 70 | 49° 30' | 126° 53' | 53 | 125-5 | 7/23 | 8 | 35 | 79 | 3 | 12 | 0 | 0 |
| 2029 | 70 | 49° 30' | 127° 09' | 79 | 125-5 | 6/5 | 8 | 41 | 204 | 4 | 26 | 0 | 0 ³ |
| 2030 | 70 | 49° 40' | 127° 09' | 64 | 125-4 | 7/23 | 8 | 122 | 417 | 8 | 54 | 0 | 0 |
| 2031 | 80 | 49° 40' | 127° 24' | 93 | 126-2 | 7/23 | 8 | 810 | 562 | 50 | 73 | 0 | 25 |
| 2032 | 80 | 49° 50' | 127° 24' | 42 | 126-1 | 7/22 | 8 | 953 | 391 | 41 | 51 | 0 | 0 |
| 2033 | 80 | 49° 50' | 127° 40' | 93 | 126-2 | 6/5 | 8 | 21 | 92 | 2 | 10 | 0 | 0 ³ |
| 2034 | 80 | 50° 00' | 127° 40' | 47 | 126-1 | 7/22 | 8 | 651 | 298 | 35 | 43 | 0 | 30 ⁴ |
| 2035 | 80 | 50° 20' | 128° 11' | 88 | 127-2 | 7/21 | 8 | 943 | 363 | 71 | 40 | 0 | 74 |
| 2037 | 90 | 50° 30' | 128° 27' | 102 | 127-2 | 6/6 | 8 | 817 | 137 | 26 | 16 | 0 | 19 ³ |
| 2038 | 90 | 50° 40' | 128° 28' | 51 | 127-3 | 7/20 | 8 | 240 | 381 | 18 | 54 | 0 | 0 |
| 2039 | 90 | 50° 40' | 128° 44' | 108 | 127-4 | 7/20 | 8 | 134 | 47 | 5 | 6 | 0 | 50 |
| 2040 | 91 | 50° 50' | 128° 28' | 34 | 111-0 | 6/10 | 8 | 900 | 198 | 44 | 26 | 0 | 10 ³ |
| 2041 | 91 | 51° 00' | 127° 57' | 59 | 11-1 | 6/10 | 8 | 58 | 24 | 2 | 4 | 0 | 0 ³ |
| 2042 | 91 | 51° 00' | 128° 13' | 55 | 111-0 | 6/10 | 8 | 0 | 11 | 0 | 2 | 0 | 0 ³ |
| 2043 | 91 | 51° 10' | 127° 56' | 69 | 10-1 | 7/17 | 8 | 110 | 155 | 7 | 20 | 0 | 0 |
| 2205 | 60 | 48° 20' | 126° 08' | 298 | 123-9 | 6/1 | 8 | 0 | 0 | 0 | 0 | 0 | 20 ³ |
| 2208 | 60 | 48° 30' | 125° 08' | 73 | 121-2 | 7/31 | 8 | 15 | 0 | 1 | 0 | 0 | 0 |
| 2209 | 60 | 48° 40' | 124° 52' | 15 | 21-0 | 5/30 | 8 | 163 | 0 | 6 | 0 | 0 | 0 ³ |
| 2210 | 60 | 48° 40' | 126° 23' | 257 | 124-2 | 7/29 | 8 | 0 | 0 | 0 | 0 | 0 | 59 |
| 2213 | 60 | 48° 50' | 125° 23' | 42 | 123-3 | 7/26 | 8 | 315 | 0 | 12 | 0 | 0 | 0 |
| 2214 | 70 | 48° 50' | 126° 38' | 256 | 124-2 | 6/4 | 8 | 23 | 0 | 2 | 0 | 0 | 60 ³ |
| 2217 | 60 | 48° 60' | 125° 53' | 23 | 124-1 | 7/25 | 8 | 407 | 7 | 13 | 1 | 0 | 5 |
| 2218 | 70 | 49° 00' | 126° 53' | 315 | 124-4 | 6/4 | 8 | 0 | 0 | 0 | 0 | 0 | 0 ³ |
| 2221 | 70 | 49° 10' | 126° 08' | 24 | 124-3 | 6/2 | 8 | 1,034 | 0 | 42 | 0 | 0 | 10 ³ |
| 2232 | 70 | 49° 40' | 126° 08' | 189 | 25-1 | 6/3 | 8 | 0 | 0 | 0 | 0 | 0 | 0 ³ |
| 2233 | 80 | 49° 40' | 127° 40' | 334 | 126-2 | 6/5 | 8 | 0 | 0 | 0 | 0 | 0 | 20 ³ |
| 2237 | 80 | 49° 50' | 127° 09' | 28 | 125-3 | 7/22 | 8 | 468 | 105 | 21 | 14 | 0 | 0 |
| 2242 | 80 | 50° 10' | 127° 55' | 35 | 27-4 | 7/21 | 8 | 1,148 | 295 | 47 | 39 | 0 | 45 |
| 2247 | 80 | 50° 30' | 127° 40' | 63 | 27-7 | 6/6 | 8 | 49 | 14 | 4 | 2 | 0 | 0 ³ |
| 2248 | 80 | 50° 30' | 128° 11' | 39 | 127-1 | 7/21 | 8 | 644 | 179 | 27 | 24 | 0 | 134 |
| 2256 | 81 | 50° 50' | 127° 41' | 135 | 12-15 | 7/18 | 8 | 173 | 0 | 3 | 0 | 0 | 25 |
| 2257 | 91 | 50° 50' | 128° 44' | 39 | 111-0 | 7/8 | 8 | 923 | 200 | 40 | 25 | 0 | 0 |
| Totals | | | | | | | | 20,314 | 6,985 | 924 | 910 | 15 | 690 |

¹ Pacific halibut weights determined by using best net weight available.

² Pacific cod and rockfish numbers extrapolated from 20% subsample.

³ Data for stations from 2021 FISS; all other station data from 2022 FISS.

⁴ Near closed area

⁵ On border of closed area (RCA)



Station Tables

2023 FISS Projections
Goose Is. Stations (56)

| Station Number | IPHC Stat Area | North Latitude | West Longitude | Depth (F) | DFO Area | Date Fished ³ | Skates | Pacific halibut (lb) ¹ | | Pacific halibut (pieces) | | Byproduct (pieces) | |
|----------------|----------------|----------------|----------------|-----------|----------|--------------------------|------------------|-----------------------------------|---------------|--------------------------|--------------|--------------------------|-----------------------|
| | | | | | | | | O32 | U32 | O32 | U32 | Pacific Cod ² | Rockfish ² |
| 2044 | 90 | 50° 50' | 129° 00' | 48 | 127-4 | 7/8 | 8 | 1,324 | 241 | 46 | 36 | 0 | 45 |
| 2045 | 90 | 50° 50' | 129° 16' | 61 | 127-4 | 7/8 | 8 | 812 | 118 | 29 | 17 | 0 | 139 |
| 2046 | 91 | 51° 00' | 128° 28' | 51 | 111-0 | 8/13 | 8 | 360 | 174 | 12 | 23 | 0 | 25 ³ |
| 2047 | 91 | 51° 00' | 128° 44' | 35 | 111-0 | 8/13 | 8 | 1,205 | 181 | 49 | 23 | 0 | 0 ³ |
| 2048 | 91 | 51° 00' | 129° 00' | 44 | 111-0 | 8/14 | 8 | 191 | 241 | 13 | 29 | 0 | 0 ³ |
| 2049 | 90 | 51° 00' | 129° 16' | 86 | 111-0 | 8/22 | 8 | 54 | 36 | 2 | 4 | 0 | 20 ³ |
| 2050 | 90 | 51° 00' | 129° 32' | 132 | 130-1 | 7/7 | 8 | 202 | 32 | 9 | 4 | 0 | 139 |
| 2051 | 91 | 51° 10' | 128° 12' | 58 | 111-0 | 7/12 | 8 | 686 | 118 | 21 | 14 | 0 | 20 |
| 2052 | 91 | 51° 10' | 128° 28' | 105 | 111-0 | 7/12 | 8 | 318 | 220 | 25 | 28 | 0 | 0 |
| 2053 | 91 | 51° 10' | 128° 44' | 53 | 111-0 | 8/9 | 8 | 109 | 1,163 | 9 | 171 | 0 | 0 ³ |
| 2054 | 91 | 51° 10' | 129° 00' | 75 | 111-0 | 7/6 | 8 | 655 | 671 | 48 | 85 | 0 | 5 ³ |
| 2055 | 91 | 51° 10' | 129° 16' | 145 | 111-0 | 8/24 | 8 | 373 | 14 | 15 | 3 | 0 | 40 ³ |
| 2056 | 100 | 51° 10' | 129° 32' | 156 | 111-0 | 8/28 | 8 | 73 | 7 | 3 | 1 | 0 | 0 ³ |
| 2057 | 91 | 51° 20' | 127° 55' | 66 | 10-1 | 7/17 | 8 | 603 | 75 | 19 | 11 | 0 | 69 ³ |
| 2058 | 91 | 51° 20' | 128° 11' | 49 | 110-0 | 6/3 | Ineffective (DS) | 26 | 125 | 3 | 19 | 0 | 0 ³ |
| 2059 | 91 | 51° 20' | 128° 27' | 81 | 110-0 | 7/12 | 8 | 402 | 418 | 32 | 49 | 0 | 0 |
| 2060 | 91 | 51° 20' | 128° 43' | 108 | 110-0 | 8/9 | 8 | 1,152 | 94 | 70 | 11 | 5 | 45 ³ |
| 2061 | 91 | 51° 20' | 128° 59' | 128 | 110-0 | 7/6 | 8 | 401 | 138 | 28 | 16 | 0 | 15 ⁴ |
| 2062 | 91 | 51° 20' | 129° 15' | 128 | 110-0 | 8/24 | 8 | 388 | 152 | 23 | 17 | 0 | 10 ^{3,4} |
| 2063 | 102 | 51° 20' | 129° 31' | 107 | 110-0 | 7/5 | 8 | 549 | 60 | 23 | 8 | 0 | 64 |
| 2064 | 102 | 51° 20' | 129° 47' | 132 | 110-0 | 7/4 | 8 | 170 | 29 | 8 | 4 | 0 | 35 |
| 2065 | 91 | 51° 30' | 128° 11' | 47 | 108-1 | 6/3 | 8 | 725 | 223 | 23 | 30 | 0 | 64 ^{3,6} |
| 2066 | 91 | 51° 30' | 128° 27' | 98 | 108-1 | 6/3 | 8 | 282 | 199 | 16 | 24 | 5 | 15 ³ |
| 2067 | 91 | 51° 30' | 128° 43' | 47 | 108-1 | 7/6 | 8 | 389 | 354 | 24 | 46 | 0 | 5 |
| 2068 | 102 | 51° 30' | 128° 59' | 23 | 108-1 | 8/23 | 8 | 1,384 | 187 | 40 | 23 | 0 | 0 ³ |
| 2069 | 102 | 51° 30' | 129° 15' | 28 | 108-1 | 7/5 | 8 | 2,207 | 662 | 87 | 85 | 0 | 10 |
| 2070 | 102 | 51° 30' | 129° 31' | 54 | 108-1 | 7/5 | 8 | 4,027 | 404 | 130 | 50 | 0 | 79 |
| 2071 | 102 | 51° 30' | 129° 47' | 91 | 108-2 | 6/7 | 8 | 1,189 | 101 | 46 | 12 | 0 | 79 ³ |
| 2072 | 102 | 51° 30' | 130° 03' | 161 | 108-2 | 7/4 | 8 | 555 | 10 | 22 | 1 | 0 | 40 |
| 2073 | 91 | 51° 40' | 128° 26' | 79 | 108-1 | 6/2 | 8 | 123 | 107 | 9 | 14 | 0 | 0 ³ |
| 2074 | 102 | 51° 40' | 128° 59' | 28 | 108-1 | 8/26 | 8 | 642 | 463 | 38 | 60 | 0 | 0 ³ |
| 2075 | 102 | 51° 40' | 129° 15' | 32 | 108-2 | 7/3 | 8 | 180 | 459 | 11 | 63 | 0 | 0 |
| 2076 | 102 | 51° 40' | 129° 31' | 56 | 108-2 | 7/3 | 8 | 96 | 365 | 8 | 48 | 0 | 0 |
| 2077 | 102 | 51° 40' | 129° 47' | 118 | 108-2 | 7/3 | 8 | 789 | 157 | 39 | 18 | 0 | 30 |
| 2078 | 91 | 51° 50' | 128° 26' | 52 | 7-26 | 7/13 | 8 | 517 | 489 | 26 | 70 | 0 | 45 ⁶ |
| 2079 | 102 | 51° 50' | 128° 42' | 53 | 107-2 | 7/13 | 8 | 188 | 825 | 15 | 119 | 0 | 0 |
| 2080 | 102 | 51° 50' | 128° 58' | 41 | 107-2 | 7/13 | 8 | 2,245 | 1,237 | 112 | 152 | 0 | 35 |
| 2081 | 102 | 51° 50' | 129° 14' | 65 | 107-2 | 8/8 | 8 | 307 | 716 | 20 | 89 | 0 | 10 ³ |
| 2082 | 102 | 51° 50' | 129° 31' | 138 | 107-2 | 8/8 | 8 | 58 | 7 | 2 | 1 | 0 | 59 ^{3,5} |
| 2083 | 102 | 52° 00' | 128° 42' | 88 | 107-2 | 6/26 | 8 | 708 | 628 | 49 | 73 | 0 | 0 ³ |
| 2084 | 102 | 52° 00' | 128° 58' | 71 | 107-2 | 7/2 | 8 | 828 | 1,253 | 49 | 153 | 0 | 15 |
| 2085 | 102 | 52° 00' | 129° 14' | 94 | 107-2 | 7/2 | 8 | 460 | 126 | 33 | 16 | 0 | 15 ⁴ |
| 2086 | 102 | 52° 10' | 128° 41' | 116 | 7-1 | 7/2 | 8 | 140 | 0 | 7 | 0 | 0 | 79 |
| 2258 | 90 | 50° 50' | 129° 32' | 115 | 127-4 | 7/7 | 8 | 1,432 | 47 | 56 | 6 | 0 | 183 |
| 2261 | 100 | 50° 60' | 129° 48' | 274 | 130-1 | 8/28 | 8 | 60 | 0 | 2 | 0 | 0 | 69 ³ |
| 2262 | 100 | 51° 10' | 130° 03' | 278 | 130-1 | 8/27 | 8 | 57 | 0 | 2 | 0 | 0 | 94 ³ |
| 2263 | 100 | 51° 10' | 129° 47' | 220 | 130-1 | 7/7 | 8 | 321 | 0 | 13 | 0 | 0 | 84 |
| 2264 | 92 | 51° 20' | 127° 39' | 66 | 10-4 | 6/4 | 8 | 310 | 9 | 7 | 1 | 0 | 20 ^{3,6} |
| 2265 | 100 | 51° 20' | 130° 03' | 167 | 130-2 | 7/4 | 8 | 1,392 | 13 | 57 | 2 | 5 | 0 |
| 2266 | 92 | 51° 40' | 127° 23' | 135 | 9-6 | 7/16 | 8 | 106 | 0 | 3 | 0 | 0 | 0 |
| 2267 | 92 | 51° 40' | 127° 55' | 184 | 8-16 | 7/15 | 8 | 555 | 58 | 32 | 6 | 0 | 0 |
| 2268 | 91 | 51° 40' | 128° 11' | 42 | 8-1 | 6/2 | 8 | 620 | 208 | 25 | 31 | 0 | 10 ³ |
| 2269 | 102 | 51° 40' | 128° 43' | 19 | 108-1 | 8/17 | 8 | 824 | 33 | 19 | 3 | 0 | 0 ³ |
| 2270 | 92 | 51° 50' | 127° 55' | 175 | 8-4 | 7/15 | 8 | 457 | 18 | 24 | 2 | 0 | 0 |
| 2272 | 92 | 52° 10' | 126° 50' | 138 | 8-12 | 7/14 | 8 | 364 | 0 | 7 | 0 | 0 | 20 |
| 2275 | 92 | 52° 20' | 127° 06' | 132 | 8-15 | 7/14 | 8 | 185 | 0 | 4 | 0 | 0 | 15 |
| Totals | | | | | | | | 34,773 | 13,662 | 1,544 | 1,771 | 15 | 1,742 |

¹ Pacific halibut weights determined by using best net weight available.
² Pacific cod and rockfish numbers extrapolated from 20% subsample.
³ Data for stations from 2021 FISS; all other station data from 2022 FISS.
⁴ Inside closed area (Hecate MPA)
⁵ Near closed area (Hecate MPA)
⁶ Near/on border of closed area (RCA)



Station Tables

2023 FISS Projections
St. James Stations (60)

| Station Number | IPHC Stat Area | North Latitude | West Longitude | Depth (F) | DFO Area | Date Fished ³ | Skates | Pacific halibut (lb) ¹ | | Pacific halibut (pieces) | | Byproduct (pieces) | |
|----------------|----------------|----------------|----------------|-----------|----------|--------------------------|--------|-----------------------------------|--------------|--------------------------|--------------|--------------------------|-----------------------|
| | | | | | | | | O32 | U32 | O32 | U32 | Pacific Cod ² | Rockfish ² |
| 2087 | 102 | 51° 40' | 130° 03' | 194 | 108-2 | 6/18 | 8 | 10 | 12 | 1 | 2 | 0 | 0 |
| 2088 | 102 | 51° 40' | 130° 19' | 141 | 108-2 | 7/23 | 8 | 1,505 | 77 | 56 | 8 | 0 | 40 |
| 2089 | 102 | 51° 50' | 129° 47' | 140 | 107-2 | 6/15 | 8 | 112 | 0 | 6 | 0 | 0 | 20 |
| 2090 | 102 | 51° 50' | 130° 03' | 99 | 102-3 | 7/23 | 8 | 1,540 | 129 | 68 | 14 | 0 | 140 |
| 2091 | 102 | 51° 50' | 130° 19' | 116 | 102-3 | 6/19 | 8 | 838 | 83 | 33 | 10 | 0 | 64 |
| 2092 | 102 | 51° 50' | 130° 35' | 157 | 102-3 | 6/19 | 8 | 372 | 71 | 17 | 10 | 0 | 10 |
| 2093 | 112 | 51° 50' | 130° 52' | 105 | 130-3 | 7/24 | 8 | 1,745 | 55 | 50 | 8 | 0 | 213 |
| 2094 | 102 | 51° 59' | 129° 26' | 117 | 107-2 | 7/5 | 8 | 16 | 0 | 1 | 0 | 0 | 61 |
| 2095 | 102 | 52° 00' | 129° 47' | 61 | 107-2 | 7/23 | 8 | 1,050 | 386 | 41 | 53 | 0 | 98 |
| 2096 | 102 | 52° 00' | 130° 03' | 76 | 102-3 | 7/22 | 8 | 736 | 607 | 33 | 86 | 0 | 25 |
| 2097 | 102 | 52° 00' | 130° 19' | 190 | 102-3 | 7/24 | 8 | 367 | 4 | 8 | 1 | 0 | 5 |
| 2098 | 112 | 52° 00' | 130° 35' | 144 | 102-3 | 7/24 | 8 | 1,078 | 80 | 40 | 9 | 5 | 15 |
| 2099 | 112 | 52° 00' | 130° 52' | 96 | 102-3 | 7/27 | 8 | 199 | 107 | 11 | 13 | 0 | 25 |
| 2100 | 102 | 52° 10' | 128° 57' | 88 | 107-1 | 7/15 | 8 | 595 | 214 | 28 | 26 | 25 | 69 |
| 2101 | 102 | 52° 10' | 129° 14' | 93 | 107-1 | 6/11 | 8 | 106 | 92 | 7 | 12 | 0 | 0 |
| 2102 | 102 | 52° 10' | 129° 30' | 91 | 107-1 | 7/15 | 8 | 854 | 164 | 36 | 19 | 20 | 5 |
| 2103 | 102 | 52° 10' | 129° 46' | 114 | 107-1 | 7/22 | 8 | 314 | 35 | 17 | 4 | 0 | 35 |
| 2104 | 102 | 52° 10' | 130° 03' | 94 | 102-2 | 7/22 | 8 | 463 | 249 | 31 | 32 | 0 | 64 |
| 2105 | 112 | 52° 10' | 130° 19' | 226 | 102-2 | 6/22 | 8 | 49 | 0 | 1 | 0 | 0 | 15 |
| 2106 | 112 | 52° 10' | 130° 35' | 107 | 102-2 | 7/10 | 8 | 715 | 23 | 34 | 3 | 0 | 30 |
| 2107 | 112 | 52° 10' | 130° 52' | 87 | 102-2 | 7/27 | 8 | 609 | 51 | 24 | 6 | 0 | 170 |
| 2108 | 102 | 52° 20' | 129° 13' | 74 | 106-2 | 6/14 | 8 | 692 | 1,107 | 55 | 141 | 35 | 10 |
| 2109 | 102 | 52° 20' | 129° 30' | 74 | 106-2 | 7/16 | 8 | 1,127 | 297 | 43 | 34 | 5 | 10 |
| 2110 | 102 | 52° 20' | 129° 46' | 106 | 106-2 | 6/13 | 8 | 538 | 641 | 33 | 84 | 10 | 25 |
| 2111 | 112 | 52° 20' | 130° 03' | 125 | 106-2 | 7/21 | 8 | 508 | 116 | 24 | 15 | 5 | 35 |
| 2112 | 112 | 52° 20' | 130° 19' | 188 | 102-2 | 7/10 | 8 | 75 | 0 | 2 | 0 | 0 | 10 |
| 2113 | 112 | 52° 20' | 130° 35' | 91 | 102-2 | 7/10 | 8 | 522 | 37 | 16 | 5 | 15 | 5 |
| 2114 | 112 | 52° 20' | 130° 52' | 78 | 102-2 | 7/9 | 8 | 555 | 295 | 33 | 37 | 0 | 10 |
| 2115 | 102 | 52° 30' | 129° 32' | 50 | 106-2 | 6/12 | 8 | 1,249 | 536 | 44 | 70 | 0 | 10 |
| 2116 | 102 | 52° 32' | 129° 47' | 83 | 106-2 | 7/17 | 8 | 2,461 | 727 | 117 | 85 | 30 | 35 |
| 2117 | 112 | 52° 30' | 130° 02' | 147 | 106-2 | 7/11 | 8 | 232 | 8 | 12 | 1 | 0 | 10 |
| 2118 | 112 | 52° 30' | 130° 19' | 145 | 106-2 | 7/21 | 8 | 304 | 9 | 12 | 1 | 0 | 54 |
| 2119 | 112 | 52° 30' | 130° 35' | 65 | 102-2 | 7/18 | 8 | 766 | 226 | 24 | 28 | 0 | 85 |
| 2120 | 112 | 52° 30' | 130° 52' | 58 | 102-2 | 7/9 | 8 | 2,332 | 533 | 94 | 71 | 5 | 40 |
| 2121 | 112 | 52° 40' | 129° 46' | 94 | 106-2 | 7/17 | 8 | 1,061 | 58 | 41 | 6 | 10 | 114 |
| 2122 | 112 | 52° 40' | 130° 02' | 145 | 106-2 | 7/11 | 8 | 110 | 0 | 5 | 0 | 0 | 15 |
| 2123 | 112 | 52° 40' | 130° 19' | 120 | 106-2 | 7/18 | 8 | 477 | 0 | 21 | 0 | 0 | 61 |
| 2124 | 112 | 52° 40' | 130° 35' | 80 | 102-2 | 7/18 | 8 | 326 | 136 | 20 | 16 | 0 | 60 |
| 2125 | 112 | 52° 50' | 130° 02' | 141 | 106-2 | 7/7 | 8 | 33 | 0 | 2 | 0 | 0 | 45 |
| 2126 | 112 | 52° 50' | 130° 19' | 115 | 106-2 | 7/7 | 8 | 278 | 17 | 14 | 2 | 0 | 0 |
| 2127 | 112 | 53° 00' | 129° 45' | 120 | 106-1 | 7/13 | 8 | 103 | 29 | 5 | 3 | 0 | 25 |
| 2128 | 112 | 53° 00' | 130° 02' | 96 | 106-1 | 7/7 | 8 | 546 | 190 | 29 | 23 | 0 | 30 |
| 2271 | 110 | 51° 60' | 131° 08' | 27 | 142-1 | 7/25 | 8 | 1,767 | 146 | 48 | 19 | 0 | 50 |
| 2273 | 110 | 52° 10' | 131° 08' | 16 | 2-18 | 7/26 | 8 | 530 | 10 | 12 | 1 | 0 | 0 |
| 2274 | 110 | 52° 10' | 131° 25' | 104 | 142-1 | 7/25 | 8 | 1,190 | 106 | 30 | 13 | 0 | 212 |
| 2276 | 102 | 52° 20' | 128° 57' | 26 | 106-2 | 6/11 | 8 | 1,228 | 357 | 55 | 47 | 0 | 20 |
| 2277 | 112 | 52° 20' | 131° 08' | 47 | 2-14 | 7/26 | 8 | 1,923 | 36 | 38 | 4 | 0 | 13 |
| 2278 | 102 | 52° 30' | 129° 13' | 55 | 106-2 | 7/16 | 8 | 592 | 98 | 29 | 13 | 15 | 65 |
| 2279 | 103 | 52° 40' | 128° 57' | 53 | 6-16 | 7/14 | 8 | 74 | 67 | 5 | 9 | 0 | 10 |
| 2280 | 102 | 52° 40' | 129° 16' | 64 | 6-13 | 6/12 | 8 | 796 | 238 | 36 | 31 | 0 | 0 |
| 2283 | 103 | 52° 50' | 129° 13' | 60 | 6-11 | 7/14 | 8 | 570 | 321 | 37 | 44 | 0 | 0 |
| 2284 | 112 | 52° 50' | 129° 29' | 106 | 106-2 | 7/2 | 8 | 669 | 11 | 26 | 2 | 0 | 64 |
| 2286 | 112 | 52° 50' | 129° 46' | 67 | 106-2 | 7/4 | 8 | 928 | 434 | 34 | 59 | 5 | 58 |
| 2291 | 114 | 52° 60' | 129° 28' | 40 | 6-10 | 7/14 | 8 | 801 | 112 | 31 | 14 | 0 | 0 |
| 2294 | 103 | 53° 10' | 128° 38' | 141 | 6-20 | 7/11 | 8 | 97 | 0 | 3 | 0 | 0 | 35 |
| 2298 | 114 | 53° 10' | 129° 45' | 57 | 6-9 | 7/13 | 8 | 831 | 8 | 19 | 1 | 10 | 30 |
| 2301 | 114 | 53° 20' | 128° 55' | 221 | 6-3 | 7/11 | 8 | 776 | 0 | 27 | 0 | 0 | 20 |
| 2303 | 114 | 53° 20' | 129° 12' | 256 | 6-6 | 7/12 | 8 | 275 | 10 | 9 | 2 | 0 | 0 |
| 2306 | 114 | 53° 20' | 129° 45' | 110 | 5-17 | 7/13 | 8 | 276 | 0 | 6 | 0 | 0 | 0 |
| 2307 | 114 | 53° 30' | 129° 12' | 194 | 6-2 | 7/12 | 8 | 299 | 0 | 9 | 0 | 0 | 20 |
| Totals | | | | | | | | 41,190 | 9,356 | 1,644 | 1,197 | 194 | 2,388 |

¹ Pacific halibut weights determined by using best net weight available.

² Pacific cod and rockfish numbers extrapolated from 20% subsample.

³ Data for stations from 2021 FISS; all other station data from 2022 FISS.

⁴ Data for stations from 2016 FISS.

⁵ Avoid closed area.

⁶ Near closed area (RCA).

⁷ Inside closed area (Hecate MPA).



Station Tables

2023 FISS Projections

Charlotte Stations (45) 1 of 2

| Station Number | IPHC Stat Area | North Latitude | West Longitude | Depth (F) | DFO Area | Date Fished ³ | Skates | Pacific halibut (lb) ¹ | | Pacific halibut (pieces) | | Byproduct (pieces) | |
|----------------|----------------|----------------|----------------|-----------|----------|--------------------------|------------------|-----------------------------------|---------------|--------------------------|--------------|--------------------------|-----------------------|
| | | | | | | | | O32 | U32 | O32 | U32 | Pacific Cod ² | Rockfish ² |
| 2129 | 112 | 52° 30' | 131° 08' | 54 | 102-2 | 6/18 | 8 | 495 | 173 | 32 | 21 | 5 | 30 ⁴ |
| 2130 | 112 | 52° 30' | 131° 25' | 66 | 2-12 | 6/18 | 8 | 483 | 0 | 20 | 0 | 0 | 25 ⁵ |
| 2131 | 112 | 52° 40' | 130° 52' | 52 | 102-2 | 6/17 | 8 | 1,031 | 531 | 42 | 71 | 0 | 5 |
| 2132 | 112 | 52° 40' | 131° 08' | 41 | 102-2 | 6/18 | 8 | 579 | 262 | 30 | 37 | 0 | 0 |
| 2133 | 112 | 52° 50' | 130° 35' | 62 | 106-2 | 6/16 | 8 | 256 | 177 | 19 | 23 | 0 | 20 |
| 2134 | 112 | 52° 50' | 130° 52' | 29 | 102-2 | 6/17 | 8 | 152 | 114 | 9 | 15 | 0 | 0 |
| 2135 | 112 | 53° 00' | 130° 18' | 116 | 106-1 | 6/16 | 8 | 219 | 23 | 13 | 3 | 0 | 104 |
| 2136 | 112 | 53° 00' | 130° 35' | 51 | 106-1 | 6/16 | 8 | 309 | 678 | 23 | 95 | 5 | 0 |
| 2137 | 112 | 53° 10' | 130° 18' | 88 | 105-2 | 6/15 | 8 | 205 | 63 | 14 | 10 | 0 | 84 ⁶ |
| 2138 | 121 | 53° 10' | 130° 35' | 102 | 105-2 | 7/18 | 8 | 147 | 61 | 9 | 7 | 0 | 8 ⁶ |
| 2139 | 121 | 53° 10' | 130° 52' | 58 | 105-2 | 5/30 | 8 | 158 | 166 | 10 | 21 | 5 | 0 |
| 2140 | 121 | 53° 20' | 130° 18' | 60 | 5-22 | 6/15 | 8 | 1,110 | 256 | 55 | 32 | 5 | 15 |
| 2141 | 121 | 53° 20' | 130° 35' | 55 | 105-2 | 6/15 | 8 | 844 | 419 | 39 | 53 | 15 | 10 |
| 2142 | 121 | 53° 20' | 130° 52' | 56 | 105-2 | 5/30 | 8 | 830 | 921 | 66 | 120 | 25 | 0 ⁶ |
| 2143 | 130 | 53° 20' | 132° 49' | 77 | 142-2 | 7/27 | 8 | 921 | 357 | 31 | 53 | 0 | 149 ³ |
| 2144 | 130 | 53° 20' | 133° 06' | 117 | 142-2 | 6/25 | 8 | 998 | 36 | 29 | 4 | 0 | 75 |
| 2145 | 121 | 53° 30' | 130° 52' | 51 | 105-1 | 5/29 | 8 | 311 | 675 | 21 | 95 | 10 | 0 |
| 2146 | 130 | 53° 30' | 133° 06' | 184 | 142-2 | 6/25 | 8 | 318 | 40 | 11 | 5 | 0 | 153 |
| 2147 | 133 | 53° 40' | 130° 35' | 26 | 5-11 | 5/29 | 8 | 77 | 198 | 6 | 28 | 0 | 0 |
| 2148 | 121 | 53° 40' | 130° 52' | 25 | 105-1 | 5/29 | 8 | 627 | 388 | 35 | 57 | 0 | 0 |
| 2149 | 130 | 53° 40' | 133° 07' | 81 | 142-2 | 6/25 | 8 | 784 | 724 | 38 | 96 | 0 | 115 |
| 2150 | 121 | 53° 50' | 130° 52' | 47 | 105-1 | 5/28 | 8 | 215 | 452 | 12 | 67 | 30 | 0 |
| 2151 | 130 | 54° 00' | 133° 25' | 39 | 101-1 | 6/27 | 8 | 2,084 | 869 | 106 | 111 | 0 | 45 |
| 2152 | 134 | 54° 10' | 130° 35' | 58 | 4-9 | 6/21 | 8 | 294 | 92 | 10 | 12 | 0 | 0 ⁵ |
| 2153 | 132 | 54° 10' | 132° 00' | 41 | 101-7 | 6/6 | 8 | 60 | 736 | 5 | 122 | 0 | 0 |
| 2154 | 132 | 54° 10' | 132° 17' | 53 | 101-7 | 6/29 | 8 | 157 | 651 | 14 | 94 | 10 | 0 |
| 2155 | 132 | 54° 10' | 132° 34' | 44 | 101-7 | 6/29 | 8 | 917 | 887 | 27 | 149 | 10 | 0 |
| 2156 | 130 | 54° 10' | 133° 09' | 36 | 101-2 | 7/29 | 8 | 1,950 | 757 | 68 | 100 | 0 | 30 ³ |
| 2157 | 131 | 54° 10' | 133° 26' | 217 | 101-2 | 7/31 | 8 | 387 | 50 | 16 | 6 | 0 | 30 ³ |
| 2158 | 134 | 54° 20' | 130° 35' | 54 | 4-9 | 6/21 | 8 | 369 | 206 | 16 | 28 | 0 | 25 |
| 2159 | 133 | 54° 20' | 131° 09' | 34 | 104-2 | 6/12 | 8 | 570 | 1,412 | 42 | 183 | 15 | 0 |
| 2160 | 133 | 54° 20' | 131° 26' | 95 | 101-10 | 6/7 | Ineffective (DO) | 290 | 321 | 23 | 39 | 5 | 64 |
| 2161 | 132 | 54° 20' | 131° 43' | 104 | 101-10 | 6/6 | Ineffective (DO) | 226 | 261 | 16 | 31 | 0 | 0 |
| 2162 | 132 | 54° 20' | 132° 01' | 136 | 101-6 | 6/6 | Ineffective (DO) | 43 | 14 | 2 | 2 | 0 | 20 |
| 2163 | 132 | 54° 20' | 132° 18' | 116 | 101-6 | 6/29 | 8 | 1,025 | 34 | 37 | 5 | 0 | 5 |
| 2164 | 132 | 54° 20' | 132° 35' | 145 | 101-6 | 6/28 | 8 | 471 | 19 | 16 | 3 | 0 | 45 |
| 2165 | 132 | 54° 20' | 132° 52' | 188 | 101-6 | 7/13 | 8 | 854 | 27 | 17 | 4 | 0 | 25 ³ |
| 2166 | 135 | 54° 20' | 133° 09' | 252 | 101-3 | 6/24 | 8 | 462 | 26 | 12 | 3 | 0 | 15 |
| 2167 | 131 | 54° 20' | 133° 26' | 128 | 101-3 | 6/24 | 8 | 1,354 | 134 | 47 | 19 | 0 | 99 |
| 2168 | 131 | 54° 20' | 133° 43' | 136 | 101-3 | 6/24 | 8 | 726 | 212 | 35 | 27 | 10 | 0 |
| 2169 | 134 | 54° 30' | 130° 35' | 66 | 4-5 | 6/11 | 8 | 579 | 722 | 32 | 102 | 0 | 0 |
| 2170 | 133 | 54° 30' | 131° 09' | 76 | 103-0 | 6/8 | 8 | 535 | 198 | 36 | 25 | 0 | 0 |
| 2171 | 133 | 54° 30' | 131° 26' | 61 | 101-9 | 6/7 | 8 | 1,382 | 876 | 63 | 109 | 15 | 64 |
| 2172 | 132 | 54° 30' | 131° 44' | 186 | 101-9 | 6/7 | 8 | 146 | 9 | 10 | 1 | 0 | 5 |
| 2285 | 121 | 52° 50' | 131° 25' | 62 | 102-2 | 6/19 | 8 | 841 | 10 | 14 | 1 | 0 | 74 |
| Totals | | | | | | | | 26,789 | 15,237 | 1,228 | 2,089 | 164 | 1,338 |

¹ Pacific halibut weights determined by using best net weight available.

² Pacific cod and rockfish numbers extrapolated from 20% subsample.

³ Data for stations from 2021 FISS; all other station data from 2022 FISS.

⁴ Avoid closed area.

⁵ Near closed area (RCA).

⁶ Inside closed area (Hecate MPA).



Station Tables

2023 FISS Projections

Charlotte Stations (44) 2 of 2

| Station Number | IPHC Stat Area | North Latitude | West Longitude | Depth (F) | DFO/ADFG Area | Date Fished ³ | Skates | Pacific halibut (lb) ¹ | | Pacific halibut (pieces) | | Byproduct (pieces) | |
|----------------|----------------|----------------|----------------|-----------|---------------|--------------------------|--------|-----------------------------------|--------------|--------------------------|------------|--------------------------|-----------------------|
| | | | | | | | | O32 | U32 | O32 | U32 | Pacific Cod ² | Rockfish ² |
| 2287 | 112 | 52° 50' | 131° 08' | 16 | 102-2 | 6/17 | 8 | 332 | 50 | 9 | 5 | 0 | 20 |
| 2288 | 121 | 52° 60' | 131° 25' | 11 | 102-2 | 6/19 | 8 | 1,147 | 7 | 25 | 1 | 0 | 0 |
| 2289 | 121 | 52° 60' | 131° 09' | 15 | 102-2 | 6/19 | 8 | 108 | 6 | 5 | 1 | 0 | 5 |
| 2290 | 120 | 52° 60' | 132° 16' | 99 | 2-53 | 6/26 | 8 | 791 | 51 | 28 | 7 | 0 | 5 |
| 2292 | 121 | 52° 60' | 130° 52' | 22 | 102-2 | 8/5 | 8 | 1,841 | 553 | 79 | 70 | 0 | 5 ³ |
| 2293 | 120 | 52° 60' | 132° 32' | 109 | 142-2 | 6/26 | 8 | 634 | 209 | 37 | 29 | 0 | 25 ⁴ |
| 2295 | 121 | 53° 10' | 131° 41' | 10 | 102-2 | 5/31 | 8 | 547 | 20 | 11 | 2 | 0 | 0 |
| 2296 | 121 | 53° 10' | 131° 25' | 13 | 102-2 | 6/10 | 8 | 548 | 0 | 18 | 0 | 0 | 0 ³ |
| 2297 | 121 | 53° 10' | 131° 09' | 18 | 102-2 | 5/30 | 8 | 580 | 28 | 17 | 3 | 0 | 10 |
| 2299 | 112 | 53° 10' | 130° 02' | 52 | 106-1 | 7/9 | 8 | 2,114 | 123 | 90 | 17 | 17 | 6 ^{3,6} |
| 2302 | 121 | 53° 20' | 131° 42' | 10 | 102-1 | 5/31 | 8 | 241 | 8 | 4 | 1 | 0 | 0 |
| 2304 | 121 | 53° 20' | 131° 25' | 15 | 102-1 | 5/31 | 8 | 651 | 40 | 15 | 5 | 0 | 0 |
| 2305 | 121 | 53° 20' | 131° 09' | 18 | 105-2 | 6/25 | 8 | 1,964 | 169 | 55 | 20 | 0 | 5 ³ |
| 2308 | 121 | 53° 30' | 131° 42' | 13 | 102-1 | 6/11 | 8 | 135 | 0 | 5 | 0 | 0 | 0 ³ |
| 2309 | 121 | 53° 30' | 131° 26' | 15 | 102-1 | 6/1 | 8 | 334 | 0 | 9 | 0 | 0 | 0 |
| 2311 | 121 | 53° 30' | 131° 09' | 21 | 105-1 | 6/1 | 8 | 946 | 142 | 32 | 20 | 0 | 0 |
| 2312 | 121 | 53° 40' | 131° 26' | 12 | 102-1 | 6/2 | 8 | 816 | 10 | 20 | 1 | 0 | 0 |
| 2313 | 121 | 53° 40' | 131° 09' | 25 | 105-1 | 6/1 | 8 | 688 | 143 | 26 | 18 | 0 | 0 |
| 2314 | 133 | 53° 40' | 131° 43' | 12 | 102-1 | 6/2 | 8 | 596 | 0 | 18 | 0 | 0 | 0 |
| 2315 | 122 | 53° 50' | 130° 01' | 96 | 5-23 | 6/20 | 8 | 55 | 0 | 2 | 0 | 0 | 0 |
| 2316 | 133 | 53° 50' | 131° 26' | 12 | 102-1 | 6/21 | 8 | 180 | 9 | 7 | 1 | 0 | 0 ³ |
| 2317 | 122 | 53° 50' | 130° 18' | 117 | 5-2 | 6/20 | 8 | 273 | 0 | 10 | 0 | 0 | 0 |
| 2318 | 133 | 53° 50' | 131° 09' | 25 | 105-1 | 5/28 | 8 | 957 | 358 | 49 | 45 | 0 | 0 |
| 2320 | 133 | 53° 50' | 131° 43' | 7 | 102-1 | 6/2 | 8 | 226 | 24 | 10 | 3 | 0 | 0 |
| 2321 | 130 | 53° 50' | 133° 25' | 144 | 101-1 | 6/27 | 8 | 1,314 | 192 | 64 | 23 | 0 | 5 |
| 2322 | 133 | 53° 60' | 131° 09' | 20 | 104-3 | 6/3 | 8 | 309 | 369 | 22 | 53 | 5 | 0 |
| 2323 | 130 | 53° 60' | 133° 08' | 20 | 1-1 | 6/27 | 8 | 1,811 | 124 | 50 | 13 | 0 | 40 |
| 2324 | 133 | 53° 60' | 130° 52' | 38 | 104-3 | 5/28 | 8 | 205 | 417 | 10 | 60 | 0 | 0 ⁶ |
| 2326 | 132 | 54° 10' | 132° 52' | 24 | 1-7 | 7/13 | 8 | 155 | 410 | 11 | 70 | 0 | 0 ³ |
| 2327 | 133 | 54° 10' | 130° 52' | 46 | 4-2 | 6/12 | 8 | 396 | 729 | 33 | 94 | 0 | 15 |
| 2328 | 133 | 54° 10' | 131° 09' | 18 | 104-2 | 6/3 | 8 | 747 | 532 | 43 | 76 | 0 | 0 |
| 2329 | 133 | 54° 10' | 131° 26' | 12 | 104-5 | 6/3 | 8 | 755 | 147 | 33 | 18 | 0 | 0 |
| 2330 | 131 | 54° 10' | 133° 43' | 153 | 101-2 | 7/30 | 8 | 2,008 | 147 | 86 | 17 | 0 | 20 ³ |
| 2331 | 134 | 54° 20' | 130° 18' | 29 | 4-10 | 6/21 | 8 | 74 | 0 | 2 | 0 | 0 | 0 |
| 2332 | 134 | 54° 20' | 130° 52' | 67 | 4-1 | 6/12 | 8 | 772 | 175 | 38 | 23 | 5 | 40 ⁵ |
| 2333 | 134 | 54° 30' | 130° 52' | 86 | 4-1 | 6/11 | 8 | 592 | 94 | 23 | 13 | 0 | 20 |
| 2334 | 134 | 54° 40' | 130° 35' | 134 | 3-3 | 6/11 | 8 | 591 | 94 | 26 | 11 | 0 | 10 |
| 2335 | 134 | 54° 60' | 130° 00' | 53 | 3-12 | 6/10 | 8 | 153 | 0 | 5 | 0 | 0 | 0 |
| 2343 | 133 | 53° 60' | 131° 26' | 11 | 102- | 6/21 | 8 | 251 | 9 | 11 | 1 | 0 | 0 ³ |
| 3005 | 142 | 54° 30' | 133° 10' | 112 | 335431 | 6/28 | 8 | 1,007 | 129 | 39 | 15 | 0 | 79 |
| 3008 | 142 | 54° 40' | 130° 50' | 164 | 305431 | 6/8 | 8 | 619 | 47 | 25 | 8 | 0 | 0 |
| 3009 | 142 | 54° 40' | 131° 08' | 123 | 315432 | 6/8 | 8 | 155 | 33 | 11 | 5 | 0 | 0 |
| 3204 | 142 | 54° 60' | 130° 15' | 87 | 305431 | 6/10 | 8 | 365 | 0 | 10 | 0 | 0 | 0 |
| 3210 | 142 | 55° 20' | 130° 00' | 148 | 305503 | 6/9 | 8 | 19 | 34 | 1 | 4 | 0 | 0 |
| Totals | | | | | | | | 29,004 | 5,634 | 1,124 | 753 | 27 | 309 |

¹ Pacific halibut weights determined by using best net weight available.

² Pacific cod and rockfish numbers extrapolated from 20% subsample.

³ Data for stations from 2021 FISS; all other station data from 2022 FISS.

⁴ Do not set Seacat at station 2293.

⁵ Near closed area (Hecate MPA).

⁶ On border of closed area (RCA).



Station Tables

2023 FISS Projections

Ketchikan Stations (43)

| Station Number | IPHC Stat Area | North Latitude | West Longitude | Depth (F) | ADFG Area | Date Fished ³ | Skates | Pacific halibut (lb) ¹ | | Pacific halibut (pieces) | | Byproduct (pieces) | |
|----------------|----------------|----------------|----------------|-----------|-----------|--------------------------|--------|-----------------------------------|--------------|--------------------------|------------|--------------------------|-----------------------|
| | | | | | | | | O32 | U32 | O32 | U32 | Pacific Cod ² | Rockfish ² |
| 3001 | 142 | 54° 30' | 132° 01' | 149 | 325431 | 8/9 | 8 | 514 | 4 | 13 | 1 | 0 | 30 |
| 3002 | 142 | 54° 30' | 132° 18' | 196 | 325431 | 7/30 | 8 | 570 | 7 | 17 | 1 | 0 | 20 ³ |
| 3003 | 142 | 54° 30' | 132° 35' | 206 | 325431 | 8/8 | 8 | 30 | 0 | 1 | 0 | 0 | 20 |
| 3004 | 142 | 54° 30' | 132° 52' | 207 | 325434 | 8/8 | 8 | 281 | 0 | 5 | 0 | 0 | 20 |
| 3006 | 140 | 54° 30' | 133° 27' | 170 | 335431 | 7/20 | 8 | 891 | 21 | 20 | 3 | 0 | 10 ³ |
| 3007 | 140 | 54° 30' | 133° 44' | 139 | 335431 | 7/20 | 8 | 1,354 | 168 | 43 | 21 | 5 | 5 ³ |
| 3010 | 142 | 54° 40' | 131° 25' | 120 | 315431 | 7/27 | 8 | 265 | 22 | 10 | 3 | 0 | 10 ³ |
| 3011 | 142 | 54° 40' | 131° 42' | 223 | 315431 | 8/9 | 8 | 214 | 0 | 9 | 0 | 0 | 0 |
| 3012 | 142 | 54° 40' | 131° 59' | 97 | 315431 | 8/9 | 8 | 816 | 21 | 23 | 3 | 10 | 40 |
| 3013 | 142 | 54° 40' | 132° 17' | 61 | 325431 | 7/30 | 8 | 1,307 | 518 | 44 | 67 | 24 | 53 ³ |
| 3014 | 142 | 54° 40' | 132° 34' | 97 | 325431 | 7/29 | 8 | 1,257 | 342 | 46 | 43 | 20 | 34 ³ |
| 3015 | 141 | 54° 40' | 132° 51' | 75 | 325432 | 7/28 | 8 | 1,110 | 142 | 33 | 19 | 10 | 58 ³ |
| 3016 | 141 | 54° 40' | 133° 09' | 121 | 335431 | 8/7 | 8 | 822 | 19 | 22 | 2 | 10 | 94 |
| 3017 | 141 | 54° 40' | 133° 26' | 149 | 335431 | 7/21 | 8 | 1,317 | 60 | 32 | 11 | 10 | 40 ³ |
| 3018 | 140 | 54° 40' | 133° 43' | 134 | 335431 | 7/20 | 8 | 1,639 | 52 | 43 | 8 | 10 | 30 ³ |
| 3019 | 140 | 54° 40' | 134° 00' | 123 | 345430 | 7/19 | 8 | 863 | 145 | 39 | 19 | 30 | 45 ³ |
| 3020 | 142 | 54° 50' | 131° 07' | 134 | 315432 | 7/27 | 8 | 416 | 36 | 16 | 5 | 5 | 0 ³ |
| 3021 | 142 | 54° 50' | 131° 42' | 222 | 315432 | 7/31 | 8 | 244 | 0 | 11 | 0 | 0 | 0 ³ |
| 3022 | 144 | 54° 50' | 132° 34' | 176 | 325433 | 7/23 | 8 | 229 | 8 | 9 | 1 | 5 | 20 |
| 3023 | 141 | 54° 50' | 133° 09' | 105 | 335431 | 8/7 | 8 | 678 | 38 | 26 | 7 | 10 | 74 |
| 3024 | 141 | 54° 50' | 133° 26' | 65 | 335431 | 8/7 | 8 | 204 | 465 | 9 | 87 | 15 | 20 |
| 3025 | 140 | 54° 50' | 133° 43' | 73 | 335431 | 7/21 | 8 | 2,093 | 353 | 67 | 47 | 35 | 69 ³ |
| 3026 | 140 | 54° 50' | 134° 01' | 105 | 345430 | 7/19 | 8 | 1,280 | 73 | 42 | 9 | 5 | 5 ³ |
| 3027 | 143 | 55° 00' | 131° 06' | 130 | 315501 | 5/30 | 8 | 1,081 | 141 | 45 | 18 | 0 | 10 |
| 3028 | 143 | 55° 00' | 131° 41' | 112 | 315502 | 5/31 | 8 | 530 | 182 | 31 | 26 | 5 | 64 |
| 3029 | 141 | 55° 00' | 133° 26' | 48 | 335502 | 7/22 | 8 | 1,254 | 396 | 49 | 59 | 0 | 79 ³ |
| 3030 | 140 | 55° 00' | 133° 43' | 57 | 335501 | 7/22 | 8 | 915 | 620 | 25 | 105 | 10 | 0 ³ |
| 3031 | 143 | 55° 10' | 131° 06' | 89 | 315501 | 5/30 | 8 | 799 | 124 | 23 | 16 | 10 | 30 |
| 3032 | 143 | 55° 10' | 131° 41' | 72 | 315502 | 8/6 | 8 | 680 | 71 | 14 | 9 | 0 | 69 ³ |
| 3034 | 141 | 55° 10' | 133° 26' | 38 | 335504 | 7/24 | 8 | 3,191 | 199 | 85 | 25 | 0 | 74 |
| 3035 | 143 | 55° 20' | 131° 58' | 218 | 315502 | 8/5 | 8 | 52 | 12 | 3 | 1 | 0 | 0 ³ |
| 3036 | 143 | 55° 29' | 131° 58' | 139 | 315502 | 6/1 | 8 | 220 | 39 | 9 | 6 | 10 | 35 |
| 3037 | 153 | 55° 40' | 132° 15' | 158 | 325531 | 6/1 | 8 | 831 | 76 | 28 | 10 | 0 | 5 |
| 3039 | 153 | 55° 50' | 132° 15' | 107 | 325532 | 6/2 | 8 | 1,000 | 24 | 29 | 4 | 5 | 10 |
| 3040 | 153 | 56° 00' | 132° 32' | 119 | 325602 | 6/2 | 8 | 1,044 | 86 | 29 | 11 | 10 | 20 |
| 3042 | 153 | 56° 11' | 132° 50' | 89 | 325602 | 6/3 | 8 | 902 | 84 | 32 | 11 | 10 | 25 |
| 3201 | 140 | 54° 30' | 134° 00' | 136 | 345430 | 7/19 | 8 | 1,367 | 48 | 56 | 6 | 5 | 84 ³ |
| 3202 | 142 | 54° 50' | 131° 25' | 20 | 315432 | 7/27 | 8 | 1,989 | 328 | 49 | 43 | 0 | 30 ³ |
| 3205 | 144 | 54° 60' | 132° 52' | 81 | 325433 | 7/23 | 8 | 1,086 | 9 | 27 | 2 | 10 | 74 |
| 3206 | 143 | 54° 60' | 131° 58' | 212 | 315432 | 5/31 | 8 | 22 | 0 | 2 | 0 | 0 | 5 |
| 3207 | 143 | 54° 60' | 131° 24' | 30 | 315432 | 5/30 | 8 | 282 | 47 | 12 | 7 | 0 | 11 ⁴ |
| 3209 | 143 | 55° 10' | 131° 58' | 113 | 315502 | 7/22 | 8 | 1,084 | 154 | 33 | 22 | 0 | 89 |
| 3221 | 152 | 56° 21' | 132° 32' | 99 | 325601 | 6/3 | 8 | 270 | 162 | 14 | 21 | 5 | 5 |
| Totals | | | | | | | | 36,994 | 5,295 | 1,175 | 759 | 281 | 1,413 |

¹ Pacific halibut weights determined by using best net weight available.

² Pacific cod and rockfish numbers extrapolated from 20% subsample.

³ Data for stations from 2021 FISS; all other station data from 2022 FISS.

⁴ Near the Metlakatla Annette Island Reserve



Station Tables

2023 FISS Projections
Ommaney Stations (52)

| Station Number | IPHC Stat Area | North Latitude | West Longitude | Depth (F) | ADFG Area | Date Fished ³ | Skates | Pacific halibut (lb) ¹ | | Pacific halibut (pieces) | | Byproduct (pieces) | |
|----------------|----------------|----------------|----------------|-----------|-----------|--------------------------|------------------|-----------------------------------|---------------|--------------------------|--------------|--------------------------|-----------------------|
| | | | | | | | | O32 | U32 | O32 | U32 | Pacific Cod ² | Rockfish ² |
| 3043 | 140 | 55° 00' | 134° 01' | 82 | 345500 | 5/30 | 8 | 1,117 | 266 | 51 | 32 | 30 | 30 ³ |
| 3044 | 140 | 55° 00' | 134° 18' | 118 | 345500 | 5/30 | 8 | 465 | 15 | 20 | 2 | 0 | 0 ³ |
| 3045 | 141 | 55° 10' | 133° 43' | 84 | 335501 | 7/26 | 8 | 437 | 651 | 23 | 92 | 15 | 0 |
| 3046 | 150 | 55° 10' | 134° 01' | 96 | 345500 | 6/1 | 8 | 959 | 519 | 61 | 68 | 20 | 5 ³ |
| 3047 | 151 | 55° 20' | 133° 44' | 40 | 335505 | 7/26 | 8 | 438 | 1,408 | 29 | 218 | 0 | 25 |
| 3048 | 150 | 55° 20' | 134° 01' | 63 | 345500 | 7/26 | 8 | 479 | 1,495 | 35 | 219 | 0 | 0 |
| 3049 | 150 | 55° 20' | 134° 19' | 104 | 345500 | 6/1 | 8 | 1,433 | 258 | 42 | 34 | 15 | 64 ³ |
| 3050 | 150 | 55° 20' | 134° 36' | 112 | 345500 | 6/9 | 8 | 1,480 | 127 | 59 | 17 | 0 | 20 ³ |
| 3051 | 151 | 55° 30' | 134° 01' | 48 | 345536 | 7/27 | 8 | 1,063 | 784 | 44 | 109 | 0 | 35 |
| 3052 | 150 | 55° 30' | 134° 19' | 94 | 345537 | 6/3 | 8 | 284 | 133 | 19 | 22 | 30 | 10 ³ |
| 3053 | 150 | 55° 30' | 134° 37' | 114 | 345537 | 6/26 | 8 | 1,692 | 90 | 77 | 11 | 0 | 5 ³ |
| 3054 | 150 | 55° 30' | 134° 54' | 160 | 345537 | 6/9 | 8 | 1,379 | 76 | 58 | 9 | 0 | 0 ³ |
| 3055 | 151 | 55° 40' | 134° 01' | 100 | 345536 | 7/27 | 8 | 2,814 | 329 | 140 | 42 | 0 | 10 |
| 3056 | 150 | 55° 40' | 134° 19' | 112 | 345536 | 6/26 | 8 | 725 | 101 | 45 | 16 | 0 | 10 ³ |
| 3057 | 150 | 55° 40' | 134° 37' | 114 | 345537 | 6/20 | 8 | 1,102 | 129 | 48 | 15 | 2 | 1 ³ |
| 3058 | 150 | 55° 40' | 134° 55' | 110 | 345537 | 6/9 | 8 | 4,218 | 335 | 139 | 37 | 0 | 40 ³ |
| 3059 | 151 | 55° 50' | 133° 26' | 35 | 335534 | 7/28 | 8 | 490 | 68 | 10 | 8 | 0 | 14 |
| 3060 | 151 | 55° 50' | 133° 44' | 60 | 335533 | 7/28 | 8 | 1,129 | 31 | 31 | 4 | 10 | 118 |
| 3061 | 151 | 55° 50' | 134° 02' | 149 | 345535 | 8/5 | 8 | 2,140 | 61 | 93 | 7 | 20 | 30 |
| 3062 | 150 | 55° 50' | 134° 37' | 73 | 345533 | 7/15 | 8 | 2,875 | 217 | 85 | 30 | 0 | 85 |
| 3063 | 150 | 55° 50' | 134° 55' | 100 | 345537 | 7/16 | Ineffective (DS) | 2,606 | 240 | 96 | 36 | 10 | 99 |
| 3064 | 150 | 55° 50' | 135° 13' | 119 | 355530 | 7/16 | Ineffective (DS) | 2,636 | 112 | 118 | 14 | 10 | 127 |
| 3066 | 152 | 56° 00' | 134° 02' | 60 | 345604 | 8/5 | 8 | 1,471 | 124 | 65 | 15 | 50 | 0 |
| 3067 | 151 | 56° 00' | 134° 20' | 44 | 345603 | 7/15 | 8 | 2,942 | 409 | 86 | 56 | 30 | 99 |
| 3068 | 150 | 56° 00' | 134° 38' | 206 | 345603 | 7/15 | 8 | 1,796 | 57 | 46 | 8 | 0 | 45 |
| 3069 | 150 | 56° 00' | 134° 55' | 195 | 345607 | 7/16 | 8 | 446 | 13 | 13 | 2 | 0 | 173 |
| 3070 | 160 | 56° 00' | 135° 13' | 197 | 355601 | 7/9 | 8 | 843 | 13 | 23 | 2 | 0 | 109 |
| 3071 | 152 | 56° 10' | 133° 44' | 135 | 335601 | 7/18 | 8 | 1,371 | 44 | 39 | 6 | 5 | 15 |
| 3072 | 151 | 56° 10' | 134° 20' | 74 | 345603 | 7/13 | 8 | 4,081 | 315 | 195 | 45 | 10 | 25 |
| 3073 | 161 | 56° 10' | 134° 38' | 128 | 345603 | 7/13 | 8 | 3,504 | 184 | 135 | 23 | 20 | 64 |
| 3074 | 160 | 56° 10' | 134° 56' | 102 | 345607 | 7/8 | 8 | 4,662 | 822 | 228 | 104 | 5 | 0 |
| 3075 | 160 | 56° 10' | 135° 14' | 154 | 355601 | 7/8 | 8 | 735 | 42 | 30 | 6 | 10 | 15 |
| 3076 | 152 | 56° 20' | 133° 44' | 126 | 335601 | 7/18 | 8 | 1,420 | 11 | 27 | 2 | 0 | 35 |
| 3077 | 161 | 56° 20' | 134° 20' | 78 | 345603 | 7/14 | Ineffective (DS) | 1,611 | 218 | 50 | 32 | 69 | 64 |
| 3078 | 160 | 56° 20' | 134° 56' | 64 | 355602 | 7/8 | 8 | 891 | 141 | 26 | 25 | 20 | 78 |
| 3079 | 160 | 56° 20' | 135° 14' | 85 | 355601 | 7/7 | Ineffective (DS) | 1,696 | 218 | 82 | 29 | 45 | 74 |
| 3080 | 160 | 56° 20' | 135° 32' | 110 | 355601 | 7/7 | 8 | 1,452 | 93 | 61 | 14 | 40 | 15 |
| 3081 | 152 | 56° 29' | 133° 44' | 50 | 335601 | 7/18 | 8 | 1,052 | 109 | 32 | 15 | 0 | 0 |
| 3082 | 161 | 56° 30' | 134° 20' | 52 | 345631 | 7/14 | 8 | 1,475 | 1,374 | 102 | 179 | 5 | 10 |
| 3208 | 150 | 55° 10' | 134° 18' | 252 | 345500 | 6/10 | 8 | 12 | 0 | 1 | 0 | 0 | 74 ^{3,4} |
| 3211 | 151 | 55° 20' | 133° 26' | 87 | 335506 | 7/24 | 8 | 782 | 74 | 24 | 11 | 54 | 104 |
| 3212 | 151 | 55° 30' | 133° 08' | 24 | 335506 | 7/25 | 8 | 308 | 52 | 6 | 7 | 0 | 5 |
| 3213 | 151 | 55° 30' | 133° 26' | 23 | 335506 | 7/25 | 8 | 255 | 75 | 7 | 11 | 0 | 0 |
| 3214 | 151 | 55° 40' | 133° 43' | 61 | 335532 | 7/27 | 8 | 1,270 | 947 | 64 | 129 | 10 | 98 |
| 3215 | 160 | 55° 60' | 135° 31' | 294 | 355530 | 7/9 | 8 | 126 | 0 | 4 | 0 | 0 | 124 ⁴ |
| 3216 | 151 | 55° 60' | 133° 26' | 42 | 335534 | 7/28 | 8 | 1,083 | 20 | 20 | 3 | 5 | 170 |
| 3217 | 152 | 56° 10' | 134° 02' | 69 | 345604 | 8/5 | 8 | 536 | 24 | 16 | 3 | 5 | 20 |
| 3218 | 160 | 56° 10' | 135° 32' | 148 | 355601 | 7/9 | 8 | 1,254 | 116 | 52 | 15 | 0 | 29 |
| 3219 | 161 | 56° 20' | 134° 38' | 71 | 345603 | 7/13 | 8 | 1,960 | 192 | 70 | 26 | 40 | 94 |
| 3220 | 152 | 56° 21' | 133° 08' | 52 | 335602 | 6/4 | 8 | 1,476 | 67 | 34 | 9 | 5 | 35 |
| 3222 | 161 | 56° 30' | 134° 38' | 168 | 345603 | 8/4 | 8 | 485 | 30 | 18 | 4 | 10 | 84 |
| 3223 | 152 | 56° 40' | 133° 08' | 11 | 335633 | 6/4 | 8 | 798 | 314 | 36 | 42 | 0 | 0 |
| Totals | | | | | | | | 73,755 | 13,541 | 2,916 | 1,864 | 596 | 2,384 |

¹ Pacific halibut weights determined by using best net weight available.

² Pacific cod and rockfish numbers extrapolated from 20% subsample.

³ Data for stations from 2021 FISS; all other station data from 2022 FISS.

⁴ Do not set Seacat at stations 3208, 3215.



Station Tables

2023 FISS Projections
Sitka Stations (52)

| Station Number | IPHC Stat Area | North Latitude | West Longitude | Depth (F) | ADFG Area | Date Fished ³ | Skates | Pacific halibut (lb) ¹ | | Pacific halibut (pieces) | | Byproduct (pieces) | |
|----------------|----------------|----------------|----------------|-----------|-----------|--------------------------|------------------|-----------------------------------|---------------|--------------------------|--------------|--------------------------|-----------------------|
| | | | | | | | | O32 | U32 | O32 | U32 | Pacific Cod ² | Rockfish ² |
| 3083 | 160 | 56° 30' | 135° 15' | 61 | 355631 | 7/7 | 8 | 1,647 | 503 | 73 | 70 | 30 | 45 |
| 3084 | 160 | 56° 30' | 135° 33' | 84 | 355631 | 7/6 | 8 | 1,475 | 131 | 44 | 17 | 5 | 260 |
| 3085 | 160 | 56° 40' | 135° 15' | 29 | 355633 | 7/6 | 8 | 1,151 | 18 | 27 | 2 | 0 | 65 |
| 3086 | 160 | 56° 40' | 135° 34' | 74 | 355631 | 7/6 | Ineffective (DS) | 2,365 | 568 | 77 | 70 | 17 | 91 |
| 3087 | 160 | 56° 40' | 135° 52' | 130 | 355631 | 7/5 | 8 | 860 | 0 | 37 | 0 | 10 | 15 |
| 3088 | 162 | 56° 50' | 132° 50' | 113 | 325631 | 6/7 | 8 | 164 | 93 | 10 | 15 | 0 | 0 |
| 3089 | 160 | 56° 50' | 135° 52' | 102 | 355631 | 7/5 | 8 | 784 | 183 | 43 | 24 | 5 | 30 |
| 3091 | 162 | 57° 00' | 134° 21' | 191 | 345702 | 6/8 | 8 | 889 | 374 | 53 | 55 | 0 | 0 |
| 3092 | 170 | 57° 00' | 136° 00' | 54 | 365701 | 7/4 | 8 | 1,036 | 707 | 48 | 90 | 0 | 120 |
| 3094 | 162 | 57° 10' | 133° 45' | 169 | 335701 | 6/9 | 8 | 1,761 | 343 | 93 | 43 | 0 | 30 |
| 3095 | 162 | 57° 10' | 134° 03' | 155 | 345702 | 6/8 | 8 | 1,652 | 403 | 90 | 56 | 5 | 15 |
| 3096 | 161 | 57° 10' | 134° 40' | 157 | 345701 | 6/20 | 8 | 955 | 151 | 39 | 22 | 5 | 124 |
| 3097 | 170 | 57° 10' | 135° 54' | 41 | 355702 | 7/4 | 8 | 536 | 260 | 14 | 47 | 0 | 119 |
| 3098 | 170 | 57° 10' | 136° 12' | 113 | 365701 | 7/4 | 8 | 966 | 91 | 49 | 11 | 20 | 40 |
| 3099 | 163 | 57° 20' | 133° 26' | 77 | 335703 | 6/9 | 8 | 631 | 175 | 27 | 23 | 5 | 0 |
| 3100 | 163 | 57° 20' | 133° 45' | 194 | 335701 | 6/9 | 8 | 2,163 | 369 | 133 | 47 | 5 | 10 |
| 3102 | 170 | 57° 20' | 135° 55' | 42 | 355703 | 6/28 | 8 | 1,373 | 164 | 30 | 25 | 5 | 40 |
| 3103 | 170 | 57° 20' | 136° 13' | 95 | 365701 | 6/28 | 8 | 1,052 | 374 | 60 | 47 | 59 | 64 |
| 3104 | 163 | 57° 30' | 133° 45' | 129 | 335731 | 6/10 | 8 | 937 | 631 | 54 | 84 | 15 | 5 |
| 3105 | 171 | 57° 31' | 134° 38' | 126 | 345731 | 6/20 | 8 | 551 | 185 | 27 | 28 | 10 | 50 |
| 3106 | 170 | 57° 30' | 136° 14' | 45 | 365731 | 6/27 | 8 | 2,014 | 930 | 72 | 131 | 0 | 90 |
| 3107 | 173 | 57° 40' | 133° 45' | 177 | 335732 | 6/11 | 8 | 1,304 | 747 | 72 | 99 | 5 | 25 |
| 3108 | 170 | 57° 40' | 136° 33' | 86 | 365731 | 6/25 | 8 | 1,170 | 468 | 80 | 59 | 17 | 17 |
| 3110 | 181 | 57° 50' | 136° 34' | 51 | 365734 | 6/25 | 8 | 1,917 | 2,097 | 120 | 272 | 0 | 20 |
| 3111 | 181 | 57° 50' | 136° 53' | 194 | 365731 | 6/25 | 8 | 645 | 49 | 38 | 5 | 6 | 11 |
| 3112 | 173 | 58° 00' | 134° 04' | 116 | 345801 | 6/12 | 8 | 123 | 123 | 7 | 14 | 0 | 0 |
| 3114 | 171 | 58° 10' | 135° 01' | 106 | 345803 | 6/19 | 8 | 683 | 440 | 24 | 68 | 49 | 39 |
| 3115 | 182 | 58° 10' | 135° 20' | 93 | 355801 | 6/18 | 8 | 719 | 684 | 37 | 93 | 15 | 5 |
| 3116 | 181 | 58° 10' | 136° 36' | 145 | 365804 | 6/24 | 8 | 2,258 | 142 | 57 | 19 | 25 | 30 ⁶ |
| 3121 | 173 | 58° 20' | 134° 43' | 39 | 345801 | 6/15 | 8 | 101 | 34 | 5 | 4 | 0 | 10 |
| 3122 | 171 | 58° 20' | 135° 02' | 178 | 345803 | 6/18 | 8 | 352 | 115 | 18 | 16 | 0 | 114 ⁴ |
| 3123 | 183 | 58° 30' | 135° 02' | 150 | 345803 | 6/17 | 8 | 1,146 | 322 | 61 | 46 | 0 | 20 |
| 3124 | 183 | 58° 40' | 135° 03' | 160 | 355830 | 6/17 | 8 | 337 | 233 | 22 | 31 | 0 | 0 |
| 3224 | 161 | 56° 50' | 134° 39' | 52 | 345631 | 8/3 | 8 | 4,170 | 164 | 111 | 25 | 53 | 27 ⁴ |
| 3225 | 160 | 56° 50' | 135° 34' | 64 | 355633 | 7/5 | 8 | 616 | 728 | 23 | 104 | 40 | 64 |
| 3226 | 170 | 56° 60' | 135° 34' | 19 | 355635 | 6/29 | 8 | 1,094 | 44 | 22 | 8 | 0 | 35 |
| 3227 | 162 | 56° 60' | 134° 03' | 45 | 345702 | 6/8 | 8 | 774 | 405 | 32 | 69 | 15 | 20 |
| 3228 | 161 | 57° 00' | 134° 40' | 190 | 345701 | 8/3 | 8 | 267 | 19 | 9 | 3 | 0 | 205 ⁴ |
| 3230 | 170 | 57° 10' | 135° 36' | 44 | 355706 | 6/29 | 8 | 0 | 4 | 0 | 1 | 0 | 30 ⁴ |
| 3231 | 171 | 57° 20' | 134° 40' | 310 | 345701 | 6/20 | Ineffective | 348 | 0 | 10 | 0 | 0 | 79 ⁴ |
| 3232 | 170 | 57° 30' | 135° 55' | 72 | 365732 | 6/27 | 8 | 594 | 238 | 18 | 34 | 25 | 0 |
| 3233 | 170 | 57° 30' | 136° 33' | 231 | 365731 | 6/26 | Ineffective (DS) | 671 | 121 | 37 | 14 | 20 | 54 ⁴ |
| 3234 | 173 | 57° 40' | 134° 04' | 103 | 345732 | 6/10 | 8 | 1,352 | 612 | 68 | 84 | 0 | 0 |
| 3235 | 170 | 57° 40' | 136° 14' | 44 | 365733 | 6/26 | Ineffective | 1,255 | 1,488 | 67 | 224 | 5 | 34 |
| 3236 | 173 | 57° 50' | 133° 45' | 129 | 335732 | 6/11 | 8 | 601 | 158 | 27 | 23 | 0 | 10 |
| 3237 | 171 | 57° 51' | 134° 57' | 61 | 355733 | 6/19 | 8 | 1,361 | 451 | 57 | 79 | 50 | 20 |
| 3238 | 173 | 57° 60' | 133° 45' | 97 | 335732 | 6/12 | 8 | 521 | 27 | 17 | 4 | 5 | 0 |
| 3239 | 182 | 58° 20' | 135° 58' | 25 | 355801 | 6/24 | 8 | 1,288 | 781 | 56 | 130 | 40 | 0 |
| 3240 | 184 | 58° 40' | 135° 58' | 84 | 365830 | 7/6 | 8 | 361 | 196 | 14 | 28 | 64 | 0 ^{3,5} |
| 3241 | 184 | 58° 40' | 136° 17' | 67 | 365830 | 7/6 | 8 | 892 | 150 | 27 | 23 | 30 | 0 ^{3,5} |
| 3242 | 183 | 58° 60' | 135° 22' | 59 | 355830 | 6/16 | 8 | 166 | 24 | 7 | 5 | 5 | 0 |
| 3243 | 183 | 59° 20' | 135° 22' | 175 | 355900 | 6/16 | 8 | 657 | 7 | 20 | 1 | 0 | 0 |
| Totals | | | | | | | | 52,705 | 17,727 | 2,263 | 2,492 | 662 | 2,078 |

¹ Pacific halibut weights determined by using best net weight available.

² Pacific cod and rockfish numbers extrapolated from 20% subsample.

³ Data for stations from 2021 FISS; all other station data from 2022 FISS.

⁴ Do not set Seacat at stations 3122, 3224, 3228, 3231, 3233.

⁵ Inside closed area (Glacier Bay NP).

⁶ Near closed area (Glacier Bay NP).



Station Tables

2023 FISS Projections
Fairweather Stations (51)

| Station Number | IPHC Stat Area | North Latitude | West Longitude | Depth (F) | ADFG Area | Date Fished ³ | Skates | Pacific halibut (lb) ¹ | | Pacific halibut (pieces) | | Byproduct (pieces) | |
|----------------|----------------|----------------|----------------|-----------|-----------|--------------------------|------------------|-----------------------------------|--------------|--------------------------|--------------|--------------------------|-----------------------|
| | | | | | | | | O32 | U32 | O32 | U32 | Pacific Cod ² | Rockfish ² |
| 4001 | 185 | 57° 50' | 137° 13' | 164 | 375730 | 6/27 | Ineffective (DS) | 36 | 11 | 3 | 2 | 0 | 0 ³ |
| 4002 | 185 | 58° 00' | 136° 54' | 227 | 365801 | 6/28 | Ineffective (DS) | 12 | 0 | 1 | 0 | 0 | 11 ³ |
| 4003 | 185 | 58° 00' | 137° 12' | 104 | 375801 | 7/5 | 6 | 1,693 | 81 | 115 | 9 | 0 | 26 |
| 4004 | 185 | 58° 00' | 137° 31' | 88 | 375801 | 7/4 | 6 | 902 | 78 | 45 | 11 | 0 | 22 |
| 4005 | 185 | 58° 00' | 137° 50' | 99 | 375801 | 6/25 | 6 | 531 | 273 | 29 | 38 | 7 | 15 ³ |
| 4006 | 185 | 58° 10' | 136° 55' | 114 | 365801 | 7/5 | 6 | 877 | 118 | 41 | 14 | 0 | 45 |
| 4007 | 185 | 58° 10' | 137° 11' | 66 | 375801 | 7/5 | 6 | 1,623 | 931 | 110 | 112 | 4 | 0 |
| 4008 | 185 | 58° 10' | 137° 30' | 77 | 375801 | 7/3 | 6 | 307 | 195 | 17 | 27 | 0 | 0 |
| 4009 | 185 | 58° 10' | 137° 49' | 83 | 375801 | 6/25 | 6 | 237 | 78 | 13 | 11 | 0 | 0 ³ |
| 4010 | 185 | 58° 10' | 138° 08' | 80 | 385800 | 7/4 | 6 | 71 | 38 | 2 | 5 | 0 | 0 |
| 4011 | 185 | 58° 10' | 138° 27' | 89 | 385800 | 6/20 | 6 | 1,530 | 263 | 67 | 32 | 0 | 56 ³ |
| 4012 | 190 | 58° 10' | 138° 46' | 105 | 385800 | 6/19 | 6 | 625 | 318 | 31 | 42 | 0 | 19 ³ |
| 4013 | 185 | 58° 20' | 137° 10' | 94 | 375801 | 6/6 | 6 | 19 | 29 | 2 | 5 | 0 | 7 ³ |
| 4014 | 185 | 58° 20' | 137° 29' | 95 | 375801 | 7/3 | 6 | 51 | 49 | 2 | 7 | 0 | 0 |
| 4015 | 185 | 58° 20' | 137° 48' | 95 | 375801 | 6/26 | 6 | 298 | 18 | 14 | 2 | 0 | 0 ³ |
| 4016 | 185 | 58° 20' | 138° 07' | 71 | 385800 | 6/26 | 6 | 80 | 125 | 5 | 27 | 4 | 0 ³ |
| 4017 | 190 | 58° 20' | 138° 26' | 72 | 385800 | 6/19 | 6 | 0 | 0 | 0 | 0 | 0 | 0 ³ |
| 4018 | 190 | 58° 20' | 138° 46' | 65 | 385800 | 6/29 | 6 | 472 | 261 | 17 | 44 | 4 | 69 |
| 4019 | 190 | 58° 20' | 139° 05' | 59 | 395800 | 6/29 | 6 | 601 | 245 | 23 | 39 | 0 | 150 |
| 4020 | 190 | 58° 20' | 139° 24' | 136 | 395800 | 6/18 | Ineffective (DS) | 971 | 124 | 57 | 15 | 4 | 4 ³ |
| 4021 | 185 | 58° 30' | 137° 28' | 43 | 375832 | 7/3 | 6 | 17 | 50 | 2 | 9 | 0 | 0 ⁴ |
| 4022 | 185 | 58° 30' | 137° 47' | 83 | 375831 | 7/2 | 6 | 20 | 0 | 2 | 0 | 0 | 0 |
| 4023 | 190 | 58° 30' | 138° 07' | 73 | 385831 | 7/2 | 6 | 16 | 4 | 2 | 1 | 0 | 0 |
| 4024 | 190 | 58° 30' | 138° 26' | 62 | 385831 | 6/30 | 6 | 62 | 266 | 5 | 35 | 11 | 4 |
| 4025 | 190 | 58° 30' | 138° 45' | 54 | 385831 | 6/30 | 6 | 592 | 424 | 24 | 68 | 0 | 56 |
| 4026 | 190 | 58° 30' | 139° 04' | 55 | 395830 | 6/18 | 6 | 53 | 286 | 5 | 45 | 0 | 7 ³ |
| 4027 | 190 | 58° 30' | 139° 23' | 92 | 395830 | 6/28 | 6 | 447 | 170 | 13 | 26 | 4 | 19 |
| 4028 | 190 | 58° 30' | 139° 42' | 135 | 395830 | 6/10 | Ineffective (DS) | 124 | 13 | 6 | 2 | 0 | 0 ³ |
| 4029 | 190 | 58° 40' | 138° 06' | 54 | 385831 | 7/2 | 6 | 30 | 69 | 2 | 12 | 0 | 0 |
| 4030 | 190 | 58° 40' | 138° 25' | 71 | 385831 | 6/30 | 6 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4031 | 190 | 58° 40' | 138° 44' | 55 | 385831 | 6/8 | 6 | 153 | 98 | 6 | 17 | 0 | 4 ³ |
| 4032 | 190 | 58° 40' | 139° 04' | 78 | 395830 | 6/9 | 6 | 207 | 311 | 14 | 43 | 7 | 0 ³ |
| 4033 | 190 | 58° 40' | 139° 23' | 138 | 395830 | 6/9 | 6 | 543 | 46 | 28 | 6 | 0 | 11 ³ |
| 4034 | 190 | 58° 40' | 139° 42' | 103 | 395830 | 6/28 | 6 | 142 | 47 | 9 | 8 | 0 | 0 |
| 4035 | 200 | 58° 40' | 140° 01' | 103 | 405830 | 6/16 | 6 | 1,013 | 655 | 47 | 101 | 0 | 0 |
| 4036 | 190 | 58° 50' | 138° 05' | 29 | 385831 | 6/11 | 6 | 793 | 20 | 22 | 3 | 0 | 11 ³ |
| 4037 | 190 | 58° 50' | 138° 24' | 38 | 385831 | 7/1 | 6 | 1,246 | 160 | 46 | 26 | 0 | 38 |
| 4038 | 190 | 58° 50' | 138° 44' | 67 | 385831 | 7/1 | 6 | 47 | 693 | 4 | 117 | 11 | 0 |
| 4039 | 190 | 58° 50' | 139° 03' | 106 | 395830 | 6/12 | 6 | 222 | 44 | 14 | 6 | 0 | 4 ³ |
| 4040 | 190 | 58° 50' | 139° 22' | 73 | 395830 | 6/22 | 6 | 263 | 160 | 9 | 25 | 0 | 15 |
| 4041 | 200 | 58° 50' | 139° 42' | 89 | 395830 | 6/22 | 6 | 295 | 134 | 11 | 20 | 0 | 0 |
| 4042 | 200 | 58° 50' | 140° 01' | 96 | 405830 | 6/17 | 6 | 375 | 298 | 14 | 46 | 0 | 0 ³ |
| 4043 | 190 | 59° 00' | 138° 24' | 33 | 385901 | 7/1 | 6 | 122 | 168 | 4 | 32 | 19 | 0 |
| 4044 | 190 | 59° 00' | 138° 43' | 87 | 385901 | 6/12 | 6 | 23 | 3 | 2 | 1 | 0 | 0 ³ |
| 4045 | 190 | 59° 00' | 139° 02' | 57 | 395901 | 6/16 | 6 | 184 | 92 | 7 | 17 | 0 | 0 |
| 4046 | 190 | 59° 00' | 139° 22' | 59 | 395901 | 6/22 | 6 | 77 | 105 | 3 | 15 | 0 | 0 |
| 4047 | 200 | 59° 00' | 139° 41' | 67 | 395901 | 6/17 | 6 | 819 | 263 | 25 | 38 | 4 | 4 ³ |
| 4048 | 190 | 59° 10' | 139° 02' | 30 | 395901 | 6/15 | 6 | 60 | 72 | 5 | 14 | 0 | 0 ³ |
| 4049 | 200 | 59° 10' | 139° 21' | 54 | 395901 | 6/15 | 6 | 0 | 4 | 0 | 2 | 0 | 0 ³ |
| 4050 | 200 | 59° 20' | 139° 21' | 21 | 395902 | 6/21 | 6 | 28 | 524 | 2 | 90 | 0 | 0 ³ |
| 4501 | 185 | 58° 00' | 138° 08' | 174 | 385800 | 6/20 | Ineffective (DS) | 669 | 7 | 27 | 1 | 0 | 7 ^{3,5} |
| Totals | | | | | | | | 19,581 | 8,425 | 950 | 1,262 | 79 | 603 |

¹ Pacific halibut weights determined by using best net weight available.

² Pacific cod and rockfish numbers extrapolated from 20% subsample.

³ Data for stations from 2021 FISS; all other station data from 2022 FISS.

⁴ Inside closed area (Glacier Bay NP).

⁵ On a steep slope.



Station Tables

2023 FISS Projections
Yakutat Stations (36)

| Station Number | IPHC Slat Area | North Latitude | West Longitude | Depth (F) | ADFG Area | Date Fished ³ | Skates | Pacific halibut (lb) ¹ | | Pacific halibut (pieces) | | Byproduct (pieces) | |
|----------------|----------------|----------------|----------------|-----------|-----------|--------------------------|------------------|-----------------------------------|--------------|--------------------------|------------|--------------------------|-----------------------|
| | | | | | | | | O32 | U32 | O32 | U32 | Pacific Cod ² | Rockfish ² |
| 4054 | 200 | 59° 00' | 140° 20' | 86 | 405900 | 6/23 | 6 | 612 | 833 | 29 | 116 | 0 | 19 |
| 4056 | 200 | 59° 00' | 140° 59' | 104 | 405900 | 6/14 | 6 | 487 | 497 | 23 | 86 | 8 | 4 |
| 4057 | 200 | 59° 10' | 139° 41' | 71 | 395901 | 6/21 | 6 | 166 | 343 | 9 | 50 | 0 | 0 |
| 4058 | 200 | 59° 10' | 140° 00' | 63 | 405900 | 6/23 | 6 | 284 | 908 | 12 | 152 | 0 | 0 |
| 4065 | 200 | 59° 20' | 140° 00' | 89 | 405900 | 6/20 | 6 | 38 | 0 | 2 | 0 | 0 | 0 |
| 4067 | 200 | 59° 20' | 140° 39' | 81 | 405900 | 7/3 | 6 | 205 | 233 | 8 | 32 | 0 | 0 ³ |
| 4068 | 200 | 59° 20' | 140° 59' | 86 | 405900 | 6/25 | 6 | 250 | 960 | 14 | 151 | 0 | 0 |
| 4069 | 210 | 59° 20' | 141° 18' | 182 | 415900 | 6/13 | 6 | 245 | 7 | 13 | 2 | 0 | 4 |
| 4071 | 210 | 59° 20' | 141° 58' | 119 | 415900 | 6/12 | 6 | 673 | 225 | 38 | 35 | 7 | 4 |
| 4072 | 200 | 59° 30' | 140° 00' | 58 | 405933 | 6/20 | 6 | 73 | 176 | 6 | 32 | 0 | 11 |
| 4073 | 200 | 59° 30' | 140° 19' | 128 | 405933 | 7/3 | 6 | 124 | 0 | 7 | 0 | 0 | 18 ³ |
| 4076 | 210 | 59° 30' | 141° 19' | 182 | 415931 | 6/13 | 6 | 21 | 0 | 2 | 0 | 0 | 0 |
| 4077 | 210 | 59° 30' | 141° 38' | 92 | 415931 | 7/16 | 6 | 102 | 22 | 5 | 3 | 0 | 0 ³ |
| 4078 | 210 | 59° 30' | 141° 58' | 96 | 415931 | 6/12 | 6 | 158 | 41 | 9 | 6 | 0 | 0 |
| 4079 | 200 | 59° 40' | 139° 59' | 76 | 395931 | 6/19 | 6 | 414 | 89 | 14 | 12 | 71 | 0 ³ |
| 4082 | 210 | 59° 40' | 141° 38' | 50 | 415931 | 6/1 | 6 | 338 | 78 | 19 | 11 | 0 | 0 |
| 4084 | 210 | 59° 40' | 142° 18' | 118 | 425931 | 6/2 | 6 | 403 | 87 | 19 | 14 | 0 | 0 |
| 4087 | 220 | 59° 40' | 143° 17' | 151 | 435931 | 7/26 | Ineffective (DS) | 974 | 0 | 41 | 0 | 0 | 22 ³ |
| 4088 | 220 | 59° 40' | 143° 37' | 79 | 435931 | 6/10 | 6 | 61 | 23 | 4 | 3 | 0 | 0 |
| 4089 | 220 | 59° 40' | 143° 57' | 71 | 435931 | 6/10 | 6 | 42 | 0 | 2 | 0 | 0 | 0 |
| 4091 | 220 | 59° 40' | 144° 37' | 81 | 445931 | 6/6 | 6 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4093 | 210 | 59° 50' | 142° 18' | 48 | 425931 | 6/3 | 6 | 806 | 144 | 30 | 22 | 4 | 30 |
| 4094 | 210 | 59° 50' | 142° 38' | 86 | 425931 | 6/3 | 6 | 629 | 160 | 29 | 24 | 0 | 0 |
| 4095 | 220 | 59° 50' | 142° 58' | 93 | 425931 | 6/11 | 6 | 15 | 0 | 1 | 0 | 0 | 0 |
| 4098 | 220 | 59° 50' | 143° 58' | 52 | 435931 | 6/5 | 6 | 169 | 250 | 13 | 36 | 0 | 0 |
| 4099 | 220 | 59° 50' | 144° 18' | 34 | 445931 | 6/6 | 6 | 34 | 85 | 2 | 17 | 105 | 0 |
| 4100 | 210 | 60° 00' | 142° 39' | 46 | 426002 | 7/18 | 6 | 954 | 87 | 26 | 14 | 7 | 0 ³ |
| 4504 | 200 | 58° 40' | 140° 20' | 125 | 405830 | 6/16 | Ineffective (DS) | 287 | 87 | 17 | 13 | 0 | 0 |
| 4505 | 200 | 58° 50' | 140° 59' | 243 | 405830 | 6/15 | Ineffective (DS) | 14 | 0 | 1 | 0 | 0 | 75 |
| 4508 | 220 | 59° 30' | 143° 37' | 143 | 435931 | 6/10 | 6 | 1,042 | 97 | 49 | 14 | 0 | 45 |
| 4512 | 200 | 59° 40' | 140° 39' | 27 | 405932 | 5/31 | 6 | 173 | 70 | 7 | 10 | 30 | 0 |
| 4514 | 200 | 59° 50' | 139° 19' | 0 | 395932 | 1/0 | 6 | **New Station | | | | | 0 ⁵ |
| 4515 | 200 | 59° 50' | 139° 39' | 35 | 395931 | 6/19 | 6 | 771 | 102 | 25 | 18 | 60 | 0 ⁵ |
| 4517 | 210 | 59° 60' | 141° 19' | 54 | 415932 | 9/7 | 6 | 527 | 0 | 15 | 0 | 0 | 0 ⁴ |
| 4519 | 220 | 59° 60' | 143° 18' | 62 | 435932 | 6/4 | 6 | 96 | 19 | 4 | 2 | 4 | 0 |
| 4520 | 210 | 59° 60' | 142° 18' | 27 | 425931 | 6/3 | 6 | 59 | 207 | 5 | 36 | 101 | 0 |
| Totals: | | | | | | | | 11,246 | 5,832 | 493 | 908 | 396 | 231 |

¹ Pacific halibut weights determined by using best net weight available.

² Pacific cod and rockfish numbers extrapolated from 20% subsample.

³ Data for stations from 2021 FISS; all other station data from 2022 FISS.

⁴ Data for station 4517 from 2019 FISS; ice dangerous in area.

⁵ Ice hazard.



Station Tables

2023 FISS Projections

PWS Stations (34) 1 of 2

| Station Number | IPHC Stat Area | North Latitude | West Longitude | Depth (F) | ADFG Area | Date Fished ³ | Skates | Pacific halibut (lb) ¹ | | Pacific halibut (pieces) | | Byproduct (pieces) | |
|----------------|----------------|----------------|----------------|-----------|-----------|--------------------------|-------------|-----------------------------------|--------------|--------------------------|------------|--------------------------|-----------------------|
| | | | | | | | | O32 | U32 | O32 | U32 | Pacific Cod ² | Rockfish ² |
| 4102 | 230 | 59° 20' | 146° 16' | 182 | 465901 | 8/21 | 6 | 333 | 94 | 22 | 10 | 0 | 30 ³ |
| 4103 | 230 | 59° 20' | 146° 35' | 80 | 465901 | 8/11 | 6 | 219 | 99 | 12 | 14 | 4 | 0 |
| 4104 | 240 | 59° 20' | 146° 55' | 104 | 465904 | 8/10 | 6 | 274 | 69 | 16 | 9 | 0 | 0 |
| 4105 | 240 | 59° 20' | 147° 15' | 102 | 475900 | 8/10 | 6 | 59 | 58 | 4 | 8 | 0 | 0 |
| 4106 | 230 | 59° 30' | 145° 16' | 74 | 455930 | 9/4 | 6 | 424 | 323 | 25 | 41 | 0 | 45 |
| 4107 | 230 | 59° 30' | 145° 55' | 90 | 455930 | 9/3 | 6 | 645 | 162 | 38 | 23 | 8 | 4 |
| 4108 | 230 | 59° 30' | 146° 35' | 50 | 465932 | 8/29 | 6 | 471 | 106 | 19 | 14 | 4 | 18 ³ |
| 4109 | 240 | 59° 30' | 146° 54' | 99 | 465933 | 8/12 | 6 | 79 | 18 | 5 | 2 | 0 | 7 |
| 4110 | 240 | 59° 30' | 147° 14' | 119 | 475931 | 8/30 | 6 | 124 | 21 | 5 | 3 | 0 | 4 ³ |
| 4111 | 240 | 59° 30' | 147° 34' | 64 | 475931 | 8/9 | 6 | 169 | 251 | 11 | 35 | 0 | 0 |
| 4112 | 230 | 59° 40' | 145° 34' | 58 | 455930 | 8/20 | 6 | 167 | 66 | 10 | 8 | 0 | 0 ³ |
| 4113 | 230 | 59° 40' | 145° 54' | 46 | 455930 | 9/3 | 6 | 312 | 352 | 8 | 50 | 0 | 48 |
| 4114 | 230 | 59° 40' | 146° 14' | 47 | 465932 | 8/29 | 6 | 190 | 124 | 7 | 16 | 0 | 0 ³ |
| 4115 | 230 | 59° 40' | 146° 34' | 47 | 465932 | 8/12 | 6 | 570 | 577 | 24 | 78 | 7 | 15 |
| 4116 | 240 | 59° 40' | 146° 53' | 59 | 465933 | 8/12 | 6 | 0 | 12 | 0 | 2 | 0 | 0 |
| 4117 | 240 | 59° 40' | 147° 13' | 103 | 475931 | 7/20 | 6 | 179 | 20 | 10 | 2 | 4 | 4 ³ |
| 4118 | 240 | 59° 40' | 147° 33' | 65 | 475931 | 7/20 | 6 | 141 | 52 | 8 | 6 | 0 | 0 ³ |
| 4119 | 230 | 59° 50' | 144° 58' | 108 | 445931 | 9/5 | 6 | 748 | 99 | 33 | 14 | 19 | 0 |
| 4120 | 230 | 59° 50' | 145° 53' | 56 | 455930 | 8/30 | 6 | 25 | 12 | 2 | 2 | 4 | 0 |
| 4121 | 230 | 59° 50' | 146° 13' | 34 | 465932 | 7/24 | 6 | 212 | 178 | 8 | 23 | 0 | 15 ³ |
| 4122 | 230 | 59° 50' | 146° 33' | 38 | 465932 | 7/25 | 6 | 689 | 293 | 25 | 40 | 0 | 11 ³ |
| 4123 | 240 | 59° 50' | 146° 53' | 42 | 465933 | 8/13 | 6 | 330 | 600 | 19 | 86 | 0 | 0 |
| 4124 | 240 | 59° 50' | 147° 13' | 88 | 475931 | 7/20 | 6 | 236 | 46 | 13 | 5 | 22 | 7 ^{3,4} |
| 4125 | 220 | 60° 00' | 144° 39' | 125 | 446001 | 8/22 | 6 | 399 | 28 | 18 | 4 | 8 | 0 |
| 4126 | 230 | 60° 00' | 144° 59' | 73 | 446001 | 7/30 | 6 | 349 | 43 | 14 | 5 | 0 | 4 ³ |
| 4127 | 230 | 60° 00' | 145° 19' | 65 | 456004 | 8/21 | 6 | 59 | 4 | 2 | 1 | 0 | 0 |
| 4128 | 230 | 60° 00' | 146° 12' | 35 | 466001 | 8/30 | 6 | 2,035 | 309 | 67 | 41 | 0 | 0 |
| 4129 | 230 | 60° 00' | 146° 32' | 36 | 466001 | 7/23 | 6 | 302 | 376 | 13 | 63 | 0 | 0 ³ |
| 4130 | 230 | 60° 00' | 146° 52' | 78 | 466001 | 8/13 | 6 | 91 | 25 | 3 | 4 | 0 | 0 |
| 4131 | 240 | 60° 00' | 147° 12' | 96 | 476001 | 8/13 | 6 | 333 | 8 | 14 | 1 | 53 | 4 |
| 4132 | 230 | 60° 10' | 145° 31' | 50 | 456001 | 8/21 | Ineffective | 342 | 87 | 14 | 11 | 0 | 0 |
| 4133 | 230 | 60° 10' | 145° 51' | 59 | 456001 | 7/28 | 6 | 342 | 63 | 14 | 8 | 0 | 0 ³ |
| 4134 | 230 | 60° 10' | 146° 11' | 45 | 466001 | 7/28 | 6 | 1,411 | 396 | 62 | 56 | 8 | 0 ³ |
| 4135 | 242 | 60° 10' | 147° 31' | 42 | 476003 | 8/18 | 6 | 229 | 232 | 13 | 34 | 26 | 22 ⁴ |
| Totals | | | | | | | | 12,488 | 5,201 | 552 | 714 | 164 | 237 |

¹ Pacific halibut weights determined by using best net weight available.

² Pacific cod and rockfish numbers extrapolated from 20% subsample.

³ Data for stations from 2021 FISS; all other station data from 2022 FISS.

⁴ Near closed area (Steller sea lion).



Station Tables

2023 FISS Projections

PWS Stations (33) 2 of 2

| Station Number | IPHC Stat Area | North Latitude | West Longitude | Depth (F) | ADFG Area | Date Fished ³ | Skates | Pacific halibut (lb) ¹ | | Pacific halibut (pieces) | | Byproduct (pieces) | |
|----------------|----------------|----------------|----------------|-----------|-----------|--------------------------|------------------|-----------------------------------|--------------|--------------------------|------------|--------------------------|-----------------------|
| | | | | | | | | O32 | U32 | O32 | U32 | Pacific Cod ² | Rockfish ² |
| 4136 | 242 | 60° 10' | 147° 51' | 195 | 476004 | 8/18 | 6 | 155 | 130 | 10 | 16 | 15 | 4 |
| 4137 | 242 | 60° 20' | 147° 31' | 71 | 476007 | 8/19 | 6 | 239 | 37 | 13 | 5 | 82 | 19 |
| 4138 | 232 | 60° 30' | 146° 29' | 39 | 466031 | 8/23 | 6 | 503 | 293 | 22 | 40 | 4 | 0 ³ |
| 4139 | 232 | 60° 30' | 146° 49' | 221 | 466032 | 8/28 | 6 | 534 | 101 | 30 | 12 | 0 | 8 |
| 4140 | 242 | 60° 30' | 147° 10' | 113 | 476031 | 8/19 | 6 | 802 | 84 | 41 | 10 | 7 | 4 |
| 4141 | 242 | 60° 30' | 147° 30' | 113 | 476032 | 8/19 | 6 | 348 | 116 | 19 | 14 | 41 | 23 |
| 4142 | 242 | 60° 29' | 147° 50' | 241 | 476006 | 8/27 | 6 | 167 | 84 | 7 | 9 | 0 | 19 |
| 4143 | 232 | 60° 40' | 146° 49' | 226 | 466032 | 8/28 | 6 | 337 | 99 | 20 | 11 | 4 | 4 |
| 4144 | 242 | 60° 40' | 147° 09' | 135 | 476035 | 8/28 | 6 | 774 | 150 | 38 | 17 | 11 | 4 |
| 4145 | 242 | 60° 50' | 147° 08' | 148 | 476035 | 8/10 | 6 | 989 | 325 | 53 | 37 | 26 | 38 ^{3,4} |
| 4146 | 242 | 60° 50' | 148° 10' | 160 | 486034 | 8/11 | 6 | 1,088 | 140 | 42 | 14 | 7 | 30 ³ |
| 4522 | 230 | 59° 30' | 145° 35' | 185 | 455900 | 8/20 | 6 | 583 | 74 | 38 | 7 | 0 | 59 ³ |
| 4523 | 230 | 59° 30' | 144° 56' | 179 | 445900 | 8/19 | Ineffective (DS) | 851 | 128 | 47 | 14 | 0 | 15 ³ |
| 4524 | 230 | 59° 30' | 146° 16' | 16 | 465902 | 8/11 | 6 | 1,168 | 313 | 53 | 44 | 0 | 0 ⁴ |
| 4525 | 230 | 59° 40' | 144° 56' | 77 | 445931 | 9/6 | 6 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4526 | 230 | 59° 40' | 145° 16' | 61 | 455930 | 9/4 | 6 | 177 | 57 | 11 | 8 | 0 | 0 |
| 4527 | 230 | 59° 50' | 145° 14' | 74 | 455930 | 8/1 | 6 | 106 | 66 | 6 | 9 | 11 | 7 ³ |
| 4528 | 230 | 59° 50' | 145° 34' | 55 | 455930 | 8/1 | 6 | 100 | 27 | 5 | 4 | 0 | 0 ³ |
| 4529 | 220 | 59° 50' | 144° 37' | 24 | 445932 | 9/5 | 6 | 287 | 71 | 10 | 10 | 0 | 0 ⁴ |
| 4530 | 230 | 59° 60' | 145° 34' | 50 | 455930 | 7/29 | 6 | 505 | 263 | 27 | 35 | 11 | 0 ³ |
| 4531 | 230 | 59° 60' | 145° 53' | 45 | 455930 | 8/30 | 6 | 684 | 313 | 26 | 45 | 15 | 0 |
| 4532 | 230 | 60° 10' | 146° 52' | 152 | 466002 | 8/20 | 6 | 220 | 100 | 14 | 14 | 88 | 4 ⁵ |
| 4533 | 230 | 60° 10' | 146° 32' | 72 | 466001 | 7/23 | 6 | 437 | 54 | 10 | 7 | 104 | 4 ³ |
| 4534 | 230 | 60° 10' | 144° 59' | 15 | 446001 | 8/22 | 6 | 34 | 43 | 2 | 5 | 0 | 0 |
| 4536 | 242 | 60° 20' | 148° 11' | 103 | 486005 | 8/24 | 6 | 436 | 60 | 13 | 8 | 11 | 0 ^{3,6} |
| 4537 | 230 | 60° 20' | 146° 11' | 10 | 466004 | 8/29 | 6 | 0 | 7 | 0 | 2 | 4 | 0 ⁴ |
| 4538 | 232 | 60° 20' | 146° 49' | 157 | 466003 | 7/22 | 6 | 504 | 57 | 28 | 7 | 34 | 0 |
| 4539 | 242 | 60° 39' | 147° 50' | 129 | 476032 | 8/27 | 6 | 183 | 74 | 10 | 11 | 38 | 11 ³ |
| 4540 | 242 | 60° 40' | 147° 30' | 25 | 476034 | 8/9 | 6 | 408 | 60 | 16 | 9 | 7 | 11 ⁶ |
| 4541 | 242 | 60° 50' | 147° 29' | 127 | 476034 | 8/11 | 6 | 776 | 115 | 32 | 12 | 48 | 44 ³ |
| 4542 | 232 | 60° 60' | 146° 47' | 193 | 466033 | 8/10 | 6 | 1,468 | 412 | 71 | 46 | 26 | 0 ^{3,7} |
| 4543 | 242 | 60° 60' | 148° 10' | 87 | 486034 | 8/26 | 6 | 271 | 5 | 6 | 1 | 11 | 0 ⁶ |
| 4544 | 242 | 61° 10' | 147° 49' | 76 | 476102 | 8/26 | 6 | 342 | 0 | 6 | 0 | 4 | 0 |
| Totals | | | | | | | | 15,476 | 3,856 | 720 | 478 | 608 | 304 |

¹ Pacific halibut weights determined by using best net weight available.

² Pacific cod and rockfish numbers extrapolated from 20% subsample.

³ Data for stations from 2021 FISS; all other station data from 2022 FISS.

⁴ Near closed area (Steller sea lion)

⁵ Inside closed area (Steller sea lion)

⁶ Near land.

⁷ Edge of Valdez Shipping Lane.



Station Tables

2023 FISS Projections

Gore Pt. Stations (48)

| Station Number | IPHC Stat Area | North Latitude | West Longitude | Depth (F) | ADFG Area | Date Fished ³ | Skates | Pacific halibut (lb) ¹ | | Pacific halibut (pieces) | | Byproduct (pieces) | |
|----------------|----------------|----------------|----------------|-----------|-----------|--------------------------|------------------|-----------------------------------|--------------|--------------------------|--------------|--------------------------|-----------------------|
| | | | | | | | | O32 | U32 | O32 | U32 | Pacific Cod ² | Rockfish ² |
| 4195 | 250 | 58° 00' | 149° 13' | 75 | 495800 | 6/27 | 6 | 2,087 | 515 | 157 | 65 | 4 | 11 |
| 4196 | 250 | 58° 10' | 148° 54' | 73 | 485800 | 6/27 | 6 | 607 | 191 | 44 | 29 | 15 | 30 |
| 4197 | 250 | 58° 10' | 149° 13' | 64 | 495800 | 6/29 | 6 | 1,191 | 251 | 71 | 35 | 4 | 120 |
| 4198 | 260 | 58° 10' | 149° 32' | 60 | 495800 | 6/2 | 6 | 44 | 55 | 3 | 10 | 0 | 48 |
| 4199 | 260 | 58° 10' | 149° 51' | 76 | 495800 | 6/2 | 6 | 354 | 210 | 29 | 28 | 94 | 0 |
| 4200 | 250 | 58° 20' | 148° 35' | 102 | 485800 | 6/26 | 6 | 1,348 | 161 | 85 | 24 | 11 | 0 |
| 4201 | 250 | 58° 20' | 148° 54' | 69 | 485800 | 6/29 | 6 | 821 | 378 | 55 | 59 | 45 | 0 |
| 4202 | 250 | 58° 20' | 149° 13' | 85 | 495800 | 6/29 | 6 | 736 | 350 | 54 | 47 | 53 | 0 |
| 4203 | 250 | 58° 20' | 149° 32' | 83 | 495800 | 6/30 | 6 | 82 | 158 | 7 | 23 | 11 | 0 |
| 4204 | 260 | 58° 20' | 149° 51' | 43 | 495800 | 6/2 | 6 | 65 | 199 | 6 | 30 | 0 | 0 |
| 4205 | 260 | 58° 20' | 150° 10' | 29 | 505800 | 6/3 | 6 | 167 | 469 | 12 | 63 | 0 | 0 |
| 4206 | 260 | 58° 20' | 150° 29' | 31 | 505800 | 6/3 | 6 | 32 | 142 | 2 | 23 | 23 | 0 |
| 4207 | 250 | 58° 30' | 148° 34' | 80 | 485831 | 6/26 | 6 | 636 | 187 | 45 | 23 | 19 | 23 |
| 4208 | 250 | 58° 30' | 148° 53' | 61 | 485831 | 6/26 | 6 | 639 | 329 | 39 | 46 | 34 | 11 |
| 4209 | 250 | 58° 30' | 149° 13' | 66 | 495832 | 6/30 | 6 | 334 | 300 | 21 | 48 | 71 | 0 |
| 4210 | 250 | 58° 30' | 149° 32' | 77 | 495832 | 6/30 | 6 | 43 | 147 | 3 | 25 | 98 | 0 |
| 4211 | 260 | 58° 30' | 149° 51' | 75 | 495832 | 6/4 | 6 | 478 | 236 | 37 | 32 | 97 | 0 |
| 4212 | 260 | 58° 30' | 150° 10' | 50 | 505832 | 6/4 | 6 | 327 | 229 | 17 | 38 | 101 | 4 |
| 4213 | 260 | 58° 30' | 150° 29' | 46 | 505832 | 7/3 | 6 | 30 | 216 | 2 | 38 | 19 | 8 |
| 4214 | 260 | 58° 30' | 150° 48' | 55 | 505832 | 7/4 | 6 | 179 | 374 | 11 | 56 | 45 | 4 |
| 4215 | 250 | 58° 40' | 149° 13' | 73 | 495832 | 6/25 | 6 | 126 | 204 | 8 | 32 | 4 | 4 |
| 4216 | 250 | 58° 40' | 149° 32' | 71 | 495832 | 6/25 | 6 | 62 | 172 | 5 | 27 | 76 | 4 |
| 4217 | 250 | 58° 40' | 149° 51' | 82 | 495832 | 6/4 | 6 | 509 | 114 | 34 | 15 | 71 | 0 |
| 4218 | 260 | 58° 40' | 150° 10' | 68 | 505832 | 6/19 | 6 | 916 | 223 | 62 | 35 | 15 | 0 |
| 4219 | 260 | 58° 40' | 150° 29' | 111 | 505832 | 6/19 | 6 | 318 | 49 | 23 | 6 | 63 | 4 |
| 4220 | 260 | 58° 40' | 150° 49' | 109 | 505832 | 6/18 | 6 | 494 | 99 | 36 | 12 | 34 | 0 |
| 4221 | 260 | 58° 40' | 151° 08' | 105 | 515833 | 6/18 | 6 | 245 | 67 | 15 | 8 | 30 | 0 |
| 4222 | 250 | 58° 50' | 149° 32' | 122 | 495832 | 6/25 | 6 | 201 | 0 | 11 | 0 | 0 | 0 |
| 4223 | 250 | 58° 50' | 149° 51' | 130 | 495832 | 6/20 | 6 | 81 | 26 | 7 | 3 | 4 | 8 |
| 4224 | 260 | 58° 50' | 150° 10' | 89 | 505832 | 6/19 | 6 | 787 | 165 | 52 | 23 | 30 | 0 |
| 4225 | 260 | 58° 50' | 150° 30' | 90 | 505832 | 6/8 | 6 | 619 | 72 | 40 | 8 | 8 | 0 |
| 4226 | 260 | 58° 50' | 150° 49' | 95 | 505832 | 6/8 | 6 | 305 | 197 | 23 | 26 | 11 | 0 |
| 4227 | 260 | 58° 50' | 151° 08' | 78 | 515833 | 6/10 | 6 | 610 | 246 | 35 | 37 | 22 | 0 |
| 4228 | 260 | 58° 50' | 151° 28' | 57 | 515833 | 6/10 | 6 | 329 | 243 | 20 | 34 | 0 | 19 |
| 4229 | 250 | 59° 00' | 149° 51' | 122 | 495901 | 6/20 | 6 | 180 | 13 | 12 | 2 | 0 | 0 |
| 4230 | 250 | 59° 00' | 150° 11' | 103 | 505901 | 6/20 | 6 | 218 | 66 | 16 | 8 | 15 | 0 |
| 4231 | 260 | 59° 00' | 150° 30' | 64 | 505902 | 6/7 | 6 | 153 | 283 | 12 | 40 | 11 | 4 |
| 4232 | 260 | 59° 00' | 150° 50' | 87 | 505902 | 6/8 | 6 | 236 | 60 | 13 | 8 | 7 | 0 |
| 4233 | 260 | 59° 00' | 151° 09' | 84 | 515902 | 6/10 | 6 | 898 | 127 | 51 | 17 | 11 | 0 ⁶ |
| 4234 | 260 | 59° 00' | 151° 28' | 69 | 515904 | 6/12 | 6 | 268 | 212 | 18 | 28 | 23 | 0 ⁶ |
| 4235 | 250 | 59° 10' | 150° 11' | 67 | 505901 | 6/7 | 6 | 125 | 68 | 9 | 10 | 0 | 0 |
| 4236 | 260 | 59° 10' | 150° 30' | 65 | 505902 | 6/7 | 6 | 165 | 97 | 10 | 15 | 15 | 0 |
| 4237 | 260 | 59° 10' | 150° 50' | 68 | 505902 | 6/9 | 6 | 331 | 187 | 19 | 23 | 8 | 30 ⁴ |
| 4238 | 260 | 59° 10' | 151° 09' | 28 | 515901 | 6/12 | 6 | 1,002 | 334 | 45 | 43 | 0 | 30 |
| 4239 | 250 | 59° 20' | 150° 31' | 145 | 505907 | 6/9 | 6 | 705 | 135 | 41 | 16 | 49 | 0 ⁵ |
| 4549 | 250 | 57° 60' | 148° 54' | 147 | 485730 | 6/27 | Ineffective (DS) | 862 | 68 | 56 | 9 | 0 | 67 |
| 4550 | 260 | 59° 10' | 151° 28' | 43 | 515903 | 6/12 | 6 | 909 | 359 | 38 | 51 | 26 | 11 ⁷ |
| 4551 | 260 | 59° 20' | 150° 50' | 94 | 505904 | 6/9 | 6 | 632 | 112 | 29 | 14 | 78 | 4 |
| Totals | | | | | | | | 22,483 | 9,092 | 1,437 | 1,289 | 1,351 | 441 |

¹ Pacific halibut weights determined by using best net weight available.

² Pacific cod and rockfish numbers extrapolated from 20% subsample.

³ Catch data for all stations from 2021 FISS.

⁴ Near closed area (Steller sea lion).

⁵ Inside closed area (Steller sea lion).

⁶ AKORN Fiber Optic line.

⁷ Rocky shallow station.



Station Tables

2023 FISS Projections

Portlock Stations (31)

| Station Number | IPHC Stat Area | North Latitude | West Longitude | Depth (F) | ADFG Area | Date Fished ³ | Skates | Pacific halibut (lb) ¹ | | Pacific halibut (pieces) | | Byproduct (pieces) | |
|----------------|----------------|----------------|----------------|-----------|-----------|--------------------------|------------------|-----------------------------------|--------------|--------------------------|--------------|--------------------------|-----------------------|
| | | | | | | | | O32 | U32 | O32 | U32 | Pacific Cod ² | Rockfish ² |
| 4240 | 270 | 57° 20' | 150° 46' | 88 | 505700 | 5/30 | 6 | 497 | 196 | 38 | 25 | 0 | 0 ³ |
| 4241 | 260 | 57° 30' | 150° 09' | 244 | 505730 | 5/31 | 6 | 676 | 201 | 57 | 25 | 0 | 8 ³ |
| 4242 | 270 | 57° 30' | 150° 28' | 85 | 505730 | 5/31 | 6 | 687 | 229 | 57 | 29 | 0 | 0 ³ |
| 4243 | 270 | 57° 30' | 150° 46' | 54 | 505730 | 5/30 | 6 | 718 | 413 | 53 | 65 | 23 | 0 ³ |
| 4244 | 260 | 57° 40' | 149° 50' | 229 | 495730 | 6/28 | 6 | 52 | 14 | 5 | 2 | 0 | 22 ³ |
| 4246 | 260 | 57° 40' | 150° 28' | 50 | 505730 | 7/6 | 6 | 636 | 371 | 44 | 62 | 11 | 0 ³ |
| 4248 | 270 | 57° 40' | 151° 05' | 40 | 515730 | 7/15 | 6 | 373 | 242 | 16 | 32 | 169 | 0 ³ |
| 4252 | 260 | 57° 50' | 150° 09' | 107 | 505730 | 7/5 | 6 | 347 | 164 | 28 | 20 | 30 | 0 ³ |
| 4254 | 260 | 57° 50' | 150° 47' | 44 | 505730 | 7/7 | 6 | 1,016 | 757 | 64 | 110 | 15 | 0 ³ |
| 4255 | 270 | 57° 50' | 151° 06' | 38 | 515730 | 7/15 | 6 | 8 | 42 | 1 | 8 | 23 | 0 ³ |
| 4256 | 270 | 57° 50' | 151° 24' | 29 | 515730 | 7/14 | 6 | 97 | 425 | 8 | 60 | 131 | 0 ³ |
| 4257 | 270 | 57° 50' | 151° 43' | 30 | 515730 | 9/2 | 6 | 242 | 161 | 11 | 25 | 84 | 0 |
| 4260 | 260 | 58° 00' | 149° 51' | 127 | 495800 | 6/1 | 6 | 168 | 115 | 13 | 14 | 0 | 4 ³ |
| 4261 | 260 | 58° 00' | 150° 09' | 122 | 505800 | 7/5 | 6 | 589 | 59 | 40 | 7 | 11 | 0 ³ |
| 4263 | 260 | 58° 00' | 150° 47' | 70 | 505800 | 7/7 | 6 | 144 | 153 | 12 | 21 | 23 | 0 ³ |
| 4265 | 270 | 58° 00' | 151° 25' | 42 | 515802 | 7/14 | 6 | 520 | 533 | 37 | 72 | 26 | 0 ³ |
| 4266 | 270 | 58° 00' | 151° 44' | 65 | 515802 | 9/2 | 6 | 229 | 193 | 14 | 27 | 64 | 0 |
| 4271 | 260 | 58° 10' | 150° 48' | 60 | 505800 | 9/6 | 6 | 25 | 51 | 2 | 8 | 179 | 0 |
| 4272 | 260 | 58° 10' | 151° 07' | 80 | 515802 | 9/6 | 6 | 81 | 103 | 6 | 15 | 44 | 0 |
| 4273 | 270 | 58° 10' | 151° 25' | 92 | 515802 | 9/1 | 6 | 471 | 202 | 30 | 26 | 78 | 0 |
| 4275 | 260 | 58° 20' | 150° 48' | 35 | 505800 | 9/6 | 6 | 47 | 44 | 3 | 9 | 19 | 0 |
| 4277 | 260 | 58° 20' | 151° 26' | 44 | 515802 | 9/1 | Ineffective (DO) | 388 | 617 | 25 | 84 | 40 | 10 |
| 4278 | 270 | 58° 20' | 151° 45' | 33 | 515801 | 9/1 | 6 | 1,304 | 177 | 46 | 23 | 0 | 5 ⁵ |
| 4280 | 260 | 58° 30' | 151° 27' | 93 | 515833 | 9/7 | 6 | 27 | 55 | 2 | 9 | 94 | 0 |
| 4281 | 260 | 58° 30' | 151° 46' | 95 | 515833 | 6/16 | 6 | 469 | 126 | 30 | 15 | 63 | 0 ³ |
| 4282 | 260 | 58° 40' | 151° 27' | 100 | 515833 | 6/11 | 6 | 336 | 153 | 22 | 22 | 15 | 0 ³ |
| 4283 | 260 | 58° 40' | 151° 46' | 70 | 515833 | 6/11 | 6 | 852 | 461 | 53 | 63 | 7 | 0 ^{3,4} |
| 4285 | 260 | 58° 50' | 152° 06' | 56 | 525833 | 6/15 | 6 | 1,379 | 406 | 60 | 59 | 0 | 8 ^{3,4} |
| 4553 | 270 | 58° 30' | 152° 06' | 28 | 525834 | 8/31 | 6 | 947 | 215 | 27 | 31 | 5 | 0 ⁵ |
| 4554 | 270 | 58° 40' | 152° 25' | 47 | 525834 | 6/15 | 6 | 874 | 642 | 53 | 89 | 41 | 0 ³ |
| 4555 | 260 | 58° 50' | 151° 46' | 60 | 515833 | 6/11 | 6 | 354 | 247 | 23 | 32 | 4 | 8 ³ |
| Totals | | | | | | | | 14,553 | 7,766 | 877 | 1,084 | 1,200 | 63 |

¹ Pacific halibut weights determined by using best net weight available.

² Pacific cod and rockfish numbers extrapolated from 20% subsample.

³ Data for stations from 2021 FISS; all other station data from 2022 FISS.

⁴ Inside closed area (Steller sea lion).

⁵ Near closed area (Steller sea lion).



Station Tables

2023 FISS Projections

Albatross Stations (49)

| Station Number | IPHC Stat Area | North Latitude | West Longitude | Depth (F) | ADFG Area | Date Fished ³ | Skates | Pacific halibut (lb) ¹ | | Pacific halibut (pieces) | | Byproduct (pieces) | |
|----------------|----------------|----------------|----------------|-----------|-----------|--------------------------|------------------|-----------------------------------|---------------|--------------------------|--------------|--------------------------|-----------------------|
| | | | | | | | | O32 | U32 | O32 | U32 | Pacific Cod ² | Rockfish ² |
| 4286 | 280 | 56° 20' | 152° 50' | 65 | 525600 | 6/17 | 6 | 426 | 716 | 32 | 103 | 11 | 5 |
| 4287 | 280 | 56° 20' | 153° 08' | 55 | 535602 | 6/17 | 6 | 509 | 487 | 38 | 65 | 0 | 0 |
| 4288 | 280 | 56° 20' | 153° 26' | 32 | 535602 | 6/12 | 6 | 747 | 581 | 36 | 92 | 4 | 0 ³ |
| 4289 | 280 | 56° 30' | 152° 15' | 118 | 525630 | 6/11 | Ineffective (DO) | 331 | 182 | 26 | 30 | 4 | 11 |
| 4290 | 280 | 56° 30' | 152° 33' | 153 | 525630 | 6/11 | 6 | 299 | 72 | 22 | 10 | 0 | 0 |
| 4291 | 280 | 56° 30' | 152° 51' | 28 | 525630 | 6/17 | 6 | 1,392 | 1,709 | 80 | 215 | 63 | 7 |
| 4292 | 280 | 56° 30' | 153° 09' | 39 | 535632 | 6/18 | 6 | 310 | 186 | 20 | 27 | 41 | 0 |
| 4293 | 280 | 56° 30' | 153° 27' | 47 | 535632 | 6/12 | 6 | 634 | 498 | 44 | 66 | 4 | 0 ³ |
| 4294 | 280 | 56° 30' | 153° 45' | 38 | 535632 | 6/19 | 6 | 1,822 | 237 | 71 | 35 | 59 | 0 |
| 4295 | 280 | 56° 40' | 151° 57' | 41 | 515630 | 6/10 | 6 | 1,353 | 845 | 88 | 106 | 0 | 15 |
| 4296 | 280 | 56° 40' | 152° 15' | 26 | 525630 | 6/19 | 6 | 554 | 357 | 32 | 51 | 67 | 0 ³ |
| 4297 | 280 | 56° 40' | 152° 34' | 75 | 525630 | 6/16 | 6 | 134 | 123 | 10 | 16 | 4 | 0 |
| 4298 | 280 | 56° 40' | 152° 52' | 37 | 525630 | 6/16 | 6 | 680 | 508 | 39 | 75 | 23 | 0 |
| 4299 | 280 | 56° 40' | 153° 10' | 82 | 535632 | 6/18 | 6 | 227 | 104 | 16 | 11 | 15 | 0 |
| 4300 | 280 | 56° 40' | 153° 28' | 79 | 535632 | 6/11 | 6 | 893 | 391 | 59 | 47 | 108 | 0 ³ |
| 4301 | 280 | 56° 40' | 153° 46' | 47 | 535632 | 6/19 | 6 | 645 | 428 | 32 | 61 | 59 | 0 |
| 4302 | 280 | 56° 50' | 151° 40' | 166 | 515630 | 6/10 | Ineffective (DO) | 282 | 240 | 23 | 31 | 0 | 4 |
| 4303 | 280 | 56° 50' | 151° 58' | 42 | 515630 | 6/10 | 6 | 1,263 | 766 | 81 | 100 | 7 | 11 |
| 4304 | 280 | 56° 50' | 152° 16' | 50 | 525630 | 6/15 | 6 | 944 | 692 | 68 | 107 | 7 | 0 |
| 4305 | 280 | 56° 50' | 152° 35' | 75 | 525630 | 6/16 | 6 | 191 | 258 | 14 | 35 | 26 | 0 |
| 4306 | 280 | 56° 50' | 152° 53' | 34 | 525630 | 6/9 | 6 | 359 | 267 | 21 | 38 | 33 | 0 ³ |
| 4307 | 280 | 56° 50' | 153° 11' | 51 | 535632 | 6/18 | 6 | 641 | 508 | 41 | 66 | 145 | 0 |
| 4308 | 280 | 56° 50' | 153° 29' | 51 | 535632 | 6/11 | 6 | 603 | 136 | 32 | 20 | 60 | 0 ^{3,5} |
| 4309 | 270 | 57° 00' | 151° 40' | 41 | 515700 | 6/9 | 6 | 1,453 | 811 | 85 | 113 | 4 | 15 |
| 4310 | 280 | 57° 00' | 151° 59' | 45 | 515700 | 6/9 | 6 | 368 | 248 | 26 | 35 | 67 | 0 |
| 4311 | 280 | 57° 00' | 152° 17' | 40 | 525702 | 6/15 | 6 | 1,118 | 857 | 68 | 128 | 0 | 0 |
| 4312 | 280 | 57° 00' | 152° 35' | 83 | 525702 | 6/15 | 6 | 168 | 137 | 14 | 16 | 0 | 0 |
| 4313 | 280 | 57° 00' | 152° 54' | 63 | 525702 | 6/9 | 6 | 353 | 308 | 23 | 41 | 33 | 0 ³ |
| 4314 | 270 | 57° 10' | 151° 04' | 196 | 515700 | 6/8 | 6 | 324 | 208 | 27 | 24 | 0 | 7 |
| 4315 | 270 | 57° 10' | 151° 22' | 70 | 515700 | 6/8 | 6 | 773 | 530 | 54 | 70 | 59 | 0 |
| 4316 | 270 | 57° 10' | 151° 41' | 41 | 515700 | 6/3 | 6 | 774 | 163 | 41 | 23 | 167 | 0 ³ |
| 4317 | 270 | 57° 10' | 151° 59' | 38 | 515700 | 6/9 | 6 | 633 | 170 | 27 | 26 | 22 | 0 |
| 4318 | 280 | 57° 10' | 152° 18' | 43 | 525702 | 6/14 | 6 | 232 | 238 | 14 | 41 | 85 | 0 |
| 4319 | 280 | 57° 10' | 152° 36' | 52 | 525702 | 6/14 | 6 | 274 | 256 | 18 | 46 | 137 | 0 |
| 4320 | 270 | 57° 20' | 151° 04' | 50 | 515700 | 6/2 | 6 | 923 | 475 | 62 | 65 | 33 | 0 ³ |
| 4321 | 270 | 57° 20' | 151° 23' | 73 | 515700 | 6/8 | 6 | 1,226 | 856 | 87 | 107 | 68 | 0 |
| 4322 | 270 | 57° 20' | 151° 41' | 34 | 515700 | 6/3 | 6 | 701 | 67 | 29 | 8 | 226 | 0 ³ |
| 4323 | 270 | 57° 20' | 152° 00' | 40 | 525702 | 6/4 | 6 | 375 | 116 | 22 | 17 | 141 | 0 ³ |
| 4324 | 270 | 57° 20' | 152° 18' | 20 | 525701 | 6/14 | 6 | 1,371 | 116 | 45 | 14 | 4 | 0 ⁵ |
| 4325 | 270 | 57° 30' | 151° 05' | 44 | 515730 | 6/7 | 6 | 815 | 692 | 42 | 95 | 8 | 0 |
| 4326 | 270 | 57° 30' | 151° 23' | 53 | 515730 | 6/7 | 6 | 699 | 513 | 51 | 70 | 89 | 0 |
| 4327 | 270 | 57° 30' | 151° 42' | 60 | 515730 | 6/7 | 6 | 685 | 648 | 53 | 86 | 74 | 0 |
| 4328 | 270 | 57° 30' | 152° 01' | 26 | 525732 | 6/6 | 6 | 1,224 | 400 | 44 | 53 | 30 | 0 |
| 4329 | 270 | 57° 40' | 151° 43' | 36 | 515730 | 6/1 | 6 | 236 | 237 | 16 | 34 | 37 | 0 ³ |
| 4330 | 270 | 57° 40' | 152° 01' | 84 | 525732 | 6/6 | 6 | 522 | 178 | 36 | 24 | 126 | 0 ⁵ |
| 4583 | 280 | 56° 30' | 151° 57' | 251 | 515600 | 6/11 | Ineffective (DO) | 41 | 7 | 3 | 1 | 0 | 15 ⁴ |
| 4585 | 280 | 56° 60' | 153° 29' | 68 | 535631 | 6/10 | 6 | 847 | 271 | 38 | 35 | 51 | 0 ³ |
| 4586 | 280 | 56° 60' | 153° 11' | 20 | 535631 | 6/10 | 6 | 2,708 | 256 | 107 | 32 | 4 | 0 ³ |
| 4589 | 270 | 57° 40' | 152° 20' | 33 | 525733 | 6/6 | 6 | 554 | 120 | 21 | 17 | 124 | 0 |
| Totals | | | | | | | | 34,638 | 19,170 | 1,973 | 2,623 | 2,329 | 91 |

¹ Pacific halibut weights determined by using best net weight available.

² Pacific cod and rockfish numbers extrapolated from 20% subsample.

³ Data for stations from 2021 FISS; all other station data from 2022 FISS.

⁴ Do not set Seacat at station 4583.

⁵ Near closed area (Steller sea lion).



Station Tables

2023 FISS Projections
Trinity Stations (55)

| Station Number | IPHC Stat Area | North Latitude | West Longitude | Depth (F) | ADFG Area | Date Fished ³ | Skates | Pacific halibut (lb) ¹ | | Pacific halibut (pieces) | | Byproduct (pieces) | |
|----------------|----------------|----------------|----------------|-----------|-----------|--------------------------|------------------|-----------------------------------|---------------|--------------------------|--------------|--------------------------|-----------------------|
| | | | | | | | | O32 | U32 | O32 | U32 | Pacific Cod ² | Rockfish ² |
| 5001 | 290 | 56° 00' | 153° 36' | 52 | 535602 | 7/21 | 8 | 1,689 | 691 | 99 | 99 | 0 | 20 ³ |
| 5002 | 290 | 56° 00' | 153° 54' | 67 | 535602 | 7/21 | 8 | 499 | 491 | 35 | 73 | 50 | 0 ³ |
| 5003 | 290 | 56° 00' | 154° 13' | 58 | 545602 | 6/20 | 8 | 1,283 | 1,093 | 75 | 149 | 0 | 79 ³ |
| 5004 | 290 | 56° 00' | 154° 30' | 249 | 545602 | 7/23 | 8 | 0 | 0 | 0 | 0 | 0 | 5 ³ |
| 5005 | 290 | 56° 00' | 154° 48' | 117 | 545602 | 7/2 | 8 | 141 | 182 | 11 | 21 | 0 | 0 ³ |
| 5006 | 290 | 56° 00' | 155° 06' | 36 | 555600 | 7/2 | 8 | 292 | 588 | 21 | 90 | 132 | 0 |
| 5007 | 290 | 56° 10' | 153° 36' | 87 | 535602 | 6/21 | 8 | 495 | 364 | 34 | 51 | 50 | 0 |
| 5008 | 290 | 56° 10' | 153° 53' | 123 | 535602 | 7/20 | 8 | 679 | 141 | 49 | 15 | 0 | 0 ³ |
| 5009 | 290 | 56° 10' | 154° 11' | 64 | 545602 | 7/22 | 8 | 193 | 468 | 15 | 70 | 5 | 0 ³ |
| 5010 | 290 | 56° 10' | 154° 29' | 51 | 545602 | 7/23 | 8 | 640 | 965 | 47 | 140 | 0 | 0 ³ |
| 5011 | 290 | 56° 10' | 154° 47' | 48 | 545602 | 7/2 | 8 | 378 | 905 | 28 | 132 | 45 | 0 |
| 5013 | 290 | 56° 10' | 155° 23' | 20 | 555600 | 7/1 | 8 | 742 | 673 | 37 | 106 | 59 | 0 |
| 5014 | 290 | 56° 10' | 155° 41' | 32 | 555600 | 7/1 | 8 | 491 | 631 | 26 | 101 | 200 | 0 |
| 5015 | 290 | 56° 20' | 153° 51' | 48 | 535602 | 7/20 | 8 | 563 | 539 | 34 | 86 | 15 | 0 ³ |
| 5016 | 290 | 56° 20' | 154° 10' | 50 | 545602 | 6/20 | 8 | 321 | 609 | 24 | 86 | 0 | 0 |
| 5017 | 290 | 56° 20' | 154° 28' | 34 | 545602 | 6/20 | 8 | 505 | 282 | 32 | 42 | 30 | 0 |
| 5018 | 290 | 56° 20' | 155° 22' | 25 | 555600 | 6/30 | 8 | 120 | 430 | 9 | 74 | 25 | 0 |
| 5019 | 290 | 56° 20' | 155° 40' | 38 | 555600 | 6/30 | 8 | 266 | 225 | 20 | 36 | 248 | 0 |
| 5020 | 290 | 56° 30' | 155° 21' | 29 | 555630 | 6/30 | 8 | 284 | 283 | 17 | 51 | 107 | 0 |
| 5021 | 290 | 56° 30' | 155° 39' | 64 | 555630 | 6/29 | 8 | 184 | 282 | 12 | 41 | 178 | 0 |
| 5022 | 290 | 56° 40' | 155° 02' | 23 | 555630 | 6/28 | 8 | 1,025 | 373 | 44 | 60 | 65 | 0 |
| 5023 | 290 | 56° 40' | 155° 20' | 48 | 555630 | 6/28 | 8 | 525 | 781 | 38 | 111 | 158 | 5 |
| 5024 | 290 | 56° 40' | 155° 38' | 129 | 555630 | 6/29 | 8 | 160 | 62 | 10 | 8 | 0 | 0 |
| 5025 | 290 | 56° 40' | 155° 56' | 158 | 555630 | 6/29 | 8 | 85 | 87 | 7 | 10 | 0 | 0 |
| 5026 | 290 | 56° 50' | 154° 24' | 33 | 545631 | 7/16 | 8 | 2,307 | 405 | 117 | 49 | 15 | 0 ³ |
| 5027 | 290 | 56° 50' | 154° 42' | 26 | 545631 | 7/16 | 8 | 299 | 384 | 15 | 51 | 20 | 0 ³ |
| 5028 | 290 | 56° 50' | 155° 00' | 40 | 555630 | 6/28 | 8 | 1,686 | 747 | 94 | 101 | 198 | 0 |
| 5029 | 290 | 56° 50' | 155° 19' | 123 | 555630 | 7/13 | 8 | 831 | 458 | 59 | 48 | 5 | 0 ³ |
| 5030 | 290 | 56° 50' | 155° 37' | 151 | 555630 | 7/12 | 8 | 645 | 355 | 49 | 38 | 0 | 0 ³ |
| 5031 | 290 | 56° 50' | 155° 55' | 164 | 555630 | 7/12 | 8 | 651 | 68 | 46 | 7 | 5 | 0 ³ |
| 5032 | 290 | 57° 00' | 154° 41' | 23 | 545702 | 6/27 | 8 | 1,060 | 558 | 52 | 96 | 25 | 0 |
| 5033 | 290 | 57° 00' | 154° 59' | 59 | 545702 | 7/15 | 8 | 401 | 652 | 30 | 81 | 64 | 0 ³ |
| 5034 | 290 | 57° 00' | 155° 18' | 138 | 555701 | 6/26 | 8 | 407 | 176 | 24 | 21 | 0 | 0 |
| 5035 | 290 | 57° 00' | 155° 36' | 153 | 555701 | 6/26 | 8 | 689 | 448 | 44 | 54 | 0 | 0 |
| 5036 | 290 | 57° 00' | 155° 54' | 165 | 555701 | 7/12 | 8 | 1,093 | 150 | 69 | 17 | 5 | 0 ³ |
| 5037 | 290 | 57° 10' | 154° 40' | 33 | 545702 | 7/9 | 8 | 959 | 385 | 41 | 57 | 64 | 0 ³ |
| 5038 | 290 | 57° 10' | 154° 58' | 107 | 545702 | 6/27 | 8 | 208 | 419 | 12 | 62 | 55 | 0 |
| 5039 | 290 | 57° 10' | 155° 16' | 133 | 555701 | 7/8 | 8 | 814 | 198 | 57 | 21 | 15 | 0 ³ |
| 5040 | 290 | 57° 10' | 155° 35' | 149 | 555701 | 7/8 | 8 | 715 | 151 | 49 | 16 | 0 | 5 ³ |
| 5041 | 290 | 57° 10' | 155° 53' | 134 | 555701 | 6/25 | 8 | 1,286 | 346 | 78 | 43 | 54 | 0 |
| 5042 | 290 | 57° 20' | 154° 57' | 103 | 545702 | 6/27 | 8 | 722 | 325 | 48 | 39 | 153 | 5 |
| 5043 | 290 | 57° 20' | 155° 15' | 134 | 555701 | 7/7 | Ineffective (PS) | 827 | 255 | 55 | 28 | 0 | 0 ³ |
| 5044 | 290 | 57° 20' | 155° 34' | 154 | 555701 | 6/25 | 8 | 1,233 | 618 | 80 | 76 | 0 | 0 |
| 5045 | 290 | 57° 20' | 155° 52' | 57 | 555701 | 7/5 | Ineffective (PS) | 982 | 616 | 59 | 78 | 74 | 0 ³ |
| 5046 | 290 | 57° 20' | 156° 11' | 98 | 565704 | 7/5 | 8 | 481 | 78 | 22 | 10 | 175 | 0 ³ |
| 5047 | 290 | 57° 30' | 155° 14' | 139 | 555733 | 6/25 | Ineffective (PS) | 497 | 220 | 30 | 28 | 0 | 0 |
| 5048 | 290 | 57° 30' | 155° 33' | 163 | 555733 | 7/4 | 8 | 613 | 283 | 41 | 31 | 0 | 0 ³ |
| 5501 | 290 | 55° 40' | 154° 13' | 297 | 545530 | 6/29 | 8 | 0 | 0 | 0 | 0 | 0 | 35 ³ |
| 5503 | 290 | 56° 20' | 155° 05' | 15 | 555600 | 7/29 | 8 | 2,459 | 497 | 92 | 60 | 0 | 0 ³ |
| 5504 | 290 | 56° 20' | 153° 36' | 38 | 535602 | 6/21 | 8 | 1,189 | 1,883 | 77 | 249 | 0 | 0 |
| 5505 | 290 | 56° 30' | 155° 03' | 16 | 555600 | 7/14 | 8 | 1,324 | 199 | 53 | 23 | 0 | 0 ³ |
| 5507 | 290 | 56° 30' | 153° 51' | 19 | 535601 | 7/19 | 8 | 2,361 | 67 | 73 | 8 | 5 | 0 ³ |
| 5508 | 290 | 56° 40' | 154° 44' | 15 | 545631 | 7/16 | 8 | 1,293 | 146 | 53 | 17 | 0 | 0 ³ |
| 5510 | 290 | 57° 30' | 155° 52' | 20 | 555702 | 7/5 | 8 | 768 | 373 | 36 | 48 | 30 | 0 ³ |
| 5512 | 290 | 57° 40' | 155° 33' | 31 | 555732 | 7/4 | 8 | 781 | 426 | 50 | 51 | 45 | 0 ³ |
| Totals | | | | | | | | 41,141 | 23,031 | 2,329 | 3,159 | 2,373 | 154 |

¹ Pacific halibut weights determined by using best net weight available.

² Pacific cod and rockfish numbers extrapolated from 20% subsample.

³ Data for stations from 2021 FISS; all other station data from 2022 FISS.



Station Tables

2023 FISS Projections
Semidi Stations (56)

| Station Number | IPHC Stat Area | North Latitude | West Longitude | Depth (F) | ADFG Area | Date Fished ³ | Skates | Pacific halibut (lb) ¹ | | Pacific halibut (pieces) | | Byproduct (pieces) | |
|----------------|----------------|----------------|----------------|-----------|-----------|--------------------------|------------------|-----------------------------------|---------------|--------------------------|--------------|--------------------------|-----------------------|
| | | | | | | | | O32 | U32 | O32 | U32 | Pacific Cod ² | Rockfish ² |
| 5234 | 300 | 55° 20' | 156° 03' | 153 | 565502 | 8/4 | Ineffective (DS) | 727 | 20 | 40 | 2 | 0 | 30 |
| 5235 | 300 | 55° 20' | 156° 21' | 95 | 565501 | 7/25 | 8 | 455 | 254 | 34 | 31 | 57 | 0 |
| 5236 | 300 | 55° 30' | 155° 45' | 118 | 555532 | 8/4 | 8 | 0 | 29 | 0 | 4 | 0 | 0 |
| 5237 | 300 | 55° 30' | 156° 03' | 109 | 565534 | 8/4 | 8 | 0 | 26 | 0 | 4 | 0 | 0 |
| 5238 | 300 | 55° 30' | 156° 20' | 117 | 565534 | 8/4 | 8 | 709 | 30 | 41 | 3 | 0 | 0 |
| 5239 | 300 | 55° 40' | 155° 26' | 99 | 555532 | 8/5 | 8 | 99 | 7 | 6 | 4 | 40 | 0 |
| 5240 | 300 | 55° 40' | 155° 44' | 69 | 555532 | 7/26 | 8 | 375 | 472 | 25 | 63 | 328 | 0 |
| 5241 | 300 | 55° 40' | 156° 02' | 126 | 565534 | 7/26 | 8 | 558 | 141 | 35 | 16 | 0 | 0 |
| 5242 | 300 | 55° 40' | 156° 19' | 139 | 565534 | 7/17 | 8 | 809 | 76 | 58 | 8 | 0 | 10 |
| 5243 | 300 | 55° 40' | 156° 37' | 132 | 565533 | 8/4 | 8 | 476 | 74 | 32 | 8 | 0 | 0 |
| 5244 | 290 | 55° 50' | 155° 07' | 64 | 555532 | 8/1 | 8 | 344 | 547 | 26 | 78 | 70 | 10 |
| 5245 | 300 | 55° 50' | 155° 25' | 26 | 555532 | 8/1 | 8 | 132 | 298 | 6 | 40 | 0 | 0 |
| 5246 | 300 | 55° 50' | 156° 01' | 58 | 565534 | 8/4 | 8 | 1,494 | 833 | 104 | 96 | 40 | 0 |
| 5247 | 300 | 55° 50' | 156° 19' | 131 | 565534 | 7/17 | 8 | 360 | 225 | 24 | 22 | 10 | 0 |
| 5248 | 300 | 55° 50' | 156° 36' | 124 | 565533 | 7/17 | 8 | 346 | 94 | 26 | 10 | 20 | 0 |
| 5249 | 300 | 55° 50' | 156° 54' | 73 | 565533 | 7/17 | 8 | 337 | 418 | 26 | 54 | 98 | 0 |
| 5250 | 300 | 56° 00' | 155° 42' | 26 | 555600 | 7/18 | 8 | 952 | 675 | 58 | 96 | 60 | 0 |
| 5251 | 300 | 56° 00' | 156° 00' | 41 | 565604 | 7/18 | 8 | 407 | 592 | 26 | 78 | 188 | 0 |
| 5252 | 300 | 56° 00' | 156° 18' | 116 | 565604 | 7/18 | 8 | 381 | 0 | 24 | 0 | 20 | 0 |
| 5253 | 300 | 56° 00' | 156° 36' | 105 | 565602 | 8/15 | 8 | 2,326 | 135 | 130 | 14 | 50 | 10 ⁴ |
| 5254 | 300 | 56° 00' | 157° 11' | 61 | 575605 | 7/24 | 8 | 672 | 1,275 | 50 | 168 | 88 | 0 |
| 5255 | 300 | 56° 10' | 155° 59' | 117 | 555600 | 7/22 | 8 | 1,104 | 293 | 66 | 34 | 10 | 0 |
| 5256 | 300 | 56° 10' | 156° 17' | 125 | 565604 | 7/18 | 8 | 537 | 141 | 34 | 14 | 70 | 0 |
| 5257 | 300 | 56° 10' | 156° 35' | 101 | 565603 | 8/15 | 8 | 607 | 579 | 42 | 66 | 40 | 0 |
| 5258 | 300 | 56° 10' | 156° 53' | 44 | 565602 | 7/24 | 8 | 24 | 592 | 2 | 102 | 160 | 0 |
| 5259 | 300 | 56° 10' | 157° 11' | 55 | 575605 | 9/5 | 8 | 1,299 | 997 | 64 | 128 | 141 | 0 |
| 5260 | 300 | 56° 10' | 157° 29' | 86 | 575604 | 8/16 | 8 | 628 | 476 | 50 | 54 | 0 | 0 |
| 5261 | 290 | 56° 20' | 155° 58' | 114 | 555600 | 7/23 | 8 | 509 | 254 | 38 | 28 | 0 | 0 |
| 5262 | 300 | 56° 20' | 156° 16' | 153 | 565604 | 7/26 | 8 | 271 | 74 | 18 | 10 | 0 | 0 |
| 5263 | 300 | 56° 20' | 156° 34' | 99 | 565603 | 8/13 | 8 | 535 | 617 | 39 | 73 | 6 | 0 |
| 5264 | 300 | 56° 20' | 156° 52' | 62 | 565603 | 8/14 | 8 | 638 | 677 | 50 | 80 | 40 | 0 |
| 5265 | 300 | 56° 20' | 157° 10' | 92 | 575605 | 7/23 | 8 | 1,500 | 720 | 104 | 86 | 69 | 0 |
| 5266 | 300 | 56° 20' | 157° 28' | 37 | 575604 | 7/23 | 8 | 1,677 | 567 | 66 | 70 | 10 | 0 |
| 5267 | 300 | 56° 20' | 157° 46' | 28 | 575603 | 7/23 | 8 | 1,753 | 1,076 | 78 | 128 | 60 | 0 |
| 5268 | 290 | 56° 30' | 155° 57' | 133 | 555630 | 7/26 | 8 | 221 | 39 | 14 | 4 | 0 | 0 |
| 5269 | 300 | 56° 30' | 156° 15' | 143 | 565635 | 7/26 | 8 | 164 | 18 | 10 | 2 | 10 | 0 |
| 5270 | 300 | 56° 30' | 156° 33' | 105 | 565634 | 7/25 | 8 | 359 | 82 | 24 | 8 | 10 | 0 |
| 5271 | 300 | 56° 30' | 156° 51' | 52 | 565634 | 7/25 | 8 | 1,205 | 790 | 60 | 116 | 109 | 0 |
| 5272 | 300 | 56° 30' | 157° 28' | 81 | 575633 | 7/23 | 8 | 648 | 321 | 34 | 34 | 110 | 0 |
| 5273 | 290 | 56° 40' | 156° 14' | 115 | 565635 | 7/26 | 8 | 643 | 237 | 52 | 30 | 10 | 0 |
| 5274 | 300 | 56° 40' | 156° 32' | 83 | 565634 | 7/25 | 8 | 1,224 | 721 | 76 | 94 | 60 | 0 |
| 5275 | 300 | 56° 40' | 156° 51' | 53 | 565634 | 8/7 | 8 | 1,092 | 938 | 66 | 115 | 28 | 0 |
| 5276 | 300 | 56° 40' | 157° 09' | 75 | 575632 | 8/12 | 8 | 730 | 262 | 44 | 32 | 30 | 0 |
| 5277 | 290 | 56° 50' | 156° 13' | 105 | 565635 | 7/24 | 8 | 1,606 | 315 | 88 | 36 | 0 | 0 |
| 5278 | 290 | 56° 50' | 156° 32' | 61 | 565633 | 7/27 | 8 | 1,036 | 276 | 44 | 38 | 320 | 0 |
| 5279 | 300 | 56° 50' | 156° 50' | 60 | 565633 | 8/12 | 8 | 2,154 | 708 | 152 | 82 | 69 | 0 |
| 5280 | 290 | 57° 00' | 156° 13' | 83 | 565702 | 7/27 | 8 | 364 | 92 | 22 | 12 | 180 | 0 |
| 5513 | 300 | 55° 20' | 155° 45' | 377 | 555500 | 8/3 | 8 | 0 | 0 | 0 | 0 | 0 | 10 |
| 5515 | 300 | 55° 30' | 155° 08' | 305 | 555500 | 8/2 | 8 | 0 | 0 | 0 | 0 | 0 | 10 |
| 5516 | 290 | 55° 40' | 155° 08' | 270 | 555532 | 8/5 | 8 | 0 | 0 | 0 | 0 | 0 | 10 |
| 5518 | 300 | 55° 60' | 156° 54' | 55 | 565533 | 7/24 | 8 | 189 | 744 | 14 | 100 | 170 | 0 |
| 5519 | 290 | 55° 60' | 155° 25' | 17 | 555532 | 8/5 | 8 | 2,245 | 686 | 104 | 84 | 30 | 0 |
| 5520 | 300 | 56° 30' | 157° 46' | 31 | 575603 | 8/5 | 8 | 130 | 339 | 9 | 46 | 96 | 0 |
| 5521 | 300 | 56° 30' | 157° 10' | 19 | 575601 | 8/13 | 8 | 2,073 | 182 | 68 | 26 | 0 | 0 ⁵ |
| 5524 | 290 | 56° 60' | 156° 32' | 61 | 565633 | 7/27 | 8 | 997 | 490 | 46 | 60 | 70 | 10 |
| 5525 | 290 | 57° 10' | 156° 13' | 39 | 565704 | 7/25 | 8 | 2,145 | 551 | 82 | 70 | 0 | 0 |
| Totals | | | | | | | | 42,266 | 21,078 | 2,433 | 2,661 | 2,977 | 99 |

¹ Pacific halibut weights determined by using best net weight available.

² Pacific cod and rockfish numbers extrapolated from 20% subsample.

³ Data for stations 5235, 5259, 5275, 5520 from 2019 FISS; stations 5243-5246, 5253, 5255, 5257, 5260, 5261, 5264, 5276, 5277, 5279, 5513, 5515, 5521, 5525 from 2020 FISS; all other stations from 2021 FISS.

⁴ Inside closed area (Steller sea lion)

⁵ Shallow station



Station Tables

2023 FISS Projections
Chignik Stations (48)

| Station Number | IPHC Stat Area | North Latitude | West Longitude | Depth (F) | ADFG Area | Date Fished ³ | Skates | Pacific halibut (lb) ¹ | | Pacific halibut (pieces) | | Byproduct (pieces) | |
|----------------|----------------|----------------|----------------|-----------|-----------|--------------------------|------------------|-----------------------------------|---------------|--------------------------|--------------|--------------------------|-----------------------|
| | | | | | | | | O32 | U32 | O32 | U32 | Pacific Cod ² | Rockfish ² |
| 5096 | 310 | 54° 50' | 157° 33' | 223 | 575432 | 7/13 | 8 | 0 | 0 | 0 | 0 | 0 | 10 |
| 5097 | 310 | 54° 50' | 157° 50' | 90 | 575432 | 8/25 | 8 | 196 | 349 | 14 | 53 | 119 | 0 |
| 5098 | 310 | 55° 00' | 157° 15' | 106 | 575502 | 8/2 | 8 | 62 | 0 | 4 | 0 | 0 | 0 |
| 5099 | 310 | 55° 00' | 157° 32' | 52 | 575501 | 8/2 | 8 | 2,033 | 774 | 114 | 86 | 160 | 10 |
| 5100 | 310 | 55° 00' | 157° 50' | 44 | 575501 | 7/13 | 8 | 715 | 214 | 46 | 26 | 10 | 29 |
| 5101 | 310 | 55° 00' | 158° 07' | 72 | 585502 | 7/15 | 8 | 622 | 949 | 48 | 126 | 0 | 0 |
| 5102 | 300 | 55° 10' | 156° 22' | 278 | 565501 | 8/21 | 8 | 0 | 0 | 0 | 0 | 0 | 6 |
| 5103 | 300 | 55° 10' | 156° 39' | 289 | 565501 | 8/3 | Ineffective (DS) | 0 | 0 | 0 | 0 | 0 | 0 |
| 5104 | 300 | 55° 10' | 156° 57' | 83 | 565501 | 7/14 | 8 | 0 | 50 | 0 | 8 | 58 | 0 |
| 5105 | 310 | 55° 10' | 157° 14' | 61 | 575502 | 8/2 | 8 | 774 | 985 | 44 | 136 | 40 | 0 |
| 5106 | 310 | 55° 10' | 157° 32' | 46 | 575501 | 8/23 | 8 | 1,896 | 847 | 105 | 107 | 23 | 0 |
| 5107 | 310 | 55° 10' | 157° 49' | 43 | 575501 | 7/15 | 8 | 625 | 951 | 34 | 132 | 109 | 0 |
| 5108 | 310 | 55° 10' | 158° 07' | 55 | 585502 | 7/15 | 8 | 1,750 | 1,386 | 120 | 182 | 70 | 0 |
| 5109 | 300 | 55° 20' | 156° 39' | 66 | 565501 | 8/3 | 8 | 511 | 697 | 32 | 98 | 250 | 0 |
| 5110 | 300 | 55° 20' | 156° 56' | 49 | 565501 | 8/3 | 8 | 771 | 847 | 50 | 124 | 188 | 0 |
| 5111 | 310 | 55° 20' | 157° 14' | 48 | 575502 | 7/14 | 8 | 319 | 347 | 22 | 52 | 59 | 0 |
| 5112 | 310 | 55° 20' | 157° 31' | 46 | 575501 | 8/23 | 8 | 567 | 603 | 32 | 97 | 68 | 0 |
| 5113 | 310 | 55° 20' | 157° 49' | 44 | 575501 | 7/15 | 8 | 618 | 877 | 30 | 126 | 110 | 0 |
| 5114 | 310 | 55° 20' | 158° 06' | 58 | 585502 | 7/12 | 8 | 269 | 394 | 20 | 54 | 99 | 0 |
| 5115 | 310 | 55° 20' | 158° 24' | 80 | 585502 | 7/31 | 8 | 104 | 102 | 8 | 14 | 30 | 0 |
| 5116 | 300 | 55° 30' | 156° 38' | 98 | 565533 | 7/24 | 8 | 451 | 50 | 23 | 6 | 86 | 6 |
| 5117 | 300 | 55° 30' | 156° 55' | 49 | 565533 | 7/16 | 8 | 3,521 | 1,273 | 186 | 162 | 10 | 30 |
| 5118 | 300 | 55° 30' | 157° 13' | 48 | 575532 | 7/16 | 8 | 1,506 | 879 | 64 | 120 | 222 | 0 |
| 5119 | 310 | 55° 30' | 157° 31' | 51 | 575531 | 8/1 | 8 | 373 | 1,112 | 28 | 174 | 10 | 0 |
| 5120 | 310 | 55° 30' | 157° 48' | 52 | 575531 | 8/1 | 8 | 442 | 778 | 34 | 138 | 60 | 0 |
| 5121 | 310 | 55° 30' | 158° 06' | 70 | 585532 | 7/31 | 8 | 90 | 109 | 8 | 16 | 0 | 0 |
| 5122 | 310 | 55° 30' | 158° 24' | 79 | 585532 | 7/12 | 8 | 101 | 164 | 8 | 22 | 0 | 0 |
| 5123 | 300 | 55° 40' | 156° 55' | 49 | 565533 | 7/16 | 8 | 1,246 | 968 | 72 | 150 | 79 | 0 |
| 5124 | 300 | 55° 40' | 157° 13' | 47 | 575532 | 7/16 | 8 | 80 | 372 | 6 | 62 | 182 | 0 |
| 5125 | 300 | 55° 40' | 157° 30' | 54 | 575531 | 9/7 | 8 | 200 | 865 | 16 | 139 | 91 | 0 |
| 5126 | 310 | 55° 40' | 157° 48' | 73 | 575531 | 8/1 | 8 | 117 | 221 | 10 | 28 | 40 | 0 |
| 5127 | 310 | 55° 40' | 158° 06' | 70 | 585532 | 7/31 | 8 | 189 | 410 | 16 | 48 | 20 | 0 |
| 5128 | 300 | 55° 40' | 158° 23' | 71 | 585532 | 9/9 | 8 | 46 | 212 | 2 | 24 | 62 | 0 |
| 5129 | 310 | 55° 40' | 158° 41' | 50 | 585532 | 7/10 | 8 | 341 | 579 | 24 | 84 | 78 | 0 |
| 5130 | 300 | 55° 50' | 157° 12' | 55 | 575532 | 9/4 | 8 | 109 | 805 | 9 | 118 | 85 | 0 |
| 5131 | 300 | 55° 50' | 157° 30' | 55 | 575531 | 7/14 | 8 | 564 | 859 | 36 | 108 | 100 | 0 ⁴ |
| 5132 | 310 | 55° 50' | 157° 48' | 66 | 575531 | 7/14 | 8 | 712 | 1,300 | 54 | 152 | 10 | 0 |
| 5133 | 310 | 55° 50' | 158° 05' | 44 | 585532 | 7/8 | 8 | 205 | 492 | 16 | 70 | 158 | 0 |
| 5134 | 310 | 55° 50' | 158° 23' | 59 | 585532 | 7/10 | 8 | 876 | 534 | 54 | 72 | 39 | 0 |
| 5135 | 300 | 56° 00' | 157° 29' | 61 | 575604 | 7/14 | 8 | 944 | 1,909 | 70 | 222 | 20 | 0 |
| 5136 | 300 | 56° 00' | 157° 47' | 69 | 575604 | 7/14 | 8 | 359 | 802 | 32 | 98 | 30 | 0 |
| 5137 | 310 | 56° 00' | 158° 05' | 45 | 585602 | 7/22 | 8 | 1,436 | 999 | 62 | 130 | 70 | 0 |
| 5138 | 300 | 56° 10' | 157° 47' | 83 | 575604 | 7/13 | 8 | 1,420 | 353 | 74 | 40 | 111 | 0 |
| 5139 | 310 | 56° 10' | 158° 05' | 32 | 585601 | 7/13 | 8 | 1,541 | 453 | 64 | 64 | 70 | 0 |
| 5140 | 300 | 56° 20' | 158° 04' | 36 | 585601 | 7/13 | 8 | 2,460 | 332 | 90 | 44 | 10 | 0 |
| 5527 | 310 | 55° 50' | 158° 41' | 36 | 585531 | 7/22 | 8 | 3,479 | 1,504 | 142 | 180 | 10 | 30 ⁴ |
| 5528 | 310 | 55° 60' | 158° 23' | 33 | 585531 | 7/22 | 8 | 1,311 | 862 | 48 | 122 | 50 | 0 |
| 5529 | 300 | 56° 30' | 158° 04' | 20 | 585601 | 7/13 | 8 | 1,299 | 202 | 44 | 30 | 20 | 0 |
| Totals | | | | | | | | 37,249 | 29,769 | 2,015 | 4,044 | 3,114 | 120 |

¹ Pacific halibut weights determined by using best net weight available.

² Pacific cod and rockfish numbers extrapolated from 20% subsample.

³ Data for stations 5097, 5102, 5106, 5112, 5116, 5125, 5128, 5130 from 2019 FISS; stations 5096, 5100, 5104, 5111, 5114, 5117, 5114, 5122, 5129, 5133, 5134 from 2020 FISS; all other stations from 2021 FISS.

⁴ Near closed area (Steller sea lion)



Station Tables

2023 FISS Projections
Shumagin Stations (54)

| Station Number | IPHC Stat Area | North Latitude | West Longitude | Depth (F) | ADFG Area | Date Fished ³ | Skates | Pacific halibut (lb) ¹ | | Pacific halibut (pieces) | | Byproduct (pieces) | |
|----------------|----------------|----------------|----------------|-----------|-----------|--------------------------|--------|-----------------------------------|---------------|--------------------------|--------------|--------------------------|-----------------------|
| | | | | | | | | O32 | U32 | O32 | U32 | Pacific Cod ² | Rockfish ² |
| 5141 | 320 | 54° 30' | 159° 00' | 152 | 595431 | 6/5 | 8 | 67 | 18 | 4 | 4 | 0 | 0 |
| 5142 | 320 | 54° 30' | 159° 17' | 78 | 595431 | 6/5 | 8 | 202 | 262 | 20 | 34 | 100 | 0 |
| 5143 | 320 | 54° 30' | 159° 34' | 62 | 595431 | 6/5 | 8 | 2,070 | 943 | 120 | 120 | 20 | 0 |
| 5144 | 320 | 54° 30' | 159° 51' | 64 | 595431 | 6/6 | 8 | 247 | 729 | 22 | 96 | 10 | 0 |
| 5145 | 320 | 54° 30' | 160° 09' | 64 | 605431 | 6/2 | 8 | 159 | 579 | 10 | 74 | 6 | 0 |
| 5146 | 310 | 54° 40' | 158° 25' | 109 | 585431 | 6/4 | 8 | 133 | 127 | 10 | 14 | 59 | 0 |
| 5147 | 320 | 54° 40' | 158° 42' | 57 | 585431 | 6/4 | 8 | 1,216 | 636 | 86 | 80 | 100 | 50 |
| 5148 | 320 | 54° 40' | 159° 00' | 49 | 595431 | 6/12 | 8 | 614 | 727 | 43 | 96 | 86 | 6 |
| 5149 | 320 | 54° 40' | 159° 17' | 40 | 595431 | 6/12 | 8 | 363 | 391 | 22 | 50 | 51 | 0 |
| 5150 | 320 | 54° 40' | 159° 34' | 39 | 595431 | 6/10 | 8 | 809 | 513 | 30 | 70 | 192 | 0 ⁴ |
| 5151 | 320 | 54° 40' | 159° 52' | 41 | 595431 | 6/6 | 8 | 2,391 | 657 | 128 | 84 | 10 | 0 |
| 5152 | 320 | 54° 40' | 160° 09' | 49 | 605431 | 6/6 | 8 | 852 | 1,118 | 58 | 138 | 0 | 0 |
| 5153 | 310 | 54° 50' | 158° 07' | 63 | 585432 | 6/16 | 8 | 776 | 383 | 49 | 54 | 91 | 0 |
| 5154 | 310 | 54° 50' | 158° 25' | 107 | 585431 | 6/16 | 8 | 75 | 179 | 6 | 22 | 0 | 0 |
| 5155 | 310 | 54° 50' | 158° 42' | 54 | 585431 | 6/4 | 8 | 981 | 828 | 74 | 106 | 30 | 0 |
| 5156 | 320 | 54° 50' | 159° 00' | 40 | 595431 | 6/9 | 8 | 127 | 266 | 9 | 41 | 74 | 0 |
| 5157 | 320 | 54° 50' | 159° 52' | 29 | 595432 | 6/7 | 8 | 292 | 214 | 14 | 30 | 208 | 0 |
| 5158 | 320 | 54° 50' | 160° 09' | 38 | 605431 | 6/8 | 8 | 735 | 319 | 36 | 42 | 40 | 0 |
| 5159 | 320 | 54° 50' | 160° 26' | 46 | 605431 | 6/8 | 8 | 340 | 518 | 26 | 66 | 69 | 0 |
| 5160 | 310 | 55° 00' | 158° 25' | 114 | 585502 | 6/18 | 8 | 239 | 120 | 19 | 15 | 0 | 0 |
| 5161 | 310 | 55° 00' | 158° 42' | 70 | 585501 | 6/18 | 8 | 113 | 322 | 9 | 48 | 96 | 0 |
| 5162 | 320 | 55° 00' | 158° 59' | 46 | 585501 | 6/9 | 8 | 159 | 238 | 7 | 35 | 154 | 0 |
| 5163 | 320 | 55° 00' | 159° 17' | 23 | 595502 | 6/3 | 8 | 2,269 | 370 | 72 | 46 | 90 | 0 ⁴ |
| 5164 | 320 | 55° 00' | 160° 27' | 64 | 605503 | 6/20 | 8 | 377 | 562 | 36 | 84 | 20 | 0 |
| 5165 | 320 | 55° 00' | 160° 44' | 48 | 605503 | 6/20 | 8 | 1,035 | 522 | 64 | 70 | 20 | 0 |
| 5166 | 310 | 55° 10' | 158° 24' | 101 | 585502 | 6/3 | 8 | 388 | 0 | 32 | 0 | 0 | 0 |
| 5167 | 310 | 55° 10' | 158° 42' | 111 | 585502 | 6/3 | 8 | 671 | 200 | 50 | 24 | 0 | 0 |
| 5168 | 310 | 55° 10' | 158° 59' | 73 | 585501 | 6/8 | 8 | 105 | 124 | 9 | 16 | 11 | 0 |
| 5169 | 320 | 55° 10' | 159° 17' | 39 | 595505 | 6/8 | 8 | 557 | 227 | 16 | 33 | 137 | 0 |
| 5170 | 310 | 55° 20' | 158° 42' | 102 | 585502 | 6/7 | 8 | 277 | 0 | 16 | 0 | 0 | 0 |
| 5171 | 310 | 55° 20' | 158° 59' | 100 | 585502 | 6/7 | 8 | 33 | 54 | 2 | 6 | 0 | 0 |
| 5172 | 320 | 55° 20' | 159° 17' | 97 | 595505 | 6/28 | 8 | 499 | 533 | 44 | 62 | 0 | 0 |
| 5173 | 320 | 55° 20' | 159° 34' | 76 | 595504 | 6/15 | 8 | 175 | 259 | 10 | 32 | 0 | 0 |
| 5174 | 320 | 55° 20' | 159° 52' | 45 | 595503 | 6/15 | 8 | 121 | 216 | 5 | 32 | 91 | 0 |
| 5175 | 310 | 55° 30' | 158° 41' | 88 | 585532 | 6/28 | 8 | 243 | 105 | 14 | 12 | 0 | 0 |
| 5176 | 310 | 55° 30' | 158° 59' | 59 | 585532 | 6/6 | 8 | 279 | 349 | 16 | 50 | 69 | 0 |
| 5177 | 320 | 55° 30' | 159° 17' | 66 | 595532 | 6/28 | 8 | 425 | 627 | 36 | 80 | 59 | 0 |
| 5178 | 320 | 55° 30' | 159° 34' | 91 | 595505 | 6/26 | 8 | 456 | 250 | 34 | 30 | 0 | 0 |
| 5179 | 320 | 55° 30' | 159° 52' | 92 | 595504 | 6/26 | 8 | 907 | 651 | 68 | 74 | 69 | 0 |
| 5181 | 310 | 55° 40' | 158° 59' | 82 | 585532 | 6/27 | 8 | 764 | 672 | 58 | 80 | 30 | 0 |
| 5182 | 310 | 55° 40' | 159° 17' | 57 | 595532 | 6/27 | 8 | 387 | 565 | 26 | 74 | 50 | 0 |
| 5183 | 320 | 55° 40' | 159° 52' | 71 | 595533 | 6/26 | 8 | 777 | 522 | 40 | 66 | 89 | 0 |
| 5184 | 310 | 55° 50' | 158° 59' | 68 | 585531 | 5/28 | 8 | 627 | 446 | 33 | 58 | 74 | 0 |
| 5185 | 310 | 55° 50' | 159° 17' | 29 | 595531 | 6/27 | 8 | 646 | 329 | 34 | 48 | 40 | 0 |
| 5530 | 320 | 54° 20' | 159° 51' | 181 | 595400 | 6/11 | 8 | 0 | 0 | 0 | 0 | 0 | 11 |
| 5532 | 320 | 54° 50' | 159° 34' | 14 | 595432 | 6/7 | 8 | 645 | 160 | 22 | 20 | 178 | 0 |
| 5533 | 320 | 54° 50' | 159° 17' | 23 | 595434 | 6/7 | 8 | 6,938 | 164 | 188 | 20 | 20 | 0 |
| 5534 | 320 | 54° 60' | 159° 35' | 28 | 595434 | 6/3 | 8 | 668 | 167 | 19 | 24 | 28 | 0 |
| 5535 | 320 | 54° 60' | 160° 09' | 30 | 605432 | 6/1 | 8 | 471 | 234 | 17 | 39 | 68 | 0 |
| 5536 | 320 | 54° 60' | 159° 52' | 23 | 595433 | 6/8 | 8 | 528 | 102 | 20 | 14 | 50 | 0 ⁵ |
| 5537 | 320 | 55° 10' | 160° 10' | 30 | 605502 | 5/30 | 8 | 154 | 375 | 9 | 58 | 102 | 11 |
| 5538 | 320 | 55° 10' | 160° 44' | 21 | 605504 | 6/20 | 8 | 179 | 240 | 10 | 32 | 10 | 0 |
| 5539 | 320 | 55° 10' | 160° 27' | 29 | 605504 | 5/30 | 8 | 683 | 268 | 21 | 33 | 85 | 0 |
| 5540 | 320 | 55° 20' | 160° 10' | 49 | 605502 | 5/30 | 8 | 580 | 123 | 22 | 18 | 158 | 6 |
| Totals | | | | | | | | 35,826 | 19,506 | 1,846 | 2,555 | 2,942 | 84 |

¹ Pacific halibut weights determined by using best net weight available.

² Pacific cod and rockfish numbers extrapolated from 20% subsample.

³ Data from stations 5145, 5148-5150, 5153, 5154, 5156, 5160-5162, 5168-5171, 5173, 5174, 5176, 5184, 5530, 5534, 5535, 5537, 5539, 5540 from 2019 FISS; all other stations from 2021 FISS.

⁴ Inside closed area (Steller sea lion). Temporarily move.

⁵ Within 2nmi of two islands; okay to fish.



Station Tables

2023 FISS Projections
Sanak Stations (36)

| Station Number | IPHC Stat Area | North Latitude | West Longitude | Depth (F) | ADFG Area | Date Fished ³ | Skates | Pacific halibut (lb) ¹ | | Pacific halibut (pieces) | | Byproduct (pieces) | |
|----------------|----------------|----------------|----------------|-----------|-----------|--------------------------|------------------|-----------------------------------|---------------|--------------------------|--------------|--------------------------|-----------------------|
| | | | | | | | | O32 | U32 | O32 | U32 | Pacific Cod ² | Rockfish ² |
| 5188 | 340 | 54° 00' | 163° 49' | 51 | 635400 | 6/14 | 8 | 185 | 439 | 16 | 56 | 109 | 0 ³ |
| 5189 | 330 | 54° 10' | 161° 34' | 71 | 615400 | 6/22 | 8 | 487 | 381 | 36 | 52 | 77 | 5 |
| 5190 | 330 | 54° 10' | 161° 51' | 46 | 615400 | 6/22 | 8 | 850 | 324 | 48 | 42 | 5 | 10 |
| 5193 | 340 | 54° 10' | 163° 50' | 49 | 635400 | 6/14 | 8 | 134 | 414 | 14 | 54 | 119 | 0 ³ |
| 5194 | 320 | 54° 20' | 160° 08' | 173 | 605400 | 6/20 | Ineffective (DO) | 0 | 0 | 0 | 0 | 0 | 15 |
| 5200 | 330 | 54° 20' | 161° 51' | 40 | 615400 | 6/24 | 8 | 439 | 397 | 30 | 52 | 87 | 15 |
| 5201 | 330 | 54° 20' | 162° 09' | 32 | 625402 | 6/16 | 8 | 2,626 | 426 | 94 | 58 | 79 | 0 ³ |
| 5204 | 340 | 54° 20' | 163° 51' | 62 | 635400 | 7/8 | 8 | 155 | 306 | 11 | 40 | 74 | 0 |
| 5207 | 330 | 54° 30' | 160° 43' | 77 | 605431 | 6/21 | 8 | 140 | 208 | 10 | 27 | 39 | 0 |
| 5208 | 330 | 54° 30' | 161° 00' | 72 | 615431 | 6/21 | 8 | 114 | 89 | 9 | 11 | 5 | 0 |
| 5209 | 330 | 54° 30' | 161° 18' | 65 | 615431 | 6/22 | 8 | 207 | 349 | 18 | 46 | 0 | 0 ³ |
| 5210 | 330 | 54° 30' | 161° 35' | 37 | 615431 | 6/16 | 8 | 1,402 | 565 | 72 | 86 | 10 | 0 ³ |
| 5211 | 330 | 54° 30' | 161° 52' | 77 | 615431 | 6/24 | 8 | 87 | 145 | 7 | 21 | 15 | 0 |
| 5212 | 330 | 54° 30' | 162° 09' | 79 | 625433 | 7/6 | 8 | 299 | 381 | 23 | 46 | 69 | 0 |
| 5213 | 340 | 54° 30' | 162° 26' | 80 | 625435 | 7/6 | 8 | 222 | 419 | 18 | 55 | 39 | 0 |
| 5214 | 340 | 54° 30' | 163° 18' | 39 | 635435 | 6/13 | 8 | 470 | 456 | 30 | 56 | 50 | 0 ³ |
| 5218 | 320 | 54° 40' | 160° 26' | 57 | 605431 | 6/19 | 8 | 64 | 386 | 5 | 50 | 39 | 0 |
| 5221 | 330 | 54° 40' | 161° 18' | 75 | 615431 | 6/21 | 8 | 444 | 736 | 40 | 104 | 10 | 0 ³ |
| 5222 | 330 | 54° 40' | 161° 35' | 36 | 615431 | 6/23 | Ineffective (DO) | 53 | 44 | 4 | 8 | 30 | 0 ³ |
| 5223 | 330 | 54° 40' | 161° 53' | 42 | 615431 | 6/23 | 8 | 1,560 | 697 | 84 | 92 | 20 | 10 ³ |
| 5226 | 330 | 54° 50' | 161° 01' | 57 | 615431 | 6/21 | 8 | 173 | 713 | 16 | 92 | 0 | 0 ³ |
| 5227 | 330 | 54° 50' | 161° 18' | 57 | 615431 | 6/26 | 8 | 584 | 434 | 46 | 57 | 40 | 0 |
| 5228 | 330 | 54° 50' | 161° 36' | 44 | 615431 | 6/26 | 8 | 773 | 203 | 26 | 29 | 29 | 0 |
| 5232 | 330 | 55° 00' | 161° 19' | 57 | 615505 | 6/27 | 8 | 369 | 117 | 14 | 17 | 123 | 5 |
| 5233 | 320 | 55° 10' | 161° 02' | 76 | 615503 | 6/27 | 8 | 229 | 269 | 18 | 35 | 103 | 0 |
| 5547 | 340 | 54° 10' | 163° 32' | 43 | 635400 | 6/14 | 8 | 509 | 317 | 34 | 42 | 198 | 0 ³ |
| 5548 | 340 | 54° 10' | 163° 15' | 42 | 635400 | 6/15 | 8 | 356 | 279 | 22 | 40 | 109 | 0 ³ |
| 5552 | 340 | 54° 30' | 162° 44' | 41 | 625434 | 7/5 | 8 | 76 | 54 | 5 | 7 | 141 | 5 |
| 5556 | 330 | 54° 50' | 162° 10' | 25 | 625431 | 7/1 | 8 | 240 | 125 | 12 | 20 | 30 | 0 |
| 5557 | 330 | 54° 50' | 162° 28' | 20 | 625431 | 6/12 | 8 | 945 | 67 | 32 | 10 | 59 | 0 ³ |
| 5559 | 330 | 54° 60' | 162° 10' | 46 | 625431 | 6/25 | 8 | 693 | 231 | 37 | 32 | 62 | 0 |
| 5560 | 330 | 54° 60' | 162° 28' | 25 | 625431 | 7/1 | 8 | 224 | 111 | 9 | 17 | 75 | 0 |
| 5561 | 340 | 54° 60' | 163° 03' | 44 | 635432 | 7/2 | 8 | 566 | 241 | 32 | 38 | 134 | 0 |
| 5562 | 330 | 54° 60' | 161° 36' | 32 | 615432 | 6/26 | 8 | 502 | 150 | 18 | 23 | 29 | 0 |
| 5564 | 330 | 55° 20' | 161° 37' | 38 | 615508 | 6/11 | 8 | 530 | 90 | 18 | 10 | 178 | 0 ³ |
| 5567 | 330 | 55° 30' | 161° 37' | 29 | 615508 | 6/18 | Ineffective | 246 | 100 | 12 | 14 | 115 | 0 |
| Totals: | | | | | | | | 16,950 | 10,663 | 920 | 1,439 | 2,299 | 64 |

¹ Pacific halibut weights determined by using best net weight available.

² Pacific cod and rockfish numbers extrapolated from 20% subsample.

³ Data for stations from 2021 FISS; all other station data from 2022 FISS.



Station Tables

2023 FISS Projections

Unalaska Stations (16)

| Station Number | IPHC Stat Area | North Latitude | West Longitude | Depth (F) | ADFG Area | Date Fished ³ | Skates | Pacific halibut (lb) ¹ | | Pacific halibut (pieces) | | Byproduct (pieces) | |
|----------------|----------------|----------------|----------------|-----------|-----------|--------------------------|-------------|-----------------------------------|--------------|--------------------------|------------|--------------------------|-----------------------|
| | | | | | | | | O32 | U32 | O32 | U32 | Pacific Cod ² | Rockfish ² |
| 6009 | 523171 | 52° 43' | 171° 22' | 88 | 715231 | 7/31 | Ineffective | 201 | 182 | 22 | 24 | 50 | 0 |
| 6013 | 523171 | 52° 50' | 171° 21' | 101 | 715231 | 8/13 | 8 | 317 | 685 | 26 | 88 | 30 | 0 |
| 6014 | 523171 | 52° 49' | 171° 35' | 133 | 715231 | 7/21 | 8 | 303 | 403 | 24 | 44 | 19 | 0 |
| 6215 | 395 | 52° 10' | 171° 52' | 199 | 715202 | 7/18 | 8 | 151 | 0 | 6 | 0 | 0 | 0 |
| 6219 | 390 | 52° 20' | 171° 20' | 233 | 715202 | 8/29 | 8 | 1,310 | 106 | 77 | 10 | 0 | 0 ³ |
| 6220 | 390 | 52° 20' | 171° 36' | 208 | 715202 | 7/19 | 8 | 200 | 0 | 6 | 0 | 0 | 0 |
| 6221 | 395 | 52° 20' | 171° 52' | 154 | 715202 | 7/19 | 8 | 58 | 0 | 2 | 0 | 10 | 0 |
| 6224 | 390 | 52° 30' | 171° 03' | 261 | 715202 | 8/16 | 8 | 404 | 0 | 14 | 0 | 0 | 0 |
| 6225 | 390 | 52° 30' | 171° 20' | 31 | 715201 | 8/17 | 8 | 587 | 301 | 28 | 42 | 30 | 0 |
| 6229 | 523171 | 52° 40' | 171° 37' | 266 | 715231 | 7/21 | Ineffective | | | | | | |
| 6230 | 523171 | 52° 40' | 171° 53' | 281 | 715231 | 7/21 | 8 | 1,276 | 0 | 41 | 0 | 0 | 0 ⁴ |
| 6233 | 523171 | 52° 50' | 171° 04' | 210 | 715231 | 8/13 | 8 | 249 | 18 | 14 | 2 | 0 | 10 |
| 6701 | 390 | 52° 10' | 171° 36' | 300 | 715202 | 7/18 | 8 | 36 | 0 | 2 | 0 | 0 | 0 ⁴ |
| 6704 | 390 | 52° 30' | 171° 36' | 321 | 715202 | 7/20 | 8 | 193 | 0 | 6 | 0 | 0 | 0 ⁴ |
| 6705 | 520171 | 52° 30' | 171° 53' | 297 | 715202 | 7/20 | 8 | 190 | 0 | 4 | 0 | 0 | 0 ⁴ |
| 6706 | 523171 | 52° 40' | 171° 04' | 305 | 715231 | 7/31 | Ineffective | 0 | 0 | 0 | 0 | 0 | 0 ⁴ |
| Totals: | | | | | | | | 5,473 | 1,693 | 271 | 210 | 138 | 10 |

¹ Pacific halibut weights determined by using best net weight available.

² Pacific cod and rockfish numbers extrapolated from 20% subsample.

³ Data for stations from 2021 FISS; all other station data from 2022 FISS.

⁴ Do not set Seacat at stations 6230, 6701-6706.



Station Tables

2023 FISS Projections
Adak Stations (16)

| Station Number | IPHC Stat Area | North Latitude | West Longitude | Depth (F) | ADFG Area | Date Fished ³ | Skates | Pacific halibut (lb) ¹ | | Pacific halibut (pieces) | | Byproduct (pieces) | |
|----------------|----------------|----------------|----------------|-----------|-----------|--------------------------|------------------|-----------------------------------|--------------|--------------------------|------------|--------------------------|-----------------------|
| | | | | | | | | O32 | U32 | O32 | U32 | Pacific Cod ² | Rockfish ² |
| 6093 | 400 | 52° 10' | 172° 49' | 77 | 725201 | 6/13 | 4 | 557 | 235 | 32 | 27 | 90 | 0 |
| 6094 | 520173 | 52° 10' | 173° 05' | 49 | 735201 | 6/13 | 4 | 411 | 147 | 15 | 20 | 19 | 0 |
| 6239 | 400 | 51° 60' | 173° 06' | 32 | 735203 | 6/30 | 4 | 156 | 16 | 8 | 2 | 135 | 0 |
| 6240 | 400 | 52° 00' | 172° 49' | 45 | 725201 | 6/30 | 4 | 609 | 64 | 28 | 7 | 72 | 0 |
| 6241 | 400 | 51° 60' | 172° 33' | 76 | 725130 | 7/1 | 4 | 750 | 153 | 40 | 19 | 28 | 0 |
| 6242 | 400 | 51° 60' | 172° 16' | 109 | 725130 | 7/1 | 4 | 1,337 | 345 | 77 | 40 | 8 | 0 |
| 6243 | 400 | 51° 60' | 172° 00' | 86 | 725130 | 7/1 | 4 | 1,451 | 83 | 74 | 10 | 36 | 0 |
| 6245 | 400 | 52° 10' | 172° 33' | 90 | 725201 | 7/2 | 4 | 525 | 203 | 28 | 25 | 16 | 0 |
| 6246 | 400 | 52° 10' | 172° 16' | 141 | 725201 | 6/16 | Ineffective | 431 | 438 | 27 | 50 | 27 | 0 |
| 6247 | 400 | 52° 10' | 172° 00' | 144 | 725201 | 6/16 | 4 | 1,408 | 184 | 75 | 21 | 64 | 0 |
| 6248 | 400 | 52° 20' | 172° 16' | 97 | 725203 | 6/16 | 4 | 1,578 | 351 | 78 | 40 | 68 | 4 |
| 6249 | 520172 | 52° 30' | 172° 33' | 153 | 725201 | 8/27 | 4 | 377 | 135 | 20 | 16 | 0 | 0 |
| 6250 | 520172 | 52° 30' | 172° 16' | 106 | 725201 | 8/28 | 4 | 822 | 234 | 47 | 28 | 69 | 0 |
| 6251 | 523172 | 52° 40' | 172° 16' | 170 | 725230 | 8/27 | 4 | 702 | 44 | 39 | 5 | 5 | 2 |
| 6715 | 520173 | 52° 20' | 173° 05' | 186 | 735201 | 7/3 | Ineffective (DO) | 30 | 85 | 2 | 10 | 4 | 0 |
| 6716 | 520172 | 52° 20' | 172° 49' | 158 | 725201 | 7/3 | Ineffective (DO) | 453 | 93 | 25 | 10 | 0 | 0 |
| Totals: | | | | | | | | 11,595 | 2,809 | 615 | 331 | 640 | 6 |

¹ Pacific halibut weights determined by using best net weight available.

² Pacific cod and rockfish numbers extrapolated from 20% subsample.

³ Data for stations 6239-6248, 6715, 6716 from 2017 FISS; stations 6093, 6094 from 2019 FISS; 6249-6251 from 2021 FISS.